

## DAFTAR PUSTAKA

- Abhari, K., Shekarforoush, S. S., Hosseinzadeh, S., Nazifi, S., & Sajedianfard, J. (2015). The effects of prebiotic, probiotic and synbiotic diets containing *Bacillus coagulans* and inulin on serum lipid profile in the rat. *Veterinary science development*.
- Abujajah, C. I., Ogbonna, A. C., & Osuji, C. M. (2015). Functional components and medicinal properties of food: a review. *Journal of food science and technology*, 52(5), 2522-2529.
- Agheli, N., Kabir, M., Berni-Canani, S., Petitjean, E., Boussairi, A., Luo, J., ... & Rizkalla, S. W. (1998). Plasma lipids and fatty acid synthase activity are regulated by short-chain fructo-oligosaccharides in sucrose-fed insulin-resistant rats. *The journal of nutrition*, 128(8), 1283-1288.
- Ahmadi, S., Jamilian, M., Tajabadi-Ebrahimi, M., Jafari, P., & Asemi, Z. (2016). The effects of synbiotic supplementation on markers of insulin metabolism and lipid profiles in gestational diabetes: a randomised, double-blind, placebo-controlled trial. *British journal of nutrition*, 116(8), 1394-1401.
- American Diabetes Association. (2017). 2. Classification and diagnosis of diabetes. *Diabetes care*, 40(Supplement 1), S11-S24.
- Arifin, W. N., & Zahiruddin, W. M. (2017). Sample size calculation in animal studies using resource equation approach. *The Malaysian journal of medical sciences: MJMS*, 24(5), 101.
- Armitage, D. (2004). "*Rattus norvegicus*" *Animal Diversity Web*. Diakses pada 04 Juni 2020, pada [https://animaldiversity.org/accounts/Rattus\\_norvegicus/](https://animaldiversity.org/accounts/Rattus_norvegicus/)
- Artanti, P., Masdar, H., & Rosdiana, D. (2015). Angka kejadian diabetes melitus tidak terdiagnosis pada masyarakat Kota Pekanbaru. *Jom FK*, 2(2).
- Asemi, Z., Zare, Z., Shakeri, H., Sabihi, S. S., & Esmailzadeh, A. (2013). Effect of multispecies probiotic supplements on metabolic profiles, hs-CRP, and oxidative stress in patients with type 2 diabetes. *Annals of nutrition and metabolism*, 63(1-2), 1-9.
- Assmann, G., & Gotto Jr, A. M. (2004). HDL cholesterol and protective factors in atherosclerosis. *Circulation*, 109, III-8.
- Aw, W., & Fukuda, S. (2018). Understanding the role of the gut ecosystem in diabetes mellitus. *Journal of diabetes investigation*, 9(1), 5-12.
- Baroutkoub, A., Mehdi, R. Z., Beglarian, R., Hassan, J., Zahra, S., Mohammad, M. S., & Hadi, E. M. (2010). Effects of probiotic yoghurt consumption on the serum cholesterol levels in hypercholesteremic cases in Shiraz, Southern Iran. *Scientific research and essays*, 5(16), 2206-2209.
- Baynes, H. W. (2015). Classification, pathophysiology, diagnosis and management of diabetes mellitus. *J diabetes metab*, 6(5), 1-9.
- Beserra, B. T., Fernandes, R., do Rosario, V. A., Mocellin, M. C., Kuntz, M. G., & Trindade, E. B. (2015). A systematic review and meta-analysis of the prebiotics and synbiotics effects on glycaemia, insulin concentrations and lipid parameters in adult patients with overweight or obesity. *Clinical nutrition*, 34(5), 845-858.
- Botham, K. M., & Mayes, P. A. (2009). *Pengangkutan dan penyimpanan lipid*. Dalam: Biokimia Harper. Ed-25 (terjemahan), 254-270.

- Cani, P. D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., & Burcelin, R. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, *57*(6), 1470-1481.
- Chahil, T. J., & Ginsberg, H. N. (2006). Diabetic dyslipidemia. *Endocrinology and metabolism clinics*, *35*(3), 491-510.
- Costa, G. T., Abreu, G. C. D., Guimarães, A. B. B., Vasconcelos, P. R. L. D., & Guimarães, S. B. (2015). Fructo-oligosaccharide effects on serum cholesterol levels. An overview. *Acta cirurgica brasileira*, *30*(5), 366-370.
- Daeli, E., & Ardiaria, M. (2018). Pengaruh pemberian nasi beras merah (*Oryza nivara*) dan nasi beras hitam (*Oryza sativa L. indica*) terhadap perubahan kadar gula darah dan trigliserida tikus wistar (*Rattus norvegicus*) diabetes melitus tipe 2. *JNH (Journal of nutrition and health)*, *6*(2), 42-56.
- Daniil, G., Phedonos, A. A., Holleboom, A. G., Motazacker, M. M., Argyri, L., Kuivenhoven, J. A., & Chroni, A. (2011). Characterization of antioxidant/anti-inflammatory properties and apoA-I-containing subpopulations of HDL from family subjects with monogenic low HDL disorders. *Clinica chimica acta*, *412*(13-14), 1213-1220.
- Darmono, D. (2005). *Pengaturan pola hidup penderita diabetes untuk mencegah komplikasi kerusakan organ-organ tubuh*. Jakarta: Erlangga.
- Dayspring, T. (2009). Understanding and Treating Triglyceride Disorders. Diakses pada 4 Juli 2020, pada [https://www.lipidcenter.com/pdf/Triglyceride\\_Disorders.pdf](https://www.lipidcenter.com/pdf/Triglyceride_Disorders.pdf)
- de Sousa, V. M. C., dos Santos, E. F., & Sgarbieri, V. C. (2011). The importance of prebiotics in functional foods and clinical practice. *Food and nutrition sciences*, *2*(02), 133.
- DeFronzo, R. A., Ferrannini, E., Groop, L., Henry, R. R., Herman, W. H., Holst, J. J., ... & Simonson, D. C. (2015). Type 2 diabetes mellitus. *Nature reviews disease primers*, *1*(1), 1-22.
- Dehghan, P., Gargari, B. P., & Asgharijafarabadi, M. (2013). Effects of high performance inulin supplementation on glycemic status and lipid profile in women with type 2 diabetes: a randomized, placebo-controlled clinical trial. *Health promotion perspectives*, *3*(1), 55.
- Delzenne, N. M., & Kok, N. (2001). Effects of fructans-type prebiotics on lipid metabolism. *The American journal of clinical nutrition*, *73*(2), 456s-458s.
- Depkes, R. I. (2008). *Pedoman pengendalian tikus*. Direktorat Jendral Pengendalian Penyakit dan Penyehatan Lingkungan. Jakarta: Bakti Husada.
- Ebrahimi, Z., Nasli-Esfahani, E., Nadjarzade, A., & Mozaffari-khosravi, H. (2017). Effect of symbiotic supplementation on glycemic control, lipid profiles and microalbuminuria in patients with non-obese type 2 diabetes: a randomized, double-blind, clinical trial. *Journal of diabetes & metabolic disorders*, *16*(1), 23.
- Ejtahed, H. S., Mohtadi-Nia, J., Homayouni-Rad, A., Niafar, M., Asghari-Jafarabadi, M., Mofid, V., & Akbarian-Moghari, A. (2011). Effect of probiotic yogurt containing *Lactobacillus acidophilus* and *Bifidobacterium lactis* on lipid profile in individuals with type 2 diabetes mellitus. *Journal of dairy science*, *94*(7), 3288-3294.
- El Khamisy, A. E. S. (2010). Effect of *Bifidobacterium* and *Lactobacillus acidophilus* in diabetic rats. In *The 5th Arab and 2nd International Annual Scientific Conference*.

- Eslamparast, T., Poustchi, H., Zamani, F., Sharafkhah, M., Malekzadeh, R., & Hekmatdoost, A. (2014). Synbiotic supplementation in nonalcoholic fatty liver disease: a randomized, double-blind, placebo-controlled pilot study. *The American journal of clinical nutrition*, 99(3), 535-542.
- Faadlillah, N., & Ardiaria, M. (2016). Efek pemberian seduhan kulit buah naga merah (*Hylocereus polyrhizus*) terhadap kadar HDL tikus *Sprague Dawley* dislipidemia. *Journal of nutrition college*, 5(4), 280-288.
- Fact Sheet. BENEEO Orafti® inulin - at a glance. Diakses pada 29 Mei 2020, pada <https://www.beneo.com>
- Fact Sheet. BENEEO Orafti® oligofructose - at a glance. Diakses pada 29 Mei 2020, pada <https://www.beneo.com>
- Fadhilah, A. N., Hafsah, H., & Nur, F. (2015). Penurunan kadar kolesterol oleh bakteri asam laktat asal dangke secara *in vitro*. In *Prosiding Seminar Biologi*.
- Farbstein, D., & Levy, A. P. (2012). HDL dysfunction in diabetes: causes and possible treatments. *Expert review of cardiovascular therapy*, 10(3), 353-361.
- Farizal, J., & Marlina, L. (2019). Hubungan kadar trigliserida dengan mahasiswa obesitas. *Avicenna: jurnal ilmiah*, 14(02), 42-46.
- Fatimah, R. N. (2015). Diabetes melitus tipe 2. *Jurnal majority*, 4(5).
- Flach, J., van der Waal, M. B., van den Nieuwboer, M., Claassen, E., & Larsen, O. F. (2018). The underexposed role of food matrices in probiotic products: Reviewing the relationship between carrier matrices and product parameters. *Critical reviews in food science and nutrition*, 58(15), 2570-2584.
- Florou-Paneri, P., Christaki, E., & Bonos, E. (2013). Lactic acid bacteria as source of functional ingredients. In *Lactic Acid Bacteria-R & D for Food, Health and Livestock Purposes*. *IntechOpen*.
- Food Agriculture Organization/World Health Organization Working Group. (2002). *Guidelines for the evaluation of probiotics in food*. Joint Food and Agriculture Organization and World Health Organization Working Group London, Ontario, Canada.
- Gente, M., Leman, M. A., & Anindita, P. S. (2015). Uji efek analgesia ekstrak daun kecubung (*Datura metel L.*) pada tikus wistar (*Rattus norvegicus*) jantan. *e-GIGI*, 3(2).
- Ghasemi, A., Khalifi, S., & Jedi, S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes. *Acta physiologica hungarica*, 101(4), 408-420.
- Graha, C. K. (2010). *100 Questions and Answer Cholesterol*. Alex Media Komputindo, Jakarta, 265.
- Guo, Z., Liu, X. M., Zhang, Q. X., Tian, F. W., Zhang, H., He-Ping, Z., & Chen, W. (2012). Effects of inulin on the plasma lipid profile of normolipidemic and hyperlipidemic subjects: a meta-analysis of randomized controlled trials. *Clinical lipidology*, 7(2), 215-222.
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. (2019). Model hewan coba pada penelitian diabetes. *Pharmaceutical sciences & research*, 6(3), 1.
- International Diabetes Federation. (2019). *IDF Diabetes Atlas, 9th edn*. Brussels, Belgium: International Diabetes Federation.
- Isnaini, N., & Ratnasari, R. (2018). Faktor risiko memengaruhi kejadian diabetes mellitus tipe dua. *Jurnal kebidanan dan keperawatan Aisyiyah*, 14(1), 59-68.
- Jackson, K. G., & Lovegrove, J. A. (2012). Impact of probiotics, prebiotics and synbiotics on lipid metabolism in humans. *Nutrition and aging*, 1(3, 4), 181-200.

- Jackson, K. G., Taylor, G. R., Clohessy, A. M., & Williams, C. M. (1999). The effect of the daily intake of inulin on fasting lipid, insulin and glucose concentrations in middle-aged men and women. *British journal of nutrition*, 82(1), 23-30.
- Jim, E. L. (2013). Metabolisme lipoprotein. *Jurnal biomedik: Jbm*, 5(3).
- Josten, S. (2018). Profil Lipid Penderita Diabetes Mellitus Tipe 2 P. *Indonesian journal of clinical pathology and medical laboratory*, 13(1), 20-22.
- Kahn, S. E., Cooper, M. E., & Del Prato, S. (2014). Pathophysiology and treatment of type 2 diabetes: perspectives on the past, present, and future. *The lancet*, 383(9922), 1068-1083.
- Kartini, I. A. (2017). Pemeriksaan kadar trigliserida pada penderita diabetes mellitus tipe 2 (Studi di Puskesmas Mojoagung Kabupaten Jombang) (*Doctoral dissertation, STIKES Insan Cendekia Medika Jombang*).
- Kasengke, J., Assa, Y. A., & Paruntu, M. E. (2015). Gambaran kadar gula sesaat pada dewasa muda usia 20-30 tahun dengan indeks massa tubuh (IMT)  $\geq 23$  kg/m<sup>2</sup>. *eBiomedik*, 3(3).
- Kathleen, M. B., & Peter, A. M. (2009). *Metabolisme Asilgliserol & Sfingolipid*. Biokimia harper. 27th ed. Jakarta: EGC, 217.
- Kementrian Kesehatan. (2018). *Hasil utama Riskesdas 2018*. Jakarta: Kemenkes Balitbangkes.
- King, A. J. (2012). The use of animal models in diabetes research. *British journal of pharmacology*, 166(3), 877-894.
- Kumar, M., Nagpal, R., Kumar, R., Hemalatha, R., Verma, V., Kumar, A., Chakraborty, C., Singh, B., Marotta, F., Jain, S., & Yadav, H. (2012). Cholesterol-lowering probiotics as potential biotherapeutics for metabolic diseases. *Experimental diabetes research*.
- Kumar, V., & Cotrann, R. S. (2012). *Robbins Buku Ajar Patologi*, Edisi 7. Jakarta: EGC, 35-64.
- Lee, D. K., Jang, S., Baek, E. H., Kim, M. J., Lee, K. S., Shin, H. S., ... & Ha, N. J. (2009). Lactic acid bacteria affect serum cholesterol levels, harmful fecal enzyme activity, and fecal water content. *Lipids in health and disease*, 8(1), 21.
- Lewis, G. F., Carpentier, A., Adeli, K., & Giacca, A. (2002). Disordered fat storage and mobilization in the pathogenesis of insulin resistance and type 2 diabetes. *Endocrine reviews*, 23(2), 201-229.
- Linder, M. C. (1992). *Biokimia nutrisi dan metabolisme dengan pemakaian secara klinis*. Cetakan Pertama. Penerbit Universitas Indonesia, Jakarta.
- Liong, M. T., & Shah, N. P. (2005). Acid and bile tolerance and cholesterol removal ability of lactobacilli strains. *Journal of dairy science*, 88(1), 55-66.
- Liong, M. T., & Shah, N. P. (2005). Production of organic acids from fermentation of mannitol, fructooligosaccharide and inulin by a cholesterol removing *Lactobacillus acidophilus* strain. *Journal of applied microbiology*, 99(4), 783-793.
- Liong, M. T., & Shah, N. P. (2006). Effects of a *Lactobacillus casei* synbiotic on serum lipoprotein, intestinal microflora, and organic acids in rats. *Journal of dairy science*, 89(5), 1390-1399.
- Luo, J., Van Yperselle, M., Rizkalla, S. W., Rossi, F., Bornet, F. R., & Slama, G. (2000). Chronic consumption of short-chain fructooligosaccharides does not affect basal hepatic glucose production or insulin resistance in type 2 diabetics. *The journal of nutrition*, 130(6), 1572-1577.

- Mahan, L. K., Raymond, J. L., & Escott-Stump, S. (2013). *Krause's Food & the Nutrition Care Process-E-Book*. Elsevier Health Sciences.
- Malik, M.I., Nasrul, E., & Asterina. (2015). Hubungan hiperglikemia dengan *prothrombin time* pada mencit (*Mus musculus*) yang diinduksi aloksan. *Jurnal kesehatan andalas*. 2015; 4(1).
- Manikam, C. G. (2017). Perbedaan hasil pemeriksaan kadar trigliserida sampel serum dan plasma EDTA. (*Doctoral dissertation, Muhammadiyah University of Semarang*).
- Marco, M. L., Pavan, S., & Kleerebezem, M. (2006). Towards understanding molecular modes of probiotic action. *Current opinion in biotechnology*, 17(2), 204-210.
- Martirosyan, D. M., & Singh, J. (2015). *A new definition for functional food by FFC: Creating functional food products using new definition. Introduction to functional food science. 3rd edition*. San Diego: Functional Food Center Inc, 10-24.
- Maryati, Y., Nuraida, L., & Hariyadi, R. D. (2016). Kajian isolat bakteri asam laktat dalam menurunkan kolesterol secara *in vitro* dengan keberadaan oligosakarida. *Agritech*, 36(2), 196-205.
- Moharib, S. A., Shehata, M. M., Salama, A. F., & Hegazi, M. A. (2014). Effect of fructooligosaccharides in *Cynara scolymus* and *Allium cepa* on carbohydrate and lipid metabolism in rats. *Electronic journal of polish agricultural universities. Series veterinary medicine*, 17(1).
- Mooradian, A. D. (2009). Dyslipidemia in type 2 diabetes mellitus. *Nature reviews endocrinology*, 5(3), 150.
- Moroti, C., Magri, L. F. S., De Rensis, C. M. V. B., Costa, M. D. R., & Sivieri, K. (2010). Effect of the consumption of a synbiotic shake on the intestinal microflora of elderly people. *International journal of probiotics & prebiotics*, 5(3), 133.
- Moroti, C., Magri, L. F. S., de Rezende Costa, M., Cavallini, D. C., & Sivieri, K. (2012). Effect of the consumption of a new symbiotic shake on glycemia and cholesterol levels in elderly people with type 2 diabetes mellitus. *Lipids in health and disease*, 11(1), 29.
- Nassar, S. E., Ismail, G. M., El-Damarawi, M. A., & Alam El-Din, A. A. (2013). Effect of inulin on metabolic changes produced by fructose rich diet. *Life science journal*, 10(2), 1807-1814.
- Octavia, Z. F., Djamiatun, K., & Suci, N. (2017). Pengaruh pemberian yogurt sinbiotik tepung pisang tanduk terhadap profil lipid tikus sindrom metabolik. *Jurnal gizi klinik Indonesia*, 13(4), 159-169.
- Ojiako, O. A., Chikezie, P. C., & Ogbuji, A. C. (2016). Blood glucose level and lipid profile of alloxan-induced hyperglycemic rats treated with single and combinatorial herbal formulations. *Journal of traditional and complementary medicine*, 6(2), 184-192.
- Ooi, L. G., & Liong, M. T. (2010). Cholesterol-lowering effects of probiotics and prebiotics: a review of in vivo and in vitro findings. *International journal of molecular sciences*, 11(6), 2499-2522.
- Ooi, L. G., Ahmad, R., Yuen, K. H., & Liong, M. T. (2010). *Lactobacillus acidophilus* CHO-220 and inulin reduced plasma total cholesterol and low-density lipoprotein cholesterol via alteration of lipid transporters. *Journal of dairy science*, 93(11), 5048-5058.

- Parhofer, K. G. (2015). Interaction between glucose and lipid metabolism: more than diabetic dyslipidemia. *Diabetes & metabolism journal*, 39(5), 353-362.
- Pastors, J. G., & Franz, M. J. (2012). *American diabetes association guide to nutrition therapy for diabetes*. American Diabetes Association: USA.
- Patel, T. P., Rawal, K., Bagchi, A. K., Akolkar, G., Bernardes, N., da Silva Dias, D., ... & Singal, P. K. (2016). Insulin resistance: an additional risk factor in the pathogenesis of cardiovascular disease in type 2 diabetes. *Heart failure reviews*, 21(1), 11-23.
- Permatasari, N., & Handayani, M. P. (2017). Efek jus belimbing (*Averrhoa carambola linn.*) dalam meningkatkan pembentukan kolagen pada soket pasca pencabutan gigi tikus wistar. *Prodenta journal of dentistry*, 1(1), 7-14.
- Quispe, R., Martin, S. S., & Jones, S. R. (2016). Triglycerides to high-density lipoprotein-cholesterol ratio, glycemic control and cardiovascular risk in obese patients with type 2 diabetes. *Current opinion in endocrinology, diabetes and obesity*, 23(2), 150-156
- Rajkumar, H., Kumar, M., Das, N., Kumar, S. N., Challa, H. R., & Nagpal, R. (2015). Effect of probiotic *Lactobacillus salivarius* UBL S22 and prebiotic fructo-oligosaccharide on serum lipids, inflammatory markers, insulin sensitivity, and gut bacteria in healthy young volunteers: a randomized controlled single-blind pilot study. *Journal of cardiovascular pharmacology and therapeutics*, 20(3), 289-298.
- Rault-Nania, M. H., Demougeot, C., Gueux, E., Berthelot, A., Dzimira, S., Rayssiguier, Y., ... & Mazur, A. (2008). Inulin supplementation prevents high fructose diet-induced hypertension in rats. *Clinical Nutrition*, 27(2), 276-282.
- Ray, A., Huisman, M. V., Tamsma, J. T., Van Asten, J., Bingen, B. O., Broeders, E. A. B. J., ... & Malgo, F. (2009). The role of inflammation on atherosclerosis, intermediate and clinical cardiovascular endpoints in type 2 diabetes mellitus. *European journal of internal medicine*, 20(3), 253-260.
- Reeves, P. G. (1997). Components of the AIN-93 diets as improvements in the AIN-76A diet. *The journal of nutrition*, 127(5), 838S-841S.
- Rezaei, M., Sanagoo, A., Jouybari, L., Behnampoo, N., & Kavosi, A. (2017). The effect of probiotic yogurt on blood glucose and cardiovascular biomarkers in patients with type II diabetes: a randomized controlled trial. *Evidence based care*, 6(4), 26-35.
- Roselino, M. N., Pauly-Silveira, N. D., Cavallini, D. C., Celiberto, L. S., Pinto, R. A., Vendramini, R. C., & Rossi, E. A. (2012). A potential synbiotic product improves the lipid profile of diabetic rats. *Lipids in health and disease*, 11(1), 114.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., & Matteuzzi, D. (2005). Fermentation of fructooligosaccharides and inulin by *bifidobacteria*: a comparative study of pure and fecal cultures. *Appl. Environ. Microbiol.*, 71(10), 6150-6158.
- Ruiz, L., Gueimonde, M., Ruas-Madiedo, P., Margolles, A., & Sánchez, B. (2015). Improving probiotics for functional foods. *Advances in food biotechnology*, 351.
- Rusdiana, R., & Syauqy, A. (2015). Pengaruh pemberian pisang kepok (*Musa paradisiaca forma typical*) terhadap kadar trigliserida tikus *Sprague Dawley* pra sindrom metabolik. (*Doctoral dissertation, Diponegoro University*).

- Russo, F., Riezzo, G., Chiloiro, M., De Michele, G., Chimienti, G., Marconi, E., ... & Clemente, C. (2010). Metabolic effects of a diet with inulin-enriched pasta in healthy young volunteers. *Current pharmaceutical design*, 16(7), 825-831.
- Sabila, F. (2012). Karakterisasi frukto-oligosakarida (FOS) dari fermentasi sukrosa oleh *Penicillium notatum*. *Skripsi*. Jakarta: Universitas Indonesia.
- Sáez-Lara, M. J., Robles-Sanchez, C., Ruiz-Ojeda, F. J., Plaza-Diaz, J., & Gil, A. (2016). Effects of probiotics and synbiotics on obesity, insulin resistance syndrome, type 2 diabetes and non-alcoholic fatty liver disease: a review of human clinical trials. *International journal of molecular sciences*, 17(6), 928.
- Saputra, N. T., Suartha, I. N., & Dharmayudha, A. A. G. O. (2018). Agen Diabetagonik *Streptozotocin* untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Buletin veteriner udayana*, 116-121.
- Sari, P. P., Nurliana, N., Hasan, M., Sayuti, A., Sugito, S., & Amiruddin, A. (2017). 3. *Lactobacillus casei* fermented milk as a treatment for diabetes in mice (*Mus musculus*). *Jurnal medika veterinaria*, 11(1), 15-19.
- Sastroasmoro S. 2007. *Dasar-dasar metodologi penelitian klinis*. Edisi ke-3. Jakarta; Sagung Seto.
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar metodologi penelitian klinis*. Jakarta: Sagung Seto, 372.
- Schofield, J. D., Liu, Y., Rao-Balakrishna, P., Malik, R. A., & Soran, H. (2016). Diabetes dyslipidemia. *Diabetes therapy*, 7(2), 203-219.
- Shakeri, H., Hadaegh, H., Abedi, F., Tajabadi-Ebrahimi, M., Mazroii, N., Ghandi, Y., & Asemi, Z. (2014). Consumption of synbiotic bread decreases triacylglycerol and VLDL levels while increasing HDL levels in serum from patients with type-2 diabetes. *Lipids*, 49(7), 695-701.
- Sharma, M., Siddique, M. W., Shamim, A. M., Gyanesh, S., & Pillai, K. K. (2011). Evaluation of antidiabetic and antioxidant effects of seabuckthorn (*Hippophae rhamnoides L.*) in streptozotocin-nicotinamide induced diabetic rats. *In the open conference proceedings journal (vol. 2, no. 1)*.
- Sheth, M., Thakuria, A., Chand, V., & Nath, M. P. (2015). Fructooligosaccharide (FOS)-a smart strategy to modulate inflammatory marker and lipid profile in non insulin dependent diabetes mellitus (NIDDM) subjects residing in Assam, India-a randomized control trial. *World journal of pharmaceutical research*, 4(5), 2673-78.
- Sims, I. M., Ryan, J. L., & Kim, S. H. (2014). In vitro fermentation of prebiotic oligosaccharides by *Bifidobacterium lactis HN019* and *Lactobacillus spp.* *Anaerobe*, 25, 11-17.
- Siri-Tarino, P. W. (2011). Effects of diet on high-density lipoprotein cholesterol. *Current atherosclerosis reports*, 13(6), 453-460.
- Sirois, M. (2005). *Laboratory animal medicine: Principles and procedures* (No. 636.0885 SIRI).
- Song, M., Park, S., Lee, H., Min, B., Jung, S., Kim, E., & Oh, S. (2015). Effect of *Lactobacillus acidophilus NS1* on plasma cholesterol levels in diet-induced obese mice. *Journal of dairy science*, 98(3), 1492-1501.
- Spork, A.C. (2019). *Lactobacillus acidophilus (La-5)*, CHR. Hansen, dilihat pada 13 Juni 2019, < <https://www.chr-hansen.com> >
- Stumvoll, M., Goldstein, B. J., & van Haefen, T. W. (2016). *Pathogenesis of type 2 diabetes*. In Type 2 Diabetes (pp. 27-40). CRC Press.
- Syvänne, M., & Taskinen, M. R. (1997). Lipids and lipoproteins as coronary risk factors in non-insulin-dependent diabetes mellitus. *The lancet*, 350, S20-S23.

- Szkudelski, T. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental biology and medicine*, 237(5), 481-490.
- Tajabadi-Ebrahimi, M., Sharifi, N., Farrokhian, A., Raygan, F., Karamali, F., Razzaghi, R., ... & Asemi, Z. (2017). A randomized controlled clinical trial investigating the effect of synbiotic administration on markers of insulin metabolism and lipid profiles in overweight type 2 diabetic patients with coronary heart disease. *Experimental and clinical endocrinology & diabetes*, 125(01), 21-27.
- Tarini, J., & Wolever, T. M. (2010). The fermentable fibre inulin increases postprandial serum short-chain fatty acids and reduces free-fatty acids and ghrelin in healthy subjects. *Applied physiology, nutrition, and metabolism*, 35(1), 9-16.
- Tjokroprawiro, A. (2001). Diabetes melitus: capita selecta 2001-B. (*clinical experiences and recent advances*).
- Tripathi, M. K., & Giri, S. K. (2014). Probiotic functional foods: Survival of probiotics during processing and storage. *Journal of functional foods*, 9, 225-241.
- Van Linthout, S., Spillmann, F., Schultheiss, H. P., & Tschope, C. (2010). High-density lipoprotein at the interface of type 2 diabetes mellitus and cardiovascular disorders. *Current pharmaceutical design*, 16(13), 1504-1516.
- Wang, J., Zhang, H., Chen, X., Chen, Y., & Bao, Q. (2012). Selection of potential probiotic *lactobacilli* for cholesterol-lowering properties and their effect on cholesterol metabolism in rats fed a high-lipid diet. *Journal of dairy science*, 95(4), 1645-1654.
- Widiyaningsih, E.N. (2011). Peran probiotik untuk kesehatan. *Jurnal kesehatan, ISSN 1979-7621*, 4(1), 14-20.
- Widjojo, S. R., Agus, F., Utomo, B., & Achadi, E. L. (2006). Pengaruh penambahan frukto-oligosakarida (FOS) pada MP-ASI terhadap kejadian diare dan pertumbuhan bayi umur 6-12 bulan (studi eksperimen lapangan di Kabupaten Bogor, Jawa Barat). *Gizi Indonesia*, 29(2).
- Xu, Y. H., Gao, C. L., Guo, H. L., Zhang, W. Q., Huang, W., Tang, S. S., ... & Zhu, Q. (2018). Sodium butyrate supplementation ameliorates diabetic inflammation in db/db mice. *Journal of endocrinology*, 238(3), 231-244.
- Yang, R., Wang, C., Ye, H., Gao, F., Cheng, J., Zhang, T., & Guo, M. (2019). Effects of feeding hyperlipidemia rats with symbiotic oat-based frozen yogurt on serum triglycerides and cholesterol. *Food science & nutrition*, 7(3), 1096-1103.
- Yerlikaya, O. (2014). Starter cultures used in probiotic dairy product preparation and popular probiotic dairy drinks. *Food science and technology*, 34(2), 221-229.
- Yoo, J., & Kim, S. (2016). Probiotics and prebiotics: present status and future perspectives on metabolic disorders. *Nutrients*, 8(3), 173.
- Zary-Sikorska, E., & Juskiewicz, J. (2008). Effect of fructans with different degrees of polymerization on bacterial enzymes activity, lipid profile and antioxidant status in rats. *Polish journal of food and nutrition sciences*, 58(2).