

## DAFTAR PUSTAKA

- Abelli, M., Dell'Osso, L., Carmassi, C., Castellini, G., Pini, S., Carpita, B., & Ricca, V. (2016). Historical evolution of the concept of anorexia nervosa and relationships with orthorexia nervosa, autism, and obsessive-compulsive spectrum. *Neuropsychiatric Disease and Treatment, Volume 12*, 1651–1660. <https://doi.org/10.2147/ndt.s108912>
- Agopyan, A., Batuhan Kenger, E., Kermen, S., Tuce Ulker, M., Ataberk Uzsoy, M., & Kucuk Yetgin, M. (2018). The relationship between orthorexia nervosa and body composition in female students of the nutrition and dietetics department. *Eating and Weight Disorders*. <https://doi.org/10.1007/s40519-018-0565-3>.
- Aksoydan E, & N, C. (2009). Prevalence of orthorexia nervosa among Turkish performance artists. *Eating and Weight Disorders, 14*(1), 33–37. Retrieved from <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L358439672%0Ahttp://www.kurtis.it/download/index.cfm?id=6158&t=lres>
- Aktürk, Ü., Gül, E., & Erci, B. (2019). The Effect of Orthorexia Nervosa Levels of Nursing Students and Diet Behaviors and Socio-Demographic Characteristics. *Ecology of Food and Nutrition, 1–13*. doi:10.1080/03670244.2019.1602529
- Almeida, C., Vieira Borba, V., & Santos, L. (2018). Orthorexia nervosa in a sample of Portuguese fitness participants. *Eating and Weight Disorders, 23*(4), 443–451. <http://doi.org/10.1007/s40519-018-0517-y>
- Asil, E., & Sürücüoğlu, M. S. (2015). Orthorexia Nervosa in Turkish Dietitians. *Ecology of Food and Nutrition, 54*(4), 303–313. <https://doi.org/10.1080/03670244.2014.987920>
- Bağcı Bosi, A. T., Çamur, D., & Güler, Ç. (2007). Prevalence of orthorexia nervosa in resident medical doctors in the faculty of medicine (Ankara, Turkey). *Appetite, 49*(3), 661–666. <http://doi.org/10.1016/j.appet.2007.04.007>
- Barthels, F., Meyer, F., Huber, T., & Pietrowsky, R. (2017). Orthorexic eating behaviour as a coping strategy in patients with anorexia nervosa. *Eating and Weight Disorders, 22*(2), 269–276. <http://doi.org/10.1007/s40519-016-0329-x>
- Barnes, M. A., & Caltabiano, M. L. (2016). *The interrelationship between orthorexia nervosa, perfectionism, body image and attachment style. Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity, 22*(1), 177–184. doi:10.1007/s40519-016-0280-x

- Barrada, J. R., & Roncero, M. (2018). Bidimensional structure of the orthorexia: Development and initial validation of a new instrument. *Anales de Psicología*, 34, 283–291. <https://doi.org/10.6018/analesps.34.2.299671>.
- Bo, S., Zoccali, R., Ponzio, V., Soldati, L., De Carli, L., Benso, A., ... Abbate-Daga, G. (2014). University courses, eating problems, and muscle dysmorphia: Are there any associations? *Journal of Translational Medicine*, 12, 1–8. <http://www.translational.medicine.com/content/12/1/221>.
- Bratman, S. (2017). Orthorexia vs. theories of healthy eating. *Eating and Weight Disorders*, 22(3), 381–385. <http://doi.org/10.1007/s40519-017-0417-6>
- Bundros, J., Clifford, D., Silliman, K., & Neyman Morris, M. (2016). Prevalence of Orthorexia nervosa among college students based on Bratman's test and associated tendencies. *Appetite*, 101, 86–94. <http://doi.org/10.1016/j.appet.2016.02.144>
- Brytek-Matera, A. (2012). Orthorexia nervosa - An eating disorder, obsessive-compulsive disorder or disturbed eating habit? *Archives of Psychiatry and Psychotherapy*, 14(1), 55–60. [http://doi.org/10.1016/S0924-9338\(14\)77967-2](http://doi.org/10.1016/S0924-9338(14)77967-2)
- Brytek-Matera, A., Rogoza, R., Gramaglia, C., & Zeppegno, P. (2015). Predictors of orthorexic behaviours in patients with eating disorders: A preliminary study. *BMC Psychiatry*, 15(1), 1–9. <http://doi.org/10.1186/s12888-015-0628-1>
- Brytek-Matera, A., Fonte, M. L., Poggiogalle, E., Donini, L. M., & Cena, H. (2017). Orthorexia nervosa: relationship with obsessive-compulsive symptoms, disordered eating patterns and body uneasiness among Italian university students. *Eating and Weight Disorders*, 22(4), 609–617. <https://doi.org/10.1007/s40519-017-0427-4>
- Cartwright, M. M. (2004). Eating disorder emergencies: Understanding the medical complexities of the hospitalized eating disordered patient. *Critical Care Nursing Clinics of North America*, 16(4), 515–530. [http://doi.org/10.1016/S0899-5885\(04\)00071-1](http://doi.org/10.1016/S0899-5885(04)00071-1)
- Casero-Alonso, V., Parra-Fernandez, M. L., Onieva-Zafra, M. D., Notario-Pacheco, B., Perez-Haro, M. J., Muñoz Camargo, J. C., & Rodríguez-Cano, T. (2018). Adaptation and validation of the Spanish version of the ORTO-15 questionnaire for the diagnosis of orthorexia nervosa. *Plos One*, 13(1), e0190722. <https://doi.org/10.1371/journal.pone.0190722>

- Chaki, B., Pal, S., & Bandyopadhyay, A. (2013). Exploring scientific legitimacy of orthorexia nervosa: A newly emerging eating disorder. *Journal of Human Sport and Exercise*, 8(4), 1045–1053. <http://doi.org/10.4100/jhse.2013.84.14>
- Clifford, T., & Blyth, C. (2018). A pilot study comparing the prevalence of orthorexia nervosa in regular students and those in university sports teams. *Eating and Weight Disorders*. <http://doi.org/10.1007/s40519-018-0584-0>.
- Costa, C. B., Hardan-Khalil, K., & Gibbs, K. (2017). Orthorexia Nervosa: A Review of the Literature. *Issues in Mental Health Nursing*, 38(12), 980–988. <http://doi.org/10.1080/01612840.2017.1371816>
- Darby JS Thompson, P. (2013). Justification of the Sample Size Are these justifications ... Are these justifications ..., 1–10. Retrieved from [http://med-fom-medicine.sites.olt.ubc.ca/files/2014/03/PowerSampSz\\_20130417.pdf](http://med-fom-medicine.sites.olt.ubc.ca/files/2014/03/PowerSampSz_20130417.pdf)
- Depa, J., Schweizer, J., Bekers, S. K., Hilzendegen, C., & Stroebele-Benschop, N. (2017). Prevalence and predictors of orthorexia nervosa among German students using the 21-item-DOS. *Eating and Weight Disorders*, 22(1), 193–199. <http://doi.org/10.1007/s40519-016-0334-0>
- Depkes. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2009). Diakses pada 31 Januari 2020. <http://kategori-umur-menurut-Depkes.html>. [www.kemenkes.go.id](http://www.kemenkes.go.id)
- de Souza, Q. J. O. V., & Rodrigues, A. M. (2014). Risk behavior for orthorexia nervosa in nutrition students. *Revista Chilena de Nutrición*, 63(3), 200e204. <http://dx.doi.org/10.1590/0047-2085000000026>
- Dolot, Anna. (2018). The characteristics of Generation Z. e-mentor. 44-50. [10.15219/em74.1351.http://www.e-mentor.edu.pl/eng/article/index/number/74/id/1351/](http://www.e-mentor.edu.pl/eng/article/index/number/74/id/1351/)
- Donini, L. M., Marsili, D., Graziani, M. P., Imbriale, M., & Cannella, C. (2005). Orthorexia nervosa: Validation of a diagnosis questionnaire. *Eating and Weight Disorders*, 10(2). <http://doi.org/10.1007/BF03327537>
- Dunn, T. M., & Bratman, S. (2016). On orthorexia nervosa: A review of the literature and proposed diagnostic criteria. *Eating Behaviors*, 21, 11–17. <http://doi.org/10.1016/j.eatbeh.2015.12.006>
- Dunn, T. M., Gibbs, J., Whitney, N., & Starosta, A. (2017). Prevalence of orthorexia nervosa is less than 1%: data from a US sample. *Eating and Weight Disorders*, 22(1), 185–192. <http://doi.org/10.1007/s40519-016-0258-8>



3DDesigning%2520Research.pdf&usg=AOvVaw0GNG2ye71HUehFEeACa  
L\_s

Jaime E. Sidani, PhD, MPH<sup>a, b</sup>, Ariel Shensa, MA<sup>a, b</sup>, Beth Hoffman, BS<sup>b</sup>, Janel Hanmer, MD, PhD<sup>a</sup>, and Brian A. Primack, MD, P. (2017). The Association between Social Media Use and Eating Concerns among U.S. Young Adults. *Physiology & Behavior*, 176(3), 139–148. <https://doi.org/10.1016/j.physbeh.2017.03.040>

Kapka-skrzypczak, L., Bergier, B., Diatczyk, J., Niedźwiecka, J., Biliński, P., & Wojtyła, A. (2012). Dietary habits and body image perception among Polish adolescents and young adults – a population based study, *19*(2), 299–308.

Karakus, B., Hidiroglu, S., Keskin, N., & Karavus, M. (2017). Orthorexia nervosa tendency among students of the department of nutrition and dietetics at a university in Istanbul. *Northern Clinics of Istanbul*, 4, 117–123. <https://doi.org/10.14744/nci.2017.20082>.

Kementerian Kesehatan Republik Indonesia (2017). Pedoman dan Standar Etik Penelitian dan Pengembangan Kesehatan Nasional- Komisi Etik Penelitian dan Pengembangan Kesehatan Nasional Kementerian Kesehatan Republik Indonesia.

Kemenristekdikti (2017). Statistik Pendidikan Tinggi di Indonesia. Diakses pada 31 Januari 2020. <https://pddikti.kemdikbud.go.id/asset/data/publikasi/Statistik%20Pendidikan%20Tinggi%20Indonesia%202018.pdf>

Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2009). Diakses pada 31 Januari 2020. <http://kategori-umur-menurut-Depkes.html>. [www.kemenkes.go.id](http://www.kemenkes.go.id)

Korinth, A., Schiess, S., & Westenhoefer, J. (2010). Eating behaviour and eating disorders in students of nutrition sciences. *Public Health Nutrition*, 13(1), 32–37. <https://doi.org/10.1017/S1368980009005709>

Koven, N. S., & Abry, A. W. (2015). Neuropsychiatric Disease and Treatment Dovepress The clinical basis of orthorexia nervosa: emerging perspectives, 385–394. <http://doi.org/10.2147/NDT.S61665>

Kurz, C., Missbach, B., Dreiseitl, V., König, J., Hinterbuchinger, B., & Zellhofer, S. (2015). When Eating Right, Is Measured Wrong! A Validation and Critical Examination of the ORTO-15 Questionnaire in German. *Plos One*, 10(8), e0135772. <https://doi.org/10.1371/journal.pone.0135772>

- LSE, The London School of Economics and Political Sciences. (2017). Social Media Platforms and Demographics, (June), 24–27.
- Lucka, I., Ja, D., & Do, P. (2019). Orthorexia nervosa – a separate clinical entity , a part of eating disorder spectrum or another manifestation of obsessive-compulsive disorder ?, *2674(97)*, 1–12. [http://www.psychiatriapolska.pl/uploads/onlinefirst/ENGverLucka\\_PsychiatrPolOnlineFirstNr97.pdf](http://www.psychiatriapolska.pl/uploads/onlinefirst/ENGverLucka_PsychiatrPolOnlineFirstNr97.pdf)
- Mardolkar, M. (2017). Body Mass Index (BMI) Data Analysis and Classification. *International Journal of Computer Science and Mobile Computing*, *62(2)*, 8–16.
- McComb, S. E., & Mills, J. S. (2019). Orthorexia nervosa: A review of psychosocial risk factors. *Appetite*, *140*(May), 50–75. <https://doi.org/10.1016/j.appet.2019.05.005>
- Missbach, B., Dunn, T. M., & König, J. S. (2017). We need new tools to assess Orthorexia Nervosa. A commentary on “Prevalence of Orthorexia Nervosa among College Students Based on Bratman’s Test and Associated Tendencies.” *Appetite*, *108*, 521–524. <https://doi.org/10.1016/j.appet.2016.07.010>
- Malmborg, J., Bremander, A., Olsson, M. C., & Bergman, S. (2017). Health status, physical activity, and orthorexia nervosa: A comparison between exercise science students and business students. *Appetite*, *109*, 137–143. [doi:10.1016/j.appet.2016.11.028](https://doi.org/10.1016/j.appet.2016.11.028)
- Mathieu, J. (2005). What Is Orthorexia? *Journal of the American Dietetic Association*, *105*(10), 1510–1512. <https://doi.org/10.1016/j.jada.2005.08.021>
- Moroze, R. M., Dunn, T. M., Craig Holland, J., Yager, J., & Weintraub, P. (2015). Microthinking About Micronutrients: A Case of Transition From Obsessions About Healthy Eating to Near-Fatal “Orthorexia Nervosa” and Proposed Diagnostic Criteria. *Psychosomatics*, *56*(4), 397–403. <https://doi.org/10.1016/j.psych.2014.03.003>
- Oberle, C. D., Samaghabadi, R. O., & Hughes, E. M. (2017). Orthorexia nervosa : Assessment and correlates with gender , BMI , and personality. *Appetite*, *108*, 303–310. <https://doi.org/10.1016/j.appet.2016.10.021>
- Parra-Fernández, M. L., Rodríguez-Cano, T., Onieva-Zafra, M. D., Perez-Haro, M. J., Casero-Alonso, V., Fernández-Martínez, E., & Notario-Pacheco, B. (2018). Prevalence of orthorexia nervosa in university students and its relationship with psychopathological aspects of eating behaviour disorders. *BMC Psychiatry*, *18*(1), 1–8. <https://doi.org/10.1186/s12888-018-1943-0>

- Perona, J. S., Navarro-prado, S., Gonz, E., Schmidt-riovalle, J., Montero-alonso, M. A., & Marta, L. (2017). Need of improvement of diet and life habits among university student regardless of religion professed lez-Jim e, *114*, 6–14. <https://doi.org/10.1016/j.appet.2017.03.017>
- Plichta, M., & Jezewska-Zychowicz, M. (2020). Orthorexic tendency and eating disorders symptoms in Polish students: Examining differences in eating behaviors. *Nutrients*, *12*(1). <https://doi.org/10.3390/nu12010218>
- Rohde, P., Stice, E., Shaw, H., Gau, J. M., & Ohls, O. C. (2017). HHS Public Access, *50*(11), 1273–1280. <https://doi.org/10.1002/eat.22775>.Age
- Rudolph, S. (2017). *The connection between exercise addiction and orthorexia nervosa in German fitness sports.Eating and Weight Disorders - Studies on Anorexia, Bulimia and Obesity*. doi:10.1007/s40519-017-0437-2
- Rudiger, J. A., & Winstead, B. A. (2013). Body talk and body-related co-rumination: Associations with body image, eating attitudes, and psychological adjustment. *Body Image*, *10*(4), 462–471. <https://doi.org/10.1016/j.bodyim.2013.07.010>
- Scott, T. A. (2005). Sample Size Planning, Calculation, and Justification Introduction, cont'd. Retrieved from <http://biostat.mc.vanderbilt.edu/wiki/pub/Main/TheresaScott/SampleSize.TAScott.handout.pdf>
- Segura-García, C., Papaiani, M. C., Caglioti, F., Procopio, L., Nistico, C. G., Bombardiere, L., et al. (2012). Orthorexia nervosa: A frequent eating disordered behavior in athletes. *Eating and Weight Disorders*, *17*(4), e226?233. <https://doi.org/10.3275/8272>
- Simon Kemp. 2019. Diakses pada 31 Januari 2020 <https://wearesocial.com/blog/2019/01/digital-2019-global-internet-use-accelerates> atau <https://datareportal.com/reports/digital-2019-indonesia>
- Sugiarto; Sugiarto. (2001). *Teknik sampling / oleh Sugiarto ... [et al.]*. Jakarta :: Gramedia Pustaka Utama,.
- Theipel, K. (2015). Understanding Adolescence; Late Adolescence/Young Adulthood. *State Adolescent Health Resource Center*, 1–2.
- Tremelling, Kaylee, Lona Sandon, Gloria L. Vega, and Carrie J. McAdams. 2017. “Orthorexia Nervosa and Eating Disorder Symptoms in Registered Dietitian Nutritionists in the United States.” *Journal of the Academy of Nutrition and Dietetics* *117*(10): 1612–17. <http://dx.doi.org/10.1016/j.jand.2017.05.001>.

- Turner, P. G., & Lefevre, C. E. (2017). Instagram use is linked to increased symptoms of orthorexia nervosa. *Eating and Weight Disorders*, 22(2), 277–284. <https://doi.org/10.1007/s40519-017-0364-2>
- Universitas Gadjah Mada (UGM). (2012). Buku Panduan Akademik Jenjang Sarjana. Bab 8: (284-298).
- United Nations Educational, Scientific and Cultural Organization (UNESCO).(2017). New State of Digital Report in Asia Pacific Released 2017.
- UNESCO Office in Jakarta diakses pada 31 Januari 2020 [http://www.unesco.org/new/en/jakarta/about-this-office/single-view/news/new\\_state\\_of\\_digital\\_report\\_in\\_asia\\_pacific\\_released-1/atau](http://www.unesco.org/new/en/jakarta/about-this-office/single-view/news/new_state_of_digital_report_in_asia_pacific_released-1/atau)  
<https://kepios.com/special-posts/apac2017iduai>
- Varga, M., Dukay-Szabó, S., Túry, F., & Van Furth Eric, F. (2013). Evidence and gaps in the literature on orthorexia nervosa. *Eating and Weight Disorders*, 18(2), 103–111. <http://doi.org/10.1007/s40519-013-0026-y>
- Varga., B.K., Thege., S., Dukay-Szabo., F., Tury., E.F., van Furth(2014). When eating healthy is not healthy: Orthorexia nervosa and its measurement with the ORTO-15 in Hungary. *BMC Psychiatry*, 1–11. <http://doi.org/10.1186/1471-244X-14-59>
- World Health Organization (WHO). (2000). Body Mass Index -BMI Accessed January 29, 2020.<http://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi>
- World Health Organization (WHO). (2013) diakses pada January 29, 2020 <https://www.who.int/hiv/pub/guidelines/arv2013/intro/keyterms/en/>
- Yuheng Hu, Lydia Manikonda, S. (2017). A First Analysis of Instagram Photo Content and User Types. *Frontiers of Mathematics in China*, 12(1), 247–260. <https://doi.org/10.1007/s11464-016-0589-9>