

DAFTAR PUSTAKA

- Alhuwaizi, A.F., Mohammed, S.A., Al-Laban, Y.R., (2010). The Nasolabial Angle and The Relative Inclination of The Nose and Upper Lip in Iraqi Class I Sample. *Iraqi Orthod J.* 6(1): 1-4.
- Aschheim, K.W., (2015). *Esthetic Dentistry*. 3rd edition. Missouri: Elsevier Mosby. p. 231, 233-5.
- Ashraf, A., Khan, H., Ibqal, N., (2018). Correlation of Nasolabial Angle with Maxillary Incisor Inclination and Upper Lip Thickness. *PODJ.* 38(3): 317-9.
- Ayoub, A., Khambay, B., Benington, P., Green, L., Moos, K., Walker, F., (2014). *Handbook of Orthognathic Treatment: A Team Approach*. Chichester: Wiley Blackwell. p. 41.
- Baral, P., (2013). Prevalence of malocclusion in permanent dentition in Aryan and Mongoloid races of Nepal-A Comparative study. *Pakistan Orthodontic Journal.* 5(2): 57-59.
- Bergman, R.T., (1999). Cephalometric Soft Tissue Facial Analysis. *Am J Orthod Dentofacial Orthop.* 116(4): 373-89.
- Bholsithi, W., Tharanon, W., Chintakanon, K., Komolpis, R., Sinthanayothin, C., (2009). 3D vs. 2D Cephalometric Analysis Comparisons with Repeated Measurements from 20 Thai Males and 20 Thai Females. *Biomed Imaging Interv J.* 5(4): 1-8.
- BPS, (2011). *Kewarganegaraan, Suku Bangsa, Agama, dan Bahasa Sehari-hari Penduduk Indonesia: Hasil Sensus Penduduk 2010*. Jakarta. h. 5,8.
- Brahmanta, A., (2017). *Monograf Gambaran Sefalometri Skeletal, Dental dan Jaringan Lunak: Pasien Fase Geligi Pergantian di Kelurahan Sukolilo yang Datang Berobat ke RSGM FKG UHT*. Ed. 1. Surabaya: Penerbit Kartika Mulya Surabaya. h. 1.
- Brezniak, N., Turgeman, R., Redlich, M., (2010). Incisor Inclination Determined by The Light Reflection Zone on The Tooth's Surface. *Quintessence Int.* 41(1): 27-34.
- Cao, L., Zhang, K., Bai, D., Jing, Y., Tian, Y., Guo, Y., (2011). Effect of Maxillary Incisor Labiolingual Inclination and Anteroposterior Position on Smiling Profile Esthetics. *Angle Orthod.* 81(1): 121-9.
- Cobourne, M.T., DiBiase, A.T., (2010). *Handbook of Orthodontics*. Philadelphia: Mosby Elsevier. p. 3, 42.
- Cobourne, M., DiBiase, A., (2016). *Handbook of Orthodontics*. 2nd edition. London: Mosby Elsevier.
- Coskun, I., Kaya, B., (2019). Appraisal of The Relationship between Tooth Inclination, Dehiscence, Fenestration, and Sagittal Skeletal Pattern with Cone Beam Computed Tomography. *Angle Orthod.* 89(4): 544 – 51.
- Cottrell, R.R., McKenzie, J.F., (2005). *Health Promotion and Education Research Methods: Using the Five-Chapter Thesis/ Dissertation Model*. Sudbury: Jones and Bartlett Publishers. p. 202.

- Davies, S.J., Gray, R.M.J., Sandler, P.J., O'Brien, K.D., (2001). Orthodontics and Occlusion. *Br Dent J.* 191(10): 539–49.
- Dean, J.A., (2016). *McDonald and Avery's Dentistry for the Child and Adolescent*. 10th edition. St. Louis: Elsevier. p. 396, 400.
- Dean, J.A., (2019). *McDonald and Avery's Dentistry for the Child and Adolescent: Second South Asia Edition*. New Delhi: Elsevier. p. 30–31.
- Dua, V., Gupta, S., Singh, C., (2010). Evaluation of the nasolabial angle in the Indian population. *Contemp Clin Dent.* 1(2): 79–82.
- English, J.D., Akyalcin, S., Peltomaki, T., Litschel, K., (2015). *Mosby's Orthodontic Review*. 2nd edition. St. Louis: Elsevier Mosby. p. 46.
- Faber, J., Fonseca, L.M., (2014). How Sample Size Influences Research Outcomes. *Dental Press J Orthod.* 19(4): 27–9.
- Fitriyani, N., Wahyu Ardani, I.G.A., Rusdiana, E., (2013). Garis Estetik menurut Ricketts pada Mahasiswa Fakultas Kedokteran Gigi Universitas Airlangga. *Dent. J. (Maj. Ked. Gigi)*. 46(2): 92–6.
- Fitzgerald, J.P., Nanda, R.S., Currier, G.F., (1992). An evaluation of the nasolabial angle and the relative inclinations of the nose and upper lip. *Am J Orthod Dentofacial Orthop.* 102(4): 328–34.
- Fukagawa, H., Motegi, E., Fuma, A., Nomura, M., Kano, M., Sueishi, K., Okano, S., (2010). Tooth Inclination in Elderly with Many Remaining Teeth Observed by 3-D Imaging. *Bull Tokyo Dent Coll.* 51(2): 69–76.
- Garbin, A.J.I., Perin, P.C.P., Garbin, C.A.S., Lolli, L.F., (2010). Malocclusion Prevalence and Comparison between The Angle Classification and The Dental Aesthetic Index in Scholars in The Interior of São Paulo State – Brazil. *Dental Press J Orthod.* 15(4): 94–102.
- Gayathri, M., Arun, A.V., (2018). Relationship between Nasolabial Angle and Maxillary Incisor Proclination in South Indian Population. *Drug Invent Today.* 10(1): 2829–32.
- Gill, D.S., (2008). *Orthodontics at a Glance*. Chichester: Wiley-Blackwell. p. 3, 7, 15.
- Gill, D.S., Naini, F.B., (2011). *Orthodontics Principles and Practice*. Chichester: Wiley-Blackwell. p. 19, 21, 23, 29.
- Gonçalves, J.R., Cassano, D.S., Rezende, L., Wolford, L.M., (2015). Disc Repositioning Does It Really Work. *Oral Maxillofacial Surg Clin N Am.* 27(1): 85–107.
- Hamissi, J., (2012). *The Principal Prevention in Dentistry*. dalam Viridi, M., *Oral Health Care: Pediatric, Research, Epidemiology and Clinical Practices*. Rijeka: InTech. p. 98.
- Hulley, S.B., Cummings, S.R., Browner, W.S., Grady, D.G., Newman, T.B., (2007). *Designing Clinical Research*. 3rd edition. Philadelphia: Lippincott Williams & Wilkins. p. 109–10.
- Irsa, R., Syaifullah, Tjong, D.H., (2013). Cephalometry Variation of Ethnicities in West Sumatra. *J. Bio. UA.* 2(2): 130–7.

- Jan, A., Rehman, H., Taifur, N., Bangash, A.A., (2015). Correlation between Nasolabial Angle and Maxillary Incisor Inclination. *Pak Armed Forces Med J.* 65(2): 236–9.
- Karad, A., (2015). *Clinical Orthodontics: Current Concepts, Goals and Mechanics.* 2nd edition. New Delhi: Elsevier. p. 9.
- Kharbanda, O.P., (2020). *Orthodontics: Diagnosis and Management of Malocclusion and Dentofacial Deformities.* 3rd edition. New Delhi: Elsevier. p. 37, 41–2, 134–5, 139–40, 234.
- Kim, J., Gansukh, O., Amarsaikhan, B., Lee, S., Kim, T., (2011). Comparison of Cephalometric Norms between Mongolian and Korean Adults with Normal Occlusion and Well Balances Profile. *Korean J Orthod.* 41(1): 42–50.
- Lindauer, S.J., Shroff, B., Tufekci, E., Taylor, M., (2015). *Orthodontics and Pediatric Dentistry.* dalam Dowd, F., *Mosby's Review for The NBDE Part Two.* 2nd edition. St. Louis: Elsevier Mosby. p. 161-4.
- Lindawati, Hayati, K., Komalawati, (2016). Gambaran Tinggi Wajah Anterior Bawah pada Mahasiswa Fakultas Kedokteran Gigi Universitas Syiah Kuala Suku Aceh. *Journal Caninus Dentistry.* 1(4): 70–5.
- Mageet, A.O., (2016). Classification of Skeletal and Dental Malocclusion: Revisited. *Stoma Edu J.* 3(2): 38–44.
- Marchiori, G.E., Sodr , L.O., da Cunha, T.C.R., Torres, F.C., Ros rio, H.D., Paranhos, L.R., (2015). Pleasantness of Facial Profile and Its Correlation with Soft Tissue Cephalometric Parameters: Perception of Orthodontists and Lay People. *Eur J Dent.* 9(3): 352–5.
- Meneghini, F., (2005). *Clinical Facial Analysis: Elements, Principles, and Techniques.* Berlin: Springer. p. 56.
- Mitchell, L., (2013). *Introduction to Orthodontics.* 4th edition. Oxford: Oxford University Press. pp. 34, 40-2.
- Munandar, S., Snow, M.D., (1995). Cephalometric analysis of Deutero-Malay Indonesians. *Australian Dental Journal.* 40(6): 381-8.
- Nahusona, D.R., Aprilia, W., (2017). Status Maloklusi Mahasiswa Fakultas Kedokteran Gigi Universitas Hasanuddin yang Diukur berdasarkan *Occlusion Feature Index (OFI).* *Makassar Dent J.* 6(3): 91-5.
- Nainggolan, H.J, I.W.S., Prihandini, D., Soehardono, (2014). Perbandingan Perubahan Kecembungan Wajah antara Jaringan Keras dan Lunak pada Perawatan Maloklusi Angle Klas II Divisi 1. *J Ked Gi.* 5(2):105–11.
- Naini, F.B., (2011). *Facial Aesthetics: Concepts and Clinical Diagnosis.* Chichester: Wiley-Blackwell. p. 93, 110, 275-6.
- Naini, F.B., Cobourne, M.T., McDonald, F., Wertheim, D., (2015). The aesthetic impact of upper lip inclination in orthodontics and orthognathic surgery. *Eur J Orthod.* 37(1): 81–6.
- Nanda, R., (2015). *Esthetics and Biomechanics in Orthodontics.* 2nd edition. St. Louis: Elsevier. p. 24, 65.

- Nandini, S., Prashanth, C.S., Somiah, S.K., Reddy, S.R.K., (2011). An Evaluation of Nasolabial Angle and the Relative Inclinations of the Nose and Upper Lip. *J Contemp Dent Pract.* 12(3): 152–7.
- Nouri, M., Abdi, A.H., Farzan, A., Mokhtarpour, F., Baghban, A.A., (2014). Measurement of The Buccolingual Inclination of Teeth: Manual Technique vs 3-Dimensional Software. *Am J Orthod Dentofacial Orthop.* 146(4): 522–9.
- Nurhayati, Oeripto, A., (2018). The Correlation between Inclination and the Thickness of Maxillary Central Incisors at Orthodontic Clinic of RSGM FKG USU (Research Report). *Atlantis Press.* 8: 204–7.
- Oley, A.B., Anindita, P.S., Leman, M.A., (2015). Kebutuhan Perawatan Ortodonti berdasarkan *Index of Orthodontic Treatment Need* pada Usia Remaja 15–17 Tahun. *Jurnal e-GIGI.* 3(2): 292–7.
- Paramesthi, G.A.M.D.H., Farmasyanti, C.A., Karunia, D., (2011). Hubungan antara Lebar dan Panjang Lengkung Gigi terhadap Tinggi Palatum pada Suku Jawa dengan Metode Pont dan Korkhaus. *Maj Ked Gi.* 18(1): 6–10.
- Perović, T., Blažej, Z., (2018). Male and Female Characteristics of Facial Soft Tissue Thickness in Different Orthodontic Malocclusions Evaluated by Cephalometric Radiography. *Med Sci Monit.* 24: 3415–24.
- Phulari, B.S., (2011). *Orthodontics Principles and Practice.* New Delhi: Jaypee Brothers Medical Publishers. p. 3.
- Phulari, B.S., (2013). *an Atlas on Cephalometric Landmarks.* 1st edition. New Delhi: Jaypee. p. 3, 8.
- Pitoyo, A.J., Triwahyudi, H., (2017). Dinamika Perkembangan Etnis di Indonesia dalam Konteks Persatuan Negara. *Populasi.* 25(1): 64–81.
- Poerwanto, H., (1998). Suku Bangsa dan Ekspresi Kesukubangsaan. *Humaniora.* 9: 112–22.
- Poulton, D.R., Aaronson, S.A., (1961). The relationship between occlusion and periodontal status. *Am J Orthod Dentofacial Orthop.* 47(9): 690–99.
- Premkumar, S., (2008). *Orthodontics Prep Manual for Undergraduates.* New Delhi: Elsevier. p. 207–10.
- Premkumar, S., (2015). *Textbook of Orthodontics.* New Delhi: Elsevier. p. 59–60, 223.
- Proffit, W.R., Fields, H.W., Sarver, D.M., Ackerman, J.L., (2013). *Contemporary Orthodontics.* 5th edition. St. Louis: Elsevier Mosby. p. 86.
- Proffit, W.R., Fields, H.W., Larson, B.E., Sarver, D.M., (2019). *Contemporary Orthodontics.* 6th edition. Philadelphia: Elsevier. p. 2–3, 170.
- Riedel, R.A., (1952). The relation of maxillary structures to cranium in malocclusion and in normal occlusion. *Angle Orthod.* 22(3): 142–5.
- Scheid, R.C., (2007). *Woelfel's Dental Anatomy.* 7th edition. Baltimore: Lippincott Williams & Wilkins. p. 361.
- Stanley, R.N., Reske, N.T., (2011). *Essentials of Orthodontics Diagnosis and Treatment.* Chichester: Wiley-Blackwell. p. 6–7, 36.
- Toman, H. A., Nasir, A., Hassan, R., Hassan, R., (2011). Skeletal, dentoalveolar, and soft tissue cephalometric measurements of Malay transfusion-

- dependent thalassaemia patients. *The European Journal of Orthodontics*. 33(6): 700–4.
- Trento, G.S., Bernabé, F.B.R., Costa, D.J., Rebellato, N.L.B., Klüppel, L.E., Scariot, R., (2015). Clinical and Radiographic Evaluation of Maxillary Central Incisors Exposure in Patients Undergoing Maxillary Advancement. *Dental Press J Orthod*. 20(6): 52–9.
- Waldman, B.H., (1982). Change in Lip Contour with Maxillary Incisor Retraction. *AO*. 52(2): 129-34.
- Zankl, A., Eberle, L., Molinari, L., Schinzel, A., (2002). Growth charts for nose length, nasal protrusion, and philtrum length from birth to 97 years. *American Journal of Medical Genetics*. 111(4): 388-91.