

DAFTAR PUSTAKA

- Agtini, M.D., (2010) Presentase pengguna protesa di Indonesia, *Media Litbang Kes.* 20(2): 50-58.
- AlAnazi, S.A., AlAnazi, M.A., Osuagwu, U.L., (2013) Influence of age on measured anatomical and physiological interpupillary distance (far and near), and near heterophoria, in Arab males. *Clin Ophthalmol.* 7: 711-724.
- Amiyatun, N., (2012) Perbedaan stabilitas warna bahan basis gigi tiruan resin akrilik dengan resin nilon termoplastis terhadap penyerapan cairan. *Stomatognatic (J.K.G Unej).* 9(1): 28-29.
- Arigbede, A.O., Igwedibia, P., (2016) Size of maxillary anterior teeth in relation to selected facial anatomic landmarks among a group of subjects in Port Harcourt. *BJMMR.* 14(9): 1-6.
- Balaji, S.S., Bhat, V., (2018) A comprehensive review on the errors that occur during ideal teeth arrangement for complete denture prosthesis. *JCDP.* 19(5): 624-627.
- Baleegh. S., Choudhry. Z., Malik. S., Baleegh. H., (2015) The relationship between widths of upper anterior teeth and facial widths. *PODJ.* 35(4): 742-744.
- Bali, P., Singh, S., Singh, A.P., Goyal, R.R., (2013) Biometric relationship between inner canthal distance and geometric progression for the prediction of maxillary central incisor width. *IJDS.* 5(4): 53-56.
- Banerjee, R., Chahande, J., Radke, U., Jaiswal, P., (2018) Evaluation of the role of skull anthropometry for complete denture teeth selection: a cross-sectional study. *JIPS.* 18(1): 42-46.
- Banu, R., Dendekeri, S., Shenoy, K.K., Shetty, S., Bhat, V., Ragher, M., (2017) An *In Vivo* study to compare and evaluate the correlation of the facial measurement with the combined mesiodistal width of the maxillary anterior teeth between males and females. *JPBS.* 9(5): 127-131.
- Blumenfeld, J., (2000) Racial identification in the skull and teeth. *Totem: UWOJA.* 8(1): 20-30.
- Caesario. V.A., Latta. G.H., (1984) Relationship between the mesiodistal width of the maxillary central incisor and interpupillary distance. *JPD.* 52(5): 641-643.
- Chan, W.N.J., (2007) *In vivo facial tissue depth study of ChineseAmericans in New York City.* Louisiana State University [Thesis]. pp. 16.

- Dahlan, M. S., (2010) *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika. pp.76-77.
- Daldjoeni, N., (1991) *Ras-Ras Umat Manusia, Biografis, Kulturhistoris, Sosiopolitis*. Bandung: Citra Aditya Bakti. pp.81.
- Deogade, S. C., Mantri, S. S., Saxena, S., Daryani, H., (2014) Correlation between combined width of maxillary anterior teeth. interpupillary distance and intercommisural width in a group of Indian people. *Int J of Prosthodon Restor Dent*. 4(4): 105-111.
- Djoena, H., Nasution, F.H., Trenggono, B.S., (2005) *Antropologi untuk mahasiswa kedokteran gigi*. Jakarta: Penerbit Universitas Trisakti. pp.23-55
- Esan, T.A., Oziegbe, O.E., Onapokya, H.O., (2012) Facial approximation: evaluation of dental and facial proportions with Height. *African Health Sciences*. 12(1): 63-65.
- Glinka, J., (2008) *Model Perkawinan dan Dampak Biologisnya dalam Populasi*. Dalam Glinka, & M. D. Artaria, "*Manusia Makhluk Sosial Biologi*." Surabaya: Airlangga University Press. pp.372.
- Gomes, V. L., Goncalves, L. C., Prado, C. J. D., Junior, I. L., Lucas, B. D. L., (2006) Correlation between facial measurements and the mesiodistal width of the maxillary anterior teeth. *J Esthet Restor Dent*. 18(4): 196-205.
- Gupta, R., Luthra, R.P., Sharma, A., (2016) A comparative evaluation of the inter-relationship between inner-canthal distance, inter-alar width and interpupillary distance with respect to intercanine width amongst the population of Himachal Pradesh. *JAMDSR*. 4(6): 186-191.
- Halim. H., Sylvia, M., (2003) Posisi gigi dipengaruhi oleh faktor ras (studi pustaka). *JDI*. 10(edisi khusus): 186.
- Hussain, M. W., Qamar, K., Naeem, S., (2012) the role of interpupillary distance in the selection of anterior teeth. *PODJ*. 32(1): 165-169.
- Hussain, M.W., Naqash, T.A., Al-Shahrani, A.N., dkk, (2018) Inter commissural width as a guide for selection of maxillary anterior teeth in Saudi female population. *Int. J. Appl. Dent. Sci*. 4(2): 33-35.
- Hussain, M.W., Qamar, K., Naeem, S., (2013) Significance of intercommisural width and anterior teeth selection. *PODJ*. 33(2): 293-296.
- Inayati, E., (2005) Disain pontik pada gigi tiruan tetap pasca pencabutan. *J. Unair*. 21(1): 1 – 8.
- Jacob, T., (1974) Studies on human variation in Indonesia, *JNMA*. 66(5): 389-397.

- Jain, A.R., Nallaswamy, D., dan Ariga, P., (2019) Determination of correlation of width of maxillary anterior teeth with extraoral factor (interpupillary width) in Indian population. *JCDR*. 13(7): 10-17.
- Jatuadomi, Gunawan, P.N., Siagian, K.V., (2016) Alasan pemakaian gigi tiruan lepasan pada pasien poliklinik gigi di BLU RSUP Prof. Dr. R. D. Kandou Manado. *Jurnal e-Gigi(eG)*. 4(1): 41.
- Karolina, Y., Sutardjo, I., dan Titien, I., (2014) Pengaruh besar free way space terhadap daya kunyah anak laki-laki dan perempuan di dataran tinggi Cangkringan dan dataran rendah Wirobrajan (kajian pada anak Suku Jawa usia 7-8 tahun). *J. Ked Gi*. 5(2): 228-235.
- Kementerian Kesehatan Republik Indonesia (2018) *Laporan Nasional RISKESDAS 2018*. Jakarta: Balitbangkes. pp. 181-220.
- Khoman, J.A., Mariati, N.W., (2012) Profil pemakaian gigi tiruan lepasan berbasis akrilik pada masyarakat kelurahan bahu kecamatan malalayang. *JBM*. 4(1): 44-46.
- Kini, A.Y., Angadi. G.S., (2012) Biometric ratio in estimating widths of maxillary anterior teeth derived after correlating anthropometric measurements with dental measurements. *Gerodontology*. 30(2): 105-111.
- Koesbardiati, T., Suriyanto, R.A., (2007) Menelusuri jejak populasi morfologi pangur gigi-geligi: kajian pendahuluan atas sampel gigi-geligi dari beberapa situs purbakala di Jawa, Bali dan Nusa Tenggara Timur. *Humaniora*. 19(1): 33-42.
- Kumar, A., Gupta, Shandu, (2015) Determination of mesiodistal width of maxillary anterior teeth using inner canthal distance. *MJAFI*. 71: s376-s381.
- Kumar, M.V., Ahila, S.C., Devi, S., (2011) The science of anterior teeth selection for a completely edentulous patient: a literature review. *J Indian Prosthodont Soc*. 11(1): 7-13.
- Kutesa, A., Nkamba, E.M., Muwazi, L., Buwembo, W., Rwenyonyo, C.M., (2013) Weight, height and eruption times of permanent teeth of children aged 4-15 years in Kampala, Uganda. *BMC Oral Health*. 13(15): 1-8.
- Kwon, H. J., (1987) *Textbook of practical oral and maxillofacial surgery*. 3rd ed. Philadelphia: Lea& Febiger. pp. 130-44
- Lazi. H., Efendi. R., Purwandari. E.P., (2017) Deteksi warna kulit menggunakan model warna *CIELAB* dan neural network untuk identifikasi ras manusia (studi kasus ras: Kaukasoid, Mongoloid, Negroid). *Rekursif: Jurnal Informatika*. 5(2): 122-123.

- Lee. J.H., (1964) The appearance of artificial dentures. *Aust Dent J.* pp. 304-308.
- Mahesh. P., Srinivas. R.P., Pavan. K.T., Shalini. K., (2004) An in vivo clinical study of facial measurements for anterior teeth selection. *AEDJ.* IV(1): 1-5.
- Maryati, K., Suryawati, J., (2001) *Sosiologi untuk SMA dan MA kelas XI.* Jakarta: Esis. pp. 8.
- Miranda, G.A., D'Souza, M., (2016) Evaluating the reliability of the interalar width and intercommissural width as guides in selection of artificial maxillary anterior teeth: A clinical study. *JID.* 6(2): 64-70.
- Mishra, K.M., Singh, R.K., Suwal, P., Parajuli, P.K., Shrestha, P., Baral, D., (2016) A comparative study to find out the relationship between the inner inter-canthal distance, interpupillary distance, inter-commissural width, inter-alar width, and the width of maxillary anterior teeth in Aryans and Mongoloids. *Clin Cosmet Investig Dent.* 8: 29-34.
- Osborne, J., dan Lammie, G.A., (1986) *Partial Denture.* 5th ed. Oxford London Edinburgh Boston Palo Alto Melbourne: Blackwell Scientific Pub. pp. 20-40
- Pongibidan, (2013) *Inlay, crowns and bridges a clinical hand book.* 4th Ed. London: Wright Bristol. pp. 59.
- Puspitasari, L., (2017) Dimorfisme Seksual Berdasarkan Ukuran Mesiodistal Gigi pada Sampel Etnis Jawa dan Tionghoa. *J Fis. ANT.* 04(18): 1-9.
- Rahn, A.D., Ivanhoe, J.R., Plummer, K.D., (2009) *Textbook of Complete Dentures.* 6th Edition. Shelton: PMPH-USA. pp. 186.
- Ranggarajan. V., Padmanabhan, T.V., (2017) *Textbook of Prosthodontics.* New Delhi:Elsevier. pp. 119.
- Santoso, S., (2003) *Mengatasi berbagai masalah statistik dengan spss versi 11.5.* Jakarta: Elex Media Komputindo. pp. 315.
- Sharma, S., Nagpal, A., Verma, (2012) Correlation between facial measurements and the mesiodistal width of the maxillary anterior teeth. *IJDS.* 4(3): 20.
- Snow. S.r., (1999) Esthetic smile analysis of maxillary anterior tooth width: the golden percentage. *J. Esthet Dent.* 11:177-184.
- Sukadana, A.A., (1976) *Dasar-dasar Antropologi Fisik dan Filogenesis Khusus untuk Kedokteran Gigi di Indonesia.* Khusus untuk Ilmu Kedokteran Gigi di Indonesia. Surabaya. FKG Universitas Airlangga. pp.8-9.

- Sukmana, B.I., Huldani, Hakim, A.Q., (2020) Comparison of tooth crown and roots between Banjarese and Javanese patients at Gusti Hasan Aman Dental Hospital. *Dentino J. Ked. Gigi*. V(1): 50.
- Susanti, D.S., Sukmawaty, Y., Salam, N., (2019) *Analisis regresi dan korelasi*. Purwokerto: CV IRDH. pp. 49-51.
- Suyono, (2018) *Analisi regresi untuk penelitian*. Yogyakarta: Deepublish publisher. pp. 4-5.
- Taylor, K.T., (2000) *Forensic art and illustration*. Boca Raton: Taylor & Francis Group. pp. 63.
- Thalib, B., Saputri, A., (2016) Correlation between interalar width and intercommissural width against mesiodistal width of central upper incisor in buginese tribe. *J. Dentomaxillofac Sci*. 1(1): 25-30.
- Veeraiyan, D.N., (2017) *Textbook of Prosthodontic*. 2nd Edition. New Delhi: Jaypee Brothers. pp.113-115.
- Zanolli, C., (2013) Additional evidence for morpho-dimensional tooth crown variation in a new Indoneisan *H. erectus* sample from the Sangiran Dome (Central Java). *Plos One*. 8(7): 3.