

REFERENCES

- Ali, A.M.M., Bavisetty, S.C.B., Prodpran, T. and Benjakul, S. 2019a. Squalene from fish livers extracted by ultrasound-assisted direct *in situ* saponification: Purification and molecular characteristics. *J. Am. Oil Chem. Soc.* 96: 1059–1071.
- Ali, A.M.M., Prodpran, T. and Benjakul, S. 2019b. Effect of squalene rich fraction from shark liver on mechanical, barrier and thermal properties of fish (*Probarbus Jullieni*) skin gelatin film. *Food Hydrocolloids*. 96: 123–133.
- Ali, A.M.M., de la Caba K., Prodpran, T. and Benjakul, S. 2020. Quality characteristics of fried fish crackers packaged in gelatin bags: Effect of squalene and storage time. *Food Hydrocolloids*. 99: 105-118.
- Arfat, Y. A., Benjakul, S., Prodpran, T. and Osako, K. 2014. Development and characterisation of blend films based on fish protein isolate and fish skin gelatin. *Food Hydrocolloids*. 39: 58-67.
- Artharn, A., Prodpran, T. and Benjakul, S. 2008. Round scad protein-based film: Storage stability and its effectiveness for shelf-life extension of dried fish powder. *LWT - Food Science and Technology*. 42(7): 1238-1244.
- Batista, I. 1999. Recovery of proteins from fish waste products by alkaline extraction. *Euro Food Res. & Tech.* 210: 84–89.
- Benjakul, S., Kittiphattanabawon, P. and Regenstein, J. M. 2012. Fish gelatin. In B. K. Simpson (Ed.). *Food biochemistry and food processing* 2: 388–405.
- Beuge, J. A., & Aust, S.D. 1978. Microsomal lipid peroxidation. In J. Abelson, M. Simon, G. Verdine, & A. Pyle (Vol. Eds.), *Methods in enzymology*: 52: 302-310.
- Cao, N., Yang, X. and Fu, Y. 2009. Effects of various plasticizers on mechanical and water vapor barrier properties of gelatin films. *Food Hydrocolloids*. 23(3): 729–735.
- Chemat, F., Rombaut, N., Sicaire, A.-G., Meullemiestre, A., Fabiano-Tixier, A.-S. and Abert Vian, M. 2017. Ultrasound assisted extraction of food and natural products. Mechanisms,

techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*. 34: 540–560.

- Chen, and Jaczynski, J. 2007. Gelation of protein recovered from whole Antarctic krill (*Euphausia superba*) by isoelectric solubilization/precipitation as affected by functional additives. *Journal of Agricultural and Food Chemistry*. 55(5): 1814-1822.
- Chinnabhark, K., Benjakul, S. and Prodpran, T. 2007. Effect of pH on the properties of protein-based film from bigeye snapper (*Priacanthus tayenus*) surimi. *Biores. Technol.* 98: 221-225.
- Chomnawang, C. and Yongsawatdigul, J. 2013. Protein recovery of tilapia frame by-products by pH-shift method. *Journal of Aquatic Food Product Technology*. 22(2): 112-120.
- Damodaran, S. 1996. Amino acids, peptides and proteins. *Food Chemistry*. 9: 321–429.
- Gul, O., Saricaoglu, F. T., Besir, A., Alatar, I., & Yazici, F. (2018). Effect of ultrasound treatment on the properties of nano-emulsion films obtained from hazelnut meal protein and clove essential oil. *Ultrasonic Sonochemistry*. 41: 466-474.
- Gehring, C. K., Gigliotti, J. C., Moritz, J. S., Tou, J. C., and Jaczynsky, J. 2011. Functional and nutritional characteristics of protein and lipid recovered by isoelectric processing of fish by-products and low-value fish: A review. *Food Chem.* 124(2): 422–431.
- Geiser M. 2003. The wonders of whey protein. *NSCA's Performance Training Journal*. 2: 13-15.
- Hultin, H. O., Kristinsson, H. G., Lanier, T. C., and Park, J. W. 2005. Process for recovery of functional proteins by pH shifts. *Surimi and Surimi Seafood*. 1: 107–140.
- Hultin, H. O. and Kelleher, S. D. 2000. Surimi processing from dark muscle fish. *Food Science and Technology*. 1: 59-78.
- Iwata, K., Ishizaki, S., Handa, A. and Tanaka, M. 2000. Preparation and characterization of edible films from fish water-soluble proteins. *Fish. Sci.* 66: 372 - 378.



UNIVERSITAS
GADJAH MADA

EXTRACTION OF PROTEIN ISOLATE FROM SALMON FRAME AS WELL AS PROPERTIES AND CHARACTERISTICS OF BIODEGRADABLE FILM FROM SALMON FRAME PROTEIN ISOLATE INCORPORATED WITH SQUALENE

NOVIA WIDYANTI, Dr. Ir. Supriyadi, M.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Kristinsson HG, Theodore AE, Demir N and Ingadottir B.2005. A comparative study between acid- and alkali-aided processing and surimi processing for the recovery of proteins from channel catfish muscle. *J Food Sci.* 70:C298–C306.

Lu, F. S. H., Nielsen, N. S., Baron, C. P., Diehl, B. W. K., & Jacobsen, C. 2013. Impact of primary amine group from aminophospholipids and amino acids on marine phospholipids stability: Non-enzymatic browning and lipid oxidation. *Food Chemistry.* 141(2): 879-889.

Nilsuwan, K., Benjakul, S., & Prodpran, T. (2017). Properties, Microstructure and Heat Seal Ability of Bilayer Films Based on Fish Gelatin and Emulsified Gelatin Films. *Food Biophysics.* 12(2): 234–243.

Ma, W., Tang, C. H., Yin, S. W., Yang, X. Q., Wang, Q., Liu F., et al. (2012). Characterization of gelatin based edible films incorporated with olive oil. *Food Research International.* 49(1): 572-579.

Maqsood, S. and Benjakul, S. 2011. Retardation of haemoglobin-mediated lipid oxidation of Asian sea bass muscle by tannic acid during iced storage. *Food Chemistry.* 124(3): 1056–1062.

Prodpran, T., Benjakul, S. and Arthan, A. 2007. Properties and microstructure of protein-based film from round scad (*Decapterus maruadsi*) muscle as affected by palm oil and chitosan incorporation. *Macromol.* 41: 605-614.

Sikorski, Z. E., & Naczki, M. (1981). Modification of technological properties of fish protein concentrate. *CRC Critical Reviews in Food Science and Nutrition.* 14: 201–230.

Su, J.F., Yuan, X.Y., Huang, Z., Wang, X.Y., Lu, X.Z., Zang, L.D. and Wang, S.B. 2012. Physicochemical properties of soy protein isolate/carboxymethyl cellulose blend films crosslinked by Maillard reactions: color, transparency and heat-sealing ability. *Mat. Sci. Eng.* 32: 40–46.

Tongnuanchan, P., Benjakul, S., Prodpran, T., and Songtipya, P. Characteristics of film based on protein isolate from red tilapia muscle with negligible yellow discoloration. *Journal of Biological Molecular.* 48: 767-758.



UNIVERSITAS
GADJAH MADA

EXTRACTION OF PROTEIN ISOLATE FROM SALMON FRAME AS WELL AS PROPERTIES AND CHARACTERISTICS OF BIODEGRADABLE FILM FROM SALMON FRAME PROTEIN ISOLATE INCORPORATED WITH SQUALENE

NOVIA WIDYANTI, Dr. Ir. Supriyadi, M.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Tongnuanchan, P., Benjakul, S. and Prodpran. 2013. Physico-chemical properties, morphology and antioxidant activity of film from fish skin gelatin incorporated with root essential oils. *Journal of Food Engineering*. 117: 350-360.

Yongsawatdigul, J. and Park, J. W. 2006. Effects of alkali and acid solubilization on gelation characteristics of Rockfish muscle proteins. *Journal of Food Science*. 69(7): 499-505.