

DAFTAR PUSTAKA

- Al-Ahmery, K.M., Alenezi, M.S. and Habeeb, M.M., 2016, Synthesis, Spectroscopic and DTF Theoretical Studies on The Hydrogen Bonded Charge Transfer Complex of 4-Aminoquinoline with Chloranilic Acid, *J. Mol. Liq.*, 220, 166-182
- Brotzel, F., Mayr, H. and Baidya, M., 2008, Nucleophilicities of Amines, Amino Acids and Pyridines, *Org. Biomol. Chem.*, 8, 1929–1935.
- Collet, J.W., Ackermans, K., Lambregts, J., Maes, B.U.W., Orru, R.V.A. and Ruijter, E., 2018, Modular Three-Component Synthesis of 4-Aminoquinolines Via An Imidoylative Sonogashira/Cyclization Cascade, *J. Org. Chem.*, 83(2), 854–861.
- Cornut, D., Lemoine, H., Kanishchev, O., Okada, E., Albrieux, F., Beavogui, A. H., Bienvenu, A., Picot, S., Bouillon, J.P. and Medebielle, M., 2013, Incorporation of A 3-(2,2,2-Trifluoroethyl)- γ -Hydroxy- γ -Lactam Motif in The Side Chain of 4-Aminoquinolines. Synthesis and Antimalarial Activities, *J. Med. Chem.*, 56, 73-83.
- Cui, L., Mharakurwa, S., Ndaye, D., Rathot, P.K. and Rosenthal, P.J., 2015, Antimalarial Drug Resistance: Literature Review and Activities and Findings of The ICEMR Network, *Am. J. Trop. Med. Hyg.*, 93, 57-68.
- Deshpande, S. and Kuppast, B., 2016, 4-Aminoquinolines: An Overview of Antimalarial Chemotherapy, *Med. Chem*, 6, 1–11.
- Entjang, I., 2000, *Ilmu Kesehatan Masyarakat*, PT. Citra Bakti, Bandung.
- Foote, S. and Cowman, A., 1994, The Mode of Action and The Mechanism of Resistance to Antimalarial Drugs, *Acta Tropica*, 56, 157-171.
- Gu, Z.Y., Zhu, T.H., Cao, J.J., Xu, X.P., Wang, S.Y. and Ji, S.J., 2014, Palladium-Catalyzed Cascade Reactions of Isocyanides With Enaminones: Synthesis of 4-Aminoquinoline Derivatives, *ACS Catal.*, 4(1), 49–52.
- Kondaparla, S., Manhas, A., Dola, V.R., Srivastava, K., Puri, S.K. and Katti, S.B., 2018, Design, Synthesis and Antiplasmodial Activity of Novel Imidazole Derivatives Based on 7-Chloro-4-Aminoquinoline, *Bioog. Chem.*, 80, 204–211.
- Kumar, S., Singh, R.K., Patial, B., Goyal, S. and Bhardwaj, T.R., 2015, Recent Advances in Novel Heterocyclic Scaffolds for The Treatment of Drug-Resistant Malaria. *J. Enzyme Inhib. Med. Chem.*, 0, 1–14.

- Manohar, S., Rajesh, U.C., Khan, S.I., Tekwani, B.L. and Rawat, D.S., 2012, Novel 4-Aminoquinoline-Pyrimidine Based Hybrids with Improved *In Vitro* and *In Vivo* Antimalarial Activity, *ACS Med. Chem. Lett.*, 3(7), 555–559.
- Manohar, S., Tripathi, M. and Rawat, D.S., 2014, 4-Aminoquinoline Based Molecular Hybrids as Antimalarials: An Overview, *Curr. Top. Med. Chem.*, 14, 1706-1733.
- Maurya, S.S., Khan, S.I., Bahuguna, A., Kumar, D. and Rawat, D.S, 2017, Synthesis, Antimalarial Activity, Heme Binding and Docking Studies of N-Substituted 4-Aminoquinoline-Pyrimidine Molecular Hybrids, *Eur. J. Med. Chem.*, 129, 175–185.
- Muchtariadi, Yanuar, A., Megantara S. dan Purnomo, H., 2018, *Kimia Medisinal : Dasar-Dasar dalam Perencanaan Obat*, Prenadamedia Group, Jakarta
- Musonda, C.C., Ncokazi, K., Egan, T.J., Yardley, V., Carvalho, R.C. and Chibale, K., 2008, Application of Multicomponent Reactions to Antimalarial Drug Discovery. Part 4: Antiplasmodial, β -Hematin Inhibition, Antitrypanosomal and Cytotoxic Activity of Novel 4-Aminoquinoline 2-Imidazolines, *Chem. Med. Chem*, 10, 2099-2110.
- Nqoro, X., Tobeka, N. and Aderibigbe, B.A., 2017, Quinoline-Based Hybrid Compounds with Antimalarial Activity, *Molecules*, 22, 1–22.
- O'Neill, P.M., Mukhtar, A., Stocks, P.A., Randle, L.E., Hindley, S., Ward, S.A. and Park, B.K., 2003, Isoquine and Related Amodiaquine Analogues: A New Generation of Improved 4-Aminoquinoline Antimalarials, *Journal of Medicinal Chemistry*, 46(23), 4933–4945.
- Ouellette, R.J. and Rawn, J.D., 2015, *Nucleophilic Substitution and Elimination Reaction. Organic Chemistry Study Guide*, Elsevier Inc, Atlanta.
- Parija, S.C. and Praharaj, I., 2011, Drug Resistance in Malaria, *Indian J. Med. Microbiol.*, 29, 243–248.
- Rajapakse C., Lisai, M. and Deregnaucourt, C., 2015, Synthesis of New 4-Aminoquinolines and Evaluation of Their *In Vitro* Activity Against Chloroquine-Sensitive and Chloroquine-Resistant *Plasmodium falciparum*, *PLOS One*, 1-15.
- Rudrapal, M., Chetia, D. and Prakash, A., 2013, Chemistry Synthesis, Antimalarial, and Antibacterial Activity Evaluation of Some New 4-aminoquinoline Derivatives, *Med. Chem. Res.*, 22, 3703-3711.

- Sadowsky, D., Mc-Neill, K. and Cramer, C.J., 2014, Dehalogenation of Aromatics by Nucleophilic Aromatic Substitution, *Environ. Sci. Technol.*, 48(18), 10904–10911.
- Silverstain, R.M., Webster, F.X. and Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds 7th Edition*, John Wiley & Sons Inc., New Jersey.
- Smith, M.B. and March, J., 2007, *March's Advanced Organic Chemistry. Reactions, Mechanisms and Structure*, John Willey & Sons Inc, New Jersey.
- Song, Y.H. and Seo, J., 2007, Synthesis of 4-Amino-5,6,7,8-tetrahydrothieno[2,3-*b*]-5-ol Derivatives, *J. Heterocyclic Chem.*, 44, 1439-1443.
- Souza, M., Pais, K.C., Kaiser, C.R., Peralta, M.A., Ferreira, M. and Laurengo, M., 2009, Bioorganic & Medicinal Chemistry Synthesis and *In Vitro* Antitubercular Activity of A Series of Quinoline Derivatives, *Bioorg. Med. Chem.*, 17(4), 1474-1480.
- Sunduru, N., Srivastava, K., Rajakumar, S., Puri, S.K. and Saxena, J.K., 2009, Synthesis of Novel Thiourea, Thiazolidinedione and Thioparabanic Acid Derivatives of 4-aminoquinoline as Potent Antimalarials, *Bioorg. Med. Chem. Lett.*, 19(9), 2570-2573.
- Zheng, Q., Ding, Q., Liu, X., Zhang, Y. and Peng, Y., 2015, Synthesis of 4-Amino-2-Trifluoromethyl Quinoline Derivatives Via Palladium-Catalyzed Cascade Reactions of Isocyanides with *N*-(Ortho-Iodo)Aryl Enamines, *J. Organomet. Chem.*, 783, 77-82.