

REFERENCE

- A. Aviara, N. (2020). Moisture Sorption Isotherms and Isotherm Model Performance Evaluation for Food and Agricultural Products. *Sorption in 2020s*, 1–33. <https://doi.org/10.5772/intechopen.87996>
- Ahmed, M. W., Aziz, M. G., & Islam, M. N. (2018). Modeling of Moisture Adsorption Isotherm of Selected Commercial flours of Bangladesh. *The Agriculturists*, 16(02), 35–42.
- Akhigbemidu, W., Musa, A., & Kuforiji, O. (2016). Assessment of the Microbial Qualities of Noodles and the Accompanying Seasonings. *Nigerian Food Journal*, 33(1), 48–53. <https://doi.org/10.1016/j.nifoj.2015.04.005>
- Alamri, M. S., Mohamed, A. A., Hussain, S., Ibraheem, M. A., & Abdo Qasem, A. A. (2018). Determination of Moisture Sorption Isotherm of Crosslinked Millet Flour and Oxirane Using GAB and BET. *Journal of Chemistry*, 2018, 1–8.
- Allahvaisi, S. (2012). Polypropylene in the Industry of Food Packaging. *Polypropylene*, 1–20. <http://www.intechopen.com/books/polypropylene/polypropylene-in-the-industry-of-food-packaging>
- Anandito, R. B. K., Siswanti, Purnamayati, L., & Sodik, H. (2017). Shelf-life Determination of Fish Koya using Critical Moisture Content Approach. *Proceedings of the Pakistan Academy of Sciences: Part B*, 54(3), 201–206.
- Andrade, Ricardo D.P., Roberto, L. M., & Pérez, C. E. C. (2011). Models of Sorption Isotherms for Food: Uses and Limitations. *Vitae*, 18(3), 325–334.
- AOAC. (2000). AOAC Official Methods of Analysis. Association of Official Analytical Chemists, Washington, DC. <https://doi.org/10.1177/074823379901500807>
- Bajpai, S. K., Navin, C., & Ruchi, L. (2011). Water vapor permeation and antimicrobial properties of sago starch based films formed via microwave irradiation. *International Food Research Journal*, 18(1), 417–426.
- Basu, S., Shivhare, U. S., & Mujumdar, A. S. (2006). Models for sorption isotherms for foods: A review. *Drying Technology*, 24(8), 917–930. <https://doi.org/10.1080/07373930600775979>



- Bell, L.N., and Labuza, T.P. (2000). *Moisture Sorption: Practical Aspects of Isotherm Measurement and Use*, 2nd Edition. St. Paul: American Association of Cereal Chemists.
- Beuchat, L. R. (1981). Microbial stability as affected by water activity. *Cereal Food World* 26:345.
- Bowditch, G. T. (1997). Penetration of Polyvinyl Chloride and Polypropylene Packaging Films by *Ephestia cautella* (Lepidoptera: Pyralidae) and *Plodia interpunctella* (Lepidoptera: Pyralidae) Larvae, and *Tribolium confusum* (Coleoptera: Tenebrionidae) Adults. *Journal of Economic Entomology*, 90(4), 1028–1031. <https://doi.org/10.1093/jee/90.4.1028>
- Brunauer, S., Deming, L. S., Deming, W. E. and Teller, E. (1940). On a Theory of the van der Waals Adsorption of Gases, *J. Am. Chem. Soc.*, 62, pp. 1723–1732.
- Brunauer S, Emmet PH, Teller E. (1938). Adsorption of gases in multimolecular layers. *J Am Chem Soc.* 60 (2): 309-319.
- Cacciari, I., Quatrini, P., Zirletta, G., Mincione, E., Vinciguerra, V., Lupatelli & P. Sermanni, G.G. (1993). Isotactic polypropylene biodegradation by a microbial community: Physico-chemical characterization of metabolites produced. *Appl. Environ. Microbiol.* 59: 3695-3700, ISSN 0099-2240.
- Chang, L. S., Karim, R., Sabo Mohammed, A., Chai, K. F., & Ghazali, H. M. (2019). Moisture sorption isotherm and shelf-life prediction of anticaking agent incorporated spray-dried soursop (*Annona muricata L.*) powder. *Journal of Food Process Engineering*, 42(5), 1–10. <https://doi.org/10.1111/jfpe.13134>
- Chirife, J. (1994). Specific solute effects with special reference to *Staphylococcus aureus*. *J. Food Eng.* 22:409–416
- Cousin, M. A., Riley, R. T., & Pestka, J. J. (2005). Foodborne mycotoxins: Chemistry, biology, and toxicology. In P. M. Fratamico, A. K. Bhunia & J. L. Smith (Eds.), *Foodborne pathogens: Microbiology and molecular biology* (pp. 163–226). Norfolk, UK: Caister Academic Press.
- Cuq, B., Gontard, N., Aymard, C., & Guilbert, S. (1997). Relative Humidity and Temperature Effects on Mechanical and Water Vapor Barrier Properties of Myofibrillar Protein-based Films. *Polymer Gels and Networks*, 5(1), 1–15. [https://doi.org/10.1016/S0966-7822\(96\)00026-3](https://doi.org/10.1016/S0966-7822(96)00026-3)



- Da Silva M, Gouveia J, Almeida F. (2002). Desorption and isosteric heat of mango pulp. *Rev Bras Eng Agríc Ambient.* 6 (1): 123-127.
- Dana, D., and Saguy, I. S. (2006). Review: Mechanism of oil uptake during deep-fat frying and the surfactant effect-theory and myth. *Advances in Colloid and Interface Science.* 128- 130: 267-272
- Decker W, Roy D, Voght C, Roy C, Dabbert P. (2004). Metallized Polymer Films as Replacement for Aluminum Foil in Packaging Applications. *Proceedings of the Annual Technical Conference-Society of Vacuum Coaters.* 47:594.
- Del Nobile, M. A., Conte, A., Buonocore, G. G., Incoronato, A. L., Massaro, A., & Panza, O. (2009). Active packaging by extrusion processing of recyclable and biodegradable polymers. *Journal of Food Engineering*, 93(1), 1–6. doi:10.1016/j.jfoodeng.2008.12.022
- Devices, D., & Inc. (2007). Moisture Sorption Isotherm Generator: Operator's Manual. *Version*, 3, 0.
- D.W. van der Meer. (2003). *Structure-Property Relationships in Isotactic Polypropylene.* doc.utwente.nl/40660/1/t000004f.pdf
- Ellis M.J. (1994) The methodology of shelf life determination. In: *Shelf Life Evaluation of Foods* Man, C.M.D. & A.A.D. Jones (Ed.), Blackie Academic and Professional Inc, London, p.27
- Ertugay, M.F. & M. Certel. (2000). Moisture sorption isotherms of cereals at different temperatures. *Nahrung* 44(2): 107–109
- Evans, J. A., Scarcelli, S., & Swain, M. V. L. (2007). Temperature and energy performance of refrigerated retail display and commercial catering cabinets under test conditions. *International Journal of Refrigeration*, 30, 398–408.
- Fellows, P.J. & Axtell, B.L. (2003). *Appropriate Food Packaging: Materials and methods for small businesses.* 2nd Edn. Practical Action Publishing, ISSN 0254-6019.
- Fontana, A. J. (2007). Measurement of Water Activity, Moisture Sorption Isotherms, and Moisture Content of Foods. *Water Activity in Foods*, 155–171. doi: 10.1002/9780470376454.ch6
- Fu, B., & Labuza, T. P. (1993). Shelf-life prediction: theory and application. *Food Control*, 4(3), 125–133. doi:10.1016/0956-7135(93)90298-3



- Gospavic, R., H. L. Lauzon, V. Popov, E. Martinsdottir, M. N. Haque & E. Reynisson. (2011). Microbial Growth Models For Shelf Life Prediction In An Icelandic Cod Supply Chain. *Food and Environment*, 11, 69-79.
- Gulia, N., Dhaka, V., & Khatkar, B. S. (2014). Instant Noodles: Processing, Quality, and Nutritional Aspects. *Critical Reviews in Food Science and Nutrition*, 54(10), 1386–1399. <https://doi.org/10.1080/10408398.2011.638227>
- Gupta, R. K., & Dudeja, P. (2017). Chapter 46 Food Packaging. In *Food Safety in the 21st Century Public Health Perspective*. Elsevier Inc. <https://doi.org/https://doi.org/10.1016/B978-0-12-801773-9.00046-7>
- Hanlon, J. F., Kelsey, R. J., and Forcinio, H. E. (1998). Coatings and laminations of flexible materials. In: *Handbook of Packaging Engineering, 3rd ed.* Technomic Publishing Company, Lancaster, PA, USA, Chap. 4, pp. 105–128.
- Hao, F., Lu, L., & Ge, C. (2014). Effect of Fat Content on Water Sorption Properties of Biscuits Studied by Nuclear Magnetic Resonance. *Journal of Food and Nutrition Research*, 2(11), 814–818. <https://doi.org/10.12691/jfnr-2-11-9>
- Higl, B., Kurtmann, L., Carlsen, C. U., Ratjen, J., Forst, P., Skibsted, L. H., and Risbo, J. (2007). Impact of Water Activity, Temperature, and Physical State on the Storage Stability of *Lactobacillus paracasei ssp. paracasei* Freeze-Dried in a Lactose Matrix. *Biotechnology Progress*, 23(4), 794–800.
- Hirsch, A. (1991). Flexible Food Packaging. Van Nostrand Reinhold, New York, ISSN 1092-3659.
- Hou, G., & Kruk, M. (1998). Asian noodle technology. *Technical Bulletin*, 20(12), 1–10. <https://secure.aibonline.org/catalog/example/v20iss12.pdf>
- Hyun, J. E., Kim, J. H., Choi, Y. S., Kim, E. M., Kim, J. C., & Lee, S. Y. (2018). Evaluation of microbial quality of dried foods stored at different relative humidity and temperature, and effect of packaging methods. *Journal of Food Safety*, 38(2), e12433. doi:10.1111/jfs.12433
- Iglesias, H. A., & Chirife, J. (1982). Handbook of food isotherms: Water sorption parameters for food and food components. New York, USA: Academic Press.



- Iglesias, H. A., & Chirife, J. (1984). Technical note: Correlation of BET monolayer moisture content in foods with temperature. *International Journal of Food Science & Technology*, 19(4), 503–506. <https://doi.org/10.1111/j.1365-2621.1984.tb00375.x>
- Jasse, B., Seuvre, A. M., and Mathlothi, M. (1994). Permeability and structure in polymeric packaging materials. In: M. Mathlouthi (ed.), *Packaging and Preservation*. Blackie Academic & Professional, an imprint of Chapman & Hall, London, UK, Chap. 1.
- Jung, J., Wang, W., McGorin, R. J., & Zhao, Y. (2018). Moisture Adsorption Isotherm and Storability of Hazelnut Inshells and Kernels Produced in Oregon, USA. *Journal of Food Science*, 83(2), 340–348. <https://doi.org/10.1111/1750-3841.14025>
- Khalil, A. H. P. S., Saurabh, C. K., Syakir, M. I., Nurul, F. M. R., Bhat, A., Banerjee, A., Fizree, H. M., Rizal, S., and Tahir, P. M. (2019). Barrier properties of biocomposites/hybrid films. Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites. 241–258. doi:10.1016/B978-0-08-102292-4.00013-8
- Kilcast, D., and P. Subramaniam. (2011). Food and Beverage Stability and Shelf Life.
- Kou, L., Luo, Y., Ingram, D. T., Yan, S., & Jurick, W. M. (2015). Open-refrigerated retail display case temperature profile and its impact on product quality and microbiota of stored baby spinach. *Food Control*, 47, 686–692.
- Koutsoumanis, K. (2001). Predictive Modeling of the Shelf Life of Fish under Nonisothermal Conditions. *Applied and Environmental Microbiology*, 67(4), 1821–1829. doi:10.1128/aem.67.4.1821-1829.2001
- Kulchan, R., Boonsupthip, W., & Suppakul, P. (2010). Shelf life prediction of packaged cassava-flour-based baked product by using empirical models and activation energy for water vapor permeability of polyolefin films. *Journal of Food Engineering*, 100(3), 461–467. <https://doi.org/10.1016/j.jfoodeng.2010.04.031>
- Labuza, T. P. (1984). Application of chemical kinetics to deterioration of foods. *Journal of Chemical Education*, 61(4), 348–358. <https://doi.org/10.1021/ed061p348>
- Labuza, T.P., Tannenbaum, S.R., and Karel M. (1970). Water content and stability of low moisture and intermediate moisture foods. *Food Technology*. 24: 543.



- Labuza, Theodore P. (1975). Sorption Phenomena in Foods: Theoretical and Practical Aspects. *Theory, Determination and Control of Physical Properties of Food Materials, 1*, 197–219. https://doi.org/10.1007/978-94-010-1731-2_11
- Labuza T.P. (1982). Shelf Life Dating of Food. Trumbull (US): Food and Nutrition Press. Lestari
- Labuza, T.P. (1984). Practical Aspects of Isotherm Measurement and Use. *America Association of Cereal Chemistry*, St. Paul, Minnesota
- Labuza, T. P., Kaanane, A., & Chen, J. Y. (1985). Effect of Temperature on the Moisture Sorption Isotherms and Water Activity Shift of Two Dehydrated Foods. *Journal of Food Science, 50*(2), 385–392. <https://doi.org/10.1111/j.1365-2621.1985.tb13409.x>
- Lamberti, M., & Escher, F. (2007). Aluminium foil as a food packaging material in comparison with other materials. *Food Reviews International, 23*(4), 407–433. <https://doi.org/10.1080/87559120701593830>
- Ling, Q. (2010). Packaging of Noodle Products. *Asian Noodles: Science, Technology, and Processing*, 155–181. <https://doi.org/10.1002/9780470634370.ch7>
- Maddah, H. A. (2016). Polypropylene as a Promising Plastic : A Review. *6*(1), 1–11. <https://doi.org/10.5923/j.ajps.20160601.01>
- Makower, B., and Myers, S. (1943). A new method for the determination of moisture in dehydrated vegetables. *Proceedings of Institute of Food Technologists, 4th Conference* 156
- Malik, A. A. (2016). Sorption Isotherm Study of Gluten Free Noodles Prepared from Buck Wheat Flour, Maize Flour, and Potato Peel Waste Flour. *Associated Asia Research Foundation (AARF) 3*(8), 68–85.
- Marsh, K. and Bugusu, B. (2007). Food packaging- roles, materials, and environmental issues. *J Food Sci, (3)*: p. 39.
- McHugh, T. H., Avena-bustillos, R., & Krochta, J. M. (1993). Hydrophilic Edible Films: Modified Procedure for Water Vapor Permeability and Explanation of Thickness Effects. *Journal of Food Science, 58*(4), 899–903. <https://doi.org/10.1111/j.1365-2621.1993.tb09387.x>
- McKeen, L. W. (2013). Introduction to Use of Plastics in Food Packaging. *Plastic Films in Food Packaging, 1–15*. doi:10.1016/b978-1-4557-3112-1.00001-6



- McKenna BM. (1984). Engineering and Foods, Vol. 1. Van den Berg C. Description of water activity of foods for engineering purposes by means of the G.A.B. model of sorption; p. 311-320
- Moraes MA, Rosa GS, Pinto LA. (2008). Moisture sorption isotherms and thermodynamic properties of apple Fuji and garlic. *Int J Food Sci Tech.* 43 (10): 1824-1831.
- Nisak, Siti Muizzun, Gunadya, IBP, and I Made Anom. (2014). Penentuan Umur Simpan Dodol Nangka Dengan Metode ESS (extended Storage Studies). *Jurnal BETA (Biosistem dan Teknik Pertanian)*, [S.l.], v. 2, n. 2, aug.. ISSN 2502-3012.
- Nychas, G., Lianou, A., & Panagou, E. Z. (2016). Microbiological spoilage of foods and beverages. In *The Stability and Shelf Life of Food*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100435-7.00001-0>
- Othman, S. H., Amirah, S., Edwal, M., Risyon, N. P., Basha, R. K., & Talib, R. A. (2017). Water Sorption and Water Permeability Properties of Edible Film made from Potato Peel Waste. *Journal of Food Science and Technology*, 37, 63–70.
- Pajin, B., Lazic, V., Jovanovic, O. and Gvozdenovic, J. (2006). Shelf-life of a dragee product based on sunflower kernel depending on packaging material used. *Int. J. Food Sci. Tech.* 41, 717–721.
- Palmer, J. R. (2001). Polyamides, Plastics. *Polymer Science and Technology*.
- Park, H. J., Weller, C. L., Vergano, P. J., & Testin, R. F. (1993). Permeability and Mechanical Properties of Cellulose-Based Edible Films. *Journal of Food Science*, 58(6), 1361–1364. <https://doi.org/10.1111/j.1365-2621.1993.tb06183.x>
- Piringer, O. G. and Brandsch J. (2000). Characteristics of plastic materials. In: *Plastic Packaging Material for Food*. Wiley, Weinheim, Germany, Chap. 2, pp. 9–45
- Rachtanapun, P. (2007). Shelf Life Study of Salted Crackers in Pouch by Using Computer Simulation Models. *Chiang Mai. J. Sci.* 34, 2(2), 209–218.
- Raj, B. (2018). Plastics and Their Role in Food Packaging. *Food Packaging Technology Department Central Food Technological Research Institute, 020*, 17–46.
- Robertson, G. L. (2006). *Food packaging: principle and practice*. Boca Raton, FL: CRC Press.



- Roe, Michael. (2004). Market Research in Action. *British Library Cataloguing*.
- Rockland LB, Stewart GF. (1981). Water Activity: Influences on Food Quality. Van den Berg C, Bruin S. Water activity and its estimation in food systems: theoretical aspects; 236 p.
- Sahin S, Güllüm S. (2006). Physical Properties of Foods. New York, United States: Springer. 205, 218 p.
- Shin, S. N. and Kim, S. K. (2003). Cereal Foods World 48: 310-314.
- Sikander, M., Malik, A., Sikander, M., & Khan, G. (2017). Instant Noodles : Are they Really Good for Health? A Review. *Electronic Journal of Biology*, 13(3), 222–227. <https://www.researchgate.net/publication/318217339>
- Siracusa V. (2012). Food packaging permeability behaviour: a report. *International Journal of Polymer Science*. 2012:1-12. Doi:10.1155/2012/302029.
- Sirpatrawan, U. (2009). Shelf-life Simulation of Packaged Rice Crackers. *Journal of Food Quality*, 32(2), 224–239. <https://doi.org/10.1111/j.1745-4557.2009.00247.x>
- Sudibyo, A., T.F. Hutajulu, & Setyadjit. (2010). Pendugaan masa simpan produk kopi instan menggunakan studi penyimpanan yang diakselerasi dengan model kinetika Arrhenius. *Journal of AgroBased Industry*, 27, 12–14.
- Tantala, J., Rachtanapun, C., Tongdeesoontorn, W., Jantanasakulwong, K., & Rachtanapun, P. (2019). Moisture Sorption Isotherms and Prediction Models of Carboxymethyl Chitosan Films from Different Sources with Various Plasticizers. *Advances in Materials Science and Engineering*, 19, 1–18.
- Taoukis, P. S., Meskine, A. E. & Labuza, T. P. (1988). Moisture transfer and shelf life of packaged foods. In Food Packaging Interactions, ed. J. H. Hotchkiss. ACS Symposium Series 365, American Chemical Society, Washington, DC, USA, pp. 243-61.
- Tarigan, P. B. (2013). Drying and Rehydration Kinetics of Pasta. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Takeungwongtrakul, S. (2020) Shelf-life Prediction of Micro-encapsulated Shrimp Oil in Different Packages using Empirical Models. *Current Applied Science and Technology*, 20, 30-42.



- Teunou, E., Fitzpatrick, J.J., (1999). Effect of relative humidity and temperature on food powder flowability. *Journal of Food Engineering* 42 (2), 109–116.
- Wardhani, Asri Puspita. (2019). Shelf Life determination of Pineapple Juice Using Extended Storage Studies (ESS) Method. *Food Science and Technology Journal*. Vol2, No 1.
- WINA. (2011). World instant noodle association: expanding market
- Wu, T. P., Kuo, W. Y., and Chend, M. C. (1998). Modern noodle-based foods- product range and production methods. In: Pacific People and Their Foods, pp. 37-89. Blakeney, A. B., and O'Brien, L. (Eds.), American Association of Cereal Chemists, St. Paul, MN
- Yanniotis, S., & Blahovec, J. (2009). Model Analysis of Sorption Isotherms. *LWT - Food Science and Technology*, 42(10), 1688–1695. <https://doi.org/10.1016/j.lwt.2009.05.010>
- Yaptenco, K. F., Pardua, S. N., Duque, J. A. C., & Pangan, R. S. (2017). Moisture Sorption Isotherms and Shelf Life Prediction for Whole Dried Sandfish (*Holothuria scabra*). *Agricultural Engineering International: CIGR Journal*, 19(2), 176–186.
- Zhang, W. E., Wang, C. L., Shi, B. Bin, & Pan, X. J. (2017). Effect of Storage Temperature and Time on the Nutritional Quality of Walnut Male Inflorescences. *Journal of Food and Drug Analysis*, 25(2), 374–384. <https://doi.org/10.1016/j.jfda.2016.05.010>
- Zung JP. (2002). Isoterma de sorción de tres etapas y modelos de sorción restringida. Buenos Aires. 2, 14 p