

REFERENCES

- Adeola, A. A., & Aworh, O. C. (2014). Effects of sodium benzoate on storage stability of previously improved beverage from tamarind (*Tamarindus indica* L.) . *Food Science & Nutrition*, 2(1), 17–27. <https://doi.org/10.1002/fsn3.78>
- Ajandouz, E. H., Tchiakpe, L. S., Dalle Ore, F., Benajiba, A., & Puigserver, A. (2001). Effects of pH on caramelization and Maillard reaction kinetics in fructose-lysine model systems. *Journal of Food Science*, 66(7), 926–931. <https://doi.org/10.1111/j.1365-2621.2001.tb08213.x>
- Akhtar, S., Waseem, M., Ahmad, N., Ismail, T., Ahmad, Z., Manzoor, M. F., & Siddeeg, A. (2019). Polyphenol-rich extracts of traditional culinary spices and herbs and their antibacterial activity in minced beef. *Journal of Food Quality*, 9. <https://doi.org/10.1155/2019/1702086>
- Ames, J. M. (2003). BROWNING | Nonenzymatic. *Encyclopedia of Food Sciences and Nutrition*, (1997), 665–672. <https://doi.org/10.1016/b0-12-227055-x/00128-0>
- Anita, S., Haryono, & Wahyudewantoro, G. (2019). Nutritional component of *Barbonymus balleroides*: A wild freshwater fish from Indonesia. *Biodiversitas Journal of Biological Diversity*, 20(2), 581–588. <https://doi.org/10.13057/biodiv/d200239>
- Ashoor, S. H., & Zent, J. B. (1984). Maillard Browning of Common Amino Acids and Sugars. *Journal of Food Science*, 49(4), 1206–1207. <https://doi.org/10.1111/j.1365-2621.1984.tb10432.x>
- Ashwell, M. (2015). Stevia, nature’s zero-calorie sustainable sweetener: A new player in the fight against obesity. *Nutrition Today*, 50(3), 129–134. <https://doi.org/10.1097/NT.0000000000000094>
- Batubara, A. S., Muchlisin, Z. A., Efizon, D., Elvyra, R., Fadli, N., & Irham, M. (2018). Morphometric variations of the Genus *Barbonymus* (Pisces, Cyprinidae) harvested from Aceh Waters, Indonesia. *Archives of Polish Fisheries*, 26(4), 231–237. <https://doi.org/10.2478/aopf-2018-0026>
- Bell, L. N. (1997). Maillard reaction as influenced by buffer type and concentration. *Food Chemistry*, 59(1), 143–147. [https://doi.org/10.1016/S0308-8146\(96\)00257-9](https://doi.org/10.1016/S0308-8146(96)00257-9)

- Benjakul, S., Lertittikul, W., & Bauer, F. (2005). Antioxidant activity of Maillard reaction products from a porcine plasma protein-sugar model system. *Food Chemistry*, *93*(2), 189–196. <https://doi.org/10.1016/j.foodchem.2004.10.019>
- Bhuiyan, A. S., Islam, K., & Zaman, T. (2006). Fecundity and Ovarian Characteristics of *Puntius gonionotus* (Bloch/Bleeker) (Cyprinidae: Cypriniformes). *Journal of Bio-Science*, *14*, 99–102. <https://doi.org/10.3329/jbs.v14i0.451>
- Bogard, J. R., Thilsted, S. H., Marks, G. C., Wahab, M. A., Hossain, M. A. R., Jakobsen, J., & Stangoulis, J. (2015). Nutrient composition of important fish species in Bangladesh and potential contribution to recommended nutrient intakes. *Journal of Food Composition and Analysis*, *42*, 120–133. <https://doi.org/10.1016/j.jfca.2015.03.002>
- Brands, C. M. J., & Van Boekel, M. A. J. S. (2003). Kinetic modeling of reactions in heated disaccharide-casein systems. *Food Chemistry*, *83*(1), 13–26. [https://doi.org/10.1016/S0308-8146\(03\)00031-1](https://doi.org/10.1016/S0308-8146(03)00031-1)
- Cai, L., Li, D., Dong, Z., Cao, A., Lin, H., & Li, J. (2016). Change regularity of the characteristics of Maillard reaction products derived from xylose and Chinese shrimp waste hydrolysates. *LWT - Food Science and Technology*, *65*, 908–916. <https://doi.org/10.1016/j.lwt.2015.09.007>
- Chambers, E. (2019). Analysis of sensory properties in foods. *Foods*, *8*(8), 291. <https://doi.org/10.3390/foods8080291>
- Chattopadhyay, S., Raychaudhuri, U., & Chakraborty, R. (2014). Artificial sweeteners - A review. *Journal of Food Science and Technology*, *51*(4), 611–621. <https://doi.org/10.1007/s13197-011-0571-1>
- Chen, K., Yang, X., Huang, Z., Jia, S., Zhang, Y., Shi, J., ... Luo, Y. (2019). Modification of gelatin hydrolysates from grass carp (*Ctenopharyngodon idellus*) scales by Maillard reaction: Antioxidant activity and volatile compounds. *Food Chemistry*, *295*(2019), 569–578. <https://doi.org/10.1016/j.foodchem.2019.05.156>
- Chen, Y. C., & Jaczynski, J. (2007). Protein recovery from rainbow trout (*Oncorhynchus mykiss*) processing byproducts via isoelectric solubilization/precipitation and its gelation properties as affected by functional additives. *Journal of Agricultural and Food Chemistry*, *55*(22), 9079–9088. <https://doi.org/10.1021/jf071992w>

- Clemenson, S. (2019). Herbs and Spices. In *Swainson's Handbook of Technical and Quality Management for the Food Manufacturing Sector*. <https://doi.org/10.1016/b978-1-78242-275-4.00017-4>
- Comfort, M. B., Falmata, A. S., Bintu, B. P., Maryam, B. K., Raihanatu, M. B., Chullube, Z., & Modu, S. (2019). Production and Nutritional Evaluation of Tamarind Squash Blended with Banana (*Musa acuminata*) and Pawpaw (*Carica papaya*). *Acta Scientific Nutritional Health*, 3(6), 102–111.
- Delgado-Andrade, C., Seiquer, I., Haro, A., Castellano, R., & Navarro, M. P. (2010). Development of the Maillard reaction in foods cooked by different techniques. Intake of Maillard-derived compounds. *Food Chemistry*, 122(1), 145–153. <https://doi.org/10.1016/j.foodchem.2010.02.031>
- Echavarría, A. P., Pagán, J., & Ibarz, A. (2012). Melanoidins Formed by Maillard Reaction in Food and Their Biological Activity. *Food Engineering Reviews*, 4(4), 203–223. <https://doi.org/10.1007/s12393-012-9057-9>
- Eichner, K., & Karel, M. (1972). The influence of water content and water activity on the sugar-amino browning reaction in model systems under various conditions. *Journal of Agricultural and Food Chemistry*, 20(2), 218–223. <https://doi.org/10.1021/jf60180a025>
- El-Sayed, S. M., & Youssef, A. M. (2019). Potential application of herbs and spices and their effects in functional dairy products. *Heliyon*, 5(6), 7. <https://doi.org/10.1016/j.heliyon.2019.e01989>
- Engelking, L. R. (2015). Chapter 18 – Carbohydrate Structure. In *Textbook of Veterinary Physiological Chemistry* (pp. 118–123). <https://doi.org/10.1016/B978-0-12-391909-0.50018-9>
- Eric, K., Raymond, L. V., Abbas, S., Song, S., Zhang, Y., Masamba, K., & Zhang, X. (2014). Temperature and cysteine addition effect on formation of sunflower hydrolysate Maillard reaction products and corresponding influence on sensory characteristics assessed by partial least square regression. *Food Research International*, 57, 242–258. <https://doi.org/10.1016/j.foodres.2014.01.030>
- Eric, K., Virginie, L., Huang, M., Jepkorir, M., Hayat, K., Dominique, N., ... Zhang, X. (2013). Sensory attributes and antioxidant capacity of Maillard reaction products derived from

- xylose, cysteine, and sunflower protein hydrolysate model system. *FRIN*, 54(2), 1437–1447. <https://doi.org/10.1016/j.foodres.2013.09.034>
- Fan, X., Li, X., Tao, N., Zhang, J., Wang, M., Qian, X., ... Zhong, J. (2019). Effect of Salt Addition Time on the Nutritional Profile of *Thunnus obesus* Head Soup and the Formation of Micro/Nano-Sized Particle Structure. *Molecules*, 24, 4447.
- Fellers, C. R. (1939). Dextrose in the Food Industries and Its Health Status. *American Journal of Public Health and the Nations Health*, 29(2), 135–138. <https://doi.org/10.2105/ajph.29.2.135>
- Fitzgerald, R. J., Cuinn, G. O., Ramakrishnan, V. V., Dufosse, L., Broise, D. D. La, Binet, A., ... Assavanig, A. (2014). Extraction of Protein from Hoki and Barracouta Fish Heads for Utilisation as Functional Ingredients (Vol. 23). <https://doi.org/10.1016/j.jfoodeng.2004.10.011>
- Fritts, J. R., Fort, C., Quinn Corr, A., Liang, Q., Alla, L., Cravener, T., ... Keller, K. L. (2018). Herbs and spices increase liking and preference for vegetables among rural high school students. *Food Quality and Preference*, 68(December 2017), 125–134. <https://doi.org/10.1016/j.foodqual.2018.02.013>
- Gardner, E. (2017). Alternative sugars: Stevia. *British Dental Journal*, 223(5), 311. <https://doi.org/10.1038/sj.bdj.2017.739>
- Genova, J., Zheliaskova, A., & Mitov, M. D. (2007). Monosaccharides (fructose, glucose) and disaccharides (sucrose, trehalose) influence the elasticity of SOPC membranes. *Journal of Optoelectronics and Advanced Materials*, 9(2), 427–430.
- Goldfein, K. R., & Slavin, J. L. (2015). Why Sugar Is Added to Food: Food Science 101. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 14). <https://doi.org/10.1111/1541-4337.12151>
- Goldfien, K. R. (2016). *Added sugars: why it is added to food and the challenges of labeling it*.
- Golon, A., Kropf, C., Vockenroth, I., & Kuhnert, N. (2014). An Investigation of the Complexity of Maillard Reaction Product Profiles from the Thermal Reaction of Amino Acids with Sucrose Using High-Resolution Mass Spectrometry. *Foods*, 3(3), 461–475. <https://doi.org/10.3390/foods3030461>
- Goyal, S. K., Samsher, & Goyal, R. K. (2010). Stevia (*Stevia rebaudiana*) a bio-sweetener: A

- Gupta, C., Prakash, D., & Gupta, S. (2014). Studies on the antimicrobial activity of tamarind (*Tamarindus indica*) and its potential as food bio-preservative. *International Food Research Journal*, 21(6), 2437–2441.
- Halim, K. M. A., Rahman, M. S., Bhowmik, D., & Ali, A. (2018). Studies on the growth performance of carps with silver barb (*Barbonymus gonionotus*) in polyculture system. *International Journal of Fisheries and Aquatic Studies*, 6(6), 348–353.
- Harmayani, E., Anal, A. K., Wichienchot, S., Bhat, R., Gardjito, M., Santoso, U., ... Payyappallimana, U. (2019). Healthy food traditions of Asia: Exploratory case studies from Indonesia, Thailand, Malaysia, and Nepal. *Journal of Ethnic Foods*, 6(1), 1–18. <https://doi.org/10.1186/s42779-019-0002-x>
- Helstad, S. (2018). Corn sweeteners. In *Corn: Chemistry and Technology, 3rd Edition* (3rd ed.). <https://doi.org/10.1016/B978-0-12-811971-6.00020-6>
- Hossain, M. F., Islam, M. T., Islam, M. A., & Akhtar, S. (2017). Cultivation and uses of Stevia (*Stevia Rebaudiana Bertoni*): A review. *African Journal of Food, Agriculture, Nutrition and Development*, 17(4), 12745–12757. <https://doi.org/10.18697/ajfand.80.16595>
- Jasmine, S., & Begum, M. (2016). Biological aspects of *Barbonymus gonionotus* (Bleeker, 1849) in the Padma River, Bangladesh. *International Journal of Fisheries and Aquatic Studies*, 4(5), 661–665.
- Jinap, S., Hajeb, P., Karim, R., Norliana, S., & Abdul-Kadir, S. Y. R. (2016). Reduction of sodium content in spicy soups using monosodium glutamate. *Food and Nutrition Research*, 60, 30463. <https://doi.org/10.3402/fnr.v60.30463>
- Joy, P. P., Skaria, B. P., Mathew, S., Mathew, G., Joseph, A., & Sreevidya, P. P. (2006). *Lemongrass*.
- Karangwa, E., Habimana, J. D. D., Jingyang, Y., Murekatete, N., Zhang, X., Masamba, K., ... Muhoza, B. (2017). Sensory characteristics of Maillard reaction products obtained from sunflower protein hydrolysates and different sugar types. *International Journal of Food Engineering*, 13(3). <https://doi.org/10.1515/ijfe-2016-0006>
- Karseno, Erminawati, Yanto, T., Setyowati, R., & Haryanti, P. (2018). Effect of pH and

- temperature on browning intensity of coconut sugar and its antioxidant activity. *Food Research*, 2(1), 32–38. [https://doi.org/10.26656/fr.2017.2\(1\).175](https://doi.org/10.26656/fr.2017.2(1).175)
- Kilcast, D., & den Ridder, C. (2007). Sensory issues in reducing salt in food products. In *Reducing Salt in Foods: Practical Strategies*. <https://doi.org/10.1533/9781845693046.2.201>
- Kloss, L., Meyer, J. D., Graeve, L., & Vetter, W. (2015). Sodium intake and its reduction by food reformulation in the European Union - A review. *NFS Journal*, 1, 9–19. <https://doi.org/10.1016/j.nfs.2015.03.001>
- Kristinsson, H. G., & Ingadottir, B. (2006). Recovery and properties of muscle proteins extracted from tilapia (*Oreochromis niloticus*) light muscle by pH shift processing. *Journal of Food Science*, 71(3). <https://doi.org/10.1111/j.1365-2621.2006.tb15626.x>
- Lanzotti, V. (2006). The analysis of onion and garlic. *Journal of Chromatography A*, 1112(1–2), 3–22. <https://doi.org/10.1016/j.chroma.2005.12.016>
- Laroque, D., Inisan, C., Berger, C., Vouland, É., Dufossé, L., & Guérard, F. (2008). Kinetic study on the Maillard reaction. Consideration of sugar reactivity. *Food Chemistry*, 111(4), 1032–1042. <https://doi.org/10.1016/j.foodchem.2008.05.033>
- Lawless, H. T., & Heymann, H. (1999). Sensory Evaluation of Food. In *Sensory Evaluation of Food*. <https://doi.org/10.1007/978-1-4615-7843-7>
- Li, J. lin, Tu, Z. cai, Zhang, L., Sha, X. mei, Wang, H., Pang, J. juan, & Tang, P. ping. (2016). The effect of ginger and garlic addition during cooking on the volatile profile of grass carp (*Ctenopharyngodon idella*) soup. *Journal of Food Science and Technology*, 53(8), 3253–3270. <https://doi.org/10.1007/s13197-016-2301-1>
- Lide, D. R., & Baysinger, G. (2004). CRC handbook of chemistry and physics. In *Choice Reviews Online* (Vol. 41). <https://doi.org/10.5860/choice.41-4368>
- Liem, D. G., Miremadi, F., & Keast, R. S. J. (2011). Reducing sodium in foods: The effect on flavor. *Nutrients*, 3(6), 694–711. <https://doi.org/10.3390/nu3060694>
- Liu, Q., Kong, B., Han, J., Sun, C., & Li, P. (2013). Structure and antioxidant activity of whey protein isolate conjugated with glucose via the Maillard reaction under dry-heating conditions. *Food Structure*, 1(2), 145–154. <https://doi.org/10.1016/j.foostr.2013.11.004>

- Liu, Q., Li, J., Kong, B., Jia, N., & Li, P. (2014). Antioxidant capacity of maillard reaction products formed by a porcine plasma protein hydrolysate-sugar model system as related to chemical characteristics. *Food Science and Biotechnology*, 23(1), 33–41. <https://doi.org/10.1007/s10068-014-0005-8>
- Liu, Q., Niu, H., Zhao, J., Han, J., & Kong, B. (2016). Effect of the Reactant Ratio on the Characteristics and Antioxidant Activities of Maillard Reaction Products in a Porcine Plasma Protein Hydrolysate-Galactose Model System. *International Journal of Food Properties*, 19(1), 99–110. <https://doi.org/10.1080/10942912.2015.1017048>
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., & Randall, R. J. (1951). Protein measurement with the folin phenol reagent. *Journal of Biological Chemistry*, 193(1), 265–275.
- Lund, M. N., & Ray, C. A. (2017). Control of Maillard Reactions in Foods: Strategies and Chemical Mechanisms. *Journal of Agricultural and Food Chemistry*, 65(23), 4537–4552. <https://doi.org/10.1021/acs.jafc.7b00882>
- Manley, D. (2000). Sugars and syrups. In *Technology of Biscuits, Crackers and Cookies* (pp. 112–129). <https://doi.org/10.1533/9781855736597.2.112>
- Martins, S., Jongen, W., Boekel, V., & Martinus, A. (2001). A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science and Technology*, 11, 364–373. Retrieved from <https://ucanr.edu/datastoreFiles/608-648.pdf>
- Mikami, Y., & Murata, M. (2015). Effects of sugar and buffer types, and pH on formation of maillard pigments in the lysine model system. *Food Science and Technology Research*, 21(6), 813–819. <https://doi.org/10.3136/fstr.21.813>
- Mohanta, K. N., Mohanty, S. N., Jena, J. K., & Sahu, N. P. (2008). Protein requirement of silver barb, *Puntius gonionotus* fingerlings. *Aquaculture Nutrition*, 14(2), 143–152. <https://doi.org/10.1111/j.1365-2095.2007.00514.x>
- Morris, R. (2012). Spectrophotometry. *Current Protocols in Essential Laboratory Techniques*, 2012(SUPPL.6), 1–28. <https://doi.org/10.1002/9780470089941.et0201s06>
- Narina, S. S. S., C Davis, C., M Corley, M., A Hamama, A., Kim, C., H, L., ... Xu, Y. (2019). Factors Influencing Postharvest Quality of Tamarind Fruit Pulp. *Acta Scientific Microbiology*, 2(12), 10–19. <https://doi.org/10.31080/asmi.2019.02.0422>
- Ouellette, R. J., & Rawn, J. D. (2015). Carbohydrates. In *Principles of Organic Chemistry* (Vol.

- Ozdemir, C., Arslaner, A., Ozdemir, S., & Allahyari, M. (2015). The production of ice cream using stevia as a sweetener. *Journal of Food Science and Technology*, 52(11), 7545–7548. <https://doi.org/10.1007/s13197-015-1784-5>
- Pedro, S., & Nunes, M. L. (2007). Reducing salt in seafood products. In *Reducing Salt in Foods: Practical Strategies*. <https://doi.org/10.1533/9781845693046.3.256>
- Perez-Locas, C., & Yaylayan, V. A. (2010). The Maillard reaction and food quality deterioration. In *Chemical Deterioration and Physical Instability of Food and Beverages*. <https://doi.org/10.1533/9781845699260.1.70>
- Pérez-Palacios, T., Eusebio, J., Ferro Palma, S., Carvalho, M. J., Mir-Bel, J., & Antequera, T. (2017). Taste compounds and consumer acceptance of chicken soups as affected by cooking conditions. *International Journal of Food Properties*, 20(February), S154–S165. <https://doi.org/10.1080/10942912.2017.1291678>
- Peter, K. V., & Babu, K. N. (2004). Herbs and Spices. *Handbook of Herbs and Spices*, 2, 1–8. <https://doi.org/10.1533/9781855738355.1>
- Puwastien, P., Judprasong, K., Kettwan, E., Vasanachitt, K., Nakngamanong, Y., & Bhattacharjee, L. (1999). Proximate composition of raw and cooked thai freshwater and marine fish. *Journal of Food Composition and Analysis*, 12(1), 9–16. <https://doi.org/10.1006/jfca.1998.0800>
- Rainboth, W. J. (1996). 1996 FAO species identification field guide for fishery purposes. Fishes of the Cambodian Mekong. In *Rome, FAO*.
- Ranade, S. S., & Thiagarajan, P. (2015). Lemongrass. *International Journal of Pharmaceutical Sciences Review and Research*, 35(2), 162–167.
- Range, N. (2018). Tawes (*Barbonymus gonionotus*) Ecological Risk Screening Summary.
- Reyes, F. G. R., Poocharoen, B., & Wrolstad, R. E. (1982). Maillard Browning Reaction of Sugar-Glycine Model Systems: Changes in Sugar Concentration, Color and Appearance. *Journal of Food Science*, 47(4), 1376–1377. <https://doi.org/10.1111/j.1365-2621.1982.tb07690.x>
- Rugmai, S., Piriyaorn, P., Sriwanawit, C., Suksri, C., Arts, C., Management, K., ...

Management, K. (2018). *The Development of Thai Food Recipes in Accordance with Dusit Thani College Standard : Maindishes* (Vol. 12).

Saideswara Rao, Y., & Mary Mathew, K. (2012). Tamarind. *Handbook of Herbs and Spices: Second Edition*, 2(January 1999), 512–533. <https://doi.org/10.1533/9780857095688.512>

Samuel, P., Ayoob, K. T., Magnuson, B. A., Wölwer-Rieck, U., Jeppesen, P. B., Rogers, P. J., ... Mathews, R. (2018). Stevia Leaf to Stevia Sweetener: Exploring Its Science, Benefits, and Future Potential. *The Journal of Nutrition*, 148(7), 1186S-1205S. <https://doi.org/10.1093/jn/nxy102>

Santas, J., Almajano, M. P., & Carbó, R. (2010). Onion A natural alternative to artificial food preservatives. *Agro Food Industry Hi-Tech*, 21(5), 44–46.

Scapin, T., Fernandes, A. C., & Proença, R. P. da C. (2017). Added sugars: Definitions, classifications, metabolism and health implications. *Revista de Nutricao*, 30(5), 663–677. <https://doi.org/10.1590/1678-98652017000500011>

Seubsman, S. A., Suttinan, P., Dixon, J., & Banwell, C. (2009). Thai meals. In *Meals in Science and Practice: Interdisciplinary Research and Business Applications*. <https://doi.org/10.1533/9781845695712.6.413>

Sharif, M. K., Butt, M. S., Sharif, H. R., & Nasir, M. (2017). Sensory Evaluation and Consumer Acceptability. *Handbook of Food Science and Technology*, (October), 362–386.

Shendurse, A. M., & Khedkar, C. D. (2016). Glucose: Properties and Analysis. In *Encyclopedia of Food and Health* (1st ed., pp. 239–247). <https://doi.org/10.1016/B978-0-12-384947-2.00353-6>

Spillane, W. J. (2006). Optimizing sweet taste in foods. In *Woodhead Publishing Limited*. <https://doi.org/10.1201/9781439824221>

Su, G., Zheng, L., Cui, C., Yang, B., Ren, J., & Zhao, M. (2011). Characterization of antioxidant activity and volatile compounds of Maillard reaction products derived from different peptide fractions of peanut hydrolysate. *FRIN*, 44(10), 3250–3258. <https://doi.org/10.1016/j.foodres.2011.09.009>

Sun, W., Zhao, M., Cui, C., Zhao, Q., & Yang, B. (2010). Effect of Maillard reaction products derived from the hydrolysate of mechanically deboned chicken residue on the antioxidant, textural and sensory properties of Cantonese sausages. *Meat Science*, 86(2), 276–282.

- Suresh, D., Manjunatha, H., & Srinivasan, K. (2007). Effect of heat processing of spices on the concentrations of their bioactive principles: Turmeric (*Curcuma longa*), red pepper (*Capsicum annuum*) and black pepper (*Piper nigrum*). *Journal of Food Composition and Analysis*, 20(3–4), 346–351. <https://doi.org/10.1016/j.jfca.2006.10.002>
- Tamanna, N., & Mahmood, N. (2015). Food processing and maillard reaction products: Effect on human health and nutrition. *International Journal of Food Science*, 2015. <https://doi.org/10.1155/2015/526762>
- Tapsell, L. C., Hemphill, I., Cobiac, L., Patch, C. S., Sullivan, D. R., Fenech, M., ... Inge, K. E. (2006). Health benefits of herbs and spices: the past, the present, the future. *The Medical Journal of Australia*, 185(4 Suppl). <https://doi.org/10.5694/j.1326-5377.2006.tb00548.x>
- Tiefenbacher, K. F. (2017). Technology of Main Ingredients—Sweeteners and Lipids. In *Wafer and Waffle*. <https://doi.org/10.1016/b978-0-12-809438-9.00003-x>
- Tohtubtiang, K., & Anuntoavoranich, P. (2017). Factors determining value and consumption of thai food: A structural model. *International Food Research Journal*, 24(4), 1383–1386.
- Torres, J. A., Rodrigo-García, J., Jaczynski, J., & Chen, Y. C. (2006). Recovery of by-products from seafood processing streams. In *Maximising the Value of Marine By-Products* (pp. 65–90). <https://doi.org/10.1533/9781845692087.1.65>
- Troise, A. D. (2018). Maillard Reaction and Food Safety. In *Encyclopedia of Food Security and Sustainability* (pp. 364–369). <https://doi.org/10.1016/B978-0-08-100596-5.22146-X>
- Tsuda, T., Watanabe, M., Ohshima, K., Yamamoto, A., Kawakishi, S., & Osawa, T. (1994). Antioxidative Components Isolated from the Seed of Tamarind (*Tamarindus indica* L.). *Journal of Agricultural and Food Chemistry*, 42(12), 2671–2674. <https://doi.org/10.1021/jf00048a004>
- Verma, V., Singh, Z., & Yadav, N. (2019). Maillard Reaction and Effect of Various Factor on the Formation of Maillard Products: and Its Impact on Processed Food Products. In *Research Trends in Food Technology and Nutrition* (Vol. 7, pp. 63–90). <https://doi.org/10.22271/ed.book.388>
- Wangcharoen, W., Ngarmsak, T., & Wilkinson, B. H. (2006). Formula optimization for garlic and pepper-flavoured puffed snacks. *Songklanakarinn Journal of Science and Technology*,

- Wong, K. H., Abdul Aziz, S., & Mohamed, S. (2008). Sensory aroma from Maillard reaction of individual and combinations of amino acids with glucose in acidic conditions. *International Journal of Food Science and Technology*, 43(9), 1512–1519. <https://doi.org/10.1111/j.1365-2621.2006.01445.x>
- Yebra-Biurrun, M. C. (2019). Food and nutritional analysis | Sweeteners. *Encyclopedia of Analytical Science*, (March), 471–481. <https://doi.org/10.1016/B978-0-12-409547-2.00529-1>
- Yu, M., He, S., Tang, M., Zhang, Z., Zhu, Y., & Sun, H. (2018). Antioxidant activity and sensory characteristics of Maillard reaction products derived from different peptide fractions of soybean meal hydrolysate. *Food Chemistry*, 243(October), 249–257. <https://doi.org/10.1016/j.foodchem.2017.09.139>
- Zaitoun, M., Ghanem, M., & Harphoush, S. (2019). Sugars: Types and their functional properties in food and human health. *International Journal of Public Health Research*, 6(4)(October 2018), 93–99.