

DAFTAR PUSTAKA

- [1] Menteri Kesehatan, Keputusan Menteri Kesehatan Republik Indonesia Nomor 1778/MENKES/SK/XII/2010 tentang Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) Rumah Sakit. Jakarta, 2010.
- [2] D. Burnet and K. Smith, “Lifelong Learning: Bridging the Gap between Higher Education and Employers’ Needs: The UK Prospects Programme — A Case Study,” 2000, pp. 374–350.
- [3] R. F. Fela, “Understanding ICU Sonic Environment for Nursing Education by Using Auditory *Virtual Reality*,” ITB, 2018.
- [4] H. Fauzi, “Virtual Auditory Reality Sebagai Piranti Studi Soundscape di Taman Kearifan Universitas Gadjah Mada,” UGM, 2018.
- [5] A. Alfadenata, “Penggunaan *Virtual Acoustics* dalam Uji Subjektif Dari Soundscape di Wisdom Park UGM,” UGM, 2018.
- [6] Z. Shokishalov and H. Wang, “Applying *Eye Tracking* in Information Security,” 2019.
- [7] “Home,” FOVE *Eye Tracking Virtual Reality* Headset. <https://www.getfove.com/> (accessed Nov. 25, 2019).
- [8] I. Agtzidis, M. Startsev, and M. Dorr, “A Ground-Truth Data Set and a Classification Algorithm for Eye Movements in 360-degree Videos,” ArXiv190306474 Cs, Mar. 2019, Accessed: Nov. 25, 2019. [Online]. Available: <http://arxiv.org/abs/1903.06474>.
- [9] J. Jason, *The VR book: Human centered design for virtual reality*. San Rafael, 2016.
- [10] M. Siegrist et al., “Consumers’ food selection behaviors in three-dimensional (3D) *virtual reality*,” *Food Res. Int.*, vol. 117, pp. 50–59, Mar. 2019, doi: 10.1016/j.foodres.2018.02.033.

- [11] B. Rothbaum, L. Hodges, R. Kooper, D. Opdyke, J. Williford, and M. North, “Effectiveness of Computer Generated (*Virtual Reality*) Graded Exposure in the Treatment of Acrophobia,” 1995.
- [12] Y. Seki and T. Sato, “A Training Sistem of Orientation and Mobility for Blind People Using Acoustic *Virtual Reality*,” *IEEE 70 Trans. Neural Syst. Rehabil. Eng.*, vol. 10, no. 1, 2011.
- [13] Y. Yasui, J. Tanaka, M. Kakudo, and M. Tanaka, “Relationship between preference and gaze in modified food using eye tracker,” *J. Prosthodont. Res.*, vol. 63, no. 2, pp. 210–215, Apr. 2019, doi: 10.1016/j.jprior.2018.11.011.
- [14] H. Hartridge and L. C. Thomson, “Methods of investigating eye movements,” in *British Journal of Ophthalmology*, 1948, pp. 581–591.
- [15] J. F. Mackworth and N. H. Mackworth, “Eye Fixations Recorded on Changing Visual Scenes by the Television Eye-Marker,” in *Journal of the Optical Society of America*, 1958, pp. 439–445.
- [16] N. H. Mackworth and E. L. Thomas, “Head-mounted eye-marker camera,” in *Journal of the Optical Society of America*, 1958.
- [17] B. Shackel, “Note on mobile eye viewpoint recording,” in *Journal of the Optical Society of America*, 1960, pp. 763–768.
- [18] A. O. Mohamed, “A history of eye gaze tracking,” p. 20.
- [19] F. Deuser, H. Schieber, and C. Lecon, “Kinetosis Analyzation of the Symptoms Occurrence in combination with *Eye Tracking*,” p. 16.
- [20] T. Löwe, M. Stengel, E.-C. Förster, and S. Grogorick, “Visualization and Analysis of Head Movement and Gaze Data for Immersive Video in Head-mounted Displays,” 2015.
- [21] N. Alghamdi and W. Alhalabi, “Fixation Detection with Ray-casting in Immersive *Virtual Reality*,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, no. 7, 2019, doi: 10.14569/IJACSA.2019.0100710.

- [22] J. Wiciak, “*VIRTUAL ACOUSTICS IN SOUNDSCAPE ANALYSIS*,” p. 7.
- [23] D. J. K. Frederic and Wightman, “Headphone simulation of free-field listening. I: Stimulus synthesis,” vol. 85, 1989, pp. 858–867.
- [24] M. W. Bowyer, K. A. Streete, G. M. Muniz, and A. V. Liu, “Immersive Virtual Environments for Medical Training,” 2008, pp. 90–97.
- [25] C. Cruz-Neira, D. J. Sandin, and T. A. DeFanti, “Surround-screen projection-based *virtual reality*: the design and implementation of the CAVE,” 1993, pp. 135–142.
- [26] D. H. Choi, D.-H. Amber, and J. S. Estes, *Emerging Tools and Applications of Virtual Reality in Education*. IGI Global, 2015.
- [27] S. Choi, K. Jung, and S. D. Noh, “*Virtual reality applications in manufacturing industries: Past research, present findings, and future directions*,” *Concurr. Eng.*, vol. 23, no. 1, pp. 40–63, Feb. 2015, doi: 10.1177/1063293X14568814.
- [28] “Unreal Engine 4 vs *Unity*: Which Is Best for You? | Pluralsight.” <https://www.pluralsight.com/blog/film-games/unreal-engine-4-vs-unity-game-engine-best> (accessed Apr. 23, 2020).
- [29] “FOVE VR,” GitHub. <https://github.com/FoveHMD> (accessed Apr. 23, 2020).
- [30] F. Nielsen, “Surround video: a multihead camera approach,” *Vis. Comput.*, vol. 21, no. 1, pp. 92–103, Feb. 2005, doi: 10.1007/s00371-004-0273-z.
- [31] F. Garza, “With Google’s new immersive videos, you can feel what it’s like to be a ballet dancer,” *Quartz*. <https://qz.com/562697/with-googles-new-immersive-videos-you-can-feel-what-its-like-to-be-a-ballet-dancer/> (accessed Apr. 23, 2020).
- [32] “Facebook To Support Spherical Video In News Feed And Oculus,” *TechCrunch*. <https://social.techcrunch.com/2015/03/25/facebook-to->

- support-spherical-video-in-news-feed-and-oculus/ (accessed Apr. 23, 2020).
- [33] “10 things I wish I knew before shooting 360 video - CNET.”
<https://www.cnet.com/how-to/360-cameras-comparison-video-things-to-know-before-you-buy/> (accessed Apr. 23, 2020).
- [34] “Introducing *Unity* 2018.3 - *Unity* Technologies Blog,” Dec. 13, 2018.
<https://blogs.unity3d.com/2018/12/13/introducing-unity-2018-3/> (accessed Apr. 23, 2020).
- [35] J. Hong, J. He, B. Lam, R. Gupta, and W.-S. Gan, “Spatial Audio for Soundscape Design: Recording and Reproduction,” *Appl. Sci.*, vol. 7, no. 6, p. 627, Jun. 2017, doi: 10.3390/app7060627.
- [36] B. Bartlett and J. Bartlett, *Practical recording techniques: the step-by-step approach to professional audio recording*, 5th ed. Burlington, MA: Focal Press, 2009.
- [37] F. Hollerweger, “An Introduction to Higher-Order Ambisonic,” p. 12.
- [38] S. Berge and N. Barrett, “A new method for B-format to binaural transcoding,” p. 10.
- [39] B. Rafaely, *Fundamentals of Spherical Array Processing*. Berlin: Springer, 2015.
- [40] B. Truax, “Genres and techniques of soundscape composition as developed at Simon Fraser University,” *Organised Sound*, vol. 7, pp. 5–14, Apr. 2002, doi: 10.1017/S1355771802001024.
- [41] W. G. Gardner, “3D Audio and Acoustic Environment Modeling,” p. 9, 1999.
- [42] X. Zhong and B. Xie, “Head-Related Transfer Functions and Virtual Auditory Display,” in *Soundscape Semiotics - Localisation and Categorisation*, H. Glotin, Ed. InTech, 2014.

- [43] D. Hansen and Q. Ji, "In the Eye of the Beholder: A Survey of Models for Eyes and Gaze," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 32, pp. 478–500, Mar. 2010, doi: 10.1109/TPAMI.2009.30.

- [44] M. Gneo, M. Schmid, S. Conforto, and T. D'Alessio, "A Free Geometry Model-Independent Neural Eye-Gaze Tracking Sistem," *J. Neuroengineering Rehabil.*, vol. 9, p. 82, Nov. 2012, doi: 10.1186/1743-0003-9-82.

- [45] J. Sigut and S.-A. Sidha, "Iris Center Corneal Reflection Method for Gaze Tracking Using Visible Light," *IEEE Trans. Biomed. Eng.*, vol. 58, pp. 411–9, Oct. 2010, doi: 10.1109/TBME.2010.2087330.

- [46] "Types of eye movements," Aug. 06, 2015. <https://www.tobiipro.com/learn-and-support/learn/eye-tracking-essentials/types-of-eye-movements/> (accessed Apr. 28, 2020).

- [47] "Nvidia Has A Better Method Of Foveated Rendering In VR," *Digital Trends*, Jul. 22, 2016. <https://www.digitaltrends.com/virtual-reality/nvidia-research-foveated-rendering-vr-smi/> (accessed Apr. 27, 2020).

- [48] P. F. Heil, "Basic Statistics for the Behavioral Sciences," *Technometrics*, vol. 22, no. 2, pp. 280–280, May 1980, doi: 10.1080/00401706.1980.10486151.

- [49] I. Azzahra, R. Fela, J. Sarwono, S. Utami, and A. S. Sudarsono, *Hospital Soundscape: Perception Analysis of Acoustics Environment in Intensive Care Unit*. 2017.