

## DAFTAR PUSTAKA

- Ahmad, A.R., Juwita, J., Ratulangi, S.A.D., 2015. Penetapan Kadar Fenolik dan Flavonoid Total Ekstrak Metanol Buah dan Daun Patikala (*Etlintera elatior* (Jack) R.M.SM). *Pharm. Sci. Res.* 2: 1–10.
- Ahn, D., Lee, E.B., Ahn, M.S., Kim, B.J., Lee, S.Y., Lee, T.G., Lim, H.W., Lee, H.Y., Bae, J.J., Kim, D.K., 2013. Flavonoids from the Underground Parts of *Curcuma longa*. *Korean J. Pharmacogn.* 44: 253–256.
- Annisas, J., 2013. Kadar Fenolik dan Aktivitas Antioksidan Lima Aksesori Tanaman Kunyit (*Curcuma domestica*) pada Lokasi Budidaya Kecamatan Nagrak, Sukabumi. Skripsi. Institut Pertanian Bogor.
- Badan Pusat Statistik, 2018. Statistik Tanaman Biofarmaka Indonesia 2018, 2018th ed. 9-16. Badan Pusat Statistik, Jakarta.
- Bhowmik, D., Chiranjib, Kumar, K.P.S., Chandira, M., Jayakar, B., 2009. Turmeric : A Herbal and Traditional Medicine. *Arch. Appl. Sci. Res.* 1: 86–108.
- Buenger, J., Ackermann, H., Jentzsch, A., Mehling, A., Pfitzner, I., Reiffen, K.A., Schroeder, K.R., Wollenweber, U., 2006. An Interlaboratory Comparison of Methods used to Assess Antioxidant Potentials. *Int. J. Cosmet. Sci.* 28: 135–146.
- Chainani-Wu, N., 2003. Safety and Anti-Inflammatory Activity of Curcumin : A Component of Tumeric (*Curcuma Longa*). *J. Altern. Complement. Med.* 9: 161–168.
- Chun, O.K., Kim, D.-O., Lee, C.Y., 2003. Superoxide Radical Scavenging Activity of the Major Polyphenols in Fresh Plums. *J. Agric. Food Chem.* 51: 8067–8072.
- Cook, N.C., Samman, S., 1996. Flavonoids - Chemistry, Metabolism, Cardioprotective Effects, and Dietary Sources. *J. Nutr. Biochem.* 7: 66–76.
- Dong, J.W., Cai, L., Xing, Y., Yu, J., Ding, Z.T., 2015. Re-evaluation of ABTS·G+ Assay for Total Antioxidant Capacity of Natural Products. *Nat. Prod. Commun.* 10: 2169–2172.
- Dugas, A.J., Castañeda-Acosta, J., Bonin, G.C., Price, K.L., Fischer, N.H., Winston, G.W., 2000. Evaluation of the Total Peroxyl Radical-Scavenging Capacity of Flavonoids: Structure-Activity Relationships. *J. Nat. Prod.* 63: 327–331.
- Fessenden, R.J., Fessenden, J.S., 1982. Kimia Organik. diterjemahkan oleh Pudjaatmakan, A.H., Edisi Ketiga, Jilid 2, 130-131. Penerbit Erlangga,

Jakarta.

- Gad, H.A., Bouzabata, A., 2017. Application of Chemometrics in Quality Control of Turmeric (*Curcuma longa*) based on Ultra-Violet, Fourier Transform-Infrared and <sup>1</sup>H NMR Spectroscopy. *Food Chem.* 237: 857–864.
- Ghasemzadeh, A., Azarifar, M., Soroodi, O., Jaafar, H.Z.E., 2012. Flavonoid Compounds and Their Antioxidant Activity in Extract of some Tropical Plants. *J. Med. Plants Res.* 6: 2639–2643.
- Hadi, S., Artanti, A.N., Rinanto, Y., Wahyuni, D.S.C., 2018. Curcuminoid Content of *Curcuma longa* L. and *Curcuma Xanthorrhiza* Rhizome based on Drying Method with NMR and HPLC-UV. *IOP Conf. Ser. Mater. Sci. Eng.* 349: 1–6.
- Harborne, J.B., 1984. *Phytochemical Methods*, Phytochemical Methods. 1-7. Chapman and Hall, London, New York.
- Hartati, S.Y., 2013. Khasiat Kunyit Sebagai Obat Tradisional dan Manfaat Lainnya. *War. Penelit. dan Pengemb. Tanam. Ind.* 19: 5–9.
- Hayat, S., Sabri, A.N., 2016. Screening for antibiofilm and antioxidant potential of turmeric (*Curcuma longa*) extracts. *Pak. J. Pharm. Sci.* 29: 1163–1170.
- Heim, K.E., Tagliaferro, A.R., Bobilya, D.J., 2002. Flavonoid antioxidants: Chemistry, metabolism and structure-activity relationships. *J. Nutr. Biochem.* 13: 572–584.
- Huang, M.T., Ho, C.-T., Lee, C.Y., 1992. Phenolic Compounds in food and their effects on health II: antioxidants and cancer prevention. 2-4. American Chemical Society, Washington, DC.
- Kedare, S.B., Singh, R.P., 2011. Genesis and Development of DPPH Method of Antioxidant Assay. *J. Food Sci. Technol.* 48: 412–422.
- Khaira, K., 2010. Menangkal Radikal Bebas dengan Anti-Oksidan. *J. Sainstek* 2: 183–187.
- Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K., Taniguchi, H., 2002. Antioxidant Properties of Ferulic Acid and its Related Compounds. *J. Agric. Food Chem.* 50: 2161–2168.
- Kowalkowski, T., Zbytniewski, R., Szpejna, J., Buszewski, B., 2006. Application of Chemometrics in River Water Classification. *Water Res.* 40: 744–752.
- Kumar, G.S., Nayaka, H., Dharmesh, S.M., Salimath, P. V., 2006. Free and Bound Phenolic Antioxidants in Amla (*Emblica officinalis*) and Turmeric (*Curcuma longa*). *J. Food Compos. Anal.* 19: 446–452.
- Lai, H., Lim, Y., 2011. Evaluation of Antioxidant Activities of the Methanolic

- Extracts of Selected Ferns in Malaysia. *Int. J. Environmental Sci. Dev.* 2: 442–447.
- Laitinen, M.L., Julkunen-Tiitto, R., Tahvanainen, J., Heinonen, J., Rousi, M., 2005. Variation in birch (*Betula pendula*) shoot secondary chemistry due to genotype, environment, and ontogeny. *J. Chem. Ecol.* 31: 697–717.
- Listyana, N.H., 2018. Analisis Keterkaitan Produksi Kunyit di Indonesia dan Faktor-Faktor yang Mempengaruhinya. *Caraka Tani J. Sustain. Agric.* 33: 106–114.
- Maizura, M., Aminah, A., Aida, W.M.W., 2011. Total Phenolic Content and Antioxidant Activity of Kesum (*Polygonum minus*), Ginger (*Zingiber officinale*) and Turmeric (*Curcuma longa*) Extract. *Int. Food Res. J.* 18: 526–531.
- Miller, J.C., Miller, J.N., 2005. Chemometrics for Analytical, Fifth edit. ed. 220–221. Pearson Education Limited, Essex, England.
- Nica Dewi, P., Hartiati, A., Mulyani, S., 2016. Pengaruh Umur Panen Dan Tingkat Maserasi Terhadap Kandungan Kurkumin Dan Aktivitas Antioksidan Ekstrak Kunyit (*Curcuma Domestica* Val.). *J. Rekayasa Dan Manaj. Agroindustri* 4: 105–115.
- Nitisapto, M., Siradz, S.A., 2005. Evaluasi Kesesuaian Lahan untuk Pengembangan Jahe pada Beberapa Daerah di Jawa Tengah dan Jawa Timur. *Jurnal Ilmu Tanah dan Lingkungan.* 2.
- Pękal, A., Pyrzynska, K., 2014. Evaluation of Aluminium Complexation Reaction for Flavonoid Content Assay. *Food Anal. Methods* 7: 1776–1782.
- Pietta, P.-G., 2000. Flavonoids as Antioxidants. *J. Nat. Prod.* 63: 1035–1042.
- Pratiwi, L., Fudholi, A., Martien, R., Pramono, S., 2016. Ethanol Extract, Ethyl Acetate Extract, Ethyl Acetate Fraction, and n-Heksan Fraction Mangosteen Peels (*Garcinia mangostana* L.) As Source of Bioactive Substance Free-Radical Scavengers. *JPSCR J. Pharm. Sci. Clin. Res.* 1: 71–82.
- Radwan, M.M., Tabanca, N., Wedge, D.E., Tarawneh, A.H., Cutler, S.J., 2014. Antifungal Compounds from Turmeric and Nutmeg with Activity Against Plant Pathogens. *Fitoterapia* 99: 341–346.
- Rafi, M., Wulansari, L., Heryanto, R., Darusman, L.K., Lim, L.W., Takeuchi, T., 2015. Curcuminoid's Content and Fingerprint Analysis for Authentication and Discrimination of *Curcuma xanthorrhiza* from *Curcuma longa* by High-Performance Liquid Chromatography-Diode Array Detector. *Food Anal. Methods* 8: 2185–2193.
- Rahardjo, M., Rostiana, O., 2005. Budidaya Tanaman Kunyit. *Bogor Balai*

*Penelit. Tanam. Obat dan Aromat.* 1–6.

- Rahmawati, N., Sudjarwo, E., Widodo, E., 2014. Uji Aktivitas Antibakteri Ekstrak Herbal terhadap Bakteri *Escherichia coli*. *J. Ilmu-ilmu Peternak.* 24: 24–31.
- Ramsewak, R.S., DeWitt, D.L., Nair, M.G., 2000. Cytotoxicity, Antioxidant and Anti-Inflammatory Activities of Curcumins I-III from *Curcuma longa*. *Phytomedicine* 7: 303–308.
- Rohaeti, E., Rafi, M., Syafitri, U.D., Heryanto, R., 2015. Fourier Transform Infrared Spectroscopy Combined with Chemometrics for Discrimination of *Curcuma longa*, *Curcuma xanthorrhiza* and *Zingiber cassumunar*. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* 137: 1244–1249.
- Rohman, A., 2014. Statistika dan Kemometrika Dasar dalam Analisis Farmasi. 201-224. Pustaka Pelajar, Yogyakarta.
- Said, A., 2007. Khasiat dan Manfaat Kunyit. 2-11. Sinar Wadja Lestari, Semarang.
- Sánchez-Rangel, J.C., Benavides, J., Heredia, J.B., Cisneros-Zevallos, L., Jacobo-Velázquez, D.A., 2013. The Folin-Ciocalteu Assay Revisited: Improvement of its Specificity for Total Phenolic Content Determination. *Anal. Methods* 5: 5990–5999.
- Septiana, E., Simanjuntak, P., 2015. Aktivitas Antimikroba dan Antioksidan Ekstrak Beberapa Bagian Tanaman Kunyit (*Curcuma longa*). *Fitofarmaka* 43: 31–40.
- Shan, C.Y., Iskandar, Y., 2018. Studi Kandungan Kimia Dan Aktivitas Farmakologi Tanaman Kunyit (*Curcuma longa* L.). *Farmaka: Suplemen* 16: 547–555.
- Sholehah, D.N., Amrullah, A., Badami, K., 2016. Identifikasi Kadar dan Pengaruh Sifat Kimia Tanah terhadap Metabolit Sekunder Kunyit (*Curcuma domestica* Val.) di Bangkalan. *Rekayasa* 9: 60–66.
- Silalahi, M., 2017. Pemanfaatan *Curcuma longa* (L.) oleh Masyarakat Lokal di Indonesia dan Kandungan Metabolit Sekundernya. *J. Pro-Life* 4: 430–440.
- Sirivibulkovit, K., Nouanthavong, S., Sameenoi, Y., 2018. Paper-based DPPH Assay for Antioxidant Activity Analysis 34: 795–800.
- SMD, R., Nurhayati, H., 2007. Respon Tiga Nomor Harapan Kunyit (*Curcuma domestica* Val.) terhadap Pemupukan. *Balai Penelit. Tanam. Obat dan Aromat.* 18: 127–138.
- Sulasiyah, S., Sarjono, P.R., Aminin, A.L.N., 2018. Antioxidant from Turmeric Fermentation Products (*Curcuma longa*) by *Aspergillus Oryzae*. *J. Kim.*

*Sains dan Apl.* 21: 13–18.

- Suparmajid, A.H., Sabang, S.M., Ratman, R., 2017. Pengaruh Lama Penyimpanan Rimpang Kunyit (*Curcuma domestica* Vahl) Terhadap Daya Hambat Antioksidan. *J. Akad. Kim.* 5: 1–7.
- Susilowati, T., Kawiji, Ariviani, S., 2014. Kapasitas Antioksidan dan Kadar Kurkuminoid pada Ekstrak Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb) Menggunakan Pelarut Air dengan Variasi Proporsi Pelarut dan Metode Pemanasan. *Biofarmasi* 12: 83–89.
- Toda, S., Miyase, T., Arichi, H., Tanizawa, H., Takino, Y., 1985. Natural Antioxidants. III. Antioxidative Components Isolated from Rhizome of *Curcuma Longa* L. *Chem. Pharm. Bull.* 33: 1725–1728.
- Ukieyanna, E., 2012. Aktivitas Antioksidan, Kadar Fenolik, dan Flavonoid Total Tumbuhan Suruhan. Skripsi. Institut Pertanian Bogor.
- Vallverdú-Queralt, A., Regueiro, J., Alvarenga, J.F.R., Martinez-Huelamo, M., Leal, L.N., Lamuela-Raventos, R.M., 2015. Characterization of the Phenolic and Antioxidant Profiles of Selected Culinary Herbs and Spices: Caraway, Turmeric, Dill, Marjoram and Nutmeg. *Food Sci. Technol.* 35: 189–195.
- Vermerris, W., Nicholson, R., 2006. Phenolic Compound Biochemistry. 1, 9, 237–251. Springer, The Netherlands.
- Viranda, P. M., 2009. Pengujian Kandungan Fenol Total Tomat (*Lycopersicum Esculentum*) secara In Vitro. Skripsi. Kedokteran Universitas Indonesia. Jakarta.
- Wahyuni, D.S.C., Wardianti, M.P., Rinanto, Y., Marliyana, S.D., 2019. Metabolite Profiling of Three *Curcuma* Species (Zingiberaceae) Based on H-NMR Spectroscopy. *ALCHEMY J. Penelit. Kim.* 15: 79–88.
- Walker, R.B., Everette, J.D., 2009. Comparative Reaction Rates of Various Antioxidants with ABTS Radical Cation. *J. Agric. Food Chem.* 57: 1156–1161.
- Wati, I., Musadi, M.R., Khumaira, N.S., Amelia, A.R., 2017. Pengaruh Konsentrasi Pelarut, Waktu Ekstraksi, Dan Nisbah Bahan Baku Dengan Pelarut Terhadap Ekstraksi Kunyit Kuning (*Curcuma longa* L.). *J. ITEKIMA* 2: 52–60.
- Widodo, H., Siswindari, S., Asmara, W., Rohman, A., 2019. Antioxidant Activity, Total Phenolic and Flavonoid Contents of Selected Medicinal Plants Used for Liver Diseases and its Classification with Chemometrics. *J. Appl. Pharm. Sci.* 9: 99–105.
- Winarsi, H., 2007. Antioksidan Alami dan Radikal Bebas. 77-79. Kanisius,

Yogyakarta.

- Winning, H., Larsen, F.H., Bro, R., Engelsen, S.B., 2008. Quantitative Analysis of NMR Spectra with Chemometrics. *J. Magn. Reson.* 190: 26–32.
- Xu, Z., Howard, L.R., 2012. Analysis of Antioxidant-Rich Phytochemicals. 3-6. John Wiley & Sons, Inc., Chichester, UK.
- Wold, S., Sjöström, M., 1998. Chemometrics, Present and Future Success. *Chemom. Intell. Lab. Syst.* 44: 3–14.
- Zou, Y., Lu, Y., Wei, D., 2004. Antioxidant Activity of a Flavonoid-Rich Extract of *Hypericum perforatum* L. in Vitro. *J. Agric. Food Chem.* 52: 5032–5039.