

REFERENCES

- Akiyama, M. (2007). Analysis of the Headspace Volatiles of Freshly Brewed Arabica Coffee Using Solid-Phase Microextraction. *Food Chemistry and Toxicology*, 72, 388–296. <https://doi.org/10.1111/j.1750-3841.2007.00447.x>
- Anand, G. R. C. and S. K. (2010). *Instrumental methods of chemical analysis* (Fifth edit). Himalaya Publisher.
- Anandharamakrishnan, C. (2019). Spray-freeze-drying of coffee. In *Caffeinated and Cocoa Based Beverages: Volume 8. The Science of Beverages* (Vol. 10, Issue 5). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815864-7.00010-6>
- Angeloni, G., Guerrini, L., Masella, P., Innocenti, M., Bellumori, M., & Parenti, A. (2019). Characterization and comparison of cold brew and cold drip coffee extraction methods. *Journal of the Science of Food and Agriculture*, 99(1), 391–399. <https://doi.org/10.1002/jsfa.9200>
- Angulo, F. J., Cahill, S. M., Wachsmuth, I. K., Costarrica, M. d. L., & Embarek, P. K. B. (2008). Powdered Infant Formula as a Source of Salmonella Infection in Infants. *Clinical Infectious Diseases*, 46(2), 268–273. <https://doi.org/10.1086/524737>
- Ballesteros, L. F., Ramirez, M. J., Orrego, C. E., Teixeira, J. A., & Mussatto, S. I. (2017). Encapsulation of antioxidant phenolic compounds extracted from spent coffee grounds by freeze-drying and spray-drying using different coating materials. *Food Chemistry*, 237, 623–631. <https://doi.org/10.1016/j.foodchem.2017.05.142>
- Bauer, D., Abreu, J., Jordão, N., da Rosa, J. S., Freitas-Silva, O., & Teodoro, A. (2018). Effect of roasting levels and drying process of *coffea canephora* on the quality of bioactive compounds and cytotoxicity. *International Journal of Molecular Sciences*, 19(11). <https://doi.org/10.3390/ijms19113407>
- Blumberg, L., & Klee, M. (2001). Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography. *Journal of Chromatography. A*, 933, 13–26. [https://doi.org/10.1016/S0021-9673\(01\)01276-6](https://doi.org/10.1016/S0021-9673(01)01276-6)
- Buffo, R. A., & Cardelli-freire, C. (2018). *Coffee flavour : An overview Coffee flavour : an overview. March 2004*. <https://doi.org/10.1002/ffj.1325>
- Cabral, J. P. S. (2010). Water microbiology. Bacterial pathogens and water. *International Journal of Environmental Research and Public Health*, 7(10), 3657–3703. <https://doi.org/10.3390/ijerph7103657>
- Cano-Chauca, M., Stringheta, P. C., Ramos, A. M., & Cal-Vidal, J. (2005). Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. *Innovative Food Science and Emerging Technologies*, 6(4), 420–428. <https://doi.org/10.1016/j.ifset.2005.05.003>

- Carrasco, E., Morales-Rueda, A., & García-Gimeno, R. M. (2012). Cross-contamination and recontamination by *Salmonella* in foods: A review. *Food Research International*, 45(2), 545–556.
<https://doi.org/10.1016/j.foodres.2011.11.004>
- Ceballos, A. M., Giraldo, G. I., & Orrego, C. E. (2012). Effect of freezing rate on quality parameters of freeze dried soursop fruit pulp. *Journal of Food Engineering*, 111(2), 360–365.
<https://doi.org/10.1016/j.jfoodeng.2012.02.010>
- Clifford, M. N. (1999). *Review Chlorogenic acids and other cinnamates – nature, occurrence and dietary burden*¹. 372(September 1998), 362–372.
- Cordoba, N., Pataquiva, L., Osorio, C., Moreno, F. L. M., & Ruiz, R. Y. (2019). Effect of grinding, extraction time and type of coffee on the physicochemical and flavour characteristics of cold brew coffee. *Scientific Reports*, 9(1), 1–12. <https://doi.org/10.1038/s41598-019-44886-w>
- Daeschel, M. A., Armbrust, N., & Vieru, C. (2017). *Survival of Non-spore Forming Foodborne Pathogens In Cold Brewed Coffee*. 2.
- Danner, L., Crump, A. M., Croker, A., Gambetta, J. M., Johnson, T. E., & Bastian, S. E. P. (2018). Comparison of rate-all-that-apply and descriptive analysis for the sensory profiling of wine. *American Journal of Enology and Viticulture*, 69(1), 12–21. <https://doi.org/10.5344/ajev.2017.17052>
- Djaeni, M., & van Boxtel, A. J. B. (2009). PhD thesis summary: Energy efficient multistage zeolite drying for heat-sensitive products. In *Drying Technology* (Vol. 27, Issue 5). <https://doi.org/10.1080/07373930902828203>
- Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the Efficiency of Five Different Drying Carriers on the Spray Drying of Persimmon Pulp Powders. *Drying Technology*, 32(10), 1157–1166.
<https://doi.org/10.1080/07373937.2014.886259>
- Edgar. (2009). Maltodextrin. *Own Work (Public Domain) via Commons Wikimedia*.
- Estevinho, B. M. A. N., Rocha, F. A. N., Santos, L. M. D. S., & Alves, M. A. C. (2013). Using water-soluble chitosan for flavour microencapsulation in food industry. *Journal of Microencapsulation*, 30(6), 571–579.
<https://doi.org/10.3109/02652048.2013.764939>
- Farah, A. (2006). *Food Chemistry Correlation between cup quality and chemical attributes of Brazilian coffee*. 98, 373–380.
<https://doi.org/10.1016/j.foodchem.2005.07.032>
- Farah, Adriana, De Paulis, T., Trugo, L. C., & Martin, P. R. (2005). Effect of roasting on the formation of chlorogenic acid lactones in coffee. *Journal of Agricultural and Food Chemistry*, 53(5), 1505–1513.
<https://doi.org/10.1021/jf048701t>
- Farah, Adriana, & Donangelo, C. M. (2006). Phenolic compounds in coffee.

Brazilian Journal of Plant Physiology, 18(1), 23–36.
<https://doi.org/10.1590/S1677-04202006000100003>

- Fazaeli, M., Emam-Djomeh, Z., Kalbasi-Ashtari, A., & Omid, M. (2012). Effect of process conditions and carrier concentration for improving drying yield and other quality attributes of spray dried black mulberry (*Morus nigra*) juice. *International Journal of Food Engineering*, 8(1).
<https://doi.org/10.1515/1556-3758.2023>
- Fellows, P. J. (2017). Freeze drying and freeze concentration. *Food Processing Technology*, 929–945. <https://doi.org/10.1016/b978-0-08-100522-4.00023-7>
- Fernandes, R. V. D. B., Borges, S. V., & Botrel, D. A. (2014). Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. *Carbohydrate Polymers*, 101(1), 524–532.
<https://doi.org/10.1016/j.carbpol.2013.09.083>
- Fuller, M., & Rao, N. Z. (2017). The Effect of Time, Roasting Temperature, and Grind Size on Caffeine and Chlorogenic Acid Concentrations in Cold Brew Coffee. *Scientific Reports*, 7(1), 1–9. <https://doi.org/10.1038/s41598-017-18247-4>
- Gaffney, S. H., Abelman, A., Pierce, J. S., Glynn, M. E., Henshaw, J. L., McCarthy, L. A., Lotter, J. T., Liong, M., & Finley, B. L. (2015). Naturally occurring diacetyl and 2,3-pentanedione concentrations associated with roasting and grinding unflavored coffee beans in a commercial setting. *Toxicology Reports*, 2, 1171–1181.
<https://doi.org/10.1016/j.toxrep.2015.08.003>
- Ginz, M., & Engelhardt, U. H. (2001). *Identification of new diketopiperazines in roasted coffee*. 8–11. <https://doi.org/10.1007/s002170100322>
- Hayati, S., Rahim, A., Ayob, M. K., & Ramli, N. (2011). *Fungal contamination of commercial coffee powder*. 2011(October), 24–26.
- Hechavarría, Rodney; López, G. (2013). Quantitative Chemical Analysis. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
<https://doi.org/10.1017/CBO9781107415324.004>
- Jiang, H., Zhang, M., & Mujumdar, A. S. (2010). Microwave freeze-drying characteristics of banana crisps. *Drying Technology*, 28(12), 1377–1384.
<https://doi.org/10.1080/07373937.2010.482702>
- Kkumurray. (2010). *Flame ionization detector schematic*. Own Work via Wikipedia.
- Kolanowski, W. (2018). *Fish oil stabilisation by microencapsulation with modified cellulose*. June. <https://doi.org/10.1080/09637480410001725157>
- Kolanowski, W., Ziolkowski, M., Weißbrodt, J., Kunz, B., & Laufenberg, G. (2006). Microencapsulation of fish oil by spray drying - Impact on oxidative stability. Part 1. *European Food Research and Technology*, 222(3–4), 336–342. <https://doi.org/10.1007/s00217-005-0111-1>

- Krokida, M. K., & Philippopoulos, C. (2006). *Volatility of apples during air and freeze drying*. 73, 135–141. <https://doi.org/10.1016/j.jfoodeng.2005.01.012>
- Marín, Arcila, J., Montoya, E. C. C., & Oliveros, C. E. E. (2004). Relación entre el estado de madurez del fruto del café y las características de beneficio rendimiento y calidad de la bebida. *Cenicafé*, 54(4), 297–315.
- Michalczyk, M., MacUra, R., & Matuszak, I. (2009). The effect of air-drying, freeze-drying and storage on the quality and antioxidant activity of some selected berries. *Journal of Food Processing and Preservation*, 33(1), 11–21. <https://doi.org/10.1111/j.1745-4549.2008.00232.x>
- Muangrat, R., Ravichai, K., & Jirattananarangsri, W. (2019). Encapsulation of polyphenols from fermented wastewater of Miang processing by freeze drying using a maltodextrin/gum Arabic mixture as coating material. *Journal of Food Processing and Preservation*, 43(4), 1–13. <https://doi.org/10.1111/jfpp.13908>
- Nasir, M., Sharif, M. K., Butt, M. S., & Sharif, H. R. (2017). Sensory Evaluation and Consumer Acceptability. *Handbook of Food Science and Technology*, October, 362–386. <https://www.researchgate.net/publication/320466080>
- Nelce Mailoa, M., Marthina Tapotubun, A., & Matrutty, T. E. A. A. (2017). Analysis Total Plate Counte (TPC) on Fresh Steak Tuna Applications Edible Coating Caulerpa sp during Stored at Chilling Temperature. *IOP Conference Series: Earth and Environmental Science*, 89(1). <https://doi.org/10.1088/1755-1315/89/1/012014>
- Nireesha, G. R., Divya, L., Sowmya, C., Venkateshan, N., Babu, M. N., & Lavakumar, V. (2013). *Lyophilization / Freeze Drying - An Review*. 3(4), 87–98.
- Oestreich, J. (2010). 3.25 *Chemistry of Coffee*.
- Oktaviantris, F. . (2007). *Deteksi Bakteri Staphylococcus aureus Pada Susu Bubuk Skim (SKIM MILK POWDER)IMPOR*. 2.
- Pimenta, C. J., Angélico, C. L., & Chalfoun, S. M. (2018). Challenges in coffee quality: Cultural, chemical and microbiological aspects. *Ciencia e Agrotecnologia*, 42(4), 337–349. <https://doi.org/10.1590/1413-70542018424000118>
- Pokhrel, P., Shrestha, S., & Food, N. (2016). *A simple HPLC Method for the Determination of Caffeine Content in Tea and A Simple HPLC Method for Determination of Caffeine Content in Tea and*. December, 1–6. <https://doi.org/10.3126/jfstn.v9i0.16200>
- Puvipirom, J., & Chaiseri, S. (n.d.). *Volatile Compounds in Thai Robusta Coffee*. 1–8.
- Rao, N. Z., & Fuller, M. (2018). Acidity and Antioxidant Activity of Cold Brew Coffee. *Scientific Reports*, 8(1), 1–9. <https://doi.org/10.1038/s41598-018-34392-w>

- Ravichandran, K., Gabr, A. M. M., Ahmed, R., & Knorr, D. (2013). *Palaniraj , Nay Min Min Thaw Saw ,. May 2014*. <https://doi.org/10.1007/s13197-012-0728-6>
- Ravichandran, K., Palaniraj, R., Saw, N. M. M. T., Gabr, A. M. M., Ahmed, A. R., Knorr, D., & Smetanska, I. (2014). Effects of different encapsulation agents and drying process on stability of betalains extract. *Journal of Food Science and Technology*, *51*(9), 2216–2221. <https://doi.org/10.1007/s13197-012-0728-6>
- Sanchez, V., Baeza, R., Galmarini, M. V., Zamora, M. C., & Chirife, J. (2013). Freeze-Drying Encapsulation of Red Wine Polyphenols in an Amorphous Matrix of Maltodextrin. *Food and Bioprocess Technology*, *6*(5), 1350–1354. <https://doi.org/10.1007/s11947-011-0654-z>
- Scalone, G. L. L., Cucu, T., De Kimpe, N., & De Meulenaer, B. (2015). Influence of Free Amino Acids, Oligopeptides, and Polypeptides on the Formation of Pyrazines in Maillard Model Systems. *Journal of Agricultural and Food Chemistry*, *63*(22), 5364–5372. <https://doi.org/10.1021/acs.jafc.5b01129>
- Seerangurayar, T., Manickavasagan, A., Al-Ismaili, A. M., & Al-Mulla, Y. A. (2018). Effect of carrier agents on physicochemical properties of foam-mat freeze-dried date powder. *Drying Technology*, *36*(11), 1292–1303. <https://doi.org/10.1080/07373937.2017.1400557>
- Shofian, N. M., Hamid, A. A., Osman, A., Saari, N., Anwar, F., Dek, M. S. P., & Hairuddin, M. R. (2011). Effect of freeze-drying on the antioxidant compounds and antioxidant activity of selected tropical fruits. *International Journal of Molecular Sciences*, *12*(7), 4678–4692. <https://doi.org/10.3390/ijms12074678>
- Spiller, G. A. (1998). *Caffeine* (H. Kane (ed.)). CRC Press LLC.
- Srinivas, D., Vinoda, N., & Edukondalu, L. (2018). Effect of Maltodextrin Concentration on Spray Dried Bitter Gourd Powder. *International Journal of Current Microbiology and Applied Sciences*, *7*(05), 3147–3154. <https://doi.org/10.20546/ijcmas.2018.705.368>
- Stapley, A. (2009). Freeze Drying. *Frozen Food Science and Technology*, 248–275. <https://doi.org/10.1002/9781444302325.ch12>
- Stefanello, N., Spanevello, R., Passamonti, S., Porciúncula, L., Bonan, C. D., Olabiyi, A. A., Batista, J., Assmann, C. E., Morsch, V. M., Rosa, M., & Schetinger, C. (2018). Coffee, caffeine, chlorogenic acid, and the purinergic system. *Food and Chemical Toxicology*. <https://doi.org/10.1016/j.fct.2018.10.005>
- Suravanichnirachorn, W., Haruthaithanasan, V., Suwonsichon, S., Sukatta, U., Maneeboon, T., & Chantrapornchai, W. (2018). Effect of carrier type and concentration on the properties, anthocyanins and antioxidant activity of freeze-dried mao [*Antidesma bunius* (L.) Spreng] powders. *Agriculture and Natural Resources*, *52*(4), 354–360.

<https://doi.org/10.1016/j.anres.2018.09.011>

- Tan, S. P., Kha, T. C., Parks, S. E., Stathopoulos, C. E., & Roach, P. D. (2015). Effects of the spray-drying temperatures on the physiochemical properties of an encapsulated bitter melon aqueous extract powder. *Powder Technology*, 281, 65–75. <https://doi.org/10.1016/j.powtec.2015.04.074>
- Tchabo, W., Ma, Y., Kaptso, G. K., Kwaw, E., Chen, R. W., Wu, M., Osae, R., Ma, S., & Farooq, M. (2018). Carrier effects on the chemical and physical properties of freeze-dried encapsulated mulberry leaf extract powder. *Acta Chimica Slovenica*, 65(4), 823–835. <https://doi.org/10.17344/acsi.2018.4420>
- Thijssen, H. A. C. (1972). *Retention of volatile compounds in freeze-drying slabs of*. 79–93.
- Thompson, A. K. (1987). *Coffee. Edited by R. J. Clarke and R. Macrae. Volume 1. Chemistry (1985), pp. 306, £35.00. Volume 2. Technology (1987), pp. 321, £40.00. Barking (UK): Elsevier Applied Science Publishers. 2, 397.*
- Tirgar, M., Jinap, S., Zaidul, I. S. M., & Mirhosseini, H. (2015). Suitable coating material for microencapsulation of spray-dried fish oil. *Journal of Food Science and Technology*, 52(7), 4441–4449. <https://doi.org/10.1007/s13197-014-1515-3>
- Tonon, R. V., Brabet, C., & Hubinger, M. D. (2008). Influence of process conditions on the physicochemical properties of açai (*Euterpe oleracea* Mart.) powder produced by spray drying. *Journal of Food Engineering*, 88(3), 411–418. <https://doi.org/10.1016/j.jfoodeng.2008.02.029>
- Van Doren, J. M., Neil, K. P., Parish, M., Gieraltowski, L., Gould, L. H., & Gombas, K. L. (2013). Foodborne illness outbreaks from microbial contaminants in spices, 1973-2010. *Food Microbiology*, 36(2), 456–464. <https://doi.org/10.1016/j.fm.2013.04.014>
- Wai, M., Hin, K., Jian, J., Ong, M., Quan, S., Curran, P., & Yu, B. (2013). Volatile composition and antioxidant capacity of Arabica coffee. *FRIN*, 51(1), 388–396. <https://doi.org/10.1016/j.foodres.2012.12.058>
- Wallace, H Andrews and Thomas, H. (2009). BAM: Salmonella. *Bacteriological Analytical Manual, December 2007*, 21.
- Wanyika, H. N., Gatebe, E., Gitu, L., & Ngumba, E. (2010). *Determination of caffeine content of tea and instant coffee brands found in the Kenyan market. March 2014.*
- Widiyanti, N. L. putu manik. (2016). Parameter Fisik Dan Jumlah Perkiraan Terdekat Coliform Air Danau Buyan Desa Pancasari Kecamatan Sukasada Buleleng. *JST (Jurnal Sains Dan Teknologi)*, 6(1), 870. <https://doi.org/10.23887/jst-undiksha.v6i1.8972>
- Williams, P. A., & Phillips, G. O. (2009). Handbook of Hydrocolloids. In *Handbook of hydrocolloids*. <https://doi.org/doi:10.1094/1891127381.toc>
- World Health Organization. (1996). *Multiple-tube method for thermotolerant (*

faecal) coliforms. 189–238.

Yikrazul. (2009). *Gum Arabic Chemical Structure*. Own Work (Public Domain) via Commons Wikimedia.

Yousefi, S., Emam-Djomeh, Z., & Mousavi, S. M. (2011). Effect of carrier type and spray drying on the physicochemical properties of powdered and reconstituted pomegranate juice (*Punica Granatum L.*). *Journal of Food Science and Technology*, 48(6), 677–684. <https://doi.org/10.1007/s13197-010-0195-x>