

DAFTAR PUSTAKA

- Abdullatif, 2016, Daya Hambat Ekstrak Rimpang Kunyit (*Curcuma domestica*) terhadap pertumbuhan *Staphylococcus aureus* dan *Staphylococcus epidermidis* secara In Vitro, *Skripsi*, Universitas Muhammadiyah Semarang.
- Adi, I.K.A.S., Mulyani, S., Harsojuwono, B.A., 2019, Pengaruh Penambahan pH Buffer Ekstrak Kunyit, Ekstrak Daun Asam dan Kombinasi Ekstrak Kunyit-Daun Asam (*Curcuma Domestica* Val.-*Tamarindus Indica* L.) terhadap Karakteristik Krim, *Jurnal Rekayasa dan Manajemen Agroindustri*, 7(3):347-357.
- Aggarwal, Bharat, B., Sundaram, C., Malani, N., Ichikawa, H., 2006, Anticancer Potential of Curcumin: Preclinical and Clinical Studies, *Anticancer Research*, 1-5.
- Akter, J., Hossain, A., Takara, K., Islam, Z., Hou, D., 2019, Antioxidant activity of different species and varieties of turmeric (*Curcuma spp*): Isolation of active compounds, *Comparative Biochemistry and Physiology*, 9-17.
- Anwar, E., Iswandana, R., Mun'im, A., 2011, Uji Penetrasi Secara In Vitro dan Uji Stabilitas Fisik Sediaan Krim, Salep, dan Gel yang Mengandung Kurkumin dari Kunyit (*Curcuma longa* L.), *Jurnal Bahan Alam Indonesia*, 7(7): 370-374.



- Ashawat, M.S., Shailendra, S., and Swarnlata, S., 2007, Biochemichal and Histopathological Studies of Herbal Cream Against UV Radiation Induced Damage, *Trends Med. Res.*, 2:135-141.
- Bong, P.H., 2000, Spectral and Phophysical Behaviors of Curcumin and Curcuminoids, *Koran Chem.*, 21: 81-86.
- Chan, E.W.C., Lim, Y.Y., Wong, L.F., Lianto, F.S., Wong, S.K., Lim, K.K., Joe, C.E., Lim, T.Y., 2008, Antioxidant and Tyrosinase Inhibition Properties of Leaves and Rhizome of Ginger Species, *Food Chemistry*, 109(3): 477-483.
- Christina, I.A.M., Kencana, I.N., Permana, I.D.G., Pengaruh Metode Pengeringan dan Jenis Pelarut terhadap Rendemen dan Kadar Kurkumin Ekstrak Kunyit (*Curcuma domestica*), *Jurnal Ilmiah Teknologi Pertanian*, 3(2): 319-324.
- Departemen Kesehatan Republik Indonesia, 1979, *Farmakope Indonesia*, Edisi III, Jakarta: Direktorat Jendral Pengawasan Obat dan Makanan.
- Departemen Kesehatan Republik Indonesia, 1995, *Farmakope Indonesia*, Edisi IV, Jakarta: Direktorat Jendral Pengawasan Obat dan Makanan.
- Dewi, P.J.N., Hartiati, A., Mulyani, S., 2016, Pengaruh Umur Panen dan Tingkat Maserasi Terhadap Kandungan Kurkumin dan Aktivitas Antioksidan Ekstrak Kunyit (*Curcuma domestica*), *Jurnal Rekayasa dan Manajemen Agroindustri*, 4(3): 105-115.



Draelos, Z.D., Lauren, A.T., 2006, *Cosmetic Formulation of Skin Care Products*, Taylor and Francis, New York.

Hamid, A.A., Aiyelaagbe, O.O., Usman, L.A., Ameen, O.M., Lawal, A., 2010, Antioxidant: It's medicinal and Pharmacological Applications, *J. of Pure and Applied Chem.*, 4(8): 142-151.

Hossain, M.B., Brunton, N.P., Barry-Ryan, C., Martin-Diana, A.B., Wilkinson, M., 2010, Antioxidant activity of spices extracts and phenolics in comparison to synthetic antioxidants, *Rasayan J. of Chem*, 1(4): 751-756.

Iswandana, R., 2009, Penetapan daya Penetrasi Secara In Vitro dan Uji Stabilitas Fisik Sediaan Krim, Salep, dan Gel yang Mengandung Kurkumin dari Kunyit (*Curcuma longa*), *Skripsi*, Universitas Indonesia.

Jalip, I.S., Suprihatin, Wiryanti, I., Sinaga, E., 2013, Antioxidant activity and total flavonoids content of Curcuma rhizome extract, *International Conference on the 4th Green Technology*, Faculty of Science and Technology Islamic of University State Maulana Malik Ibrahim, Malang.

Jaruga, dkk, 1998, Pan, dkk, 1999, *Kunyit (Curcuma longa)*, Diperoleh tanggal 4 Juni 2020 Dari <http://ccrcfarmasi.ugm.wordpress.com>.

Jayaprakasha, G.K., Jaganmohan, R.L., Sakariah, K.K., 2005, Chemistry and Biological Activities of *C.longa*, *Trends in Food Science and Technology*, 98: 720-724.

Jemain, S.F.P., Jamal, P., Raus, A.R., Amid, A., Jaswir, I., 2019, Mode of Action of *Lactobacillus Plantarum* on Antioxidant Activity of *Curcuma caesia* For Potential Application in Making Halal Anti Acne Soap and Cream, *Int. J. of Allied Health Science*, 3(3): 833.

Jeswani, G., Saraf, S., 2014, Topical Delivery of *Curcuma longa* Extract Loaded Nanosized Ethosomes to Combat Facial Wrinkles, *J. Pharm Drug Deliv Res.*, 3:1.

Jun, M.H.Y., Yu, J., Fong, X., Wan, C.S., Yang, C.T., Ho, 2001, Comparison of Antioxidant Activities of Isoflavones from Kudzu Root (*Pueraria labata Ohwl*), *J. Food Sci.*, Institute of Technologist, 68:2117-2122.

Kanitakis, J., 2002, Anatomy, Histology and Immunohistochemistry of Normal Human Skin, *European J. of Dermatology*, 390-401.

Kaur, C.D., Saraf, S., 2012, Development of Photoprotective Creams with Antioxidant Polyphenolic Herbal Extract, *African J. of Pharm and Pharmacology*, 6(1): 83-91.

Kawiji, Atmaka, W., Otaviana, P.R., 2011, Kajian Kadar Kurkuminoid, Total Fenol dan Aktivitas Antioksidan Ekstrak Temulawak (*Curcuma xanthorrhiza*) pada Berbagai Teknik Pengeringan dan Proporsi Pelarutan, *Jurnal Teknologi Hasil Pertanian*, 4(1):32-40.



- Khatun, M., Eguchi, S., Yamaguchi, T., Takamura, H., dan Matoba, T., 2006, Effect of Thermal Treatment on Radical-Scavenging Activity of Some Spices, *Food Sci and Tech Res.*, 12(3): 178-185.
- Kumalaningsih, S., 2006, Antioksidan Alami, *Jurnal Ilmiah Farmasi*, 15(2): 135-141.
- Lao, C.D., Ruffin, M.T., Normolle, D., Heath, D.D., Murray, S.I., Bailey, J.M., 2006, Dose Escalation of a Curcuminoid Formulation, *BMC Complement Altern Med*, 6:10.
- Lee, B.H., Choi, H.A., Kim, M.R., Hong, J., 2013, Changes in Chemical Stability and Bioactivities of Curcumin by Ultraviolet Radiation, *Food Sci Biotechnol.*, 22,279-282.
- Lee, Y.L, Weng, C., and Mau, J.L., 2007, Antioxidant Properties of Ethanolic and Hot Water Extract From Rhizome *Curcuma Aromatica*, *J. of Food Biochem.*, 31:757-771.
- Listiana, A., Herlina, 2015, Characterization of dye Herbal Drink Water With Composition Treatment of Red Ginger: *White Turmeric and Red Ginger: Temulawak, Agritepa*, 1(2): 171-181.
- Luliana, S., Sinaga, A.A., Fahrurroji, A., 2017, Losio Antioksidan Buah Naga Merah (*Hylocereus polyrhizus Britton and Rose*), *Pharm Sci Res.*, 11-20.
- Majeed, M., Vladimir, B., Umar, S., Rjendran, R., 1995, Curcuminoids antioxidant phytonutrients, *Nutrisci Publishing Inc.*, New Jersey.



- Manchanda, G., Sodhi, R.K., Jain, U.K., Chandra, R., Madan, J., 2018, Iodinated Curcumin Bearing Dermal Cream Augmented Drug Delivery, Antimicrobial and Antioxidant Activities, *J. of Microencap.*
- Michael & Ash, 1977, A Formulary of Cosmetic Preparation, *Chem Publishing Co.*, New York.
- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *J Sci Technol.*, 26(2): 211-219.
- Multiyana, M., Wuryandari, W., 2018, Mutu Fisik Body Scrub Rimpang Kunyit (*Curcuma Domestica*) sebagai Antioksidan, *Doctoral Dissertation*, Akademi Farmasi Putra Indonesia, Malang.
- Nayank, S.H., Nkhat, P.D., and Yeole, P.G., 2004, “*The Indian Pharmacist*”, Vol. III, No. 27, 7-14.
- Neubert, R.H.H., 2011, Potentials of New Nanocarriers for Dermal and Transdermal Drug Delivery, *Eur. J. Pharm. Biopharm.*, 77:1-2.
- Pratiwi, D., Wardaniati, I., 2019, Pengaruh Variasi Perlakuan (Segar dan Simplisia) Rimpang Kunyit (*Curcuma domestica*) terhadap Aktivitas Antioksidan dan Kadar Fenol Total, *Jurnal Farmasi Higea*, 11(2): 159-165.



- Qader, S.W., Abdulla, M.A., Chua, L.S., Najim, N., Zain, M.M., Hamdan, S., 2011, Antioxidant, Total Phenolic Content and Cytotoxicity Evaluation of Selected Malaysian Plants, *J Molecules*, 16:3433-3443.
- Palleros, D.R., 1993, Experimental Organic Chemistry, *John Wiley and Sons*, Singapore.
- Panda, S.K., 2012, Assay guided comparison for enzymatic and non-enzymatic antioxidant activities with special reference to medicinal plants, *IntechOpen*, Rijeka.
- Pokorny, J., Yanishlieva, N., Gordon, M., 2001, Antioxidant in Food, *CRC. Press Boca Raton Boston New York, Washington DC*.
- Prakash, A., 2001, Antioxidant Activity, Medallion Laboratories Analytical Progress, *J. of Analytical Chem.*, 19(2): 1-6.
- Purba E.R., Martosupono, M., 2009, Kurkumin sebagai senyawa antioksidan, *Prosiding Seminar Nasional Sains dan Pendidikan Sains IV*, No.3: 607-621.
- Purwakusumah, E.D., Royani, L., Rafi, M., 2016, Evaluasi Aktivitas Antioksidan dan Perubahan Metabolit Sekunder Mayor Temulawak (*Curcuma xanthorrhiza*) Pada Umur Rimpang yang Berbeda, *J Pharm.*, 1(1): 10-17.
- Rachman, F., Logawa, E.D., Hegartika, H., Simanjuntak, P., 2008, Antioksidan Ekstrak Tunggal dan Kombinasinya dari Tanaman *Curcuma spp.*, *Jurnal Ilmu Kefarmasian Indonesia*, 6(2): 69-74.



Rao, M.N.A., 2010, Antioxidant Properties of Curcumin, *I. Symposium on Curcumin Phannacochemistry (ISCP)*, Fakultas Farmasi Universitas Gadjah Mada bekerjasama dengan The Departement of Pharmacocemistry Virje Universiteit Amsterdam, Yogyakarta.

Resmi, S., 2018, Antioxidant Test of Rhizoma Extract of Temu Giring (*Curcuma Heyneana Valeton & val.zijp*) with Different Drying Method, *Article Science*, Malang.

Rohman, A., Widodo, H., Lukitaningsih, E., Rafi, M., Nurrulhidayah, A.F., Windarsih, A., 2019, Review on in vitro antioxidant activities of Curcuma species commonly used as herbal components in Indonesia, *Int Food Res J.*, 2550-2166.

Sanchez-Moreno, C., 2002, Review: Methods Used to Evaluate The Free Radical Scavening Activity in Food and Biological Systems, *Food Sci Technol Int.*, 8(3): 121-137.

Santoso, H.B., 2007, *Buku Bertanam Nilam*, Kanisius, Yogyakarta.

Septiana, E., Simanjuntak, P., 2015, Aktivitas Antimikroba dan Antioksidan Ekstrak Beberapa Bagian Tanaman Kunyit (*Curcuma longa*), *Jurnal Ilmiah Farmasi*, 5(1): 2087-9164.

Shan, C.Y., Iskandar, Y., 2015, Studi Kandungan Kimia dan Aktivitas Farmakologi Tanaman Kunyit (*Curcuma longa L.*), *Jurnal Farmaka*, Universitas Padjajaran, 16(2): 547-555.



- Sharma, O.P., Bhat, T.K., 2009, DPPH antioxidant assay revisited, *Food Chem.*, 113(4): 1202-1205.
- Sharma, R.A., Gescher, A.J., Steward, W.P., 2005, Curcumin: The story so far, *Europ J of Cancer*, 41:1955-1968.
- Sharon, N., Anam, S., Yuliet, 2013, Formulasi Krim Ekstrak Etanol Bawang Hutan (*Eleutherine palmifolia L.*), *Natural Sci.*, 2(3): 111-122.
- Shen, L., Liu, C.C., An C.Y., Ji, H.F., 2016, How does curcumin work with poor bioavailability? Clues from experimental and theoretical studies, *Sci Rep*, 6:20872.
- Shivaprasad, H.N., Mohan, S., Kharya, M.D., 2005, A Review: In vitro Models for Antioxidant Activity Evaluation, *J of Pharm.*, 2(1): 26-29.
- Shovyana, H.H., Zulkarnain, A.K., 2013, Physical Stability and Activity of Cream W/Oetanollic Fruit Extract Mahkota Dewa (*Phaleria macrocarph*) as a Sunscreen, *Traditional Med J.*, 18(2): 109-117.
- Sies, S., 1997, Oxidative Stress: Oxidants and Antioxidants, *Experimental Physiology*, 82: 291-5.
- Simangunsong, F.M.P., Mulyani, S., Hartiati, A., 2018, Evaluasi Karakteristik Krim Ekstrak Kunyit (*Curcuma domestica Val.*) Pada Berbagai Formulasi, *Jurnal Rekayasa dan Manajemen Agroindustri*, 6(1): 11-21.



- Singleton, V.L., Rossi, J.A., 1999, Calorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents, *American J of Enology and Viticulture*, 16: 144-158.
- Sofia, D., 2006, Antioksidan dan Radikal Bebas, *J Food Chem*, 50(26): 861-1192.
- Somaatmadja, D., 1981, Prospek Pengembangan Industri Oleoresin di Indonesia, *Jurnal Balai Besar Industri Hasil Pertanian*, Bogor.
- Sularto, S.A., 1995, Pengaruh Pemakaian Madu sebagai Penstabilitas Gliserin dalam Beberapa Jenis Krim Terhadap Kestabilan Fisiknya, *Jurnal Ilmiah Farmasi*, Universitas Padjajaran, Bandung.
- Susilowati, T., Kawiji, Ariviani, S., 2014, Kapasitas antioksidan dan kadar kurkuminoid ekstrak rimpang temulawak (*Curcuma xanthorrhiza*) menggunakan pelarut air dengan variasi proporsi pelarut dan metode pemanasan, *Jurnal Biofarmasi*, 12(2): 83-89.
- Swastika, A., Purwanto, M., 2013, Antioxidant Activity of Cream Dosage Form of Tomato Extract, *Traditional Med J.*, 18(3): 132-140.
- Syamsuni, H.A., 2007, *Ilmu Resep*, Jakarta: EGC.
- Thamrin, N.F., 2012, Formulasi Sediaan Krim dari Ekstrak Etanol Kunyit (*Curcuma domesticae*) dan Uji Efektivitas Terhadap Bakteri *Staphylococcus Aureus*, *Skripsi*, UIN Alauddin Makassar.



- Utari, K.D.P., Unique, I.G.A.N.P., Aryani, N.W.G., Arisanti, C.I.S., Samirana, P.O., 2019, Optimasi Formula Krim Ekstrak Rimpang Kunyit (*Curcuma domestica*) dengan Variasi Konsentrasi Setil Alkohol sebagai Agen Pengental, *Jurnal Farmasi Udayana*, 7(2): 40-44.
- Villano, D., Fernandez-Pachon, M.S., Moya, M.L., Troncoso, A.M., Garcia-Parilla, M.C., 2007, Radical scavenging ability of polyphenolic compounds towards DPPH free radical, *Talanta*, 71: 230-235.
- Voight, R., 1995, *Buku Pelajaran Teknologi Farmasi*, Diterjemahkan oleh: Soedani Noerono Soewandi, UGM Press: Yogyakarta, Hlm. 328, 336, 366-367, 401-431, 570-571.
- Wahyuningtyas, S.E.P., Permana, I.D.G.M., Wiadnyani, A.A.I.S., 2017, Pengaruh Jenis Pelarut Terhadap Kandungan Senyawa Kurkumin dan Aktivitas Antioksidan Ekstrak Kunyit (*Curcuma domestica*), *Jurnal ITEPA*, 6(2): 61-70.
- Wandita, G.A., Musfiroh, I., 2018, Review Artikel : Tanaman Suku Zingiberaceae yang Memiliki Aktivitas Sebagai Antioksidan, *Jurnal Farmaka*, 16(2): 564-571.
- Washington, N., Washington, C., Wilson, C.G., 2001, Physiological pharmaceuticals: barriers to drug absorption, *Taylor & Francis*, London; New York.



Winarsi, H., 2007, *Buku Antioksidan Alami dan Radikal Bebas*, Yogyakarta: Kanisius, 189-910.

Yulianti, E., Adelsa, A., Putri, A., 2015, Penentuan Nilai SPF (*Sun Protection Factor*) Ekstrak Etanol 70% Temu Mangga (*Curcuma mangga*) dan Krim Ekstrak Etanol 70% Temu Mangga (*Curcuma mangga*) secara In vitro Menggunakan Metode Spektrofotometri, *Artikel Ilmiah FK UB*, 2(1): 41-50.

Zaman, S., Akhtar, N., 2013, Effect of Turmeric (*Curcuma longa* Zingiberaceae) Extract Cream on Human Skin Sebum Secretion, *J. Pharm. Res.*, 12(5): 665.

Zulaikha, M.Y.N., 2017, Chemical constituents of *Curcuma Heyneana* and *Curcuma Zedoaria*, *Thesis*, Universiti Teknologi Malaysia, Malaysia.