

DAFTAR PUSTAKA

- Abdulkareem IH. Aetio-pathogenesis of breast cancer. *Niger Med J.* 2013;54(6):371–375.
- Ahlina FN, Nugraheni N, Salsabila IA, Haryanti S, Da'i M, Meiyanto E. Revealing the Reversal Effect of Galangal (*Alpinia galanga* L.) Extract Against Oxidative Stress in Metastatic Breast Cancer Cells and Normal Fibroblast Cells Intended as a Co- Chemotherapeutic and Anti-Ageing Agent. *Asian Pac J Cancer Prev.* 2020; 21(1):107-117.
- Amaro A, Angelini G, Mirisola V, Esposito AI, Reverberi D, Matis S, Maffei M, Giaretti W, Viale M, Gangemi R, Emionite L, Astigiano S, Cilli M, Bachmeier BE, Killian PH, Albin A, Pfeffer U. A highly invasive subpopulation of MDA-MB-231 breast cancer cells shows accelerated growth, differential chemoresistance, features of apocrine tumors and reduced tumorigenicity in vivo. *Oncotarget.* 2016;187(42):68803-68820.
- Awang K, Azmi MN, Aun LIL, *et al* The Apoptotic Effect of 1'S-1'-Acetoxychavicol Acetate from *Alpinia Conchigera* on Human Cancer Cells. *Molecules.* 2010. 15(11):8048–59.
- Banchereau J, Thompson-Snipes L, Zurawski S, Blanck JP, Cao Y, Clayton S, Gorvel JP, Zurawski G, Klechevsky E. The differential production of cytokines by human Langerhans cells and dermal CD14(+) DCs controls CTL priming. *Blood.* 2012a;119:5742–5749.
- Benczik M, Gaffen SL. The interleukin (IL)-2 family cytokines: survival and proliferation signaling pathways in T lymphocytes. *Immunol. Invest.* 2004;33: 109–142.
- Cantrell, DA. T-cell antigen receptor signal transduction. *Immunology.* 2002;105: 369–374
- Cawston TE, Young DA 2010. Proteinases involved in matrix turnover during cartilage and bone breakdown. *Cell Tissue Res* 339: 221–235
- Chae YK, Arya A, Iams W, *et al.* Current landscape and future of dual anti-CTLA4 and PD-1/PD-L1 blockade immunotherapy in cancer; lessons learned from clinical trials with melanoma and non-small cell lung cancer (NSCLC). *J Immunother Cancer.* 2018;6(1):39.
- Cho J, Kim H, Kim K, Yang D, Surh CD, Sprent J. Unique Features of Naive CD8+ T Cell Activation by IL-2. *The Journal of Immunology.* 2013;191(11):5559-5573
- Chouni A, Paul S. A Review on Phytochemical and Pharmacological Potential of *Alpinia galangal*. *Pharmacogn J.* 2018;10(1): 9-15.
- Crowder RN, El-Deiry WS. Caspase-8 regulation of TRAIL-mediated cell death. 2012 Oct;34(3):160-4.

- De Looff M, de Jong S, Kruijff FAE. Multiple Interactions Between Cancer Cells and the Tumor Microenvironment Modulate TRAIL Signaling: Implications for TRAIL Receptor Targeted Therapy. *Front Immunol.* 2019;10:1530.
- Dias K, Dvorkin-Gheva A, Hallett RM, *et al.* Claudin-Low Breast Cancer; Clinical & Pathological Characteristics. *PLoS One.* 2017;12(1):e0168669.
- Du, X., Klaschik, K., Mallmann, P., Isachenko, E., Rahimi, G., Zhao, Y., *et al.* An Experimental Model of Breast Cancer Cells: Informative Protocol for In Vitro Culture. *Anticancer Research.* 2018;38(11):6237–6245.
- Durgeau A, Virk Y, Corgnac S, Mami-Chouaib F. Recent Advances in Targeting CD8 T-Cell Immunity for More Effective Cancer Immunotherapy. *Front Immunol.* 2018;9:14. Published 2018 Jan 22. doi:10.3389/fimmu.2018.00014
- European College of Authenticated Cell Cultures (2017) Cell line profile MDA-MB-231. [Online] 231 (92020424), 1–3. Available from: <https://www.phe-culturecollections.org.uk/media/133182/mda-mb-231-cell-line-profile.pdf>.
- Fragomeni SM, Sciallis A, Jeruss JS. Molecular Subtypes and Local-Regional Control of Breast Cancer. *Surg Oncol Clin N Am.* 2018;27(1):95-120.
- Garrido-Castro AC, Lin NU, Polyak K. Insights into Molecular Classifications of Triple-Negative Breast Cancer: Improving Patient Selection for Treatment. *Cancer Discov.* 2019;9(2):176-198.
- Geisler F, Algül H, Paxian S, Schmid RM. Genetic Inactivation of RelA/p65 Sensitizes Adult Mouse Hepatocytes to TNF-induced Apoptosis In Vivo and In Vitro. *Gastroenterology.* 2007;132(7):2489-2503.
- Geismann C, Grohmann F, Sebens S, *et al.* c-Rel is a critical mediator of NF-κB-dependent TRAIL resistance of pancreatic cancer cells. *Cell Death Dis.* 2014;5(10):e1455.
- Godwin P, Baird AM, Heavey S, Barr MP, O'Byrne KJ, Gately K. Targeting nuclear factor-kappa B to overcome resistance to chemotherapy. *Front Oncol.* 2013;3:120.
- Hero T, Bühler H, Kouam PN, Priesch-Grzeszowiak B, Lateit T, Adamietz IA. The Triple-negative Breast Cancer Cell Line MDA-MB 231 Is Specifically Inhibited by the Ionophore Salinomycin. *Anticancer Res.* 2019;39(6):2821-2827.
- Horiuchi D, Kusdra L, Huskey NE, *et al.* MYC pathway activation in triple-negative breast cancer is synthetic lethal with CDK inhibition. *J Exp Med.* 2012;209(4):679-696.
- In LLA, Arshad NM, Ibrahim H, Azmi MN, Awang K, Nagoor NH. 1'-Acetoxychavicol acetate inhibits growth of human oral carcinoma xenograft in mice and potentiates cisplatin effect via proinflammatory microenvironment alterations. *Bio Med Central Complement Altern Med.* 2012;12(1):179.
- International Agency for Research on Cancer. Latest global cancer data: Cancer burden rises to 18.1 million new cases and 9.6 million cancer deaths in 2018. WHO. 2018; Press release N° 263.

- Ito K, Nakazato T, Murakami A, Ohigashi H, Ikeda Y, Kizaki M. 1'-Acetoxychavicol acetate induces apoptosis of myeloma cells via induction of TRAIL. *Biochemical and Biophysical Research Communications*. 2005;338(4):1702-1710.
- Jain AP, Pawara RS, Lodhia S, Singhaia AK. Immunomodulatory and anti-oxidant potential of *Alpinia galanga* Linn. Rhizomes. *Pharmacognosy Communications*. 2012;2(3):30-37.
- Jenie RI, Amalina ND, Ilmawati GPN, *et al.* Cell Cycle Modulation of CHO-K1 Cells Under Genistein Treatment Correlates with Cells Senescence, Apoptosis and ROS Level but in a Dose-Dependent Manner. *Adv Pharm Bull*. 2019;9(3):453-461.
- Kabel AM, Baali FH. Breast cancer: insights into risk factors, pathogenesis, diagnosis and management. *J Cancer Res Treat*. 2015;3:28-33.
- Kementrian Kesehatan Republik Indonesia (2019) Hari Kanker Sedunia. Available from: www.depkes-go.id/artikel/view/19020100003/hari-kanker-sedunia-2019.html [Diakses pada 3 Oktober 2019]
- Kim EH, Suresh M. Role of PI3K/Akt signaling in memory CD8 T cell differentiation. *Front Immunol*
- Kim K, An HJ, Jun SH, *et al.* Single step isolation and activation of primary CD3+ T lymphocytes using alcohol-dispersed electrospun magnetic nanofibers. *Nano Lett*. 2012;12(8):4018-4024.
- Lee S, Rauch J, Kolch W. Targeting MAPK Signaling in Cancer: Mechanisms of Drug Resistance and Sensitivity. *Int J Mol Sci*. 2020;21(3):1102. Published 2020 Feb 7. doi:10.3390/ijms21031102. 2013;4:20.
- Lee KL, Kuo YC, Ho YS, Huang YH. Triple-Negative Breast Cancer: Current Understanding and Future Therapeutic Breakthrough Targeting Cancer Stemness. *Cancers (Basel)*. 2019;11(9):1334.
- Lehmann BD, Jovanović B, Chen X, *et al.* Refinement of Triple-Negative Breast Cancer Molecular Subtypes: Implications for Neoadjuvant Chemotherapy Selection. *PLoS One*. 2016;11(6):e0157368.
- Lai ZQ, Ip SP, Liao HJ, Lu Z, Xie JH, Su ZR. *et al.* Brucein D, a Naturally Occurring Tetracyclic Triterpene Quassinoid, Induces Apoptosis in Pancreatic Cancer through ROS-Associated PI3K/Akt Signaling Pathway. *Front Pharmacol*. 2017;8:936. doi: 10.3389/fphar.2017.00936.
- Li W, Ma H, Zhang J, Zhu L, Wang C, Yang Y. Unraveling the roles of CD44/CD24 and ALDH1 as cancer stem cell markers in tumorigenesis and metastasis [published correction appears in *Sci Rep*. 2018 Mar 6;8(1):4276]. *Sci Rep*. 2017;7(1):13856.
- Li Y, Kurlander RJ. Comparison of anti-CD3 and anti-CD28-coated beads with soluble anti-CD3 for expanding human T cells: differing impact on CD8 T cell phenotype and responsiveness to restimulation. *J Transl Med*. 2010 26;8:104.

- Liedtke C, Mazouni C, Hess KR, *et al.* Response to neoadjuvant therapy and long-term survival in patients with triple-negative breast cancer. *J Clin Oncol.* 2008;26(8):1275-1281.
- Liu P, Tang H, Song C, *et al.* SOX2 Promotes Cell Proliferation and Metastasis in Triple Negative Breast Cancer. *Front Pharmacol.* 2018;9:942. Published 2018 Aug 21. doi:10.3389/fphar.2018.00942
- Ma F, Li H, Wang H, *et al.* Enriched CD44(+)/CD24(-) population drives the aggressive phenotypes presented in triple-negative breast cancer (TNBC). *Cancer Lett.* 2014;353(2):153-159.
- Manse Y, Ninomiya K, Nishi R, Kamei I, Katsuyama Y, Imagawa T, *et al.* Melanogenesis inhibitory activity of a 7-O-9'-linked neolignan from *Alpinia galangal* fruit. *Bioorg Med Chem.* 2016;24(23):6215-24.
- Marcato P, Dean CA, Pan D, *et al.* Aldehyde dehydrogenase activity of breast cancer stem cells is primarily due to isoform ALDH1A3 and its expression is predictive of metastasis. *Stem Cells.* 2011;29(1):32-45.
- Meiyanto E, Larasati YA. The Chemopreventive Activity of Indonesia Medicinal Plants Targeting on Hallmarks of Cancer. *Adv Pharm Bull.* 2019;9(2):219-230.
- Mustacchi G, De Laurentiis M. The role of taxanes in triple-negative breast cancer: literature review [published correction appears in *Drug Des Devel Ther.* 2015;9:5669]. *Drug Des Devel Ther.* 2015;9:4303-4318.
- Nguyen LV, Vanner R, Dirks P and Eaves CJ. Cancer stem cells: an evolving concept. *Nature Rev.Ca.* 2012;12:133-144.
- Odoux C, Fohrer H, Hoppe T, *et al.* A stochastic model for cancer stem cell origin in metastatic colon cancer. *Cancer Res.* 2008;68(17):6932-6941.
- Ostroumov D, Fekete-Drimusz N, Saborowski M, Kühnel F, Woller N. CD4 and CD8 T lymphocyte interplay in controlling tumor growth. *Cell Mol Life Sci.* 2018;75(4):689–713.
- Park SY, Choi JH, Nam JS. Targeting Cancer Stem Cells in Triple-Negative Breast Cancer. *Cancers (Basel).* 2019;11(7):965.
- Prado-Vázquez G, Gámez-Pozo A, Trilla-Fuertes L, *et al.* A novel approach to triple-negative breast cancer molecular classification reveals a luminal immune-positive subgroup with good prognoses. *Sci Rep.* 2019;9:1538.
- Prat A, Parker JS, Karginova O, *et al.* Phenotypic and molecular characterization of the claudin-low intrinsic subtype of breast cancer. *Breast Cancer Res.* 2010;12(5):R68.
- Provan KG, Leischow SJ, Keagy J, Nodora J. Research collaboration in the discovery, development, and delivery networks of a statewide cancer coalition. *Eval Program Plann.* 2010;33(4):349–355.
- Putra A. 2016. Pengaruh Ekstrak *Typhonium Flagelliformae* L. terhadap Pemacuan Apoptosis Sel Punca Kanker Payudara. Disertasi. Semarang: Universitas Diponegoro.

- Ramadani RD, Utomo RY, Hermawan A, Meiyanto E. Curcumin Analog Pentagamaboronon-0-Sorbitol Inhibits Cell Migration Activity of Triple Negative Breast Cancer Cell Line. *IJCC*. 2018;9(3):126-133.
- Ricardo S, Vieira AF, Gerhard R, *et al*. Breast cancer stem cell markers CD44, CD24 and ALDH1: expression distribution within intrinsic molecular subtype. *J Clin Pathol*. 2011;64(11):937-946.
- Rich JN. Cancer stem cells: understanding tumor hierarchy and heterogeneity. *Medicine (Baltimore)*. 2016;95(1 Suppl 1):S2-S7.
- Ryspayeva DE, Smolanka II, Dudnichenko AS, *et al*. Are CD44+/CD24- cells the assumed cancer stem cells in breast cancer?. *Exp Oncol*. 2017;39(3):224-228.
- Safa AR. Resistance to Cell Death and Its Modulation in Cancer Stem Cells. *Crit Rev Oncog*. 2016;21(3-4):203–219.
- Samarghandian S, Hadjzadeh MA, Afshari JT, Hosseini M. Antiproliferative activity and induction of apoptotic by ethanolic extract of *Alpinia galanga* rhizome in human breast carcinoma cell line. *BMC Complement Altern Med*. 2014;14:192.
- Seo JW, Cho SC, Park SJ, *et al*. 1'-Acetoxychavicol acetate isolated from *Alpinia galanga* ameliorates ovalbumin-induced asthma in mice. *PLoS One*. 2013;8(2):e56447.
- Tan B, Kanoko M, Tan G, Bachtiar A, Munir D. Dimensional Analysis of CD44High CD24Low and Ki67 in Triple Negative Breast Cancer. *Open Access Maced J Med Sci*. 2019;7(4):526-528.
- Tomkowicz B, Walsh E, Cotty A, Verona R, Sabins N, Kaplan F, Santulli-Marotto S, Chin CN, Mooney J, Lingham RB, Naso M, McCabe T. TIM-3 Suppresses Anti-CD3/CD28-Induced TCR Activation and IL-2 Expression through the NFAT Signaling Pathway. *PLoS One*. 2015 Oct 22;10(10):e0140694.
- Trickett A, Kwan YL. T cell stimulation and expansion using anti-CD3/CD28 beads. *Journal of Immunological Methods*. 2003; 275(1-2):251-255
- Wainwright EN, Scaffidi P. Epigenetics and Cancer Stem Cells: Unleashing, Hijacking, and Restricting Cellular Plasticity. *Trends Cancer*. 2017;3(5):372-386. doi:10.1016/j.trecan.2017.04.004
- Wang Z, Liang X, Cai M, Du G. Analysis of Invadopodia Formation in Breast Cancer Cells. *Methods Mol Biol*. 2016;1406:203-210.
- Wong RS. Apoptosis in cancer: from pathogenesis to treatment. *J Exp Clin Cancer Res*. 2011;30(1):87.
- Yang S, Wei W, Ouyan Q, Jiang Q, Zou Y, Qu W, *et al*. Interleukin-12 activated CD8+ T cells induces apoptosis in breast cancer cells and reduces tumor growth. *Biopha*. 2016;84: 1466-71.
- Zhang N, Bevan MJ. CD8(+) T cells: foot soldiers of the immune system. *Immunity*. 2011;35(2):161–168.