



DAFTAR PUSTAKA

- Abid, R. K., and Abbas, A. S., 2018, Adsorption of Organic Pollutants from Real Refinery Wastewater on Prepared Cross-linked Starch by Epichlorohydrin, *Data in Brief.*, 19, 1318-1326.
- Aiken, G. R., Donald, M. K., Wershaw, R. L., and Paul, M. C., 1985, *Humic Substance in Soil Sediment and Water: Geochemistry, Isolation, and Characterization*, John Wiley & Sons, New York.
- Alam, Md. N., and Christoper, L. P., 2018, Natural Cellulose-Chitosan Cross-Linked Superabsorbent Hydrogels with Superior Swelling Properties, *J. Sustainable. Chem. Eng.*, 6, 8736-8742.
- Alimin, 2000, Fraksinasi Asam Humat dan Pengaruhnya pada Kelarutan Ion Logam Seng (II), Kadmium (II), Magnesium (II), dan Kalsium (II), *Tesis*, Program Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Alves, L., Medronho, B., Antunes, F. E., Topgaard, D., and Lindman, B, 2016, Dissolution State of Cellulose in Aqueous System, *Carbohydr Polym.*, 151, 707-715.
- Asdyanto, D., 2005, Deteksi Pencemaran Timah Hitam (Pb) dalam Darah Masyarakat yang Terpajan Timbal, *J. Kes. Ling.*, 2(1), 67-76.
- Aroua, M. K., Leong, S. P. P., Teo, L. Y., Yin, C.Y., and Daud, W. M. A. W., 2008, Real Time Determination of Kinetics of Adsorption of Lead(II) onto Palm Shell-Based Activated Carbon using Ion Selective Electrode, *Bioresour. Technol.*, 99(13), 5766-5792.
- Asip, F., Ridha, M., dan Husna., 2008, Uji Efektifitas Cangkang Telur Dalam Mengadsorpsi Ion Fe dengan Proses Batch, *Jurnal Teknik Kimia*, 15, 22-26.
- Ayuningtyas, E., 2016, Pelepas Pisang (Musa Paradisiaca) Teraktivasi Asam dan Basa sebagai Biosorben Cu(II), *Tesis*, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Bahmid, N. A., Syamsu. K., dan Maddu, A., 2014, Pengaruh Ukuran Serat Selulosa Asetat dengan Penambahan DEG Terhadap Sifat Fisik dan Mekanik Bioplastik, *J. Teknologi Industri Pertanian.*, 226-234.
- Bhimte, N. A. and Tayade, P. T., 2007, Evaluation of Microcrystalline Cellulose Preparation from Sisal Fibers as A tablet Excipient: A Technical Note APRS, *J. Pharm. Sci. Tech.*, 8(1), E1-E7.
- Buhani., Suharso., and Sembiring. Z., 2006, Biosorption of Metal Ions Pb(II), Cu(II), and Cd(II) on Sargassum duplicatum Immobilized Silica Gel Matrix, *Indo.J. Chem.*, 6(3), 245-250.
- Bulut, Y. and Baysal, Z., 2006, Removal of Pb(II) from Wastewater using Wheat Bran, *J. Env. Manage.*, 78, 107-113.
- Chandrahasa, F., Rajamane, N. P., and Jelayakihmi., 2014, Development Of Cellulose Nanofibers From Coconut Husk, *J. Eng, Tech.*, 88-93.



- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A., and Jiang, W., 2015, Lead (II) and Methylene Blue Removal using a Fully Biodegradable Hydrogel Based on Starch Immobilized Humic Acid, *J. Chem. Eng.*, 268, 348-355.
- Chen, W., Liu, Y., Chen, P., Zang, M., and Hai, Y., 2011, Individualization Of Cellulose Nanofibers from Wood Using High Intensity Ultrasonication Combined with Chemical Pretreatments, *J. Carbohyd. Polym.*, 83, 1804-1811.
- Chiou, M.S. and Chuang, G.S., 2006, Competitive adsorption of dye metanil yellow and RB15 in acid solutions on chemically cross-linked chitosan beads, *Chemosphere*, 62, 731–740.
- Darmono, 2001, *Lingkungan Hidup dan Pencemaran: Hubungannya dengan Toksikologi Senyawa Logam*, UI Press, Jakarta.
- Darnoko, 2002, *Potensi Pemanfaatan Limbah Lignoselulosa Kelapa Sawit Melalui Biokonversi*, Puslitbun (RISPA), Medan.
- Derakhsan, S., Baghapour, M. A., Ranjbar, M. and Faramarzian, M., 2013, Adsorption Methylene Blue Dye from Aqueous Solutions by Modified Pumice Stone : Kinetic and Equilibrium Studies, *Health Scope*, 136-144.
- Falah, I. I., Ruliatima., and Triyono., 2015, Reversible Second Orde Kinetics of Sorption-Desorption of Cr(VI) Ion on Activated Carbon from Palm Empty Fruit Bunches., *Indones. J. Chem.*, 15(3), 188-194
- Fernandez, M. E., Ledesma, B., Roman, S., Bonelli, P. R., and Cukierman, A. L., 2015, Development and Characterisation of Activated Hydrocharcs from Orange Peels as Adsorbent for Emerging Organic Contaminant, *Bioresource Technology*., 183, 221-228.
- Garside, P., and Wyeth, P., 2003. Identification of Cellulosic fibres by FTIR Specstroscopy: Thread and Single Fibre Analysis by Attenuated Total Reflectance, *Studies in Conversation.*, 48(4), 269-275.
- Guerra, D.J.L., Mello, I., Freitas, L.R., Resende, R., and Silva, R.A.R., 2014, Equilibrium, Thermodynamic, and Kinetic of Cr(VI) Adsorption Using A Modified and Unmodified Bentonite Clay, *Int. J. Min. Sci. Tech.*, 24, 525–535.
- Guo, Z., Zhang, J., Kang, Y., and Liu, H, 2017, Rapid and Efficient Removal of Pb(II) from Aqueous Solutions Using Biomass-Derived Activated Carbon With Humic Acid In-Situ Modification, *Ecotoxicology and Environmental Safety.*, 145, 442-448.
- Gusnita, D., 2012, Pencemaran Logam Berat Timbal (Pb) di Udara dan Upaya Penghapusan Bensin Bertimbal, *Berita Dirgantara.*, 13(3), 95-101.
- Hameed, B.H., 2008, Equilibrium and kinetic studies of methyl violet sorption by agricultural waste, *J. Hazard. Mater.*, 154, 204–212.



- Hasanah, A. N., Elyani, I., Sriwidodo., Muchtaridi., Muhtadi, A., and Musfiroh, I., 2015, Epichlorohydrin as Crosslinking Agent for Synthesis of Carboxymethyl Cellulose Sodium (Na-CMC) as Pharmaceutical Excipient from Water Hyacinth (*Eichornia crassipes L.*), *Int. J. Chem. Sci.*, 13(3), 1227-1237.
- He, Y., Wu, P., Xiao, W., Li, G., Yi, J., He, Y., Chen, C., Ding, P., and Guan, Y., 2019, Efficient Removal of Pb(II) from Aqueous Solution by a Novel ion Imprinted Magnetic Biosorbent: Adsorption Kinetics and Mechanism, *Plos One.*, 14(3), art. no. e0213377.
- Ho, Y.S., Chiu, W., and Wang, C., 2005, Regresion Analysis for the Sorption Isoterm of Basic Dyes on Sugarcane Dust, *Bioresource Technology*, 1285-1291.
- Huang, Z., Huang, Z., Feng, L., Luo, X., Wu, P., Cui, L., and Mao, X., 2018, Modified Cellulose by Polyethyleneimine and Ethylenediamine with Induced Cu(II) and Pb(II) Adsorption Potentialities, *J. Carbo. Polymer.*, 202, 470-478.
- Isogai, A., Saito T., and Fukuzumi, H., 2011, TEMPO-Oxidized Cellulose Nanofibers, *Nanoscale*, 3, 71-85.
- Jawad, A. H., Razuan, R., Appaturi, J. N., and Wilson, L. D., 2019, Adsorption and Mechanism Study for Methylene Blue Dye Removal with Carbonized Watermelon (*Citrullus lanatus*) Rind Prepared via One-step Liquid Phase H₂SO₄, *Surfaces and Interfaces*, 16, 76-84.
- Khanday, W. A., Asif, M., and Hameed, B. H., 2017, Cross-linked Beads of Activated Oil Palm Ash Zeolite/Chitosan Composite as A Bio-Adsorbent for The Removal of Methylene Blue and Acid Blue 29 Dyes, *Int. J. Biol. Macromol.*, 95, 895-902.
- Kurniawan, A., 2004, Imobilisasi Asam Humat pada Kitin dan Aplikasinya untuk Adsorpsi Ni(II), *Tesis*, Program Pascasarjana, Universitas Gadjah Mada, Yogyakarta.
- Kusnoputranto, H., 2006, *Toksikologi Lingkungan, Logam Toksik dan Berbahaya*, FKM-UI Press dan PPSDM, Jakarta.
- Langenati, R., Rachmad, M.M., Deni, M., Bagus, W., dan Ridwam., 2012, Pengaruh Jenis Adsorben dan Konsentrasi Uranium Terhadap Pemungutan Uranium dari Larutan Uranyl Nitrat, *Jurnal Teknologi Bahan Nuklir*, 8, 67-122.
- Li, W., Yue, Q., Tu, P., Ma, Z., Gao, B., Li, J., and Xu, X., 2011, Adsorption characteristics of dyes in columns of activated carbon prepared from paper mill sewage sludge, *Chem. Eng. J.*, 178, 197–203.
- Li, Y., Xiao, H., Pan, Y., and Wang, L., 2018, Novel Composite Adsorbent Consisting of Dissolved Cellulose Fiber/Microfibrillated Cellulose for Dye Removal from Aqueous Solution, *J. Chem. Eng.*, 6, 6996-7002.
- Lin, Q., Gao, M., Chang, J., and Ma, H., 2016, Adsorption Proprties of Crosslinking Carboxymethyl Cellulose Grafting Dimethyldiallylammonium Chloride for Cationic and Anionic Dyes, *Carbohydrate Polymers*, 151, 283-294.



Manahan, S. E., 2000, *Environmental Chemistry*, Seventh Edition, Willard Grant Press, Boston.

Mozgawa, W., Krol, M., and Bajda, T., 2009, Application of IR Spectra in The Studies of Heavy Metal Cations Immobilization on Natural Sorbents, *J. Molecular Structure.*, 924, 427-433.

Mushtaq, M., Tan, I. M., Ismail, L., Nadeem, M., Sagir, M., Azam, R., and Hashmet, R., 2014, Influence pf PZC (Point of Zero Charge) on The Static Adsorption of Anionic Surfactans on a Malaysian Sandstone, *J. Dispersion Science and Technology.*, 35, 343-349.

Naseem, R. and Tahir, S. S., 2001, Removal of Pb(II) from Aqueous/Acidic Solutions by Using Bentonite as an Adsorbent, *Water. Res.*, 35(16),3892-3989.

Nasrullah, A., Bhat, A. H., Naeem, A., Isa, M. H., and Danish, M., 2018, High Surface Area Mesoporous Activated Carbon-Alginate Beads for Efficient Removal of Methylene Blue, *Int. J. Biol. Macromol.*, 107, 1792-1799.

Okhlopkova, E. A., Seramifov, L. A., and Frolkova, A. V, 2019, Methods of Preparing Epichlorohydrin, *Theor Found Chem Eng.*, 53, 864-870.

Ovchinnikov, O. V., Evtukhova, A. V., Kondratenko, T. S., Smirnov, M. S., Khokhlov, V. Y., and Erina, O. V., 2016, Manifestation of Intermolecular Interactions in FTIR Spectra of Methylene Blue Molecules, *Vibrational Spectroscopy.*, 86, 181-189.

Palupi, E., 2006, Degradasi Methylene Blue dengan Metode Fotokatalisis dan Fotoelektrokatalisis Menggunakan Film TiO₂, *Skripsi*, Departemen Fisika, Institut Pertanian Bogor, Bogor.

Perdanawati, U. dan Dewi, K., 2010, Pemakaian Reaktor Adsorpsi Menggunakan Adsorben Limbah Las Karbid untuk Mengolah CO₂, *Jurnal Teknik Lingkungan*, 16, 210-221.

Purwaningsih, D., 2009, Adsorpsi Multi Logam Ag(I), Pb(II), Cr(III), Cu(II) dan Ni(II) pada Hibrida Etilendiamino-Silika dari Abu Sekam Padi, *J. Penelitian Saintek.*, 1(14), 59-76.

Rabago, J. J. S., Ramos, R. L., Utrilla, J. R., Perez, R. O., and Cordova, F. J. C., 2017, Biosorption Mechanism of Methylene Blue from Aqueous Solution onto White Pine (*Pinus durangensis*) sawdust: Effect of Operating Conditions, *Sustainable Environment Research.*, 27, 32-40.

Rahmawati, A., 2011, Pengaruh Derajad Keasaman Terhadap Adsorpsi Logam Kadmium(II) dan Timbal(II) Pada Asam Humat, *JPST.*, 12(1), 1-14.

Riyanto. dan Julianto, T. S., 2009, Degradasi Senyawa Metilen Biru dengan Metode elektrolisis Menggunakan Elektroda Platinum, *J. UII*. Yogyakarta.



Rohmatullaili, 2015, Asam Humat Tinja Kuda sebagai Green Adsorben pada Adsorpsi Logam Pb(II) dan Ni(II), *Tesis*, Progam Pascasarjana, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.

Santosa, S. J., Narsito., and Lesbani, A., 2003, The Determination of Active Site, Capacity, Energy and Rate Constant on the Adsorption of Zn (II) and Cd (II) on Chitin, *J. Ion Exchange.*, 14, 89-92.

Santoso, U. T., Umaningrum. D., Irawati, U., and Numasari, R., 2008, Imobilization of Humic Acid and Chitosan Using Protected Ccross-linking Reaction Method and Its Application as Sorbent for Pb(II), Cd(II), and Cr(III), *J. Ind. Chem.*, 2, 177-183.

Shenvi, S., Isloor, A., Ismail, A., Shilton, S., and Ahmed, A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B. *J. Ind. Chem. Eng.*, 54, 4965-4975.

Solikhin, A., Hadi, Y. S., Massijaya, M. Y., and Nikmatin, S., 2017, Morphological, Chemical, and Thermal Characteristics of Nanofibrillated Cellulose Isolated Using Chemo-mechanical Methods, *Makara Journal of Science.*, 21(2), 59-68.

Stevenson, F. J., 1994, *Humus Chemistry, Genesis, Composition, Reaction*, Second Edition, John Wiley & Sons, New York.

Sudiono, S., 2001, Sifat Asam-Basa Asam Humat dan Interaksinya dengan Kromium(II), Tembaga(II), Kobalt(II) dan Nikel(II), *Tesis*, Program Pascasarjana, Universitas Gadjah Mada, Yogyakarta.

Sutirman, Z. A., Sanagi, M. M., Karim, K. J. A., Naim, A. A., and Ibrahim, W. A. W., 2018, Chitosan-Based Adsorbents for The Removal of Metal Ions from Aqueous Solutions, *Malaysian Journal of Analytical Sciences.*, 5(22), 839-850.

Syafwina, Y., Honda, T., Watanabe., and Kuwahara, M., 2002, Pretreatment of Oil Palm Empty Fruit Bunch by White-Rot Fungi for Enzymatic Saccarification. *Wood Research*, 89, 19–20.

Tirtom, V. D., Dincer, A., Becerik, S., Aydemir, T., and Celik, A, 2012, Comparative Adsorption of Ni(II) and Cd(II) ions on Epichlorohydrin Crosslinked Chitosan-clay Composite Beads in Aqueous Solution, *J. Chem.Eng.*, 197, 379-386.

Trilokesh, C., and Uppuluri, K. B., 2019, Isolation and Characterization of Cellulose Nanocrystals from Jackfruit Peel, *Sci Rep.*, 9(16709).

Velasco, U. I., Alanis, N. C., Marcos, M. P. G., and Uriarte, J. I. A., 2011, Relationship Between Thermodynamic Data and Adsorption/Desorption Performance of Acid and Basic Dyes onto Activated Carbons, *J. Chem. Eng. Data.*, 56, 2100-2109.

Verma, V. K., and Mishra, A. K., 2010, Kinetic and Isotherm Modelling of Adsorption of Dyes Onto Rice Husk Carbon, *J. Global Nest.*, 12(2), 190-196.



UNIVERSITAS
GADJAH MADA

ADSORPSI ION Pb(II) DAN METILEN BIRU MENGGUNAKAN KOMPOSIT ASAM HUMAT/SELULOSA

TERTAUT SILANG

EPIKLOROHIDRIN

MUHAMMAD ARIFIN, Dr. Sri Sudiono, S.Si., M. Si.; Prof. Drs. Mudasir, M. Eng., Ph.D.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Vijaya, Y., Popuri, S.R., Boddu, V.M., and Krishnaiah, A., 2008, Modified Chitosan and Calcium Alginate Biopolymer Sorbents for Removal of Nickel (II) through Adsorption, *Carbohydr. Polym.*, 72, 261–271.

Widodo, L. U., 2012. Kajian Isolasi Alpha-Selulosa Batang Tanaman Ubi Kayu Secara Basa, *Alpha Selulosa.*, 21, 12-30.

Wiklund, L., and Miclescu, A., 2010, Methylene Blue, an Old Drug With New Indications?, *J. Rom. Anest. Terap.*, 17, 35-41.

Zhou, Y., Zhang, M., Hu, X., Wang, X., Niu, J., and Ma, T., 2013, Adsorption of Cationic Dyes on a Cellulose-Based Multicarboxyl Adsorbent, *J. Chem. Eng.*, 58, 413-421.