

## DAFTAR PUSTAKA

- Abdillah, S., Tambunan, R.M., Farida, Y., Sandhiutami, N.M.D., dan Dewi, R.M., 2015. Phytochemical Screening and Antimalarial Activity of Some Plants Traditionally Used in Indonesia. *Asian Pacific Journal of Tropical Disease*, **5**: 454–457.
- Agoes, G., 2008. *Pengembangan Sediaan Farmasi*. Penerbit ITB, Bandung.
- Ajanal, M., Gundkalle, M., dan Nayak, S., 2012. Estimation of total alkaloid in Chitrakadivati by UV-Spectrophotometer. *Ancient Science of Life*, **31**: 198.
- Anief, M., 1997. *Ilmu Meracik Obat*. Gadjah Mada University Press:, Yogyakarta.
- Anonim, 1979. *Farmakope Indonesia*, Edisi III. ed. Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 1995. *Farmakope Indonesia*, Edisi IV. ed. Departemen Kesehatan Republik Indonesia, Jakarta.
- Ansel, H.C., 2005. *Pengantar Bentuk Sediaan Farmasi*, IV. ed. UI-PRESS, Jakarta.
- Armstrong, N.A., 2006. *Pharmaceutical Experimental Design and Interpretation*, 2nd ed. ed. CRC/Taylor & Francis, Boca Raton, FL.
- B. Defer, 2010. 'Food Ingredients - sweetener Technical overview and allowable daily intake (ADI)', . The NutraSweet Company, Chicago.
- Berkelaar, D., 2002. Papaya Leaf Tea As A Malaria Prophylactic? *An ECHO Technical Note*, **46**: .
- Bhusnure, O.G., 2015. 'Formulation Strategies For Taste-Masking Of Chewable Tablets', . *Indo American Journal of Pharmaceutical Research*, hal. 3836–3849.
- Boesri, H., 1994. Pemanfaatan Tanaman Dalam Penanggulangan Malaria. *Media Litbangkes*, **IV**: 3.
- Bolton, S., 1997. *Pharmaceutical Statistic. Practical and Clinical Applications. Third Edition*. CRC Press, New York.
- Committee For Medicinal Products For Human Use dan (CHMP), 2006. Reflection Paper: Formulations Of Choice For The Paediatric Population. *European Medicines Agency*, .
- Cv, A. dan Ha, P., 2017. Development and Evaluation of Sucrose Free Herbal Orally Disintegrating Tablets of Ginger. *Journal of Bioanalysis & Biomedicine*, **09**: .
- Dahiya, J., Jalwal, P., dan Singh, B., 2015. Chewable Tablets: A Comprehensive Review. *The Pharma Innovation Journal*, **6**.
- Depkes RI, 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*, I. ed. Departemen Kesehatan Republik Indonesia, Jakarta.
- Deputi Bidang Pengawasan Obat Tradisional, Kosmetik dan Produk Komplemen, 2017. Surat Edaran No.HK.04.02.42.421.12.17.1673 Tentang Pelarut yang Diizinkan Digunakan dalam Proses Ekstraksi/ Fraksinasi Tumbuhan dalam Produk Obat Bahan Alam dan Suplemen Kesehatan beserta Batasan Residunya.
- Felton, L.A., 2013. *Remington: Essentials of Pharmaceutics*. Pharmaceutical Press.

- Fernstrom, J.D., Munger, S.D., Sclafani, A., de Araujo, I.E., Roberts, A., dan Molinary, S., 2012. Mechanisms for Sweetness. *The Journal of Nutrition*, **142**: 1134S-1141S.
- Fitrianiingsih, S.P., Diantini, A., dan Muis, A., 2010. Aktivitas Antiplasmodium Ekstrak Etanol Beberapa Tanaman Obat Terhadap Mencit. *Prosiding SNaPP*, 13.
- Fudholi, A. dan Bestari, A.N., 2019. *Formulasi & Teknologi Sediaan Tablet*. CV. Istana Agency, Yogyakarta.
- Hadisoewignyo, L. dan Fudholi, A., 2016. *Sediaan Solida*. Pustaka Pelajar, Yogyakarta.
- Harijanto, P., 2011. Tata Laksana Malaria untuk Indonesia, dalam: *Epidemiologi Malaria Di Indonesia*. Kementerian Kesehatan RI, Jakarta.
- Hesari, Z., Shafiee, A., Hooshfar, S., Mobarra, N., dan Alireza, S., 2016. Formulation and Taste Masking of Ranitidine Orally Disintegrating Tablet. *Iranian Journal of Pharmaceutical Research*, **15**: 10.
- Hidayani, S., 2014. Optimasi Formula Tablet Ekstrak Daun Pepaya (*Carica Papaya* L.) Dengan Bahan Pengikat Gelatin Dan Penghancur Explotab Menggunakan Metode Factorial Design 14.
- Jaber-Vazdekis, N. el, Gutierrez-Nicolás, F., Ravelo, Á.G., dan Zárate, R., 2006. Studies on tropane alkaloid extraction by volatile organic solvents: dichloromethane vs. chloroform. *Phytochemical Analysis*, **17**: 107–113.
- Julianti, T., Oufir, M., dan Hamburger, M., 2014. Quantification of the Antiplasmodial Alkaloid Carpaine in Papaya (*Carica papaya*) Leaves. *Planta Medica*, **80**: 1138–1142.
- Kayitare, E., Vervaet, C., Mehuys, E., Kayumba, P.C., Ntawukulilyayo, J.D., Karema, C., dkk., 2010. Taste-masked quinine pamoate tablets for treatment of children with uncomplicated Plasmodium falciparum malaria. *International Journal of Pharmaceutics*, **392**: 29–34.
- Kementerian RI., 2016. *InfoDatin ; Pusat Data Dan Informasi Kementerian Kesehatan RI*.
- Kementerian RI., 2018. Hasil Utama Riset Kesehatan Dasar 2018.
- Kemp, S.E. dan Lindley, M.G., 2009. Developments in sweeteners for functional and speciality beverages, dalam: *Functional and Speciality Beverage Technology*. Elsevier, hal. 39–54.
- Kimm, Y., Lee, J., Kim, H., Choi, S., Shin, W.-S., dan Moon, T., 2003. Sensory and Physicochemical Properties of Selected Sweetener Blends Containing Polyols. *Food Science and Biotechnology*, **12**: .
- Komisi Etik Penelitian dan Pengembangan Kesehatan Nasional, 2017. PEDOMAN DAN STANDAR ETIK PENELITIAN DAN PENGEMBANGAN KESEHATAN NASIONAL.
- Kuno, Y., Kojima, M., Ando, S., dan Nakagami, H., 2008. Effect of preparation method on properties of orally disintegrating tablets made by phase transition. *International Journal of Pharmaceutics*, **355**: 87–92.
- Lachman, L. dan Lieberman, H.A., 1994. *Teori dan Praktek Farmasi Industri*, Edisi Kedua. ed. UI-PRESS, Jakarta.

- Lieberman, H., Lachman, L., dan Schwartz, J.B., 1989. *Pharmaceutical Dosage Forms: Tablets, Volume 1, Second Edition*. Taylor & Francis.
- Lopez, F.L., Ernest, T.B., Tuleu, C., dan Gul, M.O., 2015. Formulation approaches to pediatric oral drug delivery: benefits and limitations of current platforms. *Expert Opinion on Drug Delivery*, **12**: 1727–1740.
- Mahalapbutr, P., Darai, N., Panman, W., Opasmahakul, A., Kungwan, N., Hannongbua, S., dkk., 2019. Atomistic mechanisms underlying the activation of the G protein-coupled sweet receptor heterodimer by sugar alcohol recognition. *Scientific Reports*, **9**: 10205.
- Maillet, E.L., Cui, M., Jiang, P., Mezei, M., Hecht, E., Quijada, J., dkk., 2015. Characterization of the Binding Site of Aspartame in the Human Sweet Taste Receptor. *Chemical Senses*, **40**: 577–586.
- Malika, E.L., 2014. 'Optimasi Formula Tablet Ekstrak Daun Pepaya (*Carica papaya* L.) Dengan Bahan Pengikat Polivinil Pirolidon Dan Bahan Penghancur Starch 1500 Menggunakan Metode Factorial Design', . Universitas Muhammadiyah Surakarta, Surakarta.
- Mishra, B., Sharma, G., dan Shukla, D., 2009. Investigation of Organoleptic Characteristics in the Development of Soft Chews of Calcium Carbonate as Mineral Supplement. *YAKUGAKU ZASSHI*, **129**: 1537–1544.
- Mostafavi, S., Varshosaz, J., dan Arabian, S., 2014. Formulation development and evaluation of metformin chewing gum with bitter taste masking. *Advanced Biomedical Research*, **3**: 92.
- Mullarney, M.P., Hancock, B.C., Carlson, G.T., Ladipo, D.D., dan Langdon, B.A., 2003. The powder flow and compact mechanical properties of sucrose and three high-intensity sweeteners used in chewable tablets. *International Journal of Pharmaceutics*, **257**: 227–236.
- Murphy, D.J., 2017. Alkaloids, dalam: *Encyclopedia of Applied Plant Sciences*. Elsevier, hal. 118–124.
- Nagar, P., Singh, K., Chauhan, I., Verma, M., Yasir, M., Khan, A., dkk., 2011. Orally disintegrating tablets: formulation, preparation techniques and evaluation. *Journal of Applied Pharmaceutical Science*, 11.
- Nokhodchi, A. dan Javadzadeh, Y., 2007. The Effect of Storage Conditions On the Physical Stability of Tablets. *Pharmaceutical Technology Europe*, .
- Noorjahan, A., Amrita, B., dan Kavita, S., 2014. *In vivo* evaluation of taste masking for developed chewable and orodispersible tablets in humans and rats. *Pharmaceutical Development and Technology*, **19**: 290–295.
- Nugraha, D., Yusuf, A.L., dan Rahmani, L., 2015. Formulasi Granul Effervescent Ekstrak. *Prodi DIII Farmasi STIKes Muhammadiyah Ciamis*, **2**: 15.
- Onaku, L.O., Attama, A.A., Okore, V.C., Tijani, A.Y., Ngene, A.A., dan Esimone, C.O., 2011. Antagonistic antimalarial properties of pawpaw leaf aqueous extract in combination with artesunic acid in Plasmodium berghei-infected mice. *J Vector Borne Dis*, **5**.
- Padmasri, B., Kalyani, R., dan Deepthi, K.L., 2016. Formulation and evaluation of darunavir chewable tablets. *International Journal of Pharmacy and Analytical Research*, **5**: 10.

- Patel, H., Shah, V., dan Upadhyay, U., 2011. New pharmaceutical excipients in solid dosage forms – A review. *Life Sci.*, **2**: 14.
- Ramadan, A.A., Mandil, H., dan Ali, R.A. sayed, 2015. Spectrophotometric Determination of Rosuvastatin In Pure Form and Pharmaceutical Formulations Through Ion-Pair Complex Formation Using Bromocresol Green. *International Journal of Pharmacy and Pharmaceutical Sciences*, **7**: 191–198.
- Ranmal, S.R., Cram, A., dan Tuleu, C., 2016. Age-appropriate and acceptable paediatric dosage forms: Insights into end-user perceptions, preferences and practices from the Children’s Acceptability of Oral Formulations (CALF) Study. *International Journal of Pharmaceutics*, **514**: 296–307.
- Robinson, T., 1995. *Kandungan Organik Tumbuhan Tinggi*, enam. ed. Penerbit ITB, Bandung.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009. *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press.
- Rustiani, E., Miranti, M., dan Rahmahuda, N.K., 2017. Formulation Of Tablet From Papaya And Bay Leaf Extract With Variation Of Concentration Polyvinylpyrrolidone As A Binder. *Asian Journal of Pharmaceutical and Clinical Research*, **10**: 169.
- Salamah, M.Sc, Apt., N., Rozak, M., dan Al Abror, M., 2017. Pengaruh metode penyarian terhadap kadar alkaloid total daun jembirit (*Tabernaemontana sphaerocarpa*. BL) dengan metode spektrofotometri visibel. *Pharmaciana*, **7**: 113.
- Sastroamijoyo, A.S. dan Tjokronegoro, A., 1997. *Obat Asli Indonesia*, Cet. 5. ed. Dian Rakyat, Jakarta.
- Schumacher, R.-F. dan Spinelli, E., 2012. Malaria In Children. *Mediterranean Journal of Hematology and Infectious Diseases*, **4**: 2012073.
- Sharma, M., Chudasama, J., Narayan, P., Singh, P., dan Sharma, A.K., 2014. FORMULATION AND STABILITY STUDIES OF AMOXYCILLIN AND POTASSIUM CLAVULANATE CHEWABLE TABLET. *World Journal of Pharmacy and Pharmaceutical Sciences*, **3**: 15.
- Simamora, D. dan Enggar Fitri, L., 2007. Resistensi Obat Malaria : Mekanisme Dan Peran Obat Kombinasi Obat Antimalaria Untuk Mencegah. *Jurnal Kedokteran Brawijaya*, **23**: 82–91.
- Siregar, C.J. dan Wikarsa, S., 2010. *Teknologi Farmasi Sediaan Tablet Dasar-Dasar Praktis*. Penerbit Buku Kedokteran EGC, Jakarta.
- SNI 01-2346-2006, 2006. *Petunjuk Pengujian Organoleptik Dan Atau Sensori*. Badan Standarisasi Nasional, Bandung.
- Sohi, H., Sultana, Y., dan Khar, R.K., 2004. Taste Masking Technologies in Oral Pharmaceuticals: Recent Developments and Approaches. *Drug Development and Industrial Pharmacy*, **30**: 429–448.
- Sugiura, T., Uchida, S., dan Namiki, N., 2012. Taste-Masking Effect of Physical and Organoleptic Methods on Peppermint-Scented Orally Disintegrating Tablet of Famotidine Based on Suspension Spray-Coating Method. *Chemical and Pharmaceutical Bulletin*, **60**: 315–319.

- Teng, W.-C., Chan, W., Suwanarusk, R., Ong, A., Ho, H.-K., Russell, B., dkk., 2019. *In vitro* Antimalarial Evaluations and Cytotoxicity Investigations of *Carica papaya* Leaves and Carpaine. *Natural Product Communications*, **14**: 1934578X1901400.
- Trampuz, A., Jereb, M., Muzlovic, I., dan Prabhu, R.M., 2003. Clinical review: Severe malaria. *Critical Care Forum*, **7**: 9.
- United States Pharmacopeia, 2018. *The United State Pharmacopeial Convention*, 41st ed. United States.
- Usmani, M., Shoab, M., Nasiri, M., Yousuf, R., Zaheer, K., dan Ahmed, K., 2015. Development and Evaluation of Orally Disintegrating Tablets of Montelukast Sodium by Direct Compression Method. *Tropical Journal of Pharmaceutical Research*, **14**: 1.
- Valentine, W. dan Valentine, W.K., 2003. 'Chewable Tablets Containing Mannitol and Aspartame', [patent] 6,579,535 B2.
- Wagner, H., S., B., dan C.M., Z., 1984. *Plant Drug Analysis : A Thin Layer Chromatography Atlas*. Springer-Verlag, Tokyo.
- Walsh, J., Cram, A., Woertz, K., Breikreutz, J., Winzenburg, G., Turner, R., dkk., 2014. Playing hide and seek with poorly tasting paediatric medicines: Do not forget the excipients. *Advanced Drug Delivery Reviews*, **73**: 14–33.
- Wang, X., Hu, C., Ai, Q., Chen, Y., Wang, Z., dan Ou, S., 2015. Isolation and Identification Carpaine in *Carica papaya* L. Leaf by HPLC-UV Method. *International Journal of Food Properties*, **18**: 1505–1512.
- Warisno, 2003. *Budi Daya Pepaya*. Kanisius, Yogyakarta.
- WHO Expert Committee on Specifications for Pharmaceutical Preparations, 2012. Development of paediatric medicines: points to consider in formulation, dalam: *WHO Technical Report*, 970. WHO.
- World Health Organization, 2016. *World Malaria Report 2016*.