SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abello, S., Medina, F., Tichit, D., Perez-Ramirez, J., Groen, J.C., Sueiras, J.E., Salagre, P., and Cesteros, Y., 2005, Aldol Condensations Over Reconstructed Mg–Al Hydrotalcites: Structure–Activity Relationships Related to the Rehydration Method, *Eur. J.*, 11(2), 728-739.

Abello, S., Shankar, D.V., and Ramirez, J.P., 2008, Stability, Reutilization, and Scalability of Activated Hydrotalcites in Aldol Condensation, *Appl. Catal.*, 342(1), 119-125.

Adwani, J.H., Khan, N.H., and Shukla, R.S., 2015, An Elegant Synthesis of Chitosan Grafted Hydrotalcite Nano-bio Composite Material and Its Effective Catalysis for Solvent-free Synthesis of Jasminaldehyde, *RSC Adv.*, 1-29.

Ahmed, M.R., Sastry, V.G., Bano, N., Ravichandra, S ., and Raghavendra, M., 2011, Synthesis and Cytotoxic, Anti Oxidant Activities of New Chalcone Derivatives, *RJC.*, 4(2), 289-294.

Aksoz, B.E., and Ertan, R., 2011, Chemical and Structural Properties of Chalcones, *J. Pharm. Sci.*, 36, 223–242.

Anbu, N., Maheswari, R., Elamathi, V., Varalakshmi, P., and Dhakshinamoorthy, A., 2020, Chitosan as A Biodegradable Heterogeneous Catalyst for Knoevenagel Condensation between Benzaldehydes and Cyanoacetamide, *Catal. Commun.*, 138, 1-6.

Anggasari, N., Alauhdin, M., dan Prasetya, A.T., 2013, Sintesis dan Karakterisasi Membran Kitosan-Tripolifosfat sebagai Alternatif Pengontrol Sistem Pelepasan Obat, Indo. *J. Chem. Sci.*, 2(3), 190-193.

Bale, A.T., Khan, K.M., Salar, U., Chigurupati, S., Fasina, T., Ali, F., Kanwal, Wadood, A., Taha, M., Nanda, S.S., Ghufran, M., and Perveen, S., 2018, Chalcones and Bis-chalcones: As Potential α-amylase Inhibitors; Synthesis, In Vitro Screening, and Molecular Modelling Studies, *Bioorg. Chem.*, 79, 179-189.

Balley, J.E. and Ollis, D.F. 1977. *Biochemical Engineering Fundamental*. Mc.Graw Hiil Kogakusha ltd. Tokyo.

Basile, F., Fornasari, G., Gazzano, M., and Vaccari, 2001, Thermal Evolution and Catalytic Activity of Pd/Mg/Al Mixed Oxides Obtained from A Hydrotalcite-type Precursor, *Appl. Clay. Sci.*, 18(1), 51-57.

UNIVERSITAS GADJAH MADA
SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Bellotto, M., Rebours, B., Clause, O., Lynch, J., Bazin, D., and Elkaim, E., 1996, A Reexamination of Hydrotalcite Crystal Chemistry, *J. Phys. Che.*, 100(20), 8527-8534.

Bhuiyan., M.M.H., Hossain, M.I., Mahmud M.D.M., and Al-Amin, M., 2011, Microwave-assisted Efficient Synthesis of Chalcones as Probes for Antimicrobial Activities, *J. Chem.,* 3(2), 2465-2479.

Bini, M., and Monteforte, F., 2018, Layered Double Hydroxides (LDHs): Versatile and Powerful Hosts for Different Applications, *J. Anal. Pharmaceut. Res.*, 7(1), 88-90.

Bruice, P.Y., 2007, *Organic Chemistry*, 5th Edition, Prentice Hall, New York.

Cavani, F., Trifirò, F., and Vaccari, A., 1991. Hydrotalcite-Type Anionic Clays: Preparation, Properties, and Applications, *Catal. Today., 11(2),* 173-301.

Chabannes, B., Grandgeorge, M., Duperray, B., and Pacheco, H., 1973, Studies on The Metabolism of A Choleretic 2',4 ,4'- trimethoxychalcone, *Chim Ther*, 8(6), 621-625.

Chimentão, R.J., Abelló, S., Medina, F., Llorca, J., Sueiras, J.E., Cesteros,Y., and Salag, P., Defect-induced Strategies for The Creation of Highly Active Hydrotalcites in Base-Catalyzed Reactions, *J. Catal.*, 252(2), 249-257.

Choi, C., Nam, P. Y., Nah, and J.W., 2016, Application of Chitosan and Chitosan Derivatives as Biomaterials, *J. Ind. Eng. Chem.*, 33, 1-10.

Chtchigrovsky, M., Primo, A., Gonzalez, P., Molvinger, K., Robitzer, M., Quignard, F., and Taran, F., 2009, Functionalized Chitosan as A Green, Recyclable, Biopolymer-supported Catalyst for The [3+ 2] Huisgen Cycloaddition, *Angew. Chem., Int. Ed.*, 48(32), 5916–5920.

Choudary, B.M., Kantam, M.L., Reddy, *C.V.,* Rao, K.K., and Figueras, F., 1999, Henry Reactions Catalysed by Modified Mg–Al Hydrotalcite: An Efficient Reusable Solid Base for Selective Synthesis of β-Nitroalkanols, *Green. Chem.*, 1(4), 187-189.

Climent, M.J., Corma, A., Iborra, S., and Primo, J., 1995, Base Catalysis for Fine Chemicals Production: Claisen-Schmidt Condensation on Zeolites and Hydrotalcites for the Production of Chalcones and Flavanones of Pharmaceutical Interest, *J. Catal*., 151(1), 60-66.

SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Climent, M.J., Corma, A., Iborra, S., and Velty, A., 2004, Activated Hydrotalcites as Catalysts for The Synthesis of Chalcones of Pharmaceutical Interest, *J. Catal.*, 221(2), 474-482.

Climent, M.J., Corma, A., Iborra, S., and Velty, A. 2002, Synthesis of Pseudoionones by Acid and Base Solid Catalysts, *Catal. Lett.*, 79, 157-163.

Debecker, D.P., Gaigneaux, E.M., and Busca, G., 2009, Exploring, Tuning, and Exploiting the Basicity of Hydrotalcites for Applications in Heterogeneous Catalysis, *Eur. J.*, 15(16), 3920-3935.

Dee, G.J., Rhode, O., and Wachter, R., 2001, Chitosan : Multi-functional Marine Polymer, *Cosmet. Toiletories*, 116(2), 39–44.

Elanchezhiyan, S.S.D., and Meenakshi, S., 2017, Synthesis and Characterization of Chitosan/Mg-Al Layered Double Hydroxide Composite for The Removal of Oil Particles from Oil-in-Water Emulsion, *Int. J. Biol. Macromol.*, 104, 1586-1595.

Enescu, D., and Olteanu C.E., 2008, Functionalized Chitosan and Its Use in Pharmaceutical, Biomedical, and Biotechnological Research, *Chem. Eng. Commun.*, 195(10), 1269– 1291.

Eryanti, Y., Zamri, A., Jasril, dan Rahmita, 2010, Sintesis Turunan 2'-hidroksi Kalkon melalui Kondensasi Claisen-Schmidt dan Uji Aktivitasnya sebagai Antimikroba, *Jurnal Natur Indonesia*, 12(2), 223-227.

Fan, G., Li, F., Evans D.G., and Duan, X., 2014, Catalytic Applications of Layered Double Hydroxides: Recent Advances and Perspectives. *Chem. Soc. Rev.*, 43(20), 7040–7066.

Fang, Z., Zhang, F., Zeng, H.Y., and Guo, F., 2011, Production of Glucose by Hydrolysis of Cellulose at 423 K in The Presence of Activated Hydrotalcite Nanoparticles. *Bioresour. Technol.*, 102(17), 8017–8021.

Feng, L.I., and Xue, D., 2006, Applications of Layered Double Hydroxides, *Struct. Bond.*, 119, 193-223.

Frost, R.L., Musumeci, A.W., Kloprogge, J.T., Weier, M.L., Adebajo, M.O,. and Martens, W., 2006, Thermal Docomposition of Hydrotalcite with Hexacyanofarrate (II) and Hexacyanoferrate (III) Anions in The Intelayer, *J. Thermal Anal. Calorimetry,* 86(1), 205-209.

Hajipour, A.R., Boostania, E., and Mohammadsaleha, F., 2015, Proline Functionalized Chitosan–palladium(II) Complex, A Novel Nanocatalyst for C–C Bond Formation in Water, *RSC Adv.*, 5(31), 24742–24748.

SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

He, J., Lu, Y., and Luo, G., 2014, Ca(II) Imprinted Chitosan Microspheres: An Effective and Green Adsorbent for The Removal of Cu (II), Cd (II) and Pb (II) from Aqueous Solutions, *Chem. Eng. J.*, 244, 202–208.

Honarkar, H., and Barikani, M., 2009, Applications of Biopolymers I: Chitosan, . *Monatsh. Chem.*, 140, 1403-1420.

Jarag, K.J, Pinjari, D.V., Pandit, A.B., and Shankarling, G.S., 2011, Synthesis of Chalcone (3-(4-fluorophenyl)-1-(4-methoxyphenyl)prop-2-en-1-one): Advantage of Sonochemical Method over Conventional Method, *Ultrason. Sonochem.*, 18(2), 617-623.

Jayapal, M.R., Prasad, K.S., and Sreedhar, N.Y., 2010, Synthesis and Characterization of 2,5-Dihydroxy Substituted Chalcones Using $SOCl_2$/EtOH, *Int. J. Pharma Bio Sci.*, 1(4), 361-366.

Kamal, W., Waleed, M.A., Rouby, E., Gendy, A.O.E., and Farghali, A.A., 2018, Bimodal Applications of LDH-Chitosan Nanocomposite: Water Treatment and Antimicrobial Activity, *Mater. Sci. Eng.*, 464, 1-3.

Kamble, V.M., Hatnapure, G.D., Keche, A.P., Biradjar, S., Patil, S.G., Tale, R.H., Rodge, A.H., Turkar, S.S and Gour, K., 2011, Synthesis and Biological Evaluation of a Novel Series of Methoxylatedchalcone as Antioxidant and Antimicrobial Agents. *J. Chem. Pharm. Res.*, 3(6): 639-648.

Kang, H., Shu, Y., Li, Z., Guan, B., Peng, S., Huang, Y., and Liu, R., 2014, An Effect of Alginate on The Stability of LDH Nanosheets in Aqueous Solution and Preparation of Alginate/LDH Nanocomposites, *Carbohyd. Polym.*, 100, 158-165.

Khan, T.A., Peh, K.K., and Ch'ng, H.S., 2002, Reporting Degree of Deacetylation Values of Chitosan: The Influence of Analytical Methods, *J. Pharm. Pharmaceut. Sci.*, 5(3), 205-212.

Kishore, D., and Kannan, S., 2004, Double Bond Migration of Eugenol to Isoeugenol Over As-Synthesized Hydrotalcites and Their Modified Forms, *Appl. Catal. A-Gen.*, 270(1), 227-235.

Kishore, D., and Kannan, S., 2002, Isomerization of Eugenol and Safrole Over MgAl Hydrotalcite, a Solid Base Catalyst, *Green Chem.*, 4(6), 607-610.

Kishor, V.G., Sandip, V.G., Satish, B.J., and Shantilal, D.R., 2010, Synthesis of Some Novel Chalcones of Phthalimidoester Possessing Good Antiinflamatory and Antimicrobial Activity, *Indian. J. Chem.*, 49, 131-136.

Kloprogge, J.T., Hickey, L., and Frost, R.L., 2004, The Effect of Synthesis pH and Hydrothermal Treatment on The Formation of Zinc Aluminium Hydrotalcite, *J. Solid State Chem.*, 177(11), 4047.

SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Kojima, K., Yoshikuni, M., and Suzuki, T.J., 1979, Tributylborane-Initiated Grafting of Methyl Methacrylate onto Chitin, *Appl. Polym. Sci.*, 24(7), 1587–1593.

Kumar, M.N.V.R., 2000, A Review of Chitin and Chitosan Applications. *React. Funct. Polym.*, 46(1), 1–27.

Kumirska, J., Czerwicka, M., Kaczyński, Z., Bychowska, A., Brzozowski, K., Thöming, J., and Stepnowski, P., 2010 Application of Spectroscopic Methods for Structural Analysis of Chitin and Chitosan, *Mar. Drugs.*, 8(5), 1567-1636.

Lee, S.H., Nan, J.X., Zhao, Y.Z., Woo S.W., Park, E.J., Kang, T.H., Seo, G.S., Kim, Y.C., and Sohn, D.H., 2003. The Chalcones Butein from *Rhus verniciflua* Shows Antifibrogenic Activity. *Planta*, 69(11), 990-994.

Li, R., Kenyon, G.L., Cohen, F.E., Chen, X., Gong, B., Dominguez, J.N., Davison, E., Kurzban, G., Miller, R.E., and Nuzman, E.O., 1995, In Vitro Antimalarial Activity of Chalcones and Their Derivatives, *J. Med. Chem.*, 38(26), 5031-5037.

Li, H., and Yu, T., 2001, Effect of Chitosan on Incidence of Brown Rot, Quality and Physiological Attributes of Postharvest Peach Fruit, *J. Sci. Food. Agric.*, 81(2), 269-274.

Li, S.P., and Zhou. Z.P., 2006. Synthesis And Characterization of The Mixed Mg/Al Hydrotalcite-Like Compounds, *J. Disper. Sci. Technol.*, 27(8), 1076-1084.

Lokesh, B.V.S., Prasad., Y.R., and Shaik., A.B., 2017, Synthesis and Biological Activity of Novel 2,5-Dichloro-3-Acetylthiophene Chalcone Derivative, *Indian. J. Pharm. Educ. Res.*, 51(4), 679-690.

Ma, J., and Yogeshwar, S., 2013, A Review Chitosan Biopolymer for Fuel Cell Applications, *Carbohydr. Polym.*, 92(2), 955-975.

Mardiana, L., Ardiansah, B., Bakri, R., Cahyana, A., Anita, Y., and Aziza, N.P., 2017. Utilization of Eggshell-Derived Material as A Solid Base Catalyst for Efficient Synthesis of Substituted Chalcones, *Jurnal Teknologi*, 79(5), 175-182.

Narayanan, S., and Krishna, K, 1998, Hydrotalcite-supported Palladium Catalysts: Part I: Preparation, Characterization of Hydrotalcites and Palladium on Uncalcined Hydrotalcites for CO Chemisorption and Phenol Hydrogenation, *Appl. Catal.*, 174(1), 221-229.

SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Narender, T., and Reddy, K.P., 2007, A Simple and Highly Efficient Method for the Synthesis of Chalcones by Using Borontrifluoride-Etherate, *Tetrahedron Lett.*, 48(18), 3177- 3180.

Nejati, K., Keypour, H., Nezhad, P.D.K., Rezvani, Z., and Asadpour-Zeynali, K., 2015, Preparation and Characterization of Cetirizine Intercalated Layered Double Hydroxide and Chitosan Nanocomposites, *J. Taiwan. Inst. Chem. E*., 53, 168-17.

Novita, M., Satriana, M., Rohaya, S., dan Hasmarita, E., 2012, Pengaruh Pelapisan Kitosan terhadap Sifat Fisik dan Kimia Tomat Segar (Lycopersicum pyriforme) pada Berbagai Tingkat Kematangan, *Jurnal Teknologi dan Industri Pertanian Indonesia*, 4(3), 1-8.

Ono, Y., 2003, Solid Base Catalysts for The Synthesis of Fine Chemicals, *J. Catal.*, 216(1), 406-415.

Opletalova, V., 2000, Chalcones and Their Heterocyclic Analogues as Potential Therapeutic Bacterial Diseases, *Ceska Slov Farm*, 49(6), 278-284.

Oyedapo, A.O., Mankanju, V.O., Adewunmi, C.O., Iwalewa, E.O., and Adenowo, T.K., 2004, Antitrichomonal Activity of 1,3-diaryl-2-propen-1- one on *Trichomona gallinae*. *Afr. J. Trad. CAM*., 1, 55-62.

Perez-Ramirez, J., Abello, S., and Pers, N.M.V.D., 2007, Memory Effect of Activated Mg–Al Hydrotalcite: InSitu XRD Studies during Decomposition and Gas-Phase Reconstruction, *Chem. Eur. J.*, 13(3), 870-878.

Patil, C.B., Mahajan, S.K., and Katti, S.A., 2009, Chalcone: A Versatile Molecule, *J. Pharm. Sci. Res.*, 1(3), 11-12.

Purwatiningsih, S., Wukirsari, T., Sjahriza, A., dan Wahyono, D, 2009, *Kitosan Sumber Biomaterial Masa Depan*, IPB Press, Bogor.

Rajamanthi, M.G.S., Thomas, G., and Kamath, P.V., 2001, The Many Ways of Making Anionic Clays, *Chem. Sci.*, 113(5), 671-680.

Rao, K.K., Gravelle, M., Valente, J., and Figueras, F., 1998, Activation of Mg-Al Hydrotalcite Catalysts for Aldol Condensation Reactions, *J. Catal.*, 173(1), 115-121.

Ricci., A., Bernardi, L., Gioia, C., Vierucci, S., Robitzer, M., and Quignard, F., 2010, Chitosan Aerogel: A Recyclable, Heterogeneous Organocatalyst for the Asymmetric Direct Aldol Reaction in Water, *Chem. Commun.*, 46(34), 6288-6290.

Rives, V., 2001, *Study of Layered Double Hydroxides by Thermal Methods. In Layered Double Hydroxides: Present and Future*. Rives, V., Ed., Nova Science Publishers Inc., New York.

SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Roberts, G.A.F.,1992, *Chitin Chemistry*, MacMillan, UK.

Roelofs, J.C.A.A., Dillen, A.J.V., and Jong, K.P.D., 2001, Condensation of Citral and Ketones using Activated Hydrotalcite Catalysts, *Catal. Lett.*, 74(1), 91-94.

Saito, Y., Putraux, J.L., Okano, T., Gaill, F., and Chanzy, H., 1997, Structural Aspects of the Swelling of β Chitin in HCl and Its Conversion into α Chitin, *Macromolecules*, 30(13), 3867-3873.

Sakthivel, B., and Dhakshinamoorthy, A., 2017, Chitosan as A Reusable Solid Base Catalyst for Knoevenagel Condensation, *J. Colloid. Interface. Sci.*, 485, 75-80.

Satyanarayana, K., and , Rao, M.N.A., 1993., Chalcones Have Antiinflammatory, Analgesic and Anti-pyretic Activity., *Indian Drugs.*, 30(7), 313-318.

Sing, K.S.W., Everett. D.H., Haul, R.A.W., Moscou, L., Pierotti, R.A., Rouquerol, J., and Siemieniewska, T., 1985, Reporting Physisorption Data for Gas/Solid Systems with Special Reference to The Determination of Surface Area and Porosity, *Pure & Appl. Chem.*, 57(4), 603-619.

Stanimirova, T.S., Kirov, G., and Dinolova, E., 2001, Mechanism of hydrotalcite regeneration, *J. Mater. Sci.*, 20, 453-455.

Sudheesh, N., Sharma, S.K., and Shukla, R.S., 2010, Chitosan as An Eco-Friendly Solid Base Catalyst for The Solvent-Free Synthesis of Jasminaldehyde, *J. Mol. Catal. A-Chem.*, 321(1), 77–82.

Suwito, H., Jumina, Mustofa, Alfinda N.K., and Puspaningsih, N.N.T., 2014, Chalcones: Synthesis, Structure Diversity and Pharmacological Aspects, *J. Chem. Pharm. Res.*, 6(5), 1078-1088.

Synowiecki, J., and Al-Khateeb, N.A., 2003, Production, Properties, and Some New Applications of Chitin and Its Derivatives, *Crit. Rev. Food. Sci. Nutr.*, 43(2),145-171.

Tang, Z.X., Qian, J.Q., and Shi, L.E., 2007, Preparation of Chitosan Nanoparticles as Carrier for Immobilized Enzyme, *Appl. Biochem. Biotechnol.*, 136, 77-96.

Tichit, D., Coq, B., Cerneaux, S., and Durand, R., 2002, Condensation of Aldehydes for Environmentally Friendly Synthesis of 2-methyl-3-phenyl-propanal by Heterogeneous Catalysis, *Catal. Today.*, 75(1), 197-202.

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., and Kaur, H., 2011, Phytochemical Screening and Extraction, Review, *Internationale Pharmaceutica Sciencia*, 1(1), 98-106.

Tiwari, B., Pratapwar, A.S., Tapas, A.R., Butle, S.R., and Vatkar, B.S., 2010, Synthesis and Antimicrobial Activity of Some Chalcone Derivatives, *Int. J. Chemtech. Res.*, 2(1), 499-503.

UNIVERSITAS GADJAH MADA
SINTESIS KOMPOSIT HIDROTALSIT TERMODIFIKASI KITOSAN DAN POTENSINYA SEBAGAI KATALIS HETEROGEN UNTUK PEMBENTUKAN TURUNAN KALKON
VENI FULITASARI, Drs. Bambang Purwono, M.Sc., Ph.D. ; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/

Toumi, M., and Salem, B., 2017, Comparison of Different Synthesis Ways for Mg–Al- Layered Double Hydroxides (LDH): Effects of Ultrasound Treatment and Characterization of The Structural Phases by Rietveld Refinement, *JNMS*, 4(2), 112-120.

Ulfa, M., Trisunaryanti, W., Falah, I.I., and Kartini, I.,Characterization of Gelatines Extracted From Cow Bone for Carbon Synthesis, *IOSR-JAC*, 8(8), 57-63.

Ulibarri, M.A., Pavlovic, I., Barriga, C., Hermosin, M.C., and Cornejo, J., 2001, Adsorption of Anionic Species on Hydrotalcite-like Compounds: Effect of Interlayer Anion and Crystallinity, *App. Clay. Sci.*, 18(1), 17-27.

Viswanathan, N., and Meenakshi, S., 2008, Enhanced Fluoride Sorption Using La(III) Incorporated Carboxylated Chitosan Beads, *J. Colloid. Interface. Sci.*, 322(2), 375–383.

Viswanathan, N., and Meenakshi, S., 2010, Selective Fluoride Adsorption by A Hydrotalcite/Chitosan Composite, *Appl. Clay. Sci.*, 48(8), 607–611.

Wang, W., Du, Y., and Wang, X., 2008, Physical Properties of Fungal Chitosan, World. *J. Microb. Biot.*, 24, 2717-2720.

Wibowo, W., Sunardi, dan Yulia, I., 2007, Studi Reaksi Konversi Katalisis 2-Propanol Menggunakan Katalis dan Pendukung Katalis γ-Al_2O_3, *Bulletin of Chemical Reaction Engineering & Catalysis*, 2(2), 56-61.

Winter, C., Caetano, J. N., Barros, A., Araújo, C., Chaves, A. R., Ostroski, I. C., Vaz, B.G., Pérez, C.N., and Alonso, C.G, 2016, Activated Carbon for Chalcones Production: Claisen-Schmidt Condensation Reaction, *Chem Eng J.*, 303, 604-610.

Wu, H., Zhang, H., Yang, Q., Wang, D., Zhang, W., and Yang, X., 2017, Calcined Chitosan-Supported Layered Double Hydroxides: An Efficient and Recyclable Adsorbent for The Removal of Fluoride from An Aqueous Solution, *Materials*, 10(12), 1-18.

Zargar, V., Asghari, M., and Dashti, A., 2015, A Review on Chitin and Chitosan Polymers: Structure, Chemistry, Solubility, Derivatives, and Applications, *Chem. Bio. Eng.*, 2(3), 204-226.

Zhu, M.X., Li, Y.P., Xie, M., and Xin, H.Z., 2005, Sorption of Anionic Dye by Uncalcined and Calcined Layered Double Hydroxides : A Case Study, *J. Hazard. Mater.*, 120(1), 163-171.

Zhuang, C., Zhang, W., Sheng, C., Zhang, W., Xing., C., and Miao, Z., 2017, Chalcone: A Privileged Structure in Medicinal Chemistry, *Chem. Rev.*, 117(2), 7762-7810.