

DAFTAR PUSTAKA

- Agusta, A., 2000, *Minyak Atsiri Tumbuhan Tropika Indonesia*, ITB Press, Bandung.
- Ahmed, S., Ansari, S.H., Ali, M., Bhatt, D. & Ansari, F., 2008, Phcog Rev : Plant Review Phytochemical and Biological Investigations on *Curcuma aromatica* : a Review, *Pharmacognosy Reviews*, 2, 3, 151–156.
- Akarchariya, N., Sirilun, S., Julsrigival, J. & Chansakaowa, S., 2017, Chemical profiling and antimicrobial activity of essential oil from *Curcuma aeruginosa* Roxb., *Curcuma glans* K. Larsen & J. Mood and *Curcuma cf. xanthorrhiza* Roxb. collected in Thailand, *Asian Pacific Journal of Tropical Biomedicine*, 7, 10, 881–885.
- Al-Reza, S.M., Rahman, A., Sattar, M.A., Rahman, M.O. & Fida, H.M., 2010, Essential oil composition and antioxidant activities of *Curcuma aromatica* Salisb., *Food and Chemical Toxicology*, 48, 6, 1757–1760.
- Al-Reza, S.M., Rahman, A., Parvin, T., Rahman, M.M. & Rahman, M.S., 2011, Chemical composition and antibacterial activities of essential oil and organic extracts of *curcuma aromatica salisb*, *Journal of Food Safety*, 31, 4, 433–438.
- Angel, G.R., Menon, N., Vimala, B. & Nambisan, B., 2014, Essential oil composition of eight starchy *Curcuma* species, *Industrial Crops and Products*, 60, 233–238.
- Angel, G.R., Vimala, B. & Nambisan, B., 2012, Antioxidant and antimicrobial activity of essential oil from nine starchy *curcuma* species, *International Journal of Current Pharmaceutical Research*, 4, 2, 45–47.
- Anonim, 2001, a *Dictionary of Indian Raw Materials and Industrial Products*, Wealth of India, NISCOM (CSIR), New Delhi.
- Arafa, H.M., 2005, Curcumin Attenuates Diet-induced Hypercholesterolemia in Rats, *Medical Science Monitor*, 11, 7, 228–234.
- Archana, D., Dixitha, M. & Santhy, K.S., 2015, Antioxidant and Anti Clastogenic Potential of *Piper Longum* L., *International Journal of Applied Pharmaceutics*, 7, 2.
- Ardianingsih, R., 2009, Penggunaan High Performance Liquid Chromatography (HPLC) Dalam Proses Analisa Deteksi Ion, *Jurnal LAPAN*, 10(4), 101–104.
- Arts, M.J.T.J., Sebastiaan, D.J., Voss, H.P., Haenen, G.R.M.M. & Bast, A., 2003, a critical appraisal of the use of the antioxidant capacity (TEAC) assay in defining optimal antioxidant structures, *Food Chemistry*, 80, 3, 409–414.
- Avanco, G.B., Ferreira, F.D., Bomfim, N.S., dos Santos, P.A. d S.R., Peralta, R.M.,

- Brugnari, T., Mallmann, C.A., Filho, B.A. d A., Mikcha, J.M.G.M. & Machinski Jr., M., 2017, Curcuma longa L. essential oil composition, antioxidant effect, and effect on Fusarium verticillioides and fumonisin production, *Food Control*, 73, 806–813.
- Borah, A., Paw, M., Gogoi, R., Loying, R., Sarma, N., Munda, S., Kumar Pandey, S. & Lal, M., 2019, Chemical composition, antioxidant, anti-inflammatory, anti-microbial and in-vitro cytotoxic efficacy of essential oil of Curcuma caesia Roxb. leaves: an endangered medicinal plant of North East India, *Industrial Crops and Products*, 129, December 2018, 448–454.
- Brereton, R.G., 2013, *Chemometrics: Data Analysis for The Laboratory and Chemical Plants*, John Willey & Sons Ltd., England.
- Bro, R., Jerome, J.W., Paul, R. & Kowalski, B.R., 1997, Review of Chemometrics Applied to Spectroscopy: 1998-95, Part 3-Multi-way analysis, *App Spectros Rev*, 32, 37-261.
- Cahyono, B., Huda, M.D.K. & Limantara, L., 2011, Pengaruh Proses Pengeringan Rimpang Temulawak (Curcuma xanthorriza Roxb.) Terhadap Kandungan dan Komposisi Kurkuminoid, *Reaktor*, 13, 3, 165.
- Cassel, E. & Vargas, R., 2013, Experiments and modelling of the Cymbopogon nardus essential oil extraction by steam distillation, *J Mex Chem Soc*, 50, 126–129.
- Chaaban, A., Richardi, V.S., Carrer, A.R., Brum, J.S., Cipriano, R.R., Martins, C.E.N., Silva, M.A.N., Deschamps, C. & Molento, M.B., 2019, Insecticide activity of Curcuma longa (leaves) essential oil and its major compound α -phellandrene against *Lucilia cuprina* larvae (Diptera: Calliphoridae): Histological and ultrastructural biomarkers assessment, *Pesticide Biochemistry and Physiology*, 153, September 2018, 17–27.
- Chagas, A.C. de S., Oliveira, M.C. de S., Giglioti, R., Santana, R.C.M., Bizzo, H.R., Gama, P.E. & Chaves, F.C.M., 2016, Efficacy of 11 Brazilian essential oils on lethality of the cattle tick *Rhipicephalus (Boophilus) microplus*, *Ticks and Tick-borne Diseases*, 7, 3, 427–432.
- Che Man, Y.B., Rohman, A. & Mansor, T.S.T., 2011, Differentiation Lard from Other Edible Fats and Oils by Means of Fourier-Transform Infrared Spectroscopy and Chemometrics, *Journal of The American Oil Chemists' Society*, 88, 187-192.
- Chen, Z., Quan, L., Zhou, H., Zhao, Y., Chen, P., Hu, L., Yang, Z., Hu, C. & Cao, D., 2019, Screening of active fractions from Curcuma Longa Radix isolated by HPLC and GC-MS for promotion of blood circulation and relief of pain,

Journal of Ethnopharmacology, 234, 68–75.

- Chowdhury, F.H., Mohammad, A.-A., Kazi, M.R., Sarker, A., Alam, M.M., Chowdhury, M.H., ... & Sultana, G.N., 2015, Analgesic principle from *Curcuma amada*, *Journal of Ethnopharmacology*, 163, 273–277.
- Dewick, P.M., 2002, The Biosynthesis of C5-C25 Terpenoid Compounds, *Natural Product Reports*, 19, 181-222.
- Dewoto, H.R., 2007, *Pengembangan Obat Tradisional Indonesia Menjadi Fitofarmaka*, UI Press, Jakarta.
- Donipati, P. & Sreeramulu, S., 2015, Preliminary phytochemical screening of *Curcuma caesia*, *Int. J. Curr. Microbiol. App. Sci.*, 4, 11, 30–34.
- Dosoky, N.S., Satyal, P. & Setzer, W.N., 2019, Variations in the volatile compositions of *Curcuma* species, *Foods*, 8, 2, 1–14.
- Dosoky, N.S. & Setzer, W.N., 2018, Chemical composition and biological activities of essential oils of *curcuma* species, *Nutrients*, 10, 9, 10–17.
- Dunn, W.B., Bailey, N.J.C. & Johnson, H.E., 2005, Measuring the metabolome: Current analytical technologies, *Analyst*, 130, 5, 606–625.
- Eaton, D.C., 1989, *Laboratory Investigations in Organic Chemistry*, Mc Graw–Hill, USA.
- Ellis, D.I., Dunn, W.B., Griffin, J.L., Allwood, J.W. & Ellis, E.D., 2007, Metabolic fingerprinting as a diagnostic tool, , 8, 1243–1266.
- Farombi, E.O., Shrotriya, S., Na, H.K., Kim, S.H. & Surh, Y.J., 2008, Curcumin attenuates dimethylnitrosamine-induced liver injury in rats through Nrf2-mediated induction of heme oxygenase-1, *Food and Chemical Toxicology*, 46, 4, 1279–1287.
- Ferrari, R., 2015, Writing narrative literature reviews, *Medical Writing*, 24, 4, 230–235.
- Ferreira, F.D., Mossini, S.A.G., Ferreira, F.M.D., Arroiteia, C.C., Costa, C.L. & Nakamura, C. V., 2013, The inhibitory effects of *Curcuma longa* L. essential oil and curcumin on *Aspergillus flavus* Link growth and morphology, *The Scientific World Journal*, 6.
- Fiehn O, Kopka J, Dörmann P, Altmann T, Trethewey RN & Willmitzer L., 2000, Metabolite profiling for plant functional genomics, *Nature Biotechnology*, 18, 11, 1157–61.
- Fitria, R., Seno, D.S.H., Priosoeryanto, B.P., Hartanti & Nurcholis, W., 2019, Volatile compound profiles and cytotoxicity in essential oils from rhizome of

- Curcuma aeruginosa and Curcuma zanthorrhiza, *Biodiversitas*, 20, 10, 2943–2948.
- Gemperline, P., 2006, *Practical Guide to Chemometrics*, 2nd Ed., CRC Press, USA.
- George, M. & Britto, S.J., 2015, Phytochemical and Antioxidant Studies on the Essential Oil of the Rhizome of Curcuma Aeruginosa Roxb., *International Research Journal of Pharmacy*, 6, 8, 573–579.
- Goel, A., Kunnumakkara, A.B. & Aggarwal, B.B., 2008, Curcumin as “Curecumin”: From kitchen to clinic, *Biochemical Pharmacology*, 75, 4, 787–809.
- Gounder, D.K. & Lingamallu, J., 2012, Comparison of chemical composition and antioxidant potential of volatile oil from fresh, dried and cured turmeric (Curcuma longa) rhizomes, *Industrial Crops and Products*, 38, 1, 124–131.
- Gunawan, D & Mulyani, S., 2004, *Ilmu Obat Alam*, Penebar Swadaya, Jakarta.
- Hanwar, D., Suhendi, A., Trisharyanti, I., Santoso, B., Safitri, M. & Haryoto, 2015, Analisis Profil Metabolit Sekunder Ekstrak Lempuyang Emprit Dengan Kromatografi Gas-Spektroskopi Massa, *University Research Colloquium*, 158–166.
- Harborne, J.B., 1987, *Metode Fitokimia Tumbuh-tumbuhan*, diterjemahkan oleh Padmawinata, K.P. & Soediro, I., ITB Press, Bandung.
- Herath, H.M.I.C., Wijayasiriwardene, T.D.C.M.K. & Premakumara, G.A.S., 2017, Comparative GC-MS analysis of all Curcuma species grown in Sri Lanka by multivariate test, *Ruhuna Journal of Science*, 8, 2, 103.
- Jacob, A., Wu, R., Zhou, M. & Wang, P., 2007, Mechanism of the anti-inflammatory effect of curcumin: PPAR- γ activation, *PPAR Research*.
- Jantan, I., Saputri, F.C., Qaisar, M.N. & Buang, F., 2012, Correlation between chemical composition of curcuma domestica and curcuma xanthorrhiza and their antioxidant effect on human low-density lipoprotein oxidation, *Evidence-based Complementary and Alternative Medicine*.
- Jantan, I., Ahmad, A.S., Ali, N.A.M., Ahmad, A.R. & Ibrahim, H., 1999, Chemical composition of the rhizome oils of four curcuma species from Malaysia, *Journal of Essential Oil Research*, 11, 6, 719–723.
- Jarikasem, S., Thubthimthed, S., Chawanoraseth, K., Suntornatanasat, T. & Brophy, J.J., 2005, Essential oils from three Curcuma species collected in Thailand, *Acta Horticulturae*, 3, 675, 37–40.
- Jayaprakasha, G.K., Jena, B.S., Negi, P.S. & Sakariah, K.K., 2002, Evaluation of antioxidant activities and antimutagenicity of turmeric oil: a byproduct from

curcumin production, *Zeitschrift fur Naturforschung - Section C Journal of Biosciences*, 57, 9–10, 828–835.

- Jugreet, B.S., Mahomoodally, M.F., Sinan, K.I., Zengin, G. & Abdallah, H.H., 2020, Chemical variability, pharmacological potential, multivariate and molecular docking analyses of essential oils obtained from four medicinal plants, *Industrial Crops and Products*, 150, March, 112394.
- Kamazeri, T.S.A.T., Samah, O.A., Taher, M., Susanti, D. & Qaralleh, H., 2012, Antimicrobial activity and essential oils of *Curcuma aeruginosa*, *Curcuma mangga*, and *Zingiber cassumunar* from Malaysia, *Asian Pacific Journal of Tropical Medicine*, 5, 3, 202–209.
- Kardono, L.B.S. & Dewi, R.T., 1998, Evaluasi Kandungan Antioksidan dan Senyawa Fenolik dalam Rempah-Rempah Endemik Indonesia, *Prosiding Seminar Nasional Teknologi Pangan dan Gizi*, 341–347.
- Kim, J.K., Jo, C., Hwang, H.J., Park, H.J., Kim, Y.J. & Byun, M.W., 2006, Color improvement by irradiation of *Curcuma aromatica* extract for industrial application, *Radiat. Phys. Chem*, 75, 449–452.
- Kim, K.I., Kim, J.W., Hong, B.S., Shin, D.H., Cho, Y., Kim, H.K. & Yang, H.C., 2000, Antitumor, genotoxicity and anticlastogenic activities of polysaccharide from *Curcuma zedoaria*, *J Mol Cell*, 10, 392–398.
- Kojima, H., Yanai, T. & Toyota, A., 1998, Essential oil constituents from Japanese and Indian *Curcuma aromatica* rhizomes, *Planta Medica*, 64, 4, 380–381.
- Kumar, A., Navneet & Gautam, S.S., 2020, Volatile Constituents of *Curcuma caesia* Roxb. Rhizome from North India, *National Academy Science Letters*, 4–7.
- Kumar, P., Padi, S., Naidu, P.S. & Kumar, A., 2007, Possible Neuroprotective Mechanisms of Curcumin in Attenuating 3-nitropropionic Acid-induced Neurotoxicity, *Methods and Findings in Experimental and Clinical Pharmacology*, 29, 1, 19–25.
- Lee, Y., Song, Y. & Lee K., 2012, Evaluation of Antioxidant, Tyrosinase Inhibitor and Antiinflammatory Activities of Turmeric (*Curcuma longa*) extracts, *International Journal of Beauty Cultural Arts*, 1, 1, 2-8.
- Li, S.Y., Yuan, W., Deng, G. & Wang, P., 2011, Chemical Composition and Product Quality Control of Turmeric (*Curcuma longa* L.), *Phytochemistry*, 2, 2854, 28-54.
- Li, S.Y. & Li, S.P., 2009, Antioxidant activities of essential oil of *Curcuma longa* and *Curcuma wenyujin*, *International Journal of Essential Oil Therapeutics*,

3, 1, 31–34.

- Liju, V.B., Jeena, K. & Kuttan, R., 2011, an evaluation of antioxidant, anti-inflammatory, and antinociceptive activities of essential oil from *Curcuma longa*. L, *Indian Journal of Pharmacology*, 43, 5, 526–531.
- Lis-Balchin, M., 2012, *Essential oil from different Pelargonium species and cultivars: their chemical composition (using GC, GC/MS) and appearance of trichomes (under EM)*, Taylor and Francis, London.
- Liu, Y., Roy, S.S., Nebie, R.H.C., Zhang, Y. & Nair, M.G., 2013, Functional food quality of *Curcuma caesia*, *Curcuma zedoaria* and *Curcuma aeruginosa* endemic to North-eastern India, *Plant Foods Hum. Nutr.*, 68, 72–77.
- Ma, J., Wang, Y., Liu, Y., Gao, S., Ding, L., Zhao, F. & Qiu, F., 2015, Cadinene Sesquiterpenes from *Curcuma phaeocaulis* with Their Inhibitory Activities on Nitric Oxide Production in RAW 264.7 Cells, *Fitoterapia*, 103, 90-96.
- Martins, A.P., Salgueiro, L., Goncalves, M.J., da Cunha, A.P., Vila, R., Canigual, S., Mazzoni, V., Tomi, F. & Casanova, J., 2001, Essential oil composition and antimicrobial activity of three Zingiberaceae from S.Tomé e Príncipe., *Planta Medica*, 67, 580–584.
- Mary, H.P.A., Susheela, G.K., Jayasree, S., Nizzy, A.M., Rajagopal, B. & Jeeva, S., 2012, Phytochemical characterization and antimicrobial activity of *Curcuma xanthorrhiza* Roxb., *Asian Pacific Journal of Tropical Biomedicine*, 2, 2 SUPPL., S637–S640.
- Matsuda, H., Morikawa, T., Ninomiya, K. & Yoshikawa, M., 2001, Hepatoprotective constituents from *Zedoariae* rhizoma: absolute stereostructures of three new carabrane type sesquiterpenes, curcumenolactones A, B and C, *Bio-organ Med Chem*, 9, 909, 916.
- Mau, J.L., Lai, E.Y.C., Wang, N.P., Chen, C.C., Chang, C.H. & Chyau, C.C., 2003, Composition and antioxidant activity of the essential oil from *Curcuma zedoaria*, *Food Chemistry*, 82, 4, 583–591.
- Miller, J.N. & Miller, J.C., 2010, *Statistics and Chemometrics for Analytical Chemistry*, 6th Ed., Pearson, England.
- Mohanakrishnan, M., Tava, A., Rajan, P.P. & Shafi, P.M., 2013, Composition and Antifungal Activity of The Essential Oil from *Curcuma ecalcarata* Sivar. & Balach., *Journal of Pharmaceutical and Biomedical Science*, 4, 3, 96-99.
- Mujumdar, A.M., Naik, D.G., Dandge, C.N. & Puntambekar, H., 2000, Anti-inflammatory activity of *Curcuma amada* Roxb. in albino rats, *Indian Journal of Pharmacology*, 32, 375–377.

- Nampoothiri, S. V., Philip, R.M., Kankangi, S., Kiran, C.R. & Menon, A.N., 2015, Essential Oil Composition, α -Amylase Inhibition and Antiglycation Potential of *Curcuma aromatica* Salisb, *Journal of Essential Oil-Bearing Plants*, 18, 5, 1051–1058.
- Nanasombat, S. & Wimuttigosol, P., 2011, Antimicrobial and antioxidant activity of spice essential oils, *Food Science and Biotechnology*, 20, 1, 45–53.
- Nanda, Y., Singson, N. & Rao, A.N., 2013, Ethnomedicinal plants of Thadou tribe of Manipur (India), *Pleione*, 7, 138–145.
- Nanjo, F., Mori, M., Goto, K. & Hara, Y., 1999, Radical scavenging activity of tea catechins and their related compounds, *Biosci. Biotechnol. Biochem.*, 63, 9, 1621–1631.
- Navarro, D.D., Souza, M.M., Neto, R.A., Golin, V., Niero, R., Yunes, R.A., Delle, M.F. & Cechinel, V., 2002, Phytochemical analysis and analgesic properties of *Curcuma zedoaria* grown in Brazil, *Phytomed*, 9, 427–432.
- NCBI, n.d. PubChem, Explore Chemistry, *NCBI*. <https://pubchem.ncbi.nlm.nih.gov>
- Neamsuvan, O., Tuwaemaengae, T., Bensulong, F., Asae, A. & Mosamae, K., 2012, a survey of folk remedies for gastrointestinal tract diseases from Thailand's three southern border provinces, *Journal of Ethnopharmacology*, 144, 11–21.
- Nur, S.W., 2006, Perbandingan Sistem Ekstraksi dan Validasi Penentuan Xanthorrhizol dari Temulawak secara Kromatografi Cair Kinerja Tinggi, *Skripsi, Fakultas Matematika dan Ilmu Pengetahuan, Institut Pertanian Bogor*.
- Oktavianawati, I., Kurniati, H.I., Maghfiroh, K., Hanifah, N., Handayani, W. & Winata, I.N.A., 2018, Essential oils from rhizomes of five Zingiberaceae species in Meru Betiri National Park, *AIP Conference Proceedings*, 2026.
- Oyemitan, I.A., Elusiyan, C.A., Onifade, A.O., Akanmu, M.A., Oyedeji, A.O. & McDonald, A.G., 2017, Neuropharmacological profile and chemical analysis of fresh rhizome essential oil of *Curcuma longa* (turmeric) cultivated in Southwest Nigeria, *Toxicology Reports*, 4, February, 391–398.
- Pandey, A.K. & Chowdhury, A.R., 2003, Volatile constituents of the rhizome oil of *Curcuma caesia* Roxb. from central India, *Flavour and Fragrance Journal*, 18, 5, 463–465.
- Policegoudra, R.S., Vairale, M.G., Chattopadhyay, P., Shivaswamy, R., Aradhya, S.M. & Raju, P.S., 2020, Bioactive constituents of *Curcuma amada* (mango ginger) rhizomes and their antifungal activity against human skin pathogens, *Journal of Herbal Medicine*, , August 2016, 100331.

- Priya, R., Prathapan, A., Raghu, K.G. & Menon, A.N., 2012, Chemical composition and in vitro antioxidative potential of essential oil isolated from *Curcuma longa* L. leaves, *Asian Pacific Journal of Tropical Biomedicine*, 695–699.
- Rafi, M., Septaningsih, D.A. & Heryanto, R., 2018, Metabolite Profiling of Java Tumeric (*Curcuma xanthorrhiza*) Essential Oil with Different Harvest Time, *Journal Kimia Sains dan Aplikasi*, 21, 4, 237–241.
- Rahman, A., Afroz, M., Islam, R., Islam, K.D., Amzad Hossain, M. & Na, M., 2014, In vitro antioxidant potential of the essential oil and leaf extracts of *Curcuma zedoaria* Rosc., *Journal of Applied Pharmaceutical Science*, 4, 2, 107–111.
- Rios, J.-L., 2016, Chapter 1: *Essential Oils: What They Are and How The Terms Are Used and Defined in Essential Oils in Food Preservation, Flavour, and Safety*, Elsevier Inc.
- Rukayadi, Y. & Hwang, J.K., 2006, Effect of coating the wells of a polystyrene microtiter plate with xanthorrhizol on the biofilm formation of *Streptococcus mutans*, *Journal of Basic Microbiology*, 46, 5, 410–415.
- Rukayadi, Y., Yong, D. & Hwang, J.K., 2006, In vitro anticandidal activity of xanthorrhizol isolated from *Curcuma xanthorrhiza* Roxb, *Journal of Antimicrobial Chemotherapy*, 57, 6, 1231–1234.
- Sacchetti, G., Maietti, S., Muzzoli, M., Scaglianti, M., Manfredini, S., Radice, M. & Bruni, R., 2005, Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in foods, *Food Chemistry*, 91, 4, 621–632.
- Sahu, B., Kenwat, R. & Chandrakar, S., 2016, Medicinal value of *Curcuma cassia* Roxb: an overview, *UK. J. Pharm. Biosci*, 4, 6, 69–74.
- Said, A., 2007, *Khasiat dan Manfaat Temulawak*, Sinar Wadja Lestari, Jakarta.
- Sanghamitra, N., Sujata, M. & Nagar, K., 2015, Differential effect of soil and environment on metabolic expression of turmeric (*Curcuma longa* cv. Roma), *Indian J. Exp. Biol.*, 53, 406–411.
- Sarangthem, K. & Haokip, M.J., 2010, Bioactive components in *Curcuma caesia* Roxb. growing in Manipur, *Bioscan*, 5, 113–115.
- Sasikumar, B., 2005, Genetic resource of *Curcuma*: diversity, characterization and utilization, *Plant Genet. Res.*, 3, 230–251.
- Schauer, N., Steinhauser, D., Strelkov, S., Schomburg, D., Allison, G., Moritz, T., Lundgren, K., Roessner-Tunali, U., Forbes, M.G., Willmitzer, L., Fernie, A.R. & Kopka, J., 2005, GC-MS libraries for the rapid identification of metabolites in complex biological samples, *FEBS Letters*, 579, 6, 1332–1337.

- Schmid-Scheonbein, G.W., 2006, Analysis of Inflammation, *Ann. Rev. Biomed. Eng.*, 8, 93–151.
- Sheeja, A.D.B. & Nair, M.S., 2012, Phytochemical constituents of *Curcuma amada*, *Biochemical Systematics and Ecology*, 44, 264–266.
- Sidik, Moelyono, M.W. & Muhtadi, A., 1995, *Temulawak (Curcuma xanthoriza)*, Yayasan Pengembangan Obat Bahan Alam Phyto Medica.
- Singh, G., Singh, O.P. & Maurya, S., 2002, Chemical and biocidal investigations on essential oils of some Indian *Curcuma* species, *Progress in Crystal Growth and Characterization of Materials*, 75–81.
- Singh, P., Singh, S., Kapoor, I.P.S., Singh, G., Isidorov, V. & Szczepaniak, L., 2013, Chemical composition and antioxidant activities of essential oil and oleoresins from *Curcuma zedoaria* rhizomes, part-74, *Food Bioscience*, 3, 42–48.
- Soudamini, K.K. & Kuttan, R., 1988, Cytotoxic and tumour reducing properties of curcumin, *Indian Journal of Pharmacology*, 20, 24, 95–101.
- Srivastava, S., Chitranshi, N., Srivastava, S., Dan, M., Rawat, A. & Pushpangathan, P., 2006, Pharmacognostic evaluation of *Curcuma aeruginosa* Roxb., *Nat Prod Sci*, 2, 162.
- Staples, G.W. & Herbst, D.R., 2005, *a Tropical Garden Flora: Plants cultivated in the Hawaiian Islands and other tropical places*, Bishop Museum Press, Honolulu, Hawai'i.
- Tamta, A., Prakash, O., Punetha, H. & Pant, A.K., 2016, Chemical composition and in vitro antioxidant potential of essential oil and rhizome extracts of *Curcuma amada* Roxb, *Cogent Chemistry*, 2, 1, 1–11.
- Thangapazham, R.L., Puri, A., Tele, S., Blumenthal, R. & Maheshwari, R.K., 2008, Evaluation of a nanotechnology-based carrier for delivery of curcumin in prostate cancer cells, *International Journal of Oncology*, 32, 5, 1119–1123.
- Theanphong, O., Mingvanish, W. & Kirdmanee, C., 2005, Chemical constituents and biological activities of essential oil from *Curcuma aeruginosa* Roxb. Rhizome, *Bulletin of Health, Science and Technology*, 13, 1, 6–16.
- Tsai, S.-Y., Huang, S.-J., Chyau, C.-C., Tsai, C.-H., Weng, C.-C. & Mau, J.-L., 2011, Composition and antioxidant properties of essential oils from *Curcuma* rhizome., *Asian J.Arts Sci.*, 2, 1, 57–66.
- Vaiga, R. & Sadono, M., 2019, Gas Chromatography Mass Spectrophotometry Profile of *Curcuma xanthoriza* Roxb, *Indigenous Science and Technology*, 1, 1, 25–30.

- Vishnupriya, M., Nishaa, S., Sasikumar, J.M., Teepica, P.D.D., Hephzibah, C.P. & Gopalakrishnan, V.K., 2012, Chemical composition and antioxidant activity of essential oil from *Curcuma amada* Roxb., *International Research Journal of Pharmacy*, 3, 6, 99–103.
- Wahab, I.R.A., Blagojević, P.D., Radulović, N.S. & Boylan, F., 2011, Volatiles of curcuma mangga Val. & Zijp (Zingiberaceae) from Malaysia, *Chemistry and Biodiversity*, 8, 11, 2005–2014.
- Widodo, H., Sismindari, S., Asmara, W. & Rohman, A., 2019, Antioxidant Activity, Total Phenolic and Flavonoid Content of Selected Medical Plants Used for Liver Diseases and Its Classification with Chemometrics, *Journal of Applied Pharmaceutical Science* 9, 6, 99-105.
- Wong, S.P., Leong, L.P. & Koh, J.H.W., 2006, Antioxidant activities of aqueous extracts of selected plants, *Food Chemistry*, 99, 4.
- Wu, D.L., 2015, *The Zingiberaceae Resource of China*, Huazhong University of Science and Technology Press, Wuhan, China.
- Xiang, H., Zhang, L., Yang, Z., Chen, F., Zheng, X. & Liu, X., 2017, Industrial Crops & Products antitumor activities of *Curcuma aromatica* Salisb. essential oils, *Industrial Crops & Products*, 108, 6–16.
- Xiang, H., Zhang, L., Xi, L., Yang, Y., Wang, X., Lei, D., Zheng, X. & Liu, X., 2018, Phytochemical profiles and bioactivities of essential oils extracted from seven *Curcuma* herbs, *Industrial Crops and Products*, 111, 298–305.
- Yasni, S., Imaizumi, K., Sin, K., Suganot, M., Nonaka, G. & Sidik, 1994, Identification of an active principle in essential oils and hexane-soluble fractions of *Curcuma xanthorrhiza* Roxb. Showing triglyceride-lowering action in rats, *Fd. Chem. Toxic.*, 32, 3, 273–278.
- Yokozawa, T., Chen, C.P., Dong, E., Tanaka, T., Nonaka, G.I. & I, N., 1998, Study on the inhibitory effect of tannins and flavonoids against the 1,1-diphenyl-2-picrylhydrazyl radical, *Biochemical Pharmacology*, 56, 2, 213–222.
- Zhang, L., Yang, Z., Chen, F., Su, P., Chen, D., Pan, W., Fang, Y., Dong, C., Zheng, X. & Du, Z., 2017, Composition and bioactivity assessment of essential oils of *Curcuma longa* L. collected in China, *Industrial Crops and Products*, 109, February, 60–73.
- Zhang, L., Yang, Z., Wei, J., Su, P., Chen, D., Pan, W., Zhou, W., Zhang, K., Zheng, X., Lin, L., Tang, J. & Du, Z., 2017, Contrastive analysis of chemical composition of essential oil from twelve *Curcuma* species distributed in China, *Industrial Crops and Products*, 108, June, 17–25.

- Zhang, L., Yang, Z., Chen, D., Huang, Z., Li, Y., Lan, X., Su, P., Pan, W., Zhou, W., Zheng, X. & Du, Z., 2017, Variation on Composition and Bioactivity of Essential Oil of Four Common Curcuma Herbs, *Chem Biodivers*, 14, 11.
- Zhou, X., Li, Z., Liang, G., Zhu, J., Wang, D. & Cai, Z., 2007, Analysis of volatile components of Curcuma sichuanensis X. X. Chen by gas chromatography-mass spectrometry, *Journal of Pharmaceutical and Biomedical Analysis*, 43, 2, 440–444.
- Zwaving, J.H. & Bos, R., 1992, Analysis of the Essential Oils of Five Curcuma Species, *Flavour and Fragrance Journal*, 7, 1, 19–22.