

DAFTAR PUSTAKA

- Alkerwi, A., Sauvageot, N., El Bahi, I., Delagardelle, C., Beissel, J., Noppe, S., dkk., 2017. Prevalence and related risk factors of chronic kidney disease among adults in Luxembourg: evidence from the observation of cardiovascular risk factors (ORISCAV-LUX) study. *BMC Nephrology*, **18**: 358.
- Andayani, T.M., 2013. *Farmakoekonomi Prinsip Dan Metodologi*. Bursa Ilmu, Yogyakarta.
- Anees, M., Hameed, F., Mumtaz, A., Ibrahim, M., dan Khan, M.N.S., 2011. Dialysis-Related Factors Affecting Quality of Life in Patients on Hemodialysis. *Iranian Journal of Kidney Disease*, **5**: 6.
- Caninsti, R., 2013. Kecemasan dan Depresi pada Pasien Gagal Ginjal Kronis yang Menjalani Terapi Hemodialisis. *Jurnal Psikologi Ulayat*, **1**: .
- Chen, J.-B., Lam, K.-K., Su, Y.-J., Lee, W.-C., Cheng, B.-C., Kuo, C.-C., dkk., 2012. Relationship between Kt/V urea-based dialysis adequacy and nutritional status and their effect on the components of the quality of life in incident peritoneal dialysis patients. *BMC Nephrology*, **13**: 39.
- Chisholm-Burns, M.A., Schwinghammer, T.L., Wells, B.G., Malone, P.M., Kolesar, J.M., dan DiPiro, J.T., 2016. *Pharmacotherapy: Principles & Practice: Fourth Edition* 1663.
- Cohen, S.D., Cukor, D., dan Kimmel, P.L., 2016. Anxiety in Patients Treated with Hemodialysis. *Clinical Journal of the American Society of Nephrology: CJASN*, **11**: 2250–2255.
- Craig, B.M., Pickard, A.S., Stolk, E., dan Brazier, J.E., 2013. US Valuation of the SF-6D. *Medical Decision Making*, **33**: 793–803.
- Daugirdas, J.T., Depner, T.A., Inrig, J., Mehrotra, R., Rocco, M.V., Suri, R.S., dkk., 2015. KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. *American Journal of Kidney Diseases*, **66**: 884–930.
- Drayer, R.A., Piraino, B., Reynolds, C.F., Houck, P.R., Mazumdar, S., Bernardini, J., dkk., 2006. Characteristics of depression in hemodialysis patients: symptoms, quality of life and mortality risk. *General Hospital Psychiatry*, **28**: 306–312.
- Ebrahimi, H., Sadeghi, M., dan Khatibi, M., 2015. The relationship between quality of life with dialysis efficacy and laboratory parameters in Shahroud' hemodialysis patients. *Iranian Journal of Critical Care Nursing*, **8**: 8.
- El Filali, A., Bentata, Y., Ada, N., dan Oneib, B., 2017. Depression and anxiety disorders in chronic hemodialysis patients and their quality of life: A cross-sectional study about 106 cases in the northeast of morocco. *Saudi Journal of Kidney Diseases and Transplantation*, **28**: 341.
- Feroze, U., Noori, N., Kovesdy, C.P., Molnar, M.Z., Martin, D.J., Reina-Patton, A., dkk., 2011. Quality-of-Life and Mortality in Hemodialysis Patients: Roles of Race and Nutritional Status. *Clinical Journal of the American Society of Nephrology*, **6**: 1100–1111.

- Flythe, J.E., Curhan, G.C., dan Brunelli, S.M., 2013. Shorter length dialysis sessions are associated with increased mortality, independent of body weight. *Kidney International*, **83**: 104–113.
- Ganu, V.J., Boima, V., Adjei, D.N., Yendork, J.S., Dey, I.D., Yorke, E., dkk., 2018. Depression and quality of life in patients on long term hemodialysis at a national hospital in Ghana: a cross-sectional study. *Ghana Medical Journal*, **52**: 22.
- Gerasimoula, K., Lefkothea, L., Maria, L., Victoria, A., Paraskevi, T., dan Maria, P., 2015. Quality of Life in Hemodialysis Patients. *Materia Socio Medica*, **27**: 305.
- Goh, Z.S. dan Griva, K., 2018. Anxiety and depression in patients with end-stage renal disease: impact and management challenges – a narrative review. *International Journal of Nephrology and Renovascular Disease*, **Volume 11**: 93–102.
- Hays, R.D., Kallich, J.D., Mapes, D.L., Coons, S.J., Amin, N., dan Carter, W.B., 1997. Kidney Disease Quality Of Life Short Form (KDQOL-SF), Version 1.3: A Manual For Use and Scoring. *RAND*, 1–43.
- Horsman, J., Furlong, W., Feeny, D., dan Torrance, G., 2003. The Health Utilities Index (HUI®): concepts, measurement properties and applications. *Health and Quality of Life Outcomes*, 13.
- Huda, M.N., Alam, K.S., dan Harun-Ur-Rashid, 2012. Prevalence of Chronic Kidney Disease and Its Association with Risk Factors in Disadvantageous Population. *International Journal of Nephrology*, **2012**: 1–7.
- Hudoyo, M.C.T., 2018. 'Validitas dan Reliabilitas Kidney Disease Quality of Life-36 (KDQOL-36) pada Pasien dengan Hemodialisis di Rumah Sakit Akademik Universitas Gadjah Mada Yogyakarta', , *Skripsi*, . Universitas Gadjah Mada, Yogyakarta.
- Imanishi, Y., Fukuma, S., Karaboyas, A., Robinson, B.M., Pisoni, R.L., Nomura, T., dkk., 2017. Associations of employment status and educational levels with mortality and hospitalization in the dialysis outcomes and practice patterns study in Japan. *PLOS ONE*, **12**: e0170731.
- Imelda, F., Susalit, E., Marbun, M.B.M., dan Rumende, C.M., 2017. Gambaran Klinis dan Kualitas Hidup Pasien Penyakit Ginjal Tahap Akhir yang Menjalani Hemodialisis Dua Kali Dibandingkan Tiga Kali Seminggu. *Jurnal Penyakit Dalam Indonesia*, **4**: 128.
- Indonesian Renal Registry, 2018. 11th Report of Indonesian Renal Registry 1–46.
- Jindal, K., Chan, C., T., dan Daziel, C., 2006. Hemodialysis Adequacy in Adult. *Journal of the American Society of Nephrology*, **17**: S1–S3.
- Johnson, R.J., Feehally, J., dan Flöge, J. (Editor), 2015. *Comprehensive Clinical Nephrology*, 5. ed. ed. Elsevier, Saunders, Philadelphia, Pa.
- Joshi, U., Subedi, R., Poudel, P., Ghimire, P.R., Panta, S., dan Sigdel, M.R., 2017. Assessment of quality of life in patients undergoing hemodialysis using WHOQOL-BREF questionnaire: a multicenter study. *International Journal of Nephrology and Renovascular Disease*, **Volume 10**: 195–203.

- Kang, G.W., Lee, I.H., Ahn, K.S., Lee, J., Ji, Y., dan Woo, J., 2015. Clinical and psychosocial factors predicting health-related quality of life in hemodialysis patients: HRQoL in HD patients. *Hemodialysis International*, **19**: 439–446.
- Kazancioğlu, R., 2013. Risk factors for chronic kidney disease: an update. *Kidney International Supplements*, **3**: 368–371.
- KDIGO, 2013. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease Clinical Practice Guidelines. *Kidney International Supplements*, **3**: 1–163.
- Kementrian Kesehatan RI, 2017. KMK No. HK.01.07/MENKES/642/2017 tentang Pedoman Nasional Tata Laksana Penyakit Ginjal Tahap Akhir. Kementrian Kesehatan Republik Indonesia, Jakarta.
- Kementrian Kesehatan RI, 2018. *Hasil Utama Riset Kesehatan Dasar (RISKESDAS) 2018*. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Khan, A., Khan, A.H., Adnan, A.S., Sulaiman, S.A.S., dan Mushtaq, S., 2019. Prevalence and predictors of depression among hemodialysis patients: a prospective follow-up study. *BMC Public Health*, **19**: 531.
- Kharroubi, S.A., Brazier, J.E., Roberts, J., dan O’Hagan, A., 2007. Modelling SF-6D health state preference data using a nonparametric Bayesian method. *Journal of Health Economics*, **26**: 597–612.
- Kim, K., Kang, G.W., dan Woo, J., 2018. The Quality of Life of Hemodialysis Patients Is Affected Not Only by Medical but also Psychosocial Factors: a Canonical Correlation Study. *Journal of Korean Medical Science*, **33**: e111.
- Koda-Kimble, M.A. dan Alldredge, B.K. (Editor), 2013. *Applied Therapeutics: The Clinical Use of Drugs*, 10th ed. ed. Wolters Kluwer/Lippincott Williams & Wilkins, Philadelphia.
- Kramer, A., Stel, V., Zoccali, C., Heaf, J., Ansell, D., Gronhagen-Riska, C., dkk., 2009. An update on renal replacement therapy in Europe: ERA-EDTA Registry data from 1997 to 2006. *Nephrology Dialysis Transplantation*, **24**: 3557–3566.
- Kristina, S.A., Endarti, D., Andayani, T.M., dan Rokhman, M.R., 2017. Reliability and Validity of Hypothetical Scenarios For Estimating Willingness To Pay (WTP) per Quality Adjusted Life Year (QALY) In Indonesia Setting. *International Journal of Pharmacy and Pharmaceutical Sciences*, **9**: 288.
- Lai, Y.-J., Hu, H.-Y., Lee, Y.-L., Ku, P.-W., Yen, Y.-F., dan Chu, D., 2017. Association between obesity and risk of chronic kidney disease: A nationwide Cohort study in Taiwan. *Nutrition, Metabolism and Cardiovascular Diseases*, **27**: 1008–1014.
- Li, Y.-N., Shapiro, B., Kim, J.C., Zhang, M., Porszasz, J., Bross, R., dkk., 2016. Association between quality of life and anxiety, depression, physical activity and physical performance in maintenance hemodialysis patients. *Chronic Diseases and Translational Medicine*, **2**: 110–119.
- Lopes, A.A., Bragg-Gresham, J.L., Goodkin, D.A., Fukuhara, S., Mapes, D.L., Young, E.W., dkk., 2007. Factors associated with health-related quality of life among hemodialysis patients in the DOPPS. *Quality of Life Research*, **16**: 545–557.

- Luyckx, V.A., Tonelli, M., dan Stanifer, J.W., 2018. The global burden of kidney disease and the sustainable development goals. *Bulletin of the World Health Organization*, **96**: 414-422D.
- Mazairac, A.H.A., de Wit, G.A., Grooteman, M.P.C., Penne, E.L., van der Weerd, N.C., den Hoedt, C.H., dkk., 2013. Effect of Hemodiafiltration on Quality of Life over Time. *Clinical Journal of the American Society of Nephrology*, **8**: 82–89.
- National Kidney Foundation, National Kidney Foundation, dan Kidney Disease Outcomes Quality Initiative, 2002. *Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification*.
- Nugroho, P., Siregar, J.I., Putranto, R., dan Rumende, C.M., 2019. Relationship between Blood Flow Rate and Quality of Life in Patients Undergoing Hemodialysis. *Biology and Medicine*, **10**: 6.
- Oliveira, A.P.B., Schmidt, D.B., Amatneeks, T.M., Santos, J.C. dos, Cavallet, L.H.R., dan Michel, R.B., 2016. Quality of life in hemodialysis patients and the relationship with mortality, hospitalizations and poor treatment adherence. *Jornal Brasileiro de Nefrologia*, **38**: .
- Pranandari, R. dan Supadmi, W., 2015. Faktor Risiko Gagal Ginjal Kronik di Unit Hemodialisis Rsud Wates Kulon Progo. *Majalah Farmaseutik*, **11**: 5.
- Puspitasari, C.E., Andayani, T.M., dan Irijanto, F., 2019. Penilaian Kualitas Hidup Pasien Hemodialisis Rutin dengan Anemia di Yogyakarta. *Jurnal Manajemen dan Pelayanan Farmasi*, **9**: 182.
- Rascati, K.L., 2014. *Essentials of Pharmacoeconomics*, Second edition. ed. Wolters Kluwer Health/Lippincott Williams & Wilkins, Philadelphia.
- Rhee, C., 2016. Using Procalcitonin to Guide Antibiotic Therapy. *Open Forum Infectious Diseases*, ofw249.
- Saad, M., El-Douaihy, Y., Moussaly, E., Rondla, C., Boumitri, C., Daoud, M., dkk., 2015. Predictors of quality of life in patients with end-stage renal disease on hemodialysis. *International Journal of Nephrology and Renovascular Disease*, 119.
- Sathvik, B., Parthasarathi, G., Narahari, M., dan Gurudev, K., 2008. An assessment of the quality of life in hemodialysis patients using the WHOQOL-BREF questionnaire. *Indian Journal of Nephrology*, **18**: 141.
- Skevington, S.M., Lotfy, M., dan O'Connell, K.A., 2004. The World Health Organization's WHOQOL-BREF quality of life assessment: Psychometric properties and results of the international field trial. A Report from the WHOQOL Group. *Quality of Life Research*, **13**: 299–310.
- Sumida, K., Yamagata, K., Iseki, K., dan Tsubakihara, Y., 2015. Different impact of hemodialysis vintage on cause-specific mortality in long-term hemodialysis patients. *Nephrology Dialysis Transplantation*, gfv402.
- Thaweethamcharoen, T., Noparatayaporn, P., Sritippayawan, S., dan Aiyasanon, N., 2019. Comparison of EQ-5D-5L, VAS, and SF-6D in Thai Patients on Peritoneal Dialysis. *Value in Health Regional Issues*, **18**: 59–64.

- Thio, C.H.L., Vart, P., Kieneker, L.M., Snieder, H., Gansevoort, R.T., dan Bültmann, U., 2018. Educational level and risk of chronic kidney disease: longitudinal data from the PREVEND study. *Nephrology Dialysis Transplantation*, .
- Turner, N. (Editor), 2016. *Oxford Textbook of Clinical Nephrology*, Fourth edition. ed. Oxford University Press, Oxford, United Kingdom.
- Vasilopoulou, C., Bourtsi, E., Giaple, S., Koutelekos, I., Theofilou, P., dan Polikandrioti, M., 2015. The Impact of Anxiety and Depression on the Quality of Life of Hemodialysis Patients. *Global Journal of Health Science*, **8**: 45.
- Wells, B.G., DiPiro, J.T., Schwinghammer, T.L., dan DiPiro, C.V., 2015. *Pharmacotherapy Handbook*.
- Yang, F., Griva, K., Lau, T., Vathsala, A., Lee, E., Ng, H.J., dkk., 2015. Health-related quality of life of Asian patients with end-stage renal disease (ESRD) in Singapore. *Quality of Life Research*, **24**: 2163–2171.
- Yang, S.-C., Kuo, P.-W., Wang, J.-D., Lin, M.-I., dan Su, S., 2005. Quality of Life and Its Determinants of Hemodialysis Patients in Taiwan Measured With WHOQOL-BREF(TW). *American Journal of Kidney Diseases*, **46**: 635–641.
- Yusop, N.B., Yoke Mun, C., Shariff, Z.M., dan Beng Huat, C., 2013. Factors Associated with Quality of Life among Hemodialysis Patients in Malaysia. *PLoS ONE*, **8**: e84152.
- Zeng, X., Liu, J., Tao, S., Hong, H.G., Li, Y., dan Fu, P., 2018. Associations between socioeconomic status and chronic kidney disease: a meta-analysis. *Journal of Epidemiology and Community Health*, jech-2017-209815.
- Zigmond, A.S. dan Snaith, R.P., 1983. The Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica*, **67**: 361–370.
- Zyoud, S.H., Daraghme, D.N., Mezyed, D.O., Khdeir, R.L., Sawafta, M.N., Ayaseh, N.A., dkk., 2016. Factors affecting quality of life in patients on haemodialysis: a cross-sectional study from Palestine. *BMC Nephrology*, **17**: 44.