

DAFTAR PUSTAKA

- Amore, A., Giacobbe, S., & Faraco, V. (2013). Send Orders of Reprints at reprints@benthamscience.net Regulation of Cellulase and Hemicellulase Gene Expression in Fungi. *Current Genomics*, 14, 230–249. <http://genome.jgi>
- Arnoldi, C. (2011). Microbial Extracellular Enzymes and the Marine Carbon Cycle. *Annual Review of Marine Science*, 3(1), 401–425. <https://doi.org/10.1146/annurev-marine-120709-142731>
- Cashel, M., Gentry, D. R., Hernandez, V. J., and Vinella, D. (1996). The stringent response. In “Escherichia coli and Salmonella typhimurium: Cellular and Molecular Biology” (F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. S. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger, eds.), 2nd ed., Vol. 1, pp. 1458–1496. American Society for Microbiology, Washington, D.C.
- Demain, A. L., & Sanchez, S. (2009). Microbial drug discovery: 80 Years of progress. *Journal of Antibiotics*, 62(1), 5–16. <https://doi.org/10.1038/ja.2008.16>
- Derewacz, D. K., Covington, B. C., McLean, J. A., & Bachmann, B. O. (2015). Mapping Microbial Response Metabolomes for Induced Natural Product Discovery. *ACS Chemical Biology*, 10(9), 1998–2006. <https://doi.org/10.1021/acscchembio.5b00001>
- Dosoretz, C. G., Chen, H., & Grethlein, H. E. (1948). Effect of Environmental Influences. *New England Journal of Medicine*, 238(8), 277–277. <https://doi.org/10.1056/nejm194802192380813>
- El-Naggar, N. E. A., Abdelwahed, N. A. M., Mohamed, A. A., & Saber, W. I. A. (2014). Bioprocessing of some agro-industrial residues for endoglucanase production by the new subsp.; *Streptomyces albogriseolus* subsp. *cellulolyticus* strain NEAE-J. *Brazilian Journal of Microbiology*, 45(2), 743–756. <https://doi.org/10.1590/S1517-83822014005000049>
- Finken, M., Kirschner, P., Meier, A., Wrede, A., & Böttger, E. C. (1993). Molecular basis of streptomycin resistance in *Mycobacterium tuberculosis*: alterations of the ribosomal protein S12 gene and point mutations within a functional 16S ribosomal RNA pseudoknot. *Molecular Microbiology*, 9(6), 1239–1246. <https://doi.org/10.1111/j.1365-2958.1993.tb01253.x>
- Funane, K., Tanaka, Y., Hosaka, T., Murakami, K., Miyazaki, T., Shiwa, Y., Gibu, S., Inaoka, T., Kasahara, K., Fujita, N., Yoshikawa, H., Hiraga, Y., & Ochi, K. (2018). Combined drug resistance mutations substantially enhance enzyme production in *Paenibacillus agaridevorans*. *Journal of*

Bacteriology, 200(17). <https://doi.org/10.1128/JB.00188-18>

- Funatsu, G., & Wittmann, H. G. (1972). Ribosomal proteins. XXXIII. Location of amino-acid replacements in protein S12 isolated from *Escherichia coli* mutants resistant to streptomycin. *Journal of Molecular Biology*, 68(3), 547–550. [https://doi.org/10.1016/0022-2836\(72\)90108-8](https://doi.org/10.1016/0022-2836(72)90108-8)
- Gohel, H. R., Contractor, C. N., Ghosh, S. K., & Braganza, V. J. (2014). A comparative study of various staining techniques for determination of extra cellular cellulase activity on Carboxy Methyl Cellulose (CMC) agar plates. *International Journal of Current Microbiology and Applied Sciences*, 3(5), 261–266.
- Honore, N., & Cole, S. T. (1994). Streptomycin resistance in mycobacteria. *Antimicrobial Agents and Chemotherapy*, 38(2), 238–242. <https://doi.org/10.1128/AAC.38.2.238>
- Horn, S. J., Vaaje-Kolstad, G., Westereng, B., & Eijsink, V. G. H. (2012). Novel enzymes for the degradation of cellulose. *Biotechnology for Biofuels*, 5. <https://doi.org/10.1186/1754-6834-5-45>
- Hosaka, T., Ohnishi-Kameyama, M., Muramatsu, H., Murakami, K., Tsurumi, Y., Kodani, S., Yoshida, M., Fujie, A., & Ochi, K. (2009). Antibacterial discovery in actinomycetes strains with mutations in RNA polymerase or ribosomal protein S12. *Nature Biotechnology*, 27(5), 462–464. <https://doi.org/10.1038/nbt.1538>
- Houfani, A. A., Větrovský, T., Baldrian, P., & Benallaoua, S. (2017). Efficient screening of potential cellulases and hemicellulases produced by *Bosea* sp. FBZP-16 using the combination of enzyme assays and genome analysis. *World Journal of Microbiology and Biotechnology*, 33(2), 1–14. <https://doi.org/10.1007/s11274-016-2198-x>
- Hu, H., & Ochi, K. (2001). Novel Approach for Improving the Productivity of Antibiotic-Producing Strains by Inducing Combined Resistant Mutations. *Applied and Environmental Microbiology*, 67(4), 1885–1892. <https://doi.org/10.1128/AEM.67.4.1885-1892.2001>
- Imai, Y., Sato, S., Tanaka, Y., Ochi, K., & Hosaka, T. (2015). Lincomycin at subinhibitory concentrations potentiates secondary metabolite production by *Streptomyces* spp. *Applied and Environmental Microbiology*, 81(11), 3869–3879. <https://doi.org/10.1128/AEM.04214-14>
- Jegannathan, K. R., & Nielsen, P. H. (2013). Environmental assessment of enzyme use in industrial production-a literature review. *Journal of Cleaner Production*, 42, 228–240. <https://doi.org/10.1016/j.jclepro.2012.11.005>



- Kang, H. S. (2017). Phylogeny-guided (meta)genome mining approach for the targeted discovery of new microbial natural products. *Journal of Industrial Microbiology and Biotechnology*, 44(2), 285–293. <https://doi.org/10.1007/s10295-016-1874-z>
- Kawabata, Y., Kimura, K., & Funane, K. (2012). Extracellular production of cycloisomaltooligosaccharide glucanotransferase and cyclodextran by a protease-deficient *Bacillus subtilis* host-vector system. *Applied Microbiology and Biotechnology*, 93(5), 1877–1884. <https://doi.org/10.1007/s00253-011-3671-y>
- Khurana, R., Uversky, V. N., Nielsen, L., & Fink, A. L. (2001). *Structural Specificity of Congo Red an amyloid binding dye*. 1–34.
- Kluepfel, D., Shareck, F., Mondou, F., & Morosoli, R. (1986). Characterization of cellulase and xylanase activities of *Streptomyces lividans*. *Applied Microbiology and Biotechnology*, 24(3), 230–234. <https://doi.org/10.1007/BF00261542>
- Konur, O. (2016). Glycoscience. In *Marine Glycobiology*. <https://doi.org/10.1201/9781315371399-3>
- Lin, J. E. et al. (1991) 'Correlations among several screening methods used for identificatifying wood-decay fungi that can degrade toxic chemical. *Biotechniques*, 5, 275-280.
- Liu, R., Deng, Z., & Liu, T. (2018). *Streptomyces* species: Ideal chassis for natural product discovery and overproduction. *Metabolic Engineering*, 50, 74–84. <https://doi.org/10.1016/j.ymben.2018.05.015>
- Loria, R., Bukhalid, R. A., Fry, B. A., & King, R. R. (1997). Plant pathogenicity in the genus *Streptomyces*. *Plant Disease*, 81(8), 836–846. <https://doi.org/10.1094/PDIS.1997.81.8.836>
- National Center for Biotechnology Information (NCBI). 2005. PubChem Database. Congo red, CID=11313, <https://pubchem.ncbi.nlm.nih.gov/compound/Congo-red> (accessed on June 9, 2020)
- Ochi, K. (2017). Insights into microbial cryptic gene activation and strain improvement: Principle, application and technical aspects. *Journal of Antibiotics*, 70(1), 25–40. <https://doi.org/10.1038/ja.2016.82>
- Ochi, K., & Hosaka, T. (2013). New strategies for drug discovery: Activation of silent or weakly expressed microbial gene clusters. *Applied Microbiology and Biotechnology*, 97(1), 87–98. <https://doi.org/10.1007/s00253-012-4551-9>
- Ochi, K., Okamoto, S., Tozawa, Y., Inaoka, T., Hosaka, T., Xu, J., & Kurosawa, K.



- (2004). Ribosome engineering and secondary metabolite production. *Advances in Applied Microbiology*, 56, 155–184. [https://doi.org/10.1016/S0065-2164\(04\)56005-7](https://doi.org/10.1016/S0065-2164(04)56005-7)
- Ojumu TV, Solomon BO, Betiku E, Layokun S K ,Amigun B (2003) Cellulase production by Aspergillus flavus Linn iso- late NSPR 101 fermented in sawdust, bagasse and corncrob. Afric J Biotechnol 2:150-152.
- Okada, B. K., & Seyedsayamdst, M. R. (2017). Antibiotic dialogues: Induction of silent biosynthetic gene clusters by exogenous small molecules. *FEMS Microbiology Reviews*, 41(1), 19–33. <https://doi.org/10.1093/femsre/fuw035>
- ROMSAIYUD, A., SONGKASIRI, W., NOPHARATANA, A., & CHAIPRASERT, P. (2009). Combination effect of pH and acetate on enzymatic cellulose hydrolysis. *Journal of Environmental Sciences*, 21(7), 965–970. [https://doi.org/10.1016/S1001-0742\(08\)62369-4](https://doi.org/10.1016/S1001-0742(08)62369-4)
- Rutledge, P. J., & Challis, G. L. (2015). Discovery of microbial natural products by activation of silent biosynthetic gene clusters. *Nature Reviews Microbiology*, 13(8), 509–523. <https://doi.org/10.1038/nrmicro3496>
- Sandiford, S. K. (2017). Genome database mining for the discovery of novel lantibiotics. *Expert Opinion on Drug Discovery*, 12(5), 489–495. <https://doi.org/10.1080/17460441.2017.1303475>
- Saroj, P., Manasa, P., & Narasimhulu, K. (2018). Characterization of thermophilic fungi producing extracellular lignocellulolytic enzymes for lignocellulosic hydrolysis under solid-state fermentation. *Bioresources and Bioprocessing*, 5(1). <https://doi.org/10.1186/s40643-018-0216-6>
- Schülein, M. (2000). Protein engineering of cellulases. *Biochimica et Biophysica Acta - Protein Structure and Molecular Enzymology*, 1543(2), 239–252. [https://doi.org/10.1016/S0167-4838\(00\)00247-8](https://doi.org/10.1016/S0167-4838(00)00247-8)
- Seipke, R. F., Kaltenpoth, M., & Hutchings, M. I. (2012). Streptomyces as symbionts: An emerging and widespread theme? *FEMS Microbiology Reviews*, 36(4), 862–876. <https://doi.org/10.1111/j.1574-6976.2011.00313.x>
- Shen, B. (2015). A New Golden Age of Natural Products Drug Discovery. *Cell*, 163(6), 1297–1300. <https://doi.org/10.1016/j.cell.2015.11.031>
- Shima, J., Hesketh, A., Okamoto, S., Kawamoto, S., & Ochi, K. (1996). Induction of actinorhodin production by *rpsL* (encoding ribosomal protein S12) mutations that confer streptomycin resistance in *Streptomyces lividans* and *Streptomyces coelicolor* A3(2). *Journal of Bacteriology*, 178(24),

7276–7284. <https://doi.org/10.1128/jb.178.24.7276-7284.1996>

- Smanski, M. J., Zhou, H., Claesen, J., Shen, B., Fischbach, M. A., & Voigt, C. A. (2016). Synthetic biology to access and expand nature's chemical diversity. *Nature Reviews Microbiology*, 14(3), 135–149. <https://doi.org/10.1038/nrmicro.2015.24>
- Tanaka, Y., Kasahara, K., Izawa, M., & Ochi, K. (2017). Applicability of ribosome engineering to vitamin B12 production by *Propionibacterium shermanii*. *Bioscience, Biotechnology and Biochemistry*, 81(8), 1636–1641. <https://doi.org/10.1080/09168451.2017.1329619>
- Tanaka, Y., Komatsu, M., Okamoto, S., Tokuyama, S., Kaji, A., Ikeda, H., & Ochi, K. (2009). Antibiotic overproduction by *rpsL* and *rsmG* mutants of various actinomycetes. *Applied and Environmental Microbiology*, 75(14), 4919–4922. <https://doi.org/10.1128/AEM.00681-09>
- Tojo, S., Kim, J. Y., Tanaka, Y., Inaoka, T., Hiraga, Y., & Ochi, K. (2014). The *mthA* mutation conferring low-level resistance to streptomycin enhances antibiotic production in *Bacillus subtilis* by increasing the S-adenosylmethionine pool size. *Journal of Bacteriology*, 196(8), 1514–1524. <https://doi.org/10.1128/JB.01441-13>
- Traxler, M. F., Summers, S. M., Nguyen, H. T., Zacharia, V. M., Hightower, G. A., Smith, J. T., & Conway, T. (2008). The global, ppGpp-mediated stringent response to amino acid starvation in *Escherichia coli*. *Molecular Microbiology*, 68(5), 1128–1148. <https://doi.org/10.1111/j.1365-2958.2008.06229.x>
- Ueda, K., & Beppu, T. (2017). Antibiotics in microbial coculture. *Journal of Antibiotics*, 70(4), 361–365. <https://doi.org/10.1038/ja.2016.127>
- Van der Meij, A., Worsley, S. F., Hutchings, M. I., & van Wezel, G. P. (2017). Chemical ecology of antibiotic production by actinomycetes. *FEMS Microbiology Reviews*, 41(3), 392–416. <https://doi.org/10.1093/femsre/fux005>
- Wang, G., Hosaka, T., & Ochi, K. (2008). Dramatic activation of antibiotic production in *Streptomyces coelicolor* by cumulative drug resistance mutations. *Applied and Environmental Microbiology*, 74(9), 2834–2840. <https://doi.org/10.1128/AEM.02800-07>
- Wright, F., & Bibb, M. J. (1992). Codon usage in the G+C-rich *Streptomyces* genome. *Gene*, 113(1), 55–65. [https://doi.org/10.1016/0378-1119\(92\)90669-G](https://doi.org/10.1016/0378-1119(92)90669-G)
- Yuwono, T. (2019). Bioteknologi Pangan. Yogyakarta : UGM Press



Zhu, S., Duan, Y., & Huang, Y. (2019). The application of ribosome engineering to natural product discovery and yield improvement in streptomycetes. *Antibiotics*, 8(3). <https://doi.org/10.3390/antibiotics8030133>