

DAFTAR PUSTAKA

- Adams, J. G., A. Catchot, F. Musser, D. Cook, N. Krishnan & T. Irby. 2016. Residual and systemic efficacy of chlorantraniliprole and flubendiamide against corn earworm (Lepidoptera: Noctuidae) in soybean. *Journal of Economic Entomology*, 109: 2411–241.
- Balai Penelitian Tanaman Serealia. 2017. Laporan tahunan Balai penelitian tanaman serealia. Pusat Penelitian dan Pengembangan Tanaman Pangan Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian.
- Capinera, J. L. 2017. Fall armyworm, *Spodoptera frugiperda* (J.E. Smith) (Insecta: Lepidoptera: Noctuidae). Entomology and Nematology Department, University of Florida, Gainesville : 1-6.
- Cordova, D., E. A. Benner, M. D. Sacher, J. J. Rauh, J. S. Sopa & G.P. Lahm. 2006. Anthranilic diamides: a new class of insecticides with a novel mode of action, ryanodine receptor activation. *Pesticide Biochemistry and Physiology*, 84 :196–214.
- Cruz I., M. L. C. Figueiredo, A. C. Oliveira & C. A. Vasconcelos. 2010. Damage of *Spodoptera frugiperda* (Smith) in different maize genotypes cultivated in soil under three levels of aluminium saturation. *International Journal of Pest Management*, 4: 293-296.
- Dendang B. & E. Suhaendah. 2017. Uji Efektivitas insektisida terhadap hama maruca testulalis pada bibit malapari (*Pongamia pinnata* L.) Pierre. *Jurnal Pemuliaan Tanaman Hutan*, 11: 123 -130.
- EPA. 2019. Pesticide Fact Sheet.
<<http://www.epa.gov/opprd001/factsheets/chloran.pdf>> Diakses tanggal 24 Desember 2019.
- FAO. 2018. Integrated management of the fall armyworm on maize: a guide for farmer field schools in Africa, Food and Agriculture Organization of the United Nations Rome.
- Hannig G. T., M. Ziegler & P. G. Marcon. 2009. Feeding cessation effects of chlorantraniliprole, a new anthranilic diamide insecticide, in comparison with several insecticides in distinct chemical classes and mode-of-action groups. *Pest Management Science*, 65: 969-974.
- IRAC. 2019. IRAC Mode of Action Classification Scheme. Insecticide Resistance Action Committee.
- Ishaaya, I., S. Kotsedalov & A. R. Horowitz. 2002. Emamectin, a novel insecticide for controlling field crop pests. *Pest Management Science*, 58: 1091–1095.



- Jansson, R. K., R. Brown, B. Cartwright, D. Cox, D. M. Dunbar, R. A. Dybas, C. Eckel, J. A. Lasota, P. K. Mookerjee, J. A. Norton, R. F. Peterson, V. R. Starner & S. White. 2015. Emamectin benzoate: a novel avermectin derivative for control of lepidopterous pests. *Proceedings: The Management of Diamondback Moth and Other Crucifer Pests* : 171-177.
- Kagaku, S. 2012. Development of the novel insecticide spinetoram (DIANA®). Crop Protection Division.Tokyo (JP) Sumimoto Chemical : 1-14.
- Maienfisch, P., M. Angst, F. Brandl, W. Fischer, D. Hofer, H. Kayser, W. Kobel, A. Rindlisbacher, R. Senn, A. Steinemann & H. Widmer. 2001. Chemistry and biology of thiamethoxam: a second generation neonicotinoid. *Pest Management Sains*, 57: 906-913.
- Marenco, R. J., R. E. Foster & C. A. Sanchez. 1992. Sweet corn response to fall armyworm (Lepidoptera: Noctuidae) damage during vegetative growth. *Journal of Economic Entomology*, 85 :1285-1292.
- Meilin, A., Y. A. Trisyono, E. Martono, dan D. Buchori. 2018. Pengaruh residu insektisida deltametrin pada tanaman padi terhadap tingkat parasitasi parasitoid *Anagrus nilaparvatae* (Hymenoptera: Mymaridae). *Penelitian Pertanian Tanaman Pangan*, 2 : 9-15.
- Shimokawatoko, Y., N. Sato, T. Yamaguchi & H. Tanaka. 2012. Development of the novel insecticide spinetoram (DIANA®). Sumitomo Kagaku : 1-14.
- Silva, K. F. Da., T. A. Spencer, A. L. B. Crespo, & B. D. Siegfried. 2016. Susceptibility of *Spodoptera frugiperda* (Lepidoptera: Noctuidae) field populations to the Cry1F *Bacillus thuringiensis* insecticidal protein. *Bio One*, 99: 629-633.
- Sisay, B., T. Tefera, M. Wakgari, G. Ayalew & E. Mendesil. 2019. The efficacy of selected synthetic insecticides and botanicals against fall armyworm, *Spodoptera frugiperda*, in maize. *Insects*, 10 :1-14.
- Sparks, T. C., G. D. Crouse, J. E. Dripps, P. Anzeveno, J. Martynow, C. V. DeAmicis & J. Gifford. 2008. Neural network-based QSAR and insecticide discovery: spinetoram. *The Journal of Computer-Aided Molecular Design*, 22: 393–401.
- Trisyono, Y.A., Suputa, Valentina E. F., Aryuwandari, M. Hartaman, & Jumari. 2019. Occurrence of heavy infestation by the fall armyworm *Spodoptera frugiperda*, a new alien invasive pest, in corn in Lampung Indonesia. *Jurnal Perlindungan Tanaman Indonesia*, 23 : 1-8.
- Wang, W., Q. Wan, Y. Li, W. Xu & X. Yu. 2019. Uptake, translocation and subcellular distribution of pesticides in chinese cabbage (*Brassica rapa* var. chinensis). *Ecotoxicology and Environmental Safety*, 183: 1-6.



- Williams, P., P. M. Buckley & C. A. Daves. 2006. Identifying resistance in corn to southwestern corn borer (Lepidoptera: Crambidae), *fall armyworm* (Lepidoptera: Noctuidae), and corn earworm (Lepidoptera: Noctuidae). *Journal of Agricultural and Urban Entomology*, 23 : 87-95.
- Wirosoedarmo, R., A. T. Sutanhaji, E. Kurniati & R. Wijayanti. 2011. Evaluasi kesesuaian lahan untuk tanaman jagung menggunakan metode analisis spasial. *Agritech*, 31: 71-78.
- Wulandari, F. & J. Batoro. 2016. Etnobotani jagung (*Zea mays* L.) pada masyarakat lokal di desa Pandansari kecamatan Poncokusumo kabupaten Malang. *Jurnal Biotropika*, 4: 17-24.
- Yasin, H. G., Sumarno & A. Nur 2014. Perakitan varietas unggul jagung fungsional. IAARD Press, Badan Litbang Pertanian, Kementerian Pertanian, Jakarta.
- Yu S. J. 2008. *The Toxicology and Biochemistry of Insecticides*. CR Press, Boca Raton, US.