

REFERENCES

- Abdallah, R., Djelal, H., Amrane, A., Sayed, W., Fourcade, F., Labasque, T., Geneste, F., Taha, S., and Floner, D. (2016). Dark fermentative hydrogen production by anaerobic sludge growing on glucose and ammonium resulting from nitrate electroreduction. *International Journal of Hydrogen Energy*, 41(12), 5445–5455.
- Antonopoulou, G., Ntaikou, I., Stamatelatou, K., and Lyberatos, G. (2011). Biological and fermentative production of hydrogen. In *Handbook of Biofuels Production: Processes and Technologies*. Woodhead Publishing Limited.
- Appels, L., Baeyens, J., Degève, J., and Dewil, R. (2008). Principles and potential of the anaerobic digestion of waste-activated sludge. *Progress in Energy and Combustion Science*, 34(6), 755–781.
- Arimi, M. M., Knodel, J., Kiprof, A., Namango, S. S., Zhang, Y., and Geißen, S. U. (2015). Strategies for improvement of biohydrogen production from organic-rich wastewater: A review. *Biomass and Bioenergy*, 75(0), 101–118.
- Bastidas-Oyanedel, J. R., Bonk, F., Thomsen, M. H., and Schmidt, J. E. (2015). Dark fermentation biorefinery in the present and future (bio)chemical industry. *Reviews in Environmental Science and Biotechnology*, 14(3), 473–498.
- Bundhoo, M. A. Z., Mohee, R., and Hassan, M. A. (2015). Effects of pre-treatment technologies on dark fermentative biohydrogen production: A review. *Journal of Environmental Management*, 157, 20–48.
- Cappai, G., Gioaniis, G., Muntoni, A., Poletini, A., Pomi, R., and Spiga, D. (2015). Effect of Inoculum To Substrate Ratio (Isr) on Hydrogen Production Through Dark Fermentation of Food Waste. *Fifteenth International Waste Management and Landfill Symposium S., October*.
- Cardona, C. A., Quintero, J. A., and Paz, I. C. (2010). Production of bioethanol from sugarcane bagasse: Status and perspectives. *Bioresource Technology*, 101(13), 4754–4766.
- Chuasuwana, C. (2020). *Sugar industry. April 2018*, 1–9.
- Chunhawong, K., Chaisan, T., Rungmekarat, S., and Khotavivattana, S. (2018). Sugar Industry and Utilization of Its By-products in Thailand: An Overview. *Sugar Tech*, 20(2), 111–115.
- Contact, P. M. P., Czernik, S., and Smolinski, S. (2010). IV . E . 4 Fermentation Approaches to Hydrogen Production. *Carbon*, 230–235.
- Cui, M., and Shen, J. (2012). Effects of acid and alkaline pretreatments on the biohydrogen production from grass by anaerobic dark fermentation.

International Journal of Hydrogen Energy, 37(1), 1120–1124.

- Das, D. (2009). Advances in biohydrogen production processes: An approach towards commercialization. *International Journal of Hydrogen Energy*, 34(17), 7349–7357.
- Dominguez, J. M., Gong, C. S., and Tsao, G. T. (1996). Pretreatment of sugar cane bagasse hemicellulose hydrolysate for xylitol production by yeast. *Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology*, 57–58(4), 49–56.
- Duangmanee, T., Padmasiri, S. I., Simmons, J. J., Raskin, L., and Sung, S. (2007). Hydrogen Production by Anaerobic Microbial Communities Exposed to Repeated Heat Treatments. *Water Environment Research*, 79(9), 975–983.
- Fangkum, A., and Reungsang, A. (2011). Biohydrogen production from sugarcane bagasse hydrolysate by elephant dung: Effects of initial pH and substrate concentration. *International Journal of Hydrogen Energy*, 36(14), 8687–8696.
- Fatehizadeh, A., Amin, M., Bina, B., Zare, M., Ghasemian, M., and Taheri, E. (2018). Biohydrogen Production as Clean Fuel from physically Pretreated Mixed Culture. *Advanced Biomedical Research*, 7(1), 80.
- Fetida, E., State, F., Organics, D., and Rate, C. E. (2010). *Vermicast explained : what it is and how it works . Davley Organics Po Box 8320 , Nelspruit , 1200 - Telephone : 082 380 1142 - 079 392 9839 Plant growth stimulants :*
- Giang, T. T., Lunprom, S., Liao, Q., Reungsang, A., and Salakkam, A. (2019). Improvement of hydrogen production from *Chlorella* sp. biomass by acid-thermal pretreatment. *PeerJ*, 2019(3).
- Hallenbeck, P. C., and Benemann, J. R. (2002). Biological hydrogen production; Fundamentals and limiting processes. *International Journal of Hydrogen Energy*, 27(11–12), 1185–1193.
- Hawkes, F. R., Hussy, I., Kyazze, G., Dinsdale, R., and Hawkes, D. L. (2007). Continuous dark fermentative hydrogen production by mesophilic microflora: Principles and progress. *International Journal of Hydrogen Energy*, 32(2), 172–184.
- Hoogwijk, M., Faaij, A., Van Den Broek, R., Berndes, G., Gielen, D., and Turkenburg, W. (2003). Exploration of the ranges of the global potential of biomass for energy. *Biomass and Bioenergy*, 25(2), 119–133.
- Insam, H., Franke-Whittle, I., and Goberna, M. (2010). Microbes at work: From wastes to resources. *Microbes at Work: From Wastes to Resources*, 1–329.
- Kanchanasuta, S., Prommeenate, P., Boonapatcharone, N., and Pisutpaisal, N. (2017). Stability of *Clostridium butyricum* in biohydrogen production from non-sterile food waste. *International Journal of Hydrogen Energy*, 42(5),

3454–3465.

- Kangle, K. M., Kore, S. V, Kore, V. S., and Kulkarni, G. S. (2012). Recent Trends in Anaerobic Codigestion : A Review. *Universal Journal of Environmental Research and Technology*, 2(4), 210–219.
- Keskin, T., Arslan, K., Nalakth Abubackar, H., Vural, C., Eroglu, D., Karaalp, D., Yanik, J., Ozdemir, G., and Azbar, N. (2018). Determining the effect of trace elements on biohydrogen production from fruit and vegetable wastes. *International Journal of Hydrogen Energy*, 43(23), 10666–10677.
- Khosravi, A., and Zarei, M. (2018). Effect of organic and inorganic additives on some chemical properties of vermicompost, earthworm's biomass and reproduction. *Iran Agricultural Research*, 0, 35–44.
- Lai, Z., Zhu, M., Yang, X., Wang, J., and Li, S. (2014). Optimization of key factors affecting hydrogen production from sugarcane bagasse by a thermophilic anaerobic pure culture. *Biotechnology for Biofuels*, 7(1), 1–11.
- Laser, M., Schulman, D., Allen, S. G., Lichwa, J., Antal, M. J., and Lynd, L. R. (2002). A comparison of liquid hot water and steam pretreatments of sugar cane bagasse for bioconversion to ethanol. *Bioresource Technology*, 81(1), 33–44.
- Lateef, S. A., Beneragama, N., Yamashiro, T., Iwasaki, M., Ying, C., and Umetsu, K. (2012). Biohydrogen production from co-digestion of cow manure and waste milk under thermophilic temperature. *Bioresource Technology*, 110, 251–257.
- Lay, J. (2001). *Biohydrogen Production as a Function of pH and Substrate Concentration*. 35(24), 4726–4730.
- Li, C., and Fang, H. H. P. (2007). Fermentative hydrogen production from wastewater and solid wastes by mixed cultures. *Critical Reviews in Environmental Science and Technology*, 37(1), 1–39.
- Lin, C. Y., Lay, C. H., Sen, B., Chu, C. Y., Kumar, G., Chen, C. C., and Chang, J. S. (2012). Fermentative hydrogen production from wastewaters: A review and prognosis. *International Journal of Hydrogen Energy*, 37(20), 15632–15642.
- Lukitawesa, Patinvoh, R. J., Millati, R., Sárvári-Horváth, I., and Taherzadeh, M. J. (2020). Factors influencing volatile fatty acids production from food wastes via anaerobic digestion. *Bioengineered*, 11(1), 39–52.
- Lunprom, S., Phanduang, O., Salakkam, A., Liao, Q., Imai, T., and Reungsang, A. (2019). Bio-hythane production from residual biomass of *Chlorella* sp. biomass through a two-stage anaerobic digestion. *International Journal of Hydrogen Energy*, 3339–3346.
- Manish, S., and Banerjee, R. (2008). Comparison of biohydrogen production

- processes. *International Journal of Hydrogen Energy*, 33(1), 279–286.
- Mishra, P., Ameen, F., Zaid, R. M., Singh, L., Wahid, Z. A., Islam, M. A., Gupta, A., and Al Nadhari, S. (2019). Relative effectiveness of substrate-inoculum ratio and initial pH on hydrogen production from palm oil mill effluent: Kinetics and statistical optimization. *Journal of Cleaner Production*, 228, 276–283.
- Nadu, T. (2007). *Review of literature*. 1991, 9–24.
- Oceguera-Contreras, E., Aguilar-Juárez, O., Oseguera-Galindo, D., Macías-Barragán, J., Bolaños-Rosales, R., Mena-Enríquez, M., Arias-García, A., Montoya-Buelna, M., Graciano-Machuca, O., and De León-Rodríguez, A. (2019). Biohydrogen production by vermicompost-associated microorganisms using agro industrial wastes as substrate. *International Journal of Hydrogen Energy*, 44(20), 9856–9865.
- Pascualone, M. J., Gómez Costa, M. B., and Dalmaso, P. R. (2019). Fermentative biohydrogen production from a novel combination of vermicompost as inoculum and mild heat-pretreated fruit and vegetable waste. *Biofuel Research Journal*, 6(3), 1046–1053.
- Patra, S., Sangyoka, S., Boonmee, M., and Reungsang, A. (2008). Bio-hydrogen production from the fermentation of sugarcane bagasse hydrolysate by *Clostridium butyricum*. *International Journal of Hydrogen Energy*, 33(19), 5256–5265.
- Perera, K. R. J., and Nirmalakhandan, N. (2010). Enhancing fermentative hydrogen production from sucrose. *Bioresource Technology*, 101(23), 9137–9143.
- Phanduang, O., Lunprom, S., Salakkam, A., and Reungsang, A. (2017). Anaerobic solid-state fermentation of bio-hydrogen from microalgal *Chlorella* sp. biomass. *International Journal of Hydrogen Energy*, 42(15), 9650–9659.
- Prakash, J., Sharma, R., Patel, S. K. S., Kim, I. W., and Kalia, V. C. (2018). Bio-hydrogen production by co-digestion of domestic wastewater and biodiesel industry effluent. *PLoS ONE*, 13(7), 1–11.
- Rabii, A., Aldin, S., Dahman, Y., and Elbeshbishy, E. (2019). A review on anaerobic co-digestion with a focus on the microbial populations and the effect of multi-stage digester configuration. *Energies*, 12(6).
- Rathore, D., Nizami, A. S., Singh, A., and Pant, D. (2016). Key issues in estimating energy and greenhouse gas savings of biofuels: Challenges and perspectives. *Biofuel Research Journal*, 3(2), 380–393.
- Ren, N. Q., Xu, J. F., Gao, L. F., Xin, L., Qiu, J., and Su, D. X. (2010). Fermentative bio-hydrogen production from cellulose by cow dung compost enriched cultures. *International Journal of Hydrogen Energy*, 35(7), 2742–2746.

- Ren, N. Q., Zhao, L., Chen, C., Guo, W. Q., and Cao, G. L. (2016). A review on bioconversion of lignocellulosic biomass to H₂: Key challenges and new insights. *Bioresource Technology*, 215, 92–99.
- Saripan, A. F., and Reungsang, A. (2014). Simultaneous saccharification and fermentation of cellulose for bio-hydrogen production by anaerobic mixed cultures in elephant dung. *International Journal of Hydrogen Energy*, 39(17), 9028–9035.
- Sen, B., and Suttar, R. R. (2012). Mesophilic fermentative hydrogen production from sago starch-processing wastewater using enriched mixed cultures. *International Journal of Hydrogen Energy*, 37(20), 15588–15597.
- Sinha, R. K., Agarwal, S., Chauhan, K., and Valani, D. (2010). The wonders of earthworms andamp; its vermicompost in farm production: Charles Darwin’s ‘friends of farmers’, with potential to replace destructive chemical fertilizers. *Agricultural Sciences*, 01(02), 76–94.
- Sivagurunathan, P., Sen, B., and Lin, C. Y. (2014). Batch fermentative hydrogen production by enriched mixed culture: Combination strategy and their microbial composition. *Journal of Bioscience and Bioengineering*, 117(2), 222–228.
- Song, Z. X., Wang, Z. Y., Wu, L. Y., Fan, Y. T., and Hou, H. W. (2012). Effect of microwave irradiation pretreatment of cow dung compost on bio-hydrogen process from corn stalk by dark fermentation. *International Journal of Hydrogen Energy*, 37(8), 6554–6561.
- Sterling, M. C., Lacey, R. E., Engler, C. R., and Ricke, S. C. (2001). Effects of ammonia nitrogen on H₂ and CH₄ production during anaerobic digestion of dairy cattle manure. *Bioresource Technology*, 77(1), 9–18.
- Sun, J., Yuan, X., Shi, X., Chu, C., Guo, R., and Kong, H. (2011). Fermentation of *Chlorella* sp. for anaerobic bio-hydrogen production: Influences of inoculum-substrate ratio, volatile fatty acids and NADH. *Bioresource Technology*, 102(22), 10480–10485.
- Tanisho, S., and Ishiwata, Y. (1995). Continuous hydrogen production from molasses by fermentation using urethane foam as a support of flocks. *International Journal of Hydrogen Energy*, 20(7), 541–545.
- Valdez-Vazquez, I., and Poggi-Varaldo, H. M. (2009). Hydrogen production by fermentative consortia. *Renewable and Sustainable Energy Reviews*, 13(5), 1000–1013.
- Vijayaraghavan, K., Ahmad, D., Khairil Bin Ibrahim, M., and Naemmah Binti Herman, H. (2006). Isolation of hydrogen generating microflora from cow dung for seeding anaerobic digester. *International Journal of Hydrogen Energy*, 31(6), 708–720.
- Wadjeam, P., Reungsang, A., Imai, T., and Plangklang, P. (2019). Co-digestion of

- cassava starch wastewater with buffalo dung for bio-hydrogen production. *International Journal of Hydrogen Energy*, 44(29), 14694–14706.
- Wang, Jianlong; Yin, Y. (2017a). Introduction. In *Green Energy and Technology Biohydrogen Production from Organic Wates* (pp. 1–16).
- Wang, Jianlong; Yin, Y. (2017b). Microbiology and Enzymology. In *Green Energy and Technology Biohydrogen Production from Organic Wates* (p. 19).
- Wang, J., and Wan, W. (2009). Factors influencing fermentative hydrogen production: A review. *International Journal of Hydrogen Energy*, 34(2), 799–811.
- Wang, J., and Yin, Y. (2017). *Green Energy and Technology Biohydrogen Production from Organic Wastes* (Issue April 2018).
- Wijffels, R. H., Barten, H., and Reith, R. H. (2003). *Bio_methane and Bio-hydrogen*.
- Yokoyama, H., Waki, M., Moriya, N., Yasuda, T., Tanaka, Y., and Haga, K. (2007). Effect of fermentation temperature on hydrogen production from cow waste slurry by using anaerobic microflora within the slurry. *Applied Microbiology and Biotechnology*, 74(2), 474–483.
- Yokoyama, H., Yamashita, T., Ogino, A., Ishida, M., and Tanaka, Y. (2010). Hydrogen fermentation of cow manure mixed with food waste. *Japan Agricultural Research Quarterly*, 44(4), 399–404.
- Zheng, X. J., and Yu, H. Q. (2005). Inhibitory effects of butyrate on biological hydrogen production with mixed anaerobic cultures. *Journal of Environmental Management*, 74(1), 65–70.
- Zhou, Y., Schideman, L., Yu, G., and Zhang, Y. (2013). A synergistic combination of algal wastewater treatment and hydrothermal biofuel production maximized by nutrient and carbon recycling. *Energy and Environmental Science*, 6(12), 3765–3779.