



REFERENCES

- Alexova, R., Nelson, C. J., and Millar, a. H. 2017. Temporal development of the barley leaf metabolic response to Pi limitation. *Plant, Cell and Environment* 40: 645-657.
- Arredondo, A. L. L., González, M. A. L., Morales, S. I. G., Bucio, J. L., Estrella, L. H. 2014. Phosphate nutrition: improving low-phosphate tolerance in crops. *Annu. Rev. Plant Biol.* 65: 95-123.
- Balemi, T. and Negisho, K. 2012. Management of soil phosphorus and plant adaptation mechanism to phosphorus stress for sustainable crop production: a review. *Journal of Soil Science and Plant Nutrition* 12: 547-561.
- Bargaz, A., Noyce, G. L., Fulthorpe, R., Carlsson, G., Furze, J. R., Jensen, E. S., Dhiba, D., and Isaac, M. E. 2017. ELSEVIER Applied Soil Ecology 120: 179-188.
- Barus, J. Soybean deployment potential land cultivation at sub-optimal land in Lampung. Suboptimal Land National Seminar Prosiding: 1-12.
- Bourgaud., F., Granot, A., Milesi, S., and Gontier, E. 2001. Production of secondary metabolites: a historical perspective. *Plant Science* 161: 839-851.
- Chang, C. C., and Beevers, H. 1968. Biogenesis of oxalate in plant tissues. *Plant Physiol* 43: 1821-1828.
- Chaudhary, M. I., Adu-gyamfi, J. J., Saneoka, H., Nguyen, N. T., Suwa., R., Kanai, S., El-Shemy, H. A., Lightfoot, D. A., Fujita, K. 2008. The effect of phosphorus deficiency on nutrient uptake, nitrogen fixation, and photosynthetic rate in mashbean, mungbean, and soybean. *Acta Physiol Plant* 30: 537-544.
- Chu, S., Li, H., Zhang, X., Yu, K., Chao, M., Han, S., and Zhang, D. 2018. Physhiological and proteomics analyses reveal low-phosphorus stress affected the regulation of photosynthesis in soybean. *International Journal of Molecular Sciences* 19: 1-16.
- Dakora, F. D., and Philips, D. A. 2002. Root exudates as mediators of mineral acquisition in low-nutrient environments. *Springer Link Plant and Soil* 245: 35-47.
- Foyer, C. and Spencer, C. 1986. The relationship between phosphate status and photosynthesis in leaves. *Planta*. 167: 369-375.
- Fredeen, A. L., Raab, T. K., Rao, I. M., Terry, N. 1990. Effects of phosphorus nutrition on photosynthesis in *Glycine max* (L.) Merr. *Planta Journal* 181: 399-405.
- Gill, S. S., and Tuteja, N. 2010. Polyamines and abiotic stress tolerance in plants. *Plant Signaling and Behavior* 5: 26-33.
- Hong, J., Yang, L., Zhang, D., and Shi, J. 2016. Plant Metabolomics: An Indispensable System Biology Tool for Plant Science. *International Journal of Molecular Sciences* 17: 1-16.



Ishikawa, S., Adu-Gyamfi, J.J., Nakamura, T., Yoshihara, T., Watanabe, T., Wagatsuma, T. 2002 Genotypic variability in phosphorus solubilizing activity of root exudates by pigeonpea grown in low-nutrient environments. *Food Security in Nutrient-Stressed Environment: Exploiting Plant's Genetic Capabilities*: 111-121. Abstract <www.springerlink.com> Accessed at March 3, 2020.

Janowitz, T., Kneifel, H., and Piotrowski, M. 2003. Identification and characterization of plant agmatine iminohydrolase, the last missing link in polyamines biosynthesized of plants. *Federation of European Biochemical Societies Letters* 544: 258-261.

Kai, K., Mizutani, M., Kawamura, N., Yamamoto, R., Tamai, M., Yamaguchi, H., Sakata, K., and Shimizu, B. 2008. Scopoletin is biosynthesized via *ortho*-hydroxylation of feruloyl CoA by a 2-oxoglutarate-dependent dioxygenase in *Arabidopsis thaliana*. *The Plant Journal* 55: 989-999.

Kim, H. K., Choi, Y. H., Verpoorte, R. 2011. NMR-based plant metabolomics: where do we stand, where do we go?. *ELSEVIER Trends in Biotechnology* 29: 267-275.

Li, M., Osaki, M., Rao, I. M., Tadano, T. 1997. Secretion of phytase from the roots of several plant species under phosphorus-deficient conditions. *Plant and Soil* 195: 161-169.

Liao, H., Wan, H., Shaff, J., Wang, X., Yan, X., and Kochian, L. V. 2006. Phosphorus and aluminum interactions in soybean in relation to aluminum tolerance. Exudation of specific organic acids from different regions of the intact root system. *Plant Physiology* 141: 674-684.

Lynch, J. P., and Brown, K. M. 2001. Topsoil foraging—an architectural adaptation of plants to low phosphorus availability. *Kluwer Academic Publisher Plant and Soil* 237: 225-237.

Maharajan, T., Ceasar, S. A., Krishna, T. P. A., Ramakrishnan, M., Duraipandiyan, V., Adbulla, A. N., and Ignacimuthu, S. 2018. Utilization of molecular markers for improving the phosphorus efficiency in crop plants. *WILEY Plant Breeding Journal* 137: 10-26.

Marschner, P., Crowley, D., and Rengel, R. 2011. Rhizosphere interactions between microorganisms and plants govern iron and phosphorus acquisition along the root axis – model and research methods. *Science Direct Soil Biology and Biochemistry* 43: 883-894. (Abstr).

Narang, R. A., Bruene, A., Altmann, T. 2000. Analysis of phosphate acquisition efficiency in different *Arabidopsis* accessions. *Plant Physiology* 124: 1786-1799.

Newman, E. I. 1966. A method of estimating the total length of root in a sample. *Journal of Applied Ecology* 3: 139-145.



Pandey, R., Meena, K., Krishnapriya, V., Ahmad, A., Ksihora, N. 2014. Root carboxylates exudation capacity under phosphorus stress does not improve grain yield in green gram. *Plant Cell Rep* 33: 919-928.

Raghothama, K. G., and Karthikeyan, A. S. 2005. Phosphate acquisition. *Plant and Soil* 274: 37-49.

Shen, H. Yan, X., Zhao, M., Zheng, S, and Wang. X. 2002. Exudation of organic acids in common bean as related to mobilization of aluminum-and iron-bound phosphates. *Environmental and Experimental Botany* 48: 1-9. Abstract <www.sciencedirect.com> Accessed at March 2, 2020.

Singh, P., Basu, S., and Kumar, G. 2018. Chapter 3-Polyamines Metabolism: A way ahead for abiotic stress tolerance in crop plants. *Biochemical, Physiological and Molecular Avenues for Combating Abiotic Stress Tolerance in Plant* : 39-55. Abstract <www.sciencedirect.com> Accessed at March 2, 2020.

Sung, J., Lee, S., Lee, Y., Ha, S., Song, B., Kim, T., Waters, B. M., and Krishnan, H. B. 2015. Metabolomic profiling from leaves and roots of tomato (*Solanum lycopersicum* L.) plants grown under nitrogen, phosphorus or potassium-deficient condition. *Plant Science* 241: 55-64. Abstract <www.sciencedirect.com> Accessed at March 2, 2020.

Tawaraya, K., Honda, S., Cheng, W., Chuba, M., Okazaki, Y., Saito, K., Oikawa, A., Maruyama, H., Wasaki, J., and Wagatsuma, T. 2018. Ancient rice cultivar extensively replaces phospholipids with non-phosphorus glycolipid under phosphorus deficiency. *Physiologia Plantarum* 163: 297-305.

Tawaraya, K., Horie R, Shinano T, Wagatsuma T, Saito K, Oikawa, A. 2014. Metabolite profiling of soybean root exudates under phosphorus deficiency. *Soil Science and Plant Nutrition* 60, 679-694.

Tawaraya, K., Horie, R., Saito, S., Wagatsuma, T., Saito, K., Oikawa, A. 2014. Metabolite profiling of root exudates of common bean under phosphorus deficiency. *Metabolites*, 4: 599-611.

Theodoridis, G., Gika, H. G., Wilson, I. D. 2008. LC-MS-based methodology for global metabolite profiling in metabonomics/metabolomics. *Trends in Analytical Chemistry* 27: 251-260.

Van de Wiel, C. C. M., Van der Linden, C. G., Scholtern, O. E. 2016. Improving phosphorus use efficiency in agriculture : opportunities for breeding. *Euphytica* 207: 1-22.

Vance, C. P., Stone, C. U., and Allan, D. L. 2003. Phosphorus acquisition and use: critical adaptations by plants for securing a nonrenewable resource. *New Phytologist Transley Review* 157: 423-447.

Vandamme, E., Pypers, P., Smolders, E., and Merekx, R. 2015. Seed weight effects shoot and root growth among and within soybean genotypes beyond the seedling stage: implications for low P tolerance screening. *Plant Soil* 401: 65-78.



UNIVERSITAS
GADJAH MADA

Metabolite Profiling of Root Exudate from Low Phosphorus Tolerance of Indonesia's Soybean Cultivars

GALUH NURUL HIDAYATI, Dr. Ir. Benito Heru Purwanto, M.P., M.Agr., Prof. Dr. Keitaro Tawaraya, Ir. Suci Handaya

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Vengavasi, K., Pandey, R., Abraham, G., and Yadav, R. K. 2017. Comparative analysis of soybean root proteome reveals molecular basis of differential carboxylate efflux under low phosphorus stress. *Genes* 8 (341): 1-27.

Vogt, T. 2010. Phenylpropanoid biosynthesis. *Molecular Plant* 3: 2-20.

Wagatsuma, T., Kawashima, T., Tawaraya, K. 1988. Comparative stainability of plant root cells with a basic dye (methylene blue) in association with aluminium tolerance. *Commun Soil Sci Plant Anal* 19: 1207-1215.

Wijanarko, A., and Taufiq, A. 2004. Fertility management of acidic upland for soybean. *Bul. Palawija* 7: 39-50.

Wu, L., Kobayashi, Y., Wasaki, J., and Koyama, H. 2018. Organic acid excretion from roots: a plant mechanism for enhancing phosphorus acquisition, enhancing aluminum tolerance, and recruiting beneficial rhizobacteria. *Soil Science and Plant Nutrition* 64: 697-704.

Xue, Y., Zhuang, Q., Zhu, S., Xiao, B., Liang, C., Liao, H., Tian, J. 2018. Genome wide transcriptome analysis reveals complex regulatory mechanisms underlying phosphate homoestatis in soybean nodules. *International Journal of Molecular Sciences* 19: 1-23.