

BAB V

DAFTAR PUSTAKA

- A-Rang, I., Young-Mi, K., Young-Won, C., Sungwook, C., 2017, Protective effects of compounds from *Garcinia mangostana* L. (mangosteen) against UVB damage in HaCaT cells and hairless mice, *International J. of Molecular Med.*, **40**, 1941-1949.
- Ahmad, M.I., Keach, J.E., Behl. T., Panichayupakaranant, P., 2019, Synergistic Effect of α -mangostin on Antibacterial Activity of Tetracycline, Erythromycin, and Clindamycin Against Acne Involved Bacteria, *Chinese Herbal Medicines*, **11**, 412-416.
- Aisha, A.F.A., Abu-Salah, K.M., Siddiqui, M.J., Ismail, Z., Majid, A.M.S.A., 2012, Quantification of α -, β -, and γ -mangostin in *Garcinia mangostana* Fruit Rind Extracts by a Reverse Phase High Performance Liquid Chromatography, *J. Med. Plants Research*, **6(29)**, 4526-2534.
- Aisha, A.F.A., Ismail, Z., Abu-salah, K.M., Majid, A.M.S.A., 2011, Solid Dispersions of α -Mangostin Improve Its Aqueous Solubility Through Self-Assembly of Nanomicelles, *J. Pharm. Sci.*, **101(2)**, 815-825.
- Aizat, W.M., Jamil, I.N., Ahmad-Hashim, F.H., Noor, N.M., 2019, Recent Update on Metabolite Composition and Medical Benefits of Mangosteen Plant, *PeerJ*.
- Anonin 2014, *Farmakope Indonesia*, Edisi Kelima, Departemen Kesehatan Republik Indonesia, Jakarta, Indonesia.
- Anwar, A.I., Djawad, K., Fitri, E.W., 2016, Effectiveness of Topical Mangosteen Pericarp Extract Against Angiogenesis in Mice Exposed to Ultra Violet B, *Pakistan J. of Nutrition*, **15(8)**, 745-751.
- Asasutjarit, R., Meesomboon, T., Adulheem, P., Kittiwisut, S., Sookdee, P., Samosornsuk, W., Fuongfuchat, A., 2019, Physicochemical Properties of Alpha-Mangostin Loaded Nanoemulsions Prepared by Ultrasonication Technique, *Heliyon*, **5**, e02465.
- Barry, B.W., 2001, Novel Mechanisms and Devices to Enable Successful Transdermal Drug Delivery, *Eur. J. Pharm. Sci.*, **14**, 101-114.
- Benfeldt, E., 2013, Skin and Transdermal Drug Delivery, dalam Muller, M., Microdialysis in Drug Development, *AAPS Advances in The Pharmaceutical Science Series*, 127-142.
- Bhatt, I.D., Rawat, S., Rawal, R.S., 2013, Antioxidants in Medicinal Plants, dalam Chandra, S., Suman, L., Varma, A., *Biotechnology for Medical Plants: Micropropagation and Improvement*, Springer-Verlag, Berlin.

- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012, Oxidative Stress and Antioxidant Defense, *World Allergy Organisation J.*, 9-19.
- Chellapa, P., Mohamed, A.T., Keleb, E.I., Elmahgoubi, A., Eid, A.M., Issa, Y.S., Elmarzugi, N.A., 2015, Nanoemulsion and Nanoemulgel as a Topical Formulation, *IOSR J. Pharm.*, **5(10)**, 43-47.
- Chen, L., Han, L., Lian, G., 2013, Recent Advances in Predicting Skin Permeability Of Hydrophilic Solutes, *Advanced Drug Delivery Reviews*, **65**, 295-305.
- Chime, S.A., Kenekwue, F.C., Attama, A.A., 2014, Nanoemulsions - Advances in Formulation, Characterization and Applications in Drug Delivery, *Application of Nanotechnology in Drug Delivery*, 77-126.
- Chomnawang, M.T., Surassmo, S., Nukoolkarn, V.S., Gritsanapan, W., 2005, Antimicrobial Effects of Thai Medicinal Plants Against Acne-inducing Bacteria, *J.Ethnopharmacology*, **101**, 330-333.
- Cole, Curtis., 2014, Sunscreen – What is The Ideal Testing Model?, *Photodermatol Photoimmunol Photomed*, **30**, 81-87.
- Diniyanti, S.N., Werawatgonone, P., Muangsiri, W., 2018, Preparation of Solid Lipid Nanoparticles Containing Mangosteen Pericarp Extract, *Asian J. Pharm. and Clinical Research*, **11(3)**, 80-84.
- Draelos, Z.D., 2015, Cosmetic Drugs of Antiquity, *Journal of Cosmetic Dermatology*, **14**, 267.
- Eff, A.R.Y., Pertiwi, R.D., Rakhwani, I., Utawmi, T.P., 2018, In-vitro and in-vivo Sunscreen Activity of Active Compounds Isolated from Fruits of *Phaleria marcocarpha* (Scheff.) Boerl, *J. Young Pharm.*, **10(2)**, 106-110.
- Eming, S.A., Martin, P., Canic, M.T., 2014, Wound Repair and Regeneration: Mechanisms, Signaling, and Translation, *Sci. Transl. Med.*, **6**, 256.
- Fabbrocini, G., Padova, M.P.D., Cacciapuoti, S., Tosti, A., 2012, Acne, dalam Tosti, A., Grimes, P.E., Padova, M.P.D., *Color Atlas of Chemical Peels*, Springer-Verlag, Berlin Heidelberg.
- Fabbrocini, G., Padova, M.P.D., 2013, Acne, dalam Tosti, A., dan Hexsel, D., *Update in Cosmetic Dermatology*, Springer-Verlag, Berlin Heidelberg.
- Fernandez, P., Andre, V., Rieger, J., Kuhnle, A., 2004, Nano-Emulsion Formation by Emulsion Phase Inversion, *Colloids and Surfaces A Physicochemical and Engineering Aspects*, **251**, 53-58.
- Fox, L., Csongradi, C., Aucamp, M., Plessis, J.D., Gerber, M., 2016, Treatment Modalities for Ance, *Molecules*, **21**, 1063.

- Fox, M., Helfrichm Y., Kang, S., 2018, Other Topical Medications, dalam Bologna, J.L., Schaffer, J.V., Cerroni, L., *Dermatology*, Edisi keempat, Elsevier, Amsterdam, Belanda.
- Gadhawe, A.D., 2014, Nanoemulsions: Formation, Stability and Applications, *International Journal for Research in Science and Advanced Technologies*, **3(2)**, 38-43.
- Gannu, R., Palem, C.R., Yamsani, V.V., Yamsani, S.K., Yamsani, M.R., 2010, Enhanced Bioavailability of Lacidipine via Microemulsion Based Transdermal Gels: Formulation Optimization, Ex Vivo and in Vivo Characterization, *Int. J. Pharm.*, **388**, 231-241.
- Gazitaeva, Z.I., Drobintseva, A.O., Chung, Y., Polyakova, V.O., Kvetnoy, I.M., 2017, Cosmeceutical Product Consisting of Biomimetic Peptides: Antiaging Effects *In Vivo* and *In Vitro*, *Clinical, Cosmetic and Investigational Dermatology*, **10**, 11-16.
- Ghasemzadeh, A., Jaafar, H.Z.E., Baghdadi, A., Tayebi-Meigooni, A., 2018, Alpha-Mangostin-Rich Extract from Mangosteen Pericarp: Optimization of Green Extraction Protocol and Evaluation of Biological Activity, *Molecules*, **23**, 1852.
- Gondokesumo, M.E., Pardjianto, B., Sumitro, S.B., Widowati, W., Handono, K., 2019a, Xanthones Analysis and Antioxidant Activity Analysis (Applying ESR) of Six Different Maturity Levels of Mangosteen Rind Extract (*Garcinia mangostana* Linn.), *Pharmacogn J.*, **11(2)**, 369-373.
- Gondokesumo, M.E., Pardjianto, B., Handono, K., Sumitro, S.B., Widowati, W., Wismandanu, O., Hartady, T., Rosdianto, A.M., Goenawan, H., Lesmana, R., Wathoni, N., Supratman, U., 2019b, *Garcinia Mangostana* Extract Enhances Skin Epithelialization in Rat Induced Burn Injury, *Pakistan Veterinary Journal*, **39(3)**, 365-370.
- Gupta, A., Singh, S., Kotla, N.G., Webster, T.J., 2015, Formulation and Evaluation of a Topical Niosomal Gel Containing a Combination of Benzoin Peroxide and Trerinoic Acid for Antiacne Activity, *Intr. J. Nanomedicine*, **10**, 171-182.
- Isabella, E dan Pohan, T., 2013, Formulation of Oil-in-Water Cream from Mangosteen (*Garcinia mangostana* L.) Pericarp Extract Preserved by Gamma Irradiation, *Atom Indonesia*, **39(3)**, 136-144.
- Iwata, H., dan Shimada, K., 2013, Emulsion, *Formulas, Ingredients and Production of Cosmetics: Technology of Skin- and Hair- Care Product in Japan*, Springer, Jepang.
- Jepps, O.G., Dancik, Y., Anissimoy, Y.G., Roberts, M.S., 2012, Modeling the Human Skin Barrier — Towards a Better Understanding of Dermal Absorption, *Advanced Drug Delivery Reviews*, **65**, 152-168.

- Jose, P.C., Noemi, C.R., Marisol, O.I., Jazmin, M.P.R., 2008, Medicinal Properties of Mangosteen (*Garcinia mangostana*), *J. Food and Chemical Toxicology*, **46**, 3227-3239.
- Kaplan, L.A., 1992, Suntan, Sunburn, and Sun Protection, *J. Wildeness Med.*, **3**, 173-196.
- Kennedy, C., Bastiaens, M.T., Bajdik, C.D., Willemze, R., Westendorp, R.G.J., Bavinck, J.N.B., 2003, Effect of Smoking and Sun on the Aging Skin, *J. Investigative Dermatology*, **120**, 548-554.
- Khan, J.I., Kennedy, T.J., Christian Jr., D.R., 2012, *Basic Principles of Forensic Chemistry*, Springer Science+Business Media, New York, USA.
- Khumsupan, P., dan Gritsanapan, W., 2014, Anti-acne Activity of *Garcinia mangostana* L.: A Review, *Plant Sci. Today*, **1(3)**, 147-150.
- Kum, H., Roh, K.B., Shin, S., Jung, K., Park, D., Jung, E., 2016, Evaluation of Anti-Acne Properties of Phloretin *In Vitro* and *In Vivo*, *Intr. J. Cosmetic Sci.*, **38**, 85-92.
- Kusmayadi, A., Adriani, L., Abun, A., Muchtaridi, M., Tanuwiriya, U.H., 2019, The Microencapsulation of Mangosteen Peel Extract with Maltodextrin From Arenga Starch: Formulation and Characterization, *J. App. Pharm. Sci.*, **9(3)**, 33-40.
- Lee, W.J., Ng, C.C., Smith-Jr, R.L., Kok, S.L., Hee, Y.Y., Lee, S.Y., Tan, W.K., Abidin, N.H.Z., Lim, S.A.H., Chong, C.H., 2019, Supercritical carbon dioxide extraction of α -mangostin from mangosteen pericarp with virgin coconut oil as co-extractant and *in-vitro* bio-accessibility measurement, *Process Biochemistry*, **87**, 213-220.
- Li, L., Brunner, I., Han, A.R., Hamburger M., Kinghorn, A.D., Butterweck, V., 2010, Determination of Alpha-Mangostin in Rat Plasma by HPLC-MS and Its Application to Pharmacokinetic Studies, *Planta Med.*, **76**, 338-346.
- Li, L., Brunner, I., Han, A.R., Hamburger, M., Kinghorn, A.D., Frye, R., 2011, Pharmacokinetics of α -mangostin in Rats After Intravenous and Oral Application, *Mol. Nutr. Food, Res.*, **55**, S67-74.
- Li, L., Han, A.R., Kinghorn, A.D., Frye, R.F., Derendorf, H., Butterweck, V., 2013, Pharmacokinetic Properties of Pure Xanthenes in Comparison to a Mangosteen Fruit Extract in Rats, *Planta Med.*, **79(8)**, 646-653.
- Lim, T.K., 2012, *Garcinia mangostana*, *Edible Medicinal and Non-Medicinal Plant.*, **2**, 83-108.
- Lopes, D.M., dan McMahon, S.B., 2016, Ultraviolet Radiation on the Skin: A Painful Experience?, *CNS Neurosci Ther.*, **22(2)**, 118-126.

- Markowicz, J., Uram, L., Sobich, J., Mangiardi, L., Maj, P., Rode, W., 2019, Antitumor and Anti-nematode Activities of α -Mangostin, *European J. Pharmacology*, **863**, 172678.
- Maulina, L., Sugihartini, N., 2015, Formulasi Gel Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana* L.) dengan Variasi *Gelling Agent* sebagai Sediaan Luka Bakar, *Pharmaciana*, **5(1)**, 43-52.
- Mayba, J.N., dan Gooderham, M.J., 2018, A Guide to Topical Vehicle Formulation, *J. Cutaneous Med. And Surgery*, **22(2)**, 207-212.
- Melia, S., Novia, D., Juliyarsi, I., Purwati, E., 2019, The Characteristics of Pericarp of *Garcinia mangostana* (Mangoteen) Extract as Natural Antioxidants in *Rendang*, *IOP Conf. Ser.: Earth Environ. Sci.*, **287**, 012028.
- Miguel, M.G., 2010, Antioxidant Activity of Medicinal and Aromatic Plants, *A. Rev. Flavour Fragr. J.*, **25**, 291-312.
- Mishima, K., Kawakami, R., Yokota, H., Harada, T., Kato, T., Irie, K., Mishima, K., Fujiwara, M., Matsuyama, K., Mustofa, S., Salim, A., 2013, Extraction of Xanthones from Pericarp of *Garcinia mangostana* Linn. With Supercritical Carbon Dioxide and Ethanol, *Solvent Extraction Research and Development*, **20**, 79-89.
- Mishima, K., Kawamura, H., Ito, S., Inoue, Y., Hirota, T., Kato, T., Sharmin, T., Kawakami, R., Irie, K., Mishima, K., Harada, T., Mustofa, S., Hasanah, F., Siregar, Y.D.I., Putri L.S.E., Salim, A., 2015, Liquid Carbon Dioxide Extraction of Xanthone from the Pericarps of *Garcinia mangostana* Linn. Enhanced by Ultrasonic Irradiation, *Solvent Extraction Research and Development*, **22**, 187-199.
- Muchtaridi, M., Prasetyo, M., Saptarini, N.M., Saputri, F.A., 2018, High Performance Liquid Chromatography for α -Mangostin Analysis in Mangosteen Pericarp Extract for Routine Analysis with Photodiode Array Detector, *Rayasan J. Chem.*, 2018, **11**, 973-978.
- Muchtaridi, M., Pratiwi, R., Alam, G., Rohman, A., 2019, Analysis of Gartanin in Extract of Mangosteen Pericarp Fruit (*Garcinia Mangostana* L.) Using Spectrophotometric Fourier Transform Infrared (FTIR) Method, *Rayasan J. Chem.*, **12(2)**, 874-879.
- Muchtaridi, M., Puteri, N.A., Milanda, T., Musfiroh, I., 2017, Validation Analysis Method of α -Mangostin, γ -Mangostin, and Gartanin Mixture in Mangosteen (*Garcinia mangostana* L.) Fruit Rind Extract from West Java with HPLC, *J. of Applied Pharm. Sci.*, **7(10)**, 125-130.
- Mulia, K., Halimah, N., Krisanti, E., 2017, Effect of Alginate Composition on Profile Release and Characteristics of Chitosan-alginate Microparticles Loaded with Mangosteen Extract, *International Conference on Chemistry, Chemical Process and Engineering*, **1823**, 020010.

- Mulia, K., Putri, G.A., Krisanti, E., 2018a, Encapsulation of Mangosteen Extract in Virgin Coconut Oil Based Nanoemulsions: Preparation and Characterization for Topical Formulation, *Materials Sci. Forum*, **929**, 234-242.
- Mulia, K., Ramadhan, R.M.A., Krisanti, E.A., 2018b, Formulation and Characterization of Nanoemulgel Mangosteen Extract in Virgin Coconut Oil for Topical Formulation, *MATEC Web of Conferences*, **156**, 01013.
- Mulia, K., Singarimbun, A.C., Krisanti, E.A., 2020, Optimization of Chitosan-Alginate Microparticles for Delivery of Mangostins to the Colon Area Using Box-Behnken Experimental Design, *Inter. J. Molecular Sci.*, **21**, 873.
- Nerome, H., Hoshino, R., Ito, S., Esaki, R., Eto, Y., Wakiyama, S., Sharmin, T., Goto, M., Kadam H., Mishima, K., 2016, Functional Ingredients Extraction from *Garcinia mangostana* Pericarp by Liquefied Dimethyl Ether, *Engineering J.*, **20(4)**, 155-162.
- Obagi, Suzan., & Kranendonk, Shauna., 2012, Skin Rejuvenation, dalam Guttenberg, Steven A., *Cosmesis of the Mouth, Face and Jaws*, 131-151.
- Ohno, R.I., Moroishi, N., Sugawa, H., Maejima, K., Saigusa, M., Yamana, M., Negai, M., Yoshimura, M., Amakura, Y., Nagai, R., 2015, Mangosteen Pericarp Extract Inhibits The Formation of Pentosidine and Ameliorates Skin Elasticity, *J. Clin. Biochem. Nutr.*, **57(1)**, 27-32.
- Ovalle-Magallanes, B., Eugenio-Pérez, D., Pedraza-Chaverri, J., 2017, Medicinal properties of mangosteen (*Garcinia mangostana* L.): A comprehensive update, *Food Chem Toxicol*, **109**, 102- 122.
- Palefsky, I., 2016, Cosmeceutical Formulation Considerations, dalam Draeos, Z.D., Dover, J.S., Alam, M., *Cosmeceuticals*, Edisi ketiga, Elsevier, Amsterdam, Belanda.
- Pan-On, S., Rujivipat, S., Ounaroorn, A., Kongkaew, C., Tiyafoonchai, W., 2018, Development, Characterization and Skin Irritation of Mangosteen Peel Extract Solid Dispersion Containing Clay Facial Mask, *Int. J. App. Pharm.*, **10(5)**, 202-208.
- Pavicic, T., Wollenweber, U., Farwick, M., Korting, H.C., 2007, Anti-Microbial and -Inflammatory Activity and Efficacy of Phytosphingosine: an *In Vitro* and *In Vivo* Study Addressing Acne Vulgaris, *Intr. J. Cosmetic Sci.*, **29**, 181-190.
- Pearce, E.C., 2013, *Anatomi dan Fisiologi untuk Paramedis*, diterjemahkan oleh Sri Yuliani Handoyono, PT Gramedia Pustaka Utama, Jakarta.
- Pothitirat, W., Chomnawang, M.T., Gritsanapan, W., 2010b, Anti-Ance-Inducing Bacterial Activity of Mangosteen Fruit Rind Extracts, *Med. Princ. Pract.*, **19**, 281-286.

- Pothitirat, W., Chomnawang, M.T., Supabphol, R., Gritnasapan, W., 2009a, Comparison of Bioactive Compounds Content, Free Radical Scavenging and Anti-Acne Inducing Bacteria Activities of Extracts from The Mangosteen Fruit Rind at Two Stages of Maturity, *Fitoterapia*, **80**, 442-447.
- Pothitirat, W., Chomnawang, M.T., Supabphol, R., Gritsanapan, W., 2010a, Free Radical Scavenging and Anti-Acne Activities of Mangosteen Fruit Rind Extracts Prepared by Different Extraction Methods, *Pharm. Bio.*, **48(2)**, 182-186.
- Pothitirat, W., Pithayanukul, P., Chomnawang, M.T., Supabphol, R., Gritsanapan, W., 2009b, Biological and Chemical Stability of Mangosteen Fruit Rind Extract, *Functional Plant Sci. and Biotech.*, **3(1)**, 16-18.
- Pratiwi, L., Fudholi, A., Martien, R., Pramono, S., 2017, *Self-nanoemulsifying Drug Delivery System (Snedds)* for Topical Delivery of *Mangosteen Peels (Garcinia Mangostana L.)*: Formulation Design and *In vitro* Studies, *J. Young Pharm.*, **9(3)**, 341-346.
- Putri, D.D., Furqon, M.T., Perdana, R.S., 2018, Klasifikasi Penyakit Kulit Pada Manusia Menggunakan Metode Binary Decision Tree Support Vector Machine (BDTSVM) (Studi Kasus: Puskesmas Dinoyo Kota Malang), *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, **2(5)**, 1912-1920.
- Quan, T., Qin, Z., Xia, W., Shao, Y., Voorhees, J.J., Fisherm G.J., 2009, Matrix-Degrading Metalloproteinases In Photoaging, *J. Investig. Dermatol. Symp. Proc.*, **14(1)**, 20-24.
- Raghavendra, H.L., Kumar, S.V.P., Kekuda, T.R.P., Ramalingappa, Ejeta, E., Mulatu, K., Khanum, F., Anilakumar, K.R., Extraction and Evaluation of α -Mangostin for its Antioxidant and Acetylcholinesterase Inhibitory Activity, *J. Biologically Active Product from Nature*, **1(5&6)**, 314-324.
- Rivero, B., dan Garibay, I., 2019, Development and Validation of a Stability-Indicating HPLC Method for the Quantification of α -Mangostin in Dietary Supplements, *Natural Product Communications*, DOI: 10.1177/1934578X19863948.
- Rohman, A., Rafi, M., Alam, G., Muchtaridi, M., Windarsih, A., 2019, Chemical Composition and Antioxidant Studies of Underutilized Part of Mangosteen (*Garcinia mangostana* L.) Fruit, *J. App. Pharm. Sci.*, **9(08)**, 47-52.
- Roshni, P.R., Reghu, R., Wijayan, M., Krishnan, P., 2014, Evaluation and Management of Sunburn, *Intr. J. Research in Pharm. and Chem.*, **4(2)** 342-345.
- Sage, E.E., Jailani, N., Taib, A.Z., Noor, N.M., Said, I.M., Abu-Bakar, M., Mackeen, M.M., 2018, From the Front or Back Door? Quantitative analysis of Direct and Indirect Extraction of α -Mangostin from Mangosteen (*Garcinia mangostana*), *PLoS ONE*, **13(10)**, e0205753.

- Sarchio, S.N.E., Kok, L.F., O'Sullivan, C., Halliday G.M., Byrne, S.N., 2012, Dermal Mast Cells Affect The Development of Sunlight-Induced Skin Tumours, *Experimental Dermatology*, **21**, 241-248.
- Schaefer, U.F., Hansen, S., Schneider, M., Contreras, J.L., Lehr, C.M., 2008, Model for Skin Absorption and Skin Toxicity Testing, dalam Ehrhardt, C., dan Kim, K.J., *Drug Absorption Studies: In situ, In vitro, and In Silico Models*, Volume VII, Springer Science+Business Media, New York, USA.
- Sheu, M.T., Lin, C.W., Huang, M.C., Shen, C.H., Ho, H.O., 2003, Correlation of In vivo and In vitro Measurements of Sun Protection Factor, *J. Food and Drug Analysis*, **11**(2), 128-132.
- Sombolayuk, H.B., Djawat, K., Wahab, S., Miskad, U.A., Alam, G., Pattelongi, I., 2019, Effectivity of Topical Mangosteen Pericarp Extract Cream on Wound Healing in Swiss Albino Mice, *J. of Bio. Research*, **92**, 61-64.
- Sukatta, U., Takenaka, M., Ono, H., Okadome, H., Sotome, I., Nanayama, K., Thanapase, W., Isobe, S., 2013, Distribution of Major Xanthenes in the Pericarp, Aril, and Yellow Gum of Mangosteen (*Garcinia mangostana* Linn.) Fruit and Their Contribution to Antioxidative Activity, *Bio. Sci. Biotechnol. Biochem.*, **77**, 984-987.
- Sungpud, C., Panpipat, W., Chaijan, M., Yoon, A.S., 2020, Techno-biofunctionality of Mangostin Extract-Loaded Virgin Coconut Oil Nanoemulsion and Nanoemulgel, *PLoS ONE*, **15**(1), e0227979.
- Tadros, T.F., 2013, Emulsion Formation, Stability, and Rheology, *Emulsion Formation and Stability*, **1**, 1-75.
- Taleb, M.H., Abdeltawab, N.F., Shamma, R.N., Abdelgayed, S.S., Mohamed, S.S., Farag, M.A., Ramadan, M.A., 2018, *Origanum vulgare* L. Essential Oil as a Potential Anti-Acne Topical Nanoemulsion—In Vitro and In Vivo Study, *Molecules*, **23**, 2164.
- Tanngoen, P., Lamlertthon, S., Tiyaboonchai, W., 2020, Characterization and Evaluation of α -Mangostin-loaded Film-forming Gels for Acne Treatment, *Indian J. Pharm. Sci.*, **82**(1), 157-165.
- Thakur, N., Garg, G., Sharma, P.K., Kumar, N., 2012, Nanoemulsions: A Review on Various Pharmaceutical Application, *Global J. Pharmacology*, **6**(3), 222-225.
- Tjahjani, S., Widowati, W., Khiong, K., Suhendra, A., Tjokropranoto, R., 2014, Antioxidant Properties of *Garcinia mangostana* L. (Mangosteen) Rind, *Procedia Chemistry*, **13**, 198-203.
- Upaganlawar, Aman B., & Badole, Sachin L., 2013, Mangosteen (*Garcinia mangostana* Linn.): Role in Prevention of Skin Disorders, dalam Watson, R.R., dan Zibadi, S., *Bioactive Dietary Factors and Plant Extracts in Dermatology*, Springer Science+Business Media, New York.

- Velnar, T., Bailey, T., Smrkolj, V., 2009, The Wound Healing Process: an Overview of the Cellular and Molecular Mechanisms, *J. Intr. Med. Research*, **37(5)**, 1528-1542.
- Waranuch, N., Phimnuan, P., Yakaew, S., Nakyai, W., Grandmottet, F., Onlom, C., Srivilai, J., Viyoch, J., 2019, Antiacne and antiblotch activities of a formulated combination of Aloe barbadensis leaf powder, *Garcinia mangostana* peel extract, and *Camellia sinensis* leaf extract, *Clinical, Cosmetic and Investigational Dermatology*, **12**, 383-391.
- Wenck, H., dan Wittern, K.P., 2009, Cosmetics, dalam Bullinger, H.J., *Technology Guide*, Springer, Berlin, Heidelberg.
- Yodhnu, S., Sirikatitham, A., Wattanapiromsakul, C., 2009, Validation of LC for the Determination of α -Mangostin in Mangosteen Peel Extract: A Tool for Quality Assessment of *Garcinia mangostana* L., *J. of Chromatographisc Sci.*, **47**, 185-189.
- Zuo, J., Zhang, W., Xia, Y., Li, X., Luan, J.J., Chen, J.W., 2015, PEGylated Niosomes as Delivery System Efficiently Prolonged The Clearence Time of 2-hydroxy-1,7-dimethoxyxanthone In Vivo., *Lat. Am. J. Pharm.*, **34**, 1804-1814.