

REFERENCES

Aaraj, C. E. *et al.* (2015) 'Mycotoxigenic Fungi in Cereals grains and coffee from the North of Morocco', *American Journal of Research Communication*, 3(2), pp. 130–142.

Angioni, A. *et al.* (2007) 'In vitro interaction between ochratoxin A and different strains of *Saccharomyces cerevisiae* and *Kloeckera apiculata*', *Journal of Agricultural and Food Chemistry*, 55(5), pp. 2043–2048. doi: 10.1021/jf062768u.

Balendres, M. A. O., Karlovsky, P. and Cumagun, C. J. R. (2019) 'Mycotoxigenic fungi and mycotoxins in agricultural crop commodities in the Philippines: A review', *Foods*, 8(7), pp. 1–12. doi: 10.3390/foods8070249.

Banjara, N. *et al.* (2016) 'Killer toxin from several food-derived *Debaryomyces hansenii* strains effective against pathogenic *Candida* yeasts', *International Journal of Food Microbiology*. Elsevier B.V., 222, pp. 23–29. doi: 10.1016/j.ijfoodmicro.2016.01.016.

Batista, L. R. *et al.* (2003) 'Toxigenic fungi associated with processed (green) coffee beans (*Coffea arabica* L.)', *International Journal of Food Microbiology*, 85(3), pp. 293–300. doi: 10.1016/S0168-1605(02)00539-1.

Batista, L. R. *et al.* (2009) 'Ochratoxin A in coffee beans (*Coffea arabica* L.) processed by dry and wet methods', *Food Control*. Elsevier Ltd, 20(9), pp. 784–790. doi: 10.1016/j.foodcont.2008.10.003.

Batista, L. R. *et al.* (2015) *Coffee: Types and Production*. 1st edn, *Encyclopedia of Food and Health*. 1st edn. Elsevier Ltd. doi: 10.1016/B978-0-12-384947-2.00184-7.

Batt, C. A. and Tortorello, M. Lou (2014) *Encyclopedia of Food Microbiology: Second Edition, Encyclopedia of Food Microbiology: Second Edition*.

Bejaoul, H. *et al.* (2004) 'Ochratoxin A removal in synthetic and natural grape juices by selected oenological *Saccharomyces* strains', *Journal of Applied Microbiology*, 97(5), pp. 1038–1044. doi: 10.1111/j.1365-2672.2004.02385.x.

Bragulat, M. R., Abarca, M. L. and Cabañes, F. J. (2001) 'An easy screening method for fungi producing ochratoxin A in pure culture', *International Journal of Food Microbiology*, 71(2–3), pp. 139–144. doi: 10.1016/S0168-1605(01)00581-5.

De Bruyn, F. *et al.* (2017) 'Exploring the impacts of postharvest processing on the microbiota and metabolite profiles during green coffee bean production', *Applied and Environmental Microbiology*, 83(1). doi: 10.1128/AEM.02398-16.

Bucheli, P. *et al.* (1998) 'Industrial Storage of Green Robusta Coffee under Tropical Conditions and Its Impact on Raw Material Quality and Ochratoxin A Content', *Journal of Agricultural and Food Chemistry*, 46(11), pp. 4507–4511. doi: 10.1021/jf980468+.

Culliao, A. G. L. and Barcelo, J. M. (2015) 'Fungal and mycotoxin contamination of coffee beans in Benguet province, Philippines', *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment*, pp. 250–260. doi: 10.1080/19440049.2014.1001796.

Dharmaputra, O. S. *et al.* (2019) 'FUNGAL INFECTION IN STORED ARABICA COFFEE (*Coffea arabica*) BEANS AT VARIOUS STAGES OF THE

DELIVERY CHAIN IN SOUTH SULAWESI PROVINCE’, *Biotropia*, 26(2).

doi: 10.11598/btb.2019.26.2.900.

Duarte, S. C., Lino, C. M. and Pena, A. (2010) ‘Mycotoxin food and feed regulation and the specific case of ochratoxin a: A review of the worldwide status’, *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment*, 27(10), pp. 1440–1450. doi: 10.1080/19440049.2010.497166.

European Commission (2010) ‘Commission Regulation (EC) No 165/2010 of 26 February 2010, amending Regulation (EC) No 1881/2006 setting maximum levels for certain contaminants in foodstuffs as regards aflatoxins’, *Official Journal of the European Union.*, 50(2009), pp. 8–12.

Evangelista, S. R. *et al.* (2014) ‘Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process’, *Food Research International*. Elsevier Ltd, 61, pp. 183–195. doi: 10.1016/j.foodres.2013.11.033.

FAO (2019) *FAOSTAT*. Available at: <http://www.fao.org/faostat/en/#data/QC> (Accessed: 13 November 2019).

Geremew, T. *et al.* (2016) ‘Occurrence of toxigenic fungi and ochratoxin A in Ethiopian coffee for local consumption’, *Food Control*. Elsevier Ltd, 69, pp. 65–73. doi: 10.1016/j.foodcont.2016.04.025.

Gil-Serna, J. *et al.* (2011) ‘Mechanisms involved in reduction of ochratoxin A produced by *Aspergillus westerdijikiae* using *Debaryomyces hansenii* CYC 1244’, *International Journal of Food Microbiology*. Elsevier B.V., 151(1), pp.

113–118. doi: 10.1016/j.ijfoodmicro.2011.08.012.

Haile, M. and Kang, W. H. (2019) ‘Isolation, identification, and characterization of pectinolytic yeasts for starter culture in coffee fermentation’, *Microorganisms*, 7(10). doi: 10.3390/microorganisms7100401.

Hayat, A. *et al.* (2012) ‘Recent advances in ochratoxin A-producing fungi detection based on PCR methods and ochratoxin A analysis in food matrices’, *Food Control*. Elsevier Ltd, 26(2), pp. 401–415. doi: 10.1016/j.foodcont.2012.01.060.

Iamanaka, B. T. *et al.* (2014) ‘The mycobiota of coffee beans and its influence on the coffee beverage’, *Food Research International*. Elsevier Ltd, 62, pp. 353–358. doi: 10.1016/j.foodres.2014.02.033.

ICO, I. C. O. (2009) ‘Code of Practice for prevention and reduction of ochratoxin A contamination in coffee’, 69(September), pp. 1–10.

Kapetanakou, A. E. *et al.* (2012) ‘Inhibition of *A. carbonarius* growth and reduction of ochratoxin A by bacteria and yeast composites of technological importance in culture media and beverages’, *International Journal of Food Microbiology*. Elsevier B.V., 152(3), pp. 91–99. doi: 10.1016/j.ijfoodmicro.2011.09.010.

Kurtzman, C. P. *et al.* (2011) *Methods for isolation, phenotypic characterization and maintenance of yeasts*, *The Yeasts*. Elsevier B.V. doi: 10.1016/B978-0-444-52149-1.00007-0.

Kurtzman, C. P., Fell, J. W. and Boekhout, T. (2011) *The Yeasts, a Taxonomic Study Volume 1 Fifth Edition*. Elsevier Science & Technology Book.

Available at: <http://repositorio.unan.edu.ni/2986/1/5624.pdf>.

Lehmann, P. F., Lemon, M. B. and Ferencak, W. J. (1987) ‘ Antifungal Compounds (“Killer Factors”) Produced by *Kluyveromyces* Species and their Detection on an Improved Medium Containing Glycerol ’, *Mycologia*, 79(5), pp. 790–794. doi: 10.1080/00275514.1987.12025461.

Lemessa, F. *et al.* (2015) ‘Association of Mycoflora with Coffee (*Coffea arabica* L.) Beans at Limmu Coffee Plantation, Southwestern Ethiopia’, *Plant Pathology Journal*, 14(3), pp. 136–141. doi: 10.3923/ppj.2015.136.141.

Luz, C. *et al.* (2018) ‘Toxicity reduction of ochratoxin A by lactic acid bacteria’, *Food and Chemical Toxicology*. Elsevier, 112(December 2017), pp. 60–66. doi: 10.1016/j.fct.2017.12.030.

Malir, F. *et al.* (2016) ‘Ochratoxin A: 50 years of research’, *Toxins*, 8(7), pp. 12–15. doi: 10.3390/toxins8070191.

Marquina, D. *et al.* (2001) ‘Production and characteristics of *debaryomyces hansenii* killer toxin’, *Microbiological Research*, 156(4), pp. 387–391. doi: 10.1078/0944-5013-00117.

Masoud, W. and Kalsoft, C. H. (2006) ‘The effects of yeasts involved in the fermentation of *Coffea arabica* in East Africa on growth and ochratoxin a (OTA) production by *Aspergillus ochraceus*’, *International Journal of Food Microbiology*, 106(2), pp. 229–234. doi: 10.1016/j.ijfoodmicro.2005.06.015.

Masoud, W., Poll, L. and Jakobsen, M. (2005) ‘Influence of volatile compounds produced by yeasts predominant during processing of *Coffea arabica* in East Africa on growth and ochratoxin A (OTA) production by *Aspergillus*

ochraceus', *Yeast*, 22(14), pp. 1133–1142. doi: 10.1002/yea.1304.

de Melo Pereira, G. V. *et al.* (2013) 'Spontaneous cocoa bean fermentation carried out in a novel-design stainless steel tank: Influence on the dynamics of microbial populations and physical-chemical properties', *International Journal of Food Microbiology*. Elsevier B.V., 161(2), pp. 121–133. doi: 10.1016/j.ijfoodmicro.2012.11.018.

de Melo Pereira, G. V. *et al.* (2014) 'Isolation, selection and evaluation of yeasts for use in fermentation of coffee beans by the wet process', *International Journal of Food Microbiology*, pp. 60–66. doi: 10.1016/j.ijfoodmicro.2014.07.008.

Melo Pereira, G. V. de *et al.* (2018) 'Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review', *Food Chemistry*. doi: 10.1016/J.FOODCHEM.2018.08.061.

Moulia, M. N. *et al.* (2014) 'Penicillium Species Isolated From Cocoa, Coffee Beans, and Dried Cassava in Yogyakarta Indonesia and Their Ochratoxin Production', *Indonesian Food and Nutrition Progress*, 13(1), p. 1. doi: 10.22146/jifnp.115.

Muñoz, K. *et al.* (2011) 'Mycotoxin production by different ochratoxigenic *Aspergillus* and *Penicillium* species on coffee- and wheat-based media', *Mycotoxin Research*, 27(4), pp. 239–247. doi: 10.1007/s12550-011-0100-0.

Nakajima, M. *et al.* (1997) 'Survey of aflatoxin B1 and ochratoxin a in commercial green coffee beans by high-performance liquid chromatography linked with immunoaffinity chromatography', *Food and Agricultural*

Immunology, 9(2), pp. 77–83. doi: 10.1080/09540109709354938.

Noonim, P. *et al.* (2008) ‘Isolation, identification and toxigenic potential of ochratoxin A-producing *Aspergillus* species from coffee beans grown in two regions of Thailand’, *International Journal of Food Microbiology*. Elsevier B.V., 128(2), pp. 197–202. doi: 10.1016/j.ijfoodmicro.2008.08.005.

Nugroho, A. (2014) ‘The Impact of Food Safety Standard on Indonesia’s Coffee Exports’, *Procedia Environmental Sciences*. Elsevier B.V., 20, pp. 425–433. doi: 10.1016/j.proenv.2014.03.054.

Ostry, V. *et al.* (2017) ‘Mycotoxins as human carcinogens—the IARC Monographs classification’, *Mycotoxin Research*. Mycotoxin Research, 33(1), pp. 65–73. doi: 10.1007/s12550-016-0265-7.

Passoth, V. *et al.* (2006) ‘Biotechnology, physiology and genetics of the yeast *Pichia anomala*’, *FEMS Yeast Research*, 6(1), pp. 3–13. doi: 10.1111/j.1567-1364.2005.00004.x.

Patharajan, S. *et al.* (2011) ‘Potential of yeast antagonists on invitro biodegradation of ochratoxin A’, *Food Control*. doi: 10.1016/j.foodcont.2010.07.024.

Pederson, C. S. and Breed, R. S. (1946) ‘Fermentation of Coffee’, *Journal of Food Science*, 11(2), pp. 99–106. doi: 10.1111/j.1365-2621.1946.tb16331.x.

Ponsone, M. L. *et al.* (2011) ‘Biocontrol as a strategy to reduce the impact of ochratoxin A and *Aspergillus section Nigri* in grapes’, *International Journal of Food Microbiology*. Elsevier B.V., 151(1), pp. 70–77. doi: 10.1016/j.ijfoodmicro.2011.08.005.

Ramos, D. M. B. *et al.* (2010) 'Inibição in vitro de fungos toxigênicos por *Pichia sp.* e *Debaryomyces sp.* isoladas de frutos de café (*Coffea arabica*)', *Acta Scientiarum - Agronomy*, 32(3), pp. 397–402. doi: 10.4025/actasciagron.v32i3.3361.

Rasyidah, M. M. (2018) *Keragaman kapang yang mengontaminasi kopi bubuk dan biji kopi sangrai akibat penyeduhan mardia mardiatia rasyidah*. Institut Pertanian Bogor.

Serna, J. G. *et al.* (2009) 'Biocontrol of *Aspergillus ochraceus* by yeasts', pp. 368–372. doi: 10.1142/9789812837554_0077.

Silva, C. F. *et al.* (2013) 'Evaluation of a potential starter culture for enhance quality of coffee fermentation', *World Journal of Microbiology and Biotechnology*, 29(2), pp. 235–247. doi: 10.1007/s11274-012-1175-2.

Silva, C. F., Batista, L. R. and Schwan, R. F. (2008) 'Incidence and distribution of filamentous fungi during fermentation, drying and storage of coffee (*Coffea arabica* L.) beans', *Brazilian Journal of Microbiology*, 39(3), pp. 521–526. doi: 10.1590/S1517-83822008000300022.

de Souza, M. L. *et al.* (2017a) 'Use of wild yeasts as a biocontrol agent against toxigenic fungi and OTA production', *Acta Scientiarum - Agronomy*, 39(3), pp. 349–358. doi: 10.4025/actasciagron.v39i3.32659.

de Souza, M. L. *et al.* (2017b) 'Uso de leveduras selvagens como agente de biocontrole contra fungos toxigênicos e produção de OTA', *Acta Scientiarum - Agronomy*, 39(3), pp. 349–358. doi: 10.4025/actasciagron.v39i3.32659.

Suárez-Quiroz, M. *et al.* (2004) 'Study of ochratoxin A-producing strains in

coffee processing’, *International Journal of Food Science and Technology*, 39(5), pp. 501–507. doi: 10.1111/j.1365-2621.2004.00810.x.

Ben Taheur, F. *et al.* (2019) ‘Review: Biotechnology of mycotoxins detoxification using microorganisms and enzymes’, *Toxicon*, 160(February), pp. 12–22. doi: 10.1016/j.toxicon.2019.02.001.

Vanesa, D. and Ana, P. (2013) ‘Occurrence of Ochratoxin A in coffee beans, ground roasted coffee and soluble coffee and method validation’, *Food Control*. Elsevier Ltd, 30(2), pp. 675–678. doi: 10.1016/j.foodcont.2012.09.004.

Varga, J. *et al.* (2005) ‘Degradation of ochratoxin A and other mycotoxins by *Rhizopus* isolates’, *International Journal of Food Microbiology*, 99(3), pp. 321–328. doi: 10.1016/j.ijfoodmicro.2004.10.034.

Varga, J. *et al.* (2010) ‘Chemical, physical and biological approaches to prevent ochratoxin induced toxicoses in humans and animals’, *Toxins*, 2(7), pp. 1718–1750. doi: 10.3390/toxins2071718.

Varga, J., Rigó, K. and Téren, J. (2000) ‘Degradation of ochratoxin A by *Aspergillus* species’, *International Journal of Food Microbiology*, 59(1–2), pp. 1–7. doi: 10.1016/S0168-1605(00)00230-0.

Velmourougane, K. *et al.* (2011) ‘Management of *Aspergillus ochraceus* and Ochratoxin-A contamination in coffee during on-farm processing through commercial yeast inoculation’, *Biological Control*. Elsevier Inc., 57(3), pp. 215–221. doi: 10.1016/j.biocontrol.2011.03.003.

Vinícius de Melo Pereira, G. *et al.* (2017) ‘Microbial ecology and starter culture technology in coffee processing’, *Critical Reviews in Food Science and*

Nutrition. Taylor & Francis, 57(13), pp. 2775–2788. doi:
10.1080/10408398.2015.1067759.

Visagie, C. M. *et al.* (2014) ‘Ochratoxin production and taxonomy of the yellow aspergilli (*Aspergillus* section *Circumdati*)’, *Studies in Mycology*, 78(1), pp. 1–61. doi: 10.1016/j.simyco.2014.07.001.

Widiastutik, N. and Alami, H. (2014) ‘Isolasi dan Identifikasi Yeast dari Rhizosfer’, *Jurnal Sains Dan Seni Pomits*, 3(1), pp. 11–16. Available at: http://www.ejurnal.its.ac.id/index.php/sains_seni/article/view/5612.

Yani, A. (2007) ‘Cendawan Penghasil Okratoksin pada Kopi dan Cara Pencegahannya’, *Buletin Teknologi Pascapanen Pertanian*, 3.

Zhu, C. *et al.* (2015) ‘Inhibition of the growth and ochratoxin A production by *Aspergillus carbonarius* and *Aspergillus ochraceus* in vitro and in vivo through antagonistic yeasts’, *Food Control*. Elsevier Ltd, 50, pp. 125–132. doi: 10.1016/j.foodcont.2014.08.042.