

DAFTAR PUSTAKA

- Ali, A., 2009, Kandungan Vinblastin dan Anatomi Daun Tapak Dara (*Charanthus roseus* (L) G. Don) Bunga Putih dan Ungu dengan Perlakuan Pupuk Urin Sapi, *Tesis* Universitas Gadjah Mada.
- Andbudhasan, Surenraraj, Karkuzhall, dan Satishkumaran., 2014, Natural Antioxidant and Its Benefits, *International Journal Food and Nutritional Science*, Vol.3.
- Anonim, 2008, *Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup*, Badan Pengawas Obat dan Makanan RI, Direktorat Obat Asli Indonesia, Volume Pertama.
- Anonim, 2008, *Farmakope Herbal Indonesia*, Edisi 1, Depkes RI, Jakarta.
- Arora, A., Byrem, T.M., Nair, M.G. & Strasburg, G.M., 2000, Modulation of Liposomal Membrane Fluidity by Flavonoids and Isoflavonoids, *Arch. Biochem. Biophys.*, 373, 102-109.
- Basma, A.A., Zakaria, Z., Latha, L.Y., & Sasidharan, S., 2011, Antioxidant Activity and Phytochemical Screening of the Metanol Extracts of *Euphorbia hirta* L., *Asian Pac.J.Trop. Med.*, 386-390.
- Biesaga, M., 2010, Influence Extraction Methods on Stability of Flavonoid, *J. Chromatogr.*, 1218, 2505-2512.
- Cadenas, E. & Packer, L., 2002, *Handbook of Antioxidants*, Marcel Dekker Inc., New York.
- Cetcovik G., Dilas SM, Brunet J, dan Tumbas V, *Thin-Layer Chromatography Analysis And Scavenging Activity Of Marigold (Calendula Officinalis L.) Extracts*, APTEFF, 34, 1–148
- Crains, D., 2004, *intisari Kimia Farmasi*, Edisi 2, Penerbit Buku Kedoktera EGC, Jakarta.
- Depkes, 1995, *Farmakope Indonesia Edisi IV*, Departemen Kesehatan RI, Jakarta.
- Ditjen POM, Depkes RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Depkes RI, Jakarta.
- Dorta, E., Lobo, M. G., Gonzales, M., 2012, Reutilization of Mango Bioproducts: Study of the Effect of Extraction Solvent and Temperature on Their Antioxidant Properties, *J. Food Sci.*, 77, 80-88.
- Fengwei Ma, Yang Zhao, Xiaojian Gong, Yu Xie, & Xin Zhou, 2014. Optimization of Quercitrin and Total Flavonoids Extraction from Herba Polygoni Capitati by Response Surface Methodology. *Pharmacogn Mag.* 10(Suppl 1): S57–S64.
- Fuhran, B. & Aviram, M., 2002, Polyphenols and Flavonoids Protect LDL Against Atherogenic Modifications, dalam Cadenas, E., Packer, L., (Eds.), *Handbook of Antioxidants*, Marcel Dekker Inc., New York.
- Gajalakshmi, S., Vijayalaksmi, S., dan Rajeswari, V.D., 2013, Pharmacological Activities of *Charanthus Roseus*: A Perspective Review, *Int J Pharm Bio Sci*, 4(2): 431-439.
- Gandjar, Ibnu Gholib dan Abdul Rohman, 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Geckil, H., Ates, B., Gencer, S., Uckun, M., Yilmaz, I., 2005, Membrane permeabilization of gram-negative bacteria with a potassium phosphate/hexane aqueous phase

- system for the release of Lasparaginase: an enzyme used in cancer therapy, *Process Biochem.*, 40 (2), 573,579.
- Gomez-Alonso S, Fregapane G, Salvador MD, dan Gordon MH, 2003, Changes in phenolic composition and antioxidant activity of virgin olive oil during frying, *J Agri Food Chem* 51:667–672.
- Gordon, M.H, 2001, *Measuring Antioxidant Activity*, Dalam: Jan Pokorny, Nedyalka, Yanishlieva-Malarova, and Michael Gordon (ed.), *Antioxidant in Food Practical Application*, Woodhead Publishing Ltd, London.
- Grotewold, Erich, 2006, *The Science of Flavonoid*, Springer, United States of America.
- Halliwell, B., & Gutteridge, J. M., 2000, Free radicals and antioxidant in the year 2000 : a historical look to the future, *Ann. N. Y. Acad. Sci.*, 899 (1), 136-147.
- Harborne, J. B., 1965, Plant Poliphenol-XIV Characterization of Flavonoid Glycosides by Acidic and Enzyme Hydrolysis, *Phytochem.*, vol. 4, 107-120.
- Harborne J.B., 1986, *The Flavonoids : Advance in the Research*, CRC Press Company, USA.
- Hargono, D., 1986, *Sediaan Galenik*, Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta.
- Heim, Kelly E., Anthony R. Tagliaferro, Dennis J. Bobilya, 2002, Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships, *Journal of Nutritional Biochemistry* 13, 572–584.
- Hernani, Raharjo, M. 2005. *Tanaman Berkhasiat Antioksidan*. Jakarta : Penebar Swadaya.
- Hudson, J.F., 1990, *Food Antioxidants*, Elsevier Applied Science, London.
- Irianti, T., Puspitasari, A. & Suryani, E., 2011, Aktivitas Penangkapan Radikal 2,2-Difenil-1-Pikrilhidrazil oleh Ekstrak Etanolik Batang Brotowali (*Tinospora crispa* (L.) *Miers*) dan Fraksi-fraksinya, *Majalah Obat Tradisional*, 16 (3), 138-144.
- Iskandar Nur dan Iriawati, 2015, *Vinblastine and Vincristine Production on Madagascar Periwinkle (Catharanthus roseus (L.) G. Don) Callus Culture Treated with Polyethylene Glycol*, *Makara Journal of Science*, 20/1, 7-16, Jakarta.
- Kabesh,K., Senthilkumar,P., Rangunathan,R., Kumar R, *Phytochemical Analysis of Catharanthus roseus Plant Extract and its Antimicrobial Activity*, *International Jurnal Pure Applied Bioscience*, 3(2) : 162-172.
- Karadag, A., Ozcelikm B. & Saner, S., 2009, Review of Methods to Determine Antioxidant Capacities, *Food Anal. Methods*, 2, 41-60.
- Karimova E.R., Baltina L.A., & Abdullin M.I., 2016, Production of Quercetin by Acid Hydrolysis of Rutin, *Vestnik Bashkirkogo Universiteta Journal* Vol. 21. No.1 (78-80), Rusia.
- Kedare S.B, dan Singh R.P., 2011, Genesis and Development of DPPH Method of Antioxidant Assay, *J. Food Sci Technol*, 48(4):412-422, India.
- Kelly, E.H., Anthony, R.T. & Dennis, J.B., 2002, Flavonoid Antioxidants: Chemistry, Metabolism, and Structure-Activity Relationships, *J. Nutr. Biochem.*, 13 (10), 572–584.
- Khoshnamvand, M., Ashtiani,S., Huo, C., Saeb, S.P, dan Liu, ., 2018, Use of *alcea rosea* leaf extract for biomimetic synthesis of gold nanoparticles with innate free radical scavenging and catalytic activities, *Journal of Molecular Structure*, 1179 (2019) 749-755, China.

- Kim, G. N., dan Jang, H. D., 2010, Effect of Enzyme Treatment with β - Glucosidase on Antioxidant Capacity of Mullberry (*Morus alba* L.) Leaf Extract, *Food Sci. Biotechnol.*, 19 (5), 1341-1346.
- Kim JK, Noh JH, Lee S, Choi JS, Suh H, Chung HY, Song YO, Choi WC, 2002, The first total synthesis of 2, 3, 6-tribromo-4, 5- dihydroxybenzyl methyl ether (TDB) and its antioxidant activity, *Bull Korean Chem Soc* 23(5):661–662.
- Kristanto,A., Mustaqim,W.A., Suhartono,E., Qamariah,N., 2004, Skrining Tanaman Obat yang Berpotensi sebagai Antioksidan In Vitro, *Mutiara Medika*, 4(1), 5-11.
- Kumar, S., Mishra, A. & Pandey, A.K., 2013, Antioxidant Mediated Protective Effect of *Parthenium hysterophorus* Against Oxidative Damage Using *in Vitro* Models, *BMC Complement Altern Med*, 13, 120.
- Kushwah, A.S., Kaur, P., & Singh, R., 2013, In-Vitro Antioxidant Potential and Phytochemical Screening of *Tectona grandis* Linn. Leaves, Departement of Pharmacology Research Laboratory Collage of Pharmacy, India.
- Leitao GG, Leitao SG, VilegasW. 2002, Quick preparative separation of natural naphthoquinones with antioxidant activity by high-speed counter-current chromatography, *Z Naturforsch* 57:1051–1055.
- Li, Y., Song, Q., Chen, P., Zhao, W., Wang, S. S., 2006, Synthesis of hidroxy stilbene derivates and their antioxidant activity by DPPH method, *Chem. Res. Chinese*, 22 (6), 742-746.
- Lu Y, Foo LY, 2000, Antioxidant and radical scavenging activities of polyphenols from apple pomace, *Food Chem* 68:81–85.
- Machwiyyah, L., 2011, Uji Penangkapan Radikal 2,2-Difenil-1-Pikril Hidrazil (DPPH) oleh Ekstrak Etanolik, Fraksi Air, dan Fraksi Air Terhidrolisis Daun Mengkudu (*Morinda citrifolia* L.), Skripsi, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Magnotta, M., Murata J., Chen, J., dan De Luca, V., 2006, Identification Of A Low Vindoline Accumulating Cultivar Of *Catharanthus roseus* (L) G don. By Alkaloid and Enzymatic Profiling, *Phytochemistry*, 67; 1758-1764.
- Markham, K. R., 1988, Cara Mengidentifikasi Flavonoid, Bandung, Penerbit ITB.
- Muhlisah, Fauziah. 2007. Aneka Jenis Tanaman Obat dan Khasiatnya. Dalam Tanaman Obat Keluarga. Penebar Swadaya. Jakarta, halaman 17-18, 31.
- Molyneux, P, 2004, The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarinn Journal of Science and Technology*, 211–219.
- Nisar,A., Mamat,A.S., Hatim,M.I., Aslam,M., Ahmad M.S., 2017, Identification of Flavonoids (Quercetin, Gallic acid and Rutin) from *Catharanthus roseus* PLANT Parts using Deep Eutectic Solvent, *Recent Advances in Biology and Medicine*, Vol.3, Pages 1-6.
- Jaleel C.A dan Panneerselvam R., 2007, Variations in the Antioxidative and Indole Alkaloid Statusin Different Parts of Two Varieties of *Catharanthus roseus*: An Important Folk Herb. *Chinese J Pharm Toxicol*, 1(6): 487-494.
- Percival, M, 1998, Antioxidants, *Clinical Nutrition Insights*, 1-4
- Pereira D.M, Ferreres F, Oliveira J, Valentao P, Andrade P.B, Sottomayor M, 2009, Targeted Metabolite Analysis of *Catharanthus roseus* and Its Biologicals Potential, *Food and Chemical Toxicology* 47 : 1348-1354.

- Pokorny, J., 1999, Antioxidants in Food Preservation, dalam Shafiur, R.M. (Ed), *Handbook of Food Preservation*, Marcel Dekker, New York.
- Pitchaon, M., 2011, Antioxidant capacity of extracts and fractions from mango (*Mangifera indica* Linn.) seed kernels, *International Food Research Journal* 18: 520-525.
- Pramono, Suwijyo, 2015, Kuliah Galenika, di Fakultas Farmasi Universitas Gadjah Mada, Agustus 2019.
- Prior, Ronald L., Wu, Xianli, & Schaich, Karen, 2005, *Standardized Methods for the Determination of Antioxidant Capacity and Phenolic in Foods and Dietary Supplements*, Departement of Agriculture Arkansas Children's Nutrition Center, New Jersey.
- Rohdiana, D., 2001, Radical Scavengers Polyphenol, *MFI.*, 12 (1) : 53-58.
- Sang, Shengmin, dkk., 2001, Flavonol Glycosides and Novel Iridoid Glycoside from the Leaves of *Morinda citrifolia*, *J. Agr. Food Chem.*, 49, 4478- 4481.
- Schwarz K, Bertelsen G, Nissen LR, Gardner PT, Heinonen MI, Hopia A, Huynh-Ba T, Lambelet P, McPhail D, Skibsted LH, Tijburg L, 2001, Investigation of plant extracts for the protection of processed foods against lipid oxidation. Comparison of antioxidant assays based on radical scavenging, lipid oxidation and analysis of the principal antioxidant compounds, *Eur Food Res Technol* 212:319–328.
- Sherwin, E.R., 1990, Antioxidants, dalam Branen, A.L., Davidson, P.M., Salminen, S., (Eds), *Food additives*, Marvel Dekker Inc., New York.
- Skoog, D.A. and D.M. West 1971. *Principles of instrumental analysis*. Holt, Rinehart and Winston, Inc., New York.
- Soriton, H., Yamlean, P.V.Y., dan Lolo, W.A., 2014, Uji Efektivitas Ekstrak Etanol Daun Tapak Dara terhadap Penurunan Kadar Gula Darah Tikus Putih Jantan Galur Wistar yang Diinduksi Sukrosa, *Pharmacon*, 3(3): 162-169.
- Spangenberg, B., Poole, C.F. & Weins, C., 2011, *Quantitative Thin-Layer Chromatography*, Springer-Verlag, Berlin.
- Steenis, 1992, Flora untuk Sekolah Indonesia, PT. Pradya Paramita, Jakarta.
- Umayah, E., dan Amrun, M., 2007, Uji Aktivitas Antioksidan Ekstrak Buah Naga (*Hylocereus undatus* (Haw.) Britt. & Rose). *Jurnal Ilmu Dasar*. Vol. 8 No. 1.
- Van Acker, S.A.B.E., Van-den, B.D.J., Tromp, M.N.J.L, Griffioen, D.H., van Bennekom, W.P., Van der Vijgh, W.J.F. & Bast, A., 1996, Structural Aspects of Antioxidants Activity of Flavonoids, *Free Radical Biol. Med.*, 20, 331–342.
- Wach, A., Pyrzynska, K., Biesaga, M., 2005, Quercetin content in some food and herbal samples, *Food Chemistry*, 100, 699-704.
- Wang, T. Y., Li, Q., dan Bi, K., 2018, Bioactive Flavonoids in Medicinal Plants: Structure, Activity and Biological Fate, *Asian J. Pharm.*, 12-13.
- Zhu QY, Hackman RM, Ensunsa JL, Holt RR, Keen CL, 2002, Antioxidative activities of oolong tea, *J Agric Food Chem* 50:6929–6934.