

DAFTAR PUSTAKA

- Al-Rubaye, A.F., Hameed, I.H. & Kadhimi, M.J., 2017, *A Review: Uses of Gas Chromatography-Mass Spectrometry (GC-MS) Technique for Analysis of Bioactive Natural Compounds of Some Plants*, International Journal of Toxicological and Pharmacological Research, 9(01):81-85.
- Anuj, Y., Kumari, R., Yadav, A., J.P., M., Seweta, S. & Shashi, P., 2016, *Antioxidants and its functions in human body*, Research in Environment and Life Sciences, 9(11):1328–1331.
- Archibong, A.E., Rideout, M.L., Harris, K.J. & Ramesh, A., 2018, *Oxidative stress in reproductive toxicology*, Current Opinion in Toxicology, 7:95–101.
- Avanco, G.B., Ferreira, F.D., Mallmann, C.A., Brugnari, T., Abreu Filho, B.A. de, Mikcha, J.M.G. & Machinski, M., 2017, *Curcuma longa L. essential oil composition, antioxidant effect, and effect on Fusarium verticillioides and fumonisin production*, Food Control, 73:806–813.
- Bansal, R.P., Bahl, J.R., Garg, S.N., Naqvi, A.A., Kumar, S. & Plants, A., 2002, *Differential Chemical Compositions of the Essential Oils of the Shoot Organs, Rhizomes and Rhizoids in the Turmeric Curcuma longa Grown in Indo-Gangetic Plains*, Pharmaceutical Biology, 40(5):384–389.
- Cevallos-Cevallos, J.M., Jines, C., Maridueña-Zavala, M.G., Molina-Miranda, M.J., Ochoa, D.E. & Flores-Cedeno, J.A., 2018, *GC-MS metabolite profiling for specific detection of dwarf somaclonal variation in banana plants*, Applications in Plant Sciences, 6(11): 1–9.
- Chowdhury, J.U., Nandi, N.C., Bhuiyan, M.N.I. & Mobarok, M.H., 2008, *Essential Oil Constituents of The Rhizomes of Two Types of Curcuma longa of Bangladesh*, Bangladesh Journal of Scientific and Industrial Research, 43(2):259–266.
- Dall'Acqua, S., Stocchero, M., Boschiero, I., Schiavon, M., Golob, S., Uddin, J., Voinovich, D., Mammi, S. & Schievano, E., 2016, *New findings on the in vivo antioxidant activity of Curcuma longa extract by an integrated 1H NMR and HPLC-MS metabolomic approach*, Fitoterapia, 109:125–131.
- Daniel, K.H., Jo, S.H., Hwan, C., Ki, K. & Seong, C., 2016, *Levels of curcuminoid and essential oil compositions in turmeric (Curcuma longa L.) grown in Korea*, Applied Biological Chemistry, 1-7.
- Dhingra, O.D., Jham, G.N., Barcelos, R.C., Mendonça, F.A. & Ghiviriga, I., 2007, *Isolation and identification of the principal fungitoxic component of turmeric essential oil*, Journal of Essential Oil Research, 19(4):387–391.
- Dosoky, N.S. & Setzer, W.N., 2018, *Chemical composition and biological activities of essential oils of curcuma species*, Nutrients, 10(9):10–17.

- Egbuna, C., 2017, *Oxidative Stress and Nutrition*, Tropical Journal of Applied Natural Sciences, 2(1):110–116.
- Ferrari, M.P. de S., Queiroz, M. dos S., Andrade, M.M. de, Alberton, O., Gonçalves, J.E., Gazim, Z.C. & Magalhães, H.M., 2020, *Substrate-associated mycorrhizal fungi promote changes in terpene composition, antioxidant activity, and enzymes in Curcuma longa L. acclimatized plants*, Rhizosphere, 100191.
- Ferreira, F.D., Kemmelmeier, C., Arrotéia, C.C., Da Costa, C.L., Mallmann, C.A., Janeiro, V., Ferreira, F.M.D., Mossini, S.A.G., Silva, E.L. & Machinski, M., 2013, *Inhibitory effect of the essential oil of Curcuma longa L. and curcumin on aflatoxin production by Aspergillus flavus Link*, Food Chemistry, 136(2):789–793.
- Fiehn, O., Kopka, J., Dörmann, P., Altmann, T., Trethewey, R. & Willmitzer, L., 2000, *Metabolite profiling for plant functional genomics*, Nature Biotechnology, 18(11):1157–61.
- Finley, J.W., Kong, A.N., Hintze, K.J., Jeffery, E.H., Ji, L.L. & Lei, X.G., 2011, *Antioxidants in foods: State of the science important to the food industry*, Journal of Agricultural and Food Chemistry, 59(13), 6837–6846.
- Gad, H.A., El-Ahmady, S.H., Abou-Shoer, M.I. & Al-Azizi, M.M., 2013, *Application of chemometrics in authentication of herbal medicines: A review*, Phytochemical Analysis, 24(1):1–24.
- Gandjar, I.G. & Rohman, A., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gounder, D.K. & Lingamallu, J., 2012, *Comparison of chemical composition and antioxidant potential of volatile oil from fresh, dried and cured turmeric (Curcuma longa) rhizomes*, Industrial Crops and Products, 38(1):124–131.
- Green, B.N., Claire, D.J. & Adams, A., 2017, *Writing Narrative Literature Reviews for Peer-reviewed journals: Secrets of the Trade*, Clinical Update, 48(2):367–377.
- Grob, R.L. & Barry, E.F., 2004, *Theory of Gas Chromatography*, In, Modern Practice of Gas Chromatography, Wiley-Interscience, 23–63.
- Hassan, W., Gul, S., Rehman, S., Kanwal, F., Siddique, M., Fazal, H., Shah, Z., Rahman, A.U. & Bt, J., 2003, *Gas chromatography coupled with mass spectrometric characterization of Curcuma longa: Protection against pathogenic microbes and lipid peroxidation in rat's tissue homogenate*, 29(2):615–621.
- Hu, Y., Kong, W., Yang, X., Xie, L., Wen, J. & Yang, M., 2014, *GC-MS combined with chemometric techniques for the quality control and original discrimination of Curcuma longa rhizome: Analysis of essential oils*, Journal of Separation Science, 37(4):404–411.

- Jayaprakasha, G.K., Jagan Mohan Rao, L. & Sakariah, K.K., 2005, *Chemistry and biological activities of C. longa*, Trends in Food Science and Technology, 16(12):533–548.
- Jugreet, B.S., Mahomoodally, M.F., Sinan, K.I., Zengin, G. & Abdallah, H.H., 2020, *Chemical variability, pharmacological potential, multivariate and molecular docking analyses of essential oils obtained from four medicinal plants*, Industrial Crops and Products, 112394.
- Krishnaiah, D., Sarbatly, R. & Nithyanandam, R., 2011, *A review of the antioxidant potential of medicinal plant species*, Food and Bioproducts Processing, 89(3):217–233.
- Legault, J. & Pichette, A., 2007, *Potentiating effect of β -caryophyllene on anticancer activity of α -humulene, isocaryophyllene and paclitaxel*, Journal of Pharmacy and Pharmacology, 59(12):1643–1647.
- Leverve, X., 2009, *Oxidative stress and antioxidants*, Cahiers de Nutrition et de Dietetique, 44(5):219–224.
- Li, M., Zhou, X., Zhao, Y., Wang, D.P. & Hu, X.N., 2009, *Quality assessment of Curcuma longa L. by gas chromatography-mass spectrometry fingerprint, Principle Components Analysis and Hierarchical Clustering Analysis*, Bulletin of the Korean Chemical Society, 30(10):2287–2293.
- Li, S.-Y. & Li, S.-P., 2009, *Antioxidant activities of essential oil of Curcuma longa and Curcuma wenyujin*, International Journal of Essential Oil Therapeutics, 3:31–34.
- Li, S., 2011, *Chemical Composition and Product Quality Control of Turmeric (Curcuma longa L.)*, Pharmaceutical Crops, 5(1):28–54.
- Liju, V.B., Jeena, K. & Kuttan, R., 2011, *An evaluation of antioxidant, anti-inflammatory, and antinociceptive activities of essential oil from Curcuma longa L.*, Indian Journal of Pharmacology, 43(5):526–531.
- Lisec, J., Schauer, N., Kopka, J., Willmitzer, L. & Fernie, A.R., 2006, *Gas chromatography mass spectrometry-based metabolite profiling in plants*, Nature Protocols, 1(1):387–396.
- Miller, J.C. & Miller, J.N., 2005, *Statistic and Chemometrics for Analytical Chemistry*, Fifth Edition, Ashford Colour Press, Hants.
- Molyneux, P., 2004, *The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity*, Songklanakarin Journal of Science and Technology, 26(2):211–219.
- Nasiri, S.L., Hosseini, S.E. & Shekarchi, M., 2015, *Chemical Composition and Antioxidant Activity of Essential Oil from Turmeric (Curcuma longa) Rhizomes*, International Journal of Food and Safety, 6(3):185–196.
- Naz, S., Ilyas, S., Parveen, Z. & Javed, S., 2010^a, *Chemical Analysis of Essential*

Oils from Turmeric (Curcuma longa) Rhizome Through GC-MS, Asian Journal of Chemistry, 22(4):3153–3158.

Naz, S., Ilyas, S., Parveen, Z. & Javed, S., 2010^b, *Chemical analysis of essential oils from turmeric (curcuma longa) rhizome through GC-MS*, Asian Journal of Chemistry, 22(4):3153–3158.

Nishiyama, T., Mae, T., Kishida, H., Tsukagawa, M., Mimaki, Y., Kuroda, M., Sashida, Y., Takahashi, K., Kawada, T., Nakagawa, K. & Kitahara, M., 2005, *Curcuminoids and sesquiterpenoids in turmeric (Curcuma longa L.) Suppress an increase in blood glucose level in type 2 diabetic KK-Ay mice*, Journal of Agricultural and Food Chemistry, 53(4):959–963.

Oyemitan, I.A., Elusiyan, C.A., Onifade, A.O., Akanmu, M.A., Oyedeji, A.O. & McDonald, A.G., 2017, *Neuropharmacological profile and chemical analysis of fresh rhizome essential oil of Curcuma longa (turmeric) cultivated in Southwest Nigeria*, Toxicology Reports, 4:391–398.

Pal, K., Chowdhury, S., Kumar, S., Chakraborty, S., Chakraborty, M., Kumar, G., Dutta, S., Kumar, P., Choudhury, A., Majumder, B., Sahana, N., Mandal, S., Taylor, P., Raina, V.K., Srivastava, S.K. & Syamsundar, K. V., 2020, *Rhizome and Leaf Oil Composition of Curcuma longa from the Lower Himalayan Region of Northern India Rhizome and Leaf Oil Composition of Curcuma longa from the Lower Himalayan Region of Northern*, Industrial Crops & Products, 112401.

Prakash, R., Agarwal, S., Srivastava, A. & Nigam, V., 2015, *GC-MS Analysis of Essential Oil of Turmeric Rhizome and its Activity Against Sporothrix schenckii Fungus*, Oriental Journal of Chemistry, 31(4):2213-2214.

Qin, N.Y., Yang, F.Q., Wang, Y.T. & Li, S.P., 2007, *Quantitative determination of eight components in rhizome (Jianghuang) and tuberous root (Yujin) of Curcuma longa using pressurized liquid extraction and gas chromatography – mass spectrometry*, Journal of Pharmaceutical and Biomedical Analysis, 43:486–492.

Raina, V.K., Srivastava, S.K., Jain, L.N., Ahmad, A., Syamasundar, K. V & Aggarwal, K.K., 2002, *Essential oil composition of Curcuma longa L . cv . Roma from the plains of northern India*, Flavour and Fragrance Journal, 17:99–102.

Rohman, A., Widodo, H., Lukitaningsih, E., Windarsih, A., Rafi, M. & Nurrulhidayah, A.F., 2020, *Review on in vitro antioxidant activities of curcuma species commonly used as herbal components in Indonesia*, Food Research, 4(2):286–293.

Roth, G.N., Chandra, A. & Nair, M.G., 1998, *Novel bioactivities of Curcuma longa constituents*, Journal of Natural Products, 61(4):542–545.

Saccol, E.M.H., Londero, É.P., Bressan, C.A., Salbego, J., Gressler, L.T., Silva,

- L.V.F., Mourão, R.H.V., Oliveira, R.B., Llesuy, S.F., Baldisserotto, B. & Pavanato, M.A., 2017, *Oxidative and biochemical responses in Brycon amazonicus anesthetized and sedated with Myrcia sylvatica (G. Mey.) DC. and Curcuma longa L. essential oils*, Veterinary Anaesthesia and Analgesia, 44(3):555–566.
- Sado, K.S.L., Belletti, N., Tchoumboungang, F., Essia-Ngang, J.J., Montanari, C., Tabanelli, G., Lanciotti, R. & Gardini, F., 2015, *Effect of mild heat treatments on the antimicrobial activity of essential oils of Curcuma longa, Xylopia aethiopica, Zanthoxylum xanthoxyloides and Zanthoxylum leprieurii against Salmonella enteritidis*, Journal of Essential Oil Research, 27(1):52–60.
- Sahoo, A., Kar, B., Jena, S., Dash, B., Ray, A., Sahoo, S. & Nayak, S., 2019, *Qualitative and Quantitative Evaluation of Rhizome Essential Oil of Eight Different Cultivars of Curcuma longa L. (Turmeric)*, Journal of Essential Oil-Bearing Plants, 22(1):239–247.
- Sandeep, I.S., Kuanar, A., Akbar, A., Kar, B., Das, S., Mishra, A., Sial, P., Kumar, P., Nayak, S. & Mohanty, S., 2016^a, *Agroclimatic zone based metabolic profiling of turmeric (Curcuma Longa L.) for phytochemical yield optimization*, Industrial Crops & Products, 85:229–240.
- Sandeep, I.S., Das, S., Nayak, S. & Mohanty, S., 2016^b, *Chemometric Profile of Curcuma longa L. Towards Standardization of Factors for High Essential Oil Yield and Quality*, Proceedings of the National Academy of Sciences, India Section B: Biological Sciences, 1-6.
- Schaich, K.M., Tian, X. & Xie, J., 2015, *Reprint of Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays*, Journal of Functional Foods, 18:782–796.
- Sharma, R.K., Misra, B.P. & Sarma, T.C., 1997, *Essential Oils of Curcuma longa L. from Bhutan*, Journal of Essential Oil, 37–41.
- Singh, G., Kapoor, I.P.S., Singh, P., Heluani, C.S. De, Lampasona, M.P. De & Catalan, C.A.N., 2010, *Comparative study of chemical composition and antioxidant activity of fresh and dry rhizomes of turmeric (Curcuma longa Linn.)*, Food and Chemical Toxicology, 48(4):1026–1031.
- Stanojević, J.S., Stanojević, L.P., Cvetković, D.J. & Danilović, B.R., 2015, *Chemical Composition, Antioxidant and Antimicrobial Activity of the Turmeric Essential Oil (Curcuma longa L.)*, Advanced Technology, 4(2):19–25.
- Sumner, L.W., Mendes, P. & Dixon, R.A., 2003, *Plant metabolomics: Large-scale phytochemistry in the functional genomics era*, Phytochemistry, 62, 6, 817–836.
- Taylor, P., Chane-ming, J., Vera, R., Chalchat, J., Cabassu, P. & Chane-ming, J.,

2002, *Chemical Composition of Essential Oils from Rhizomes , Leaves and Flowers of Curcuma longa L. from Reunion Island*, Journal Essential Oil. 14:45–48.

Tsai, S.-Y., Huang, S.-J., Chyau, C.-C., Tsai, C.-H., Weng, C.-C. & Mau, J.-L., 2011, *Composition and antioxidant properties of essential oils from Curcuma rhizome*, Asian J.Arts Sci., 2(1):57–66.

Yu, Y., Chen, F., Wang, X., Adelberg, J., Barron, F.H., Chen, Y. & Chung, H.Y., 2008, *Evaluation of Antioxidant Activity of Curcumin-Free Turmeric (Curcuma longa L.) Oil and Identification of Its Antioxidant Constituents*, American Chemical Society, 14:152-164.

Zhang, L., Yang, Z., Chen, F., Su, P., Chen, D., Pan, W., Fang, Y., Dong, C., Zheng, X. & Du, Z., 2017^a, Composition and bioactivity assessment of essential oils of *Curcuma longa* L. collected in China, *Industrial Crops and Products*, 109, August, 60–73.

Zhang, L., Yang, Z., Wei, J., Su, P., Chen, D., Pan, W., Zhou, W., Zhang, K., Zheng, X., Lin, L., Tang, J. & Du, Z., 2017^b, *Contrastive analysis of chemical composition of essential oil from twelve Curcuma species distributed in China*, *Industrial Crops and Products*, 108:17–25.

Zheng, Y., Pan, C., Zhang, Z., Luo, W., Liang, X., Shi, Y., Liang, L., Zheng, X., Zhang, L. & Du, Z., 2020, *Antiaging effect of Curcuma longa L. essential oil on ultraviolet-irradiated skin*, *Microchemical Journal*, 104608.