

## DAFTAR PUSTAKA

- Achmad A S., Hakim, E.H., dan Makmur, L., 1990, *Flavonoid dan Fitomedika, Kegunaan dan Prospek*, Phyto-Medika, Jakarta.
- Adi, A. C., Setiawaty, N., Anindya, A., dan Rachmawati, H., 2019, Formulasi dan Karakterisasi Sediaan Nanoemulsi Vitamin A, *Media Gizi Indonesia*, **14**(1), 1-13.
- Ali, S.M., dan Yosipovitch, G., 2013, Skin pH: From Basic Science to Basic Skin Care, *Acta Dermato-Venereologica*, **93**(3): 261-269.
- Amin, S., dan Prabandano, K., 2009, *Cocopreneurship Aneka Peluang Bisnis dari Kelapa*, Lily Publisher, Yogyakarta.
- Anonim, 2019, Tween 80, <https://pubchem.ncbi.nlm.nih.gov>, 31 Oktober 2019.
- Allen, L., dan Ansel, H. C., 2013, *Ansel's Pharmaceutical Dosage Forms And Drug Delivery Systems*, Lippincott Williams & Wilkins, Philadelphia.
- Ayuningtias, D. D. R., Nurahmanto, D., dan Rosyidi, V. A., 2017, Optimasi Komposisi Polietilen Glikol dan Lesitin sebagai Kombinasi Surfaktan pada Sediaan Nanoemulsi Kafein, *Pustaka Kesehatan*, **5**(1), 157-163.
- Azis, S., dan Muktiningsih, S. R., 1999, *Artikel Studi Kegunaan Sediaan Rambut*, Puslitbang Farmasi, Jakarta.
- Bariqina, E., dan Ideawati, Z., 2001, *Perawatan & Penataan Rambut*, 1, 7-10, Adicita Karya Nusa, Yogyakarta.
- Batari, R., 2007, *Identifikasi Senyawa Flavonoid pada Sayuran Indigenous*, Food Science and Technology, Jawa Barat.
- Benediktus, B., 2017, Mutu Fisik Sediaan Shampo Cair Ekstrak Daun Mangkokan (*Nothopanax scutellarium Merr*), *Disertasi*, Akademi Farmasi Putera Indonesia, Malang.
- Benerjee, P.S., Sharma, M., Nema, R.K., 2009, Preparation, Evaluation and Hair Growth Stimulating Activity of Herbal Hair Oil, *Journal Of Chemical and Pharmaceutical Research*, 261-267.
- British National Formulary, 2008, *British National Formulary 56th ed*, Royal Pharmaceutical Society, London.
- Bouchemal, K., Briançon, S., Perrier, E., & Fessi, H., 2004, Nano-emulsion Formulation Using Spontaneous Emulsification: Solvent, Oil and Surfactant Optimisation, *International Journal of Pharmaceutics*, **280**(1-2), 241-251.
- Badan Standarisasi Nasional, 1998, *Lotion Tonic Rambut*, SNI 16.4955.1998, Badan Standarisasi Nasional, Jakarta.
- Badan Standarisasi Nasional, 2008, *Standar Mutu Minyak Kelapa Murni*, SNI 7381:2008, Badan Standardisasi Nasional, Jakarta.
- Chaiyana, W., Anuchapreeda, S., Somwongin, S., Marsup, P., Lee, K. H., Lin, W. C., dan Lue, S. C., 2020, Dermal Delivery Enhancement of Natural Anti-Ageing Compounds from *Ocimum sanctum* Linn. Extract by Nanostructured Lipid Carriers, *Pharmaceutics*, **12**(4), 309.
- Chhabra, G.K., Chuttani, K., Mishra, A.K., and Pathak, K., 2011, Design and Development of Nanoemulsion Drug Delivery System of Amlodipine Besilate for Improvement of Oral Bioavailability, *Drug Development and Industrial Pharmacy*, **37**(8):907-916.

- Clinic, M., 2016, Hair Loss, [www.mayoclinic.org/diseases-conditions/hair-loss/basics/tests-diagnosis/con-20027666](http://www.mayoclinic.org/diseases-conditions/hair-loss/basics/tests-diagnosis/con-20027666), 8 Desember 2019.
- Dahlan, M., 2011, Statistik untuk Kedokteran dan Kesehatan, Edisi 5, Salemba Medika, Jakarta.
- Dalimartha, S., dan Soedibyo, M., 1998, Awet Muda dengan Tumbuhan Obat dan Diet Suplemen, Trubus Agriwidya, Jakarta.
- Dawber, R., 1991, Diseases of The Scalp and Skin Diseases Involving The Scalp, *Diseases of The Hair and Scalp, 2nd Ed.*, 493-539, Blackwell Scientific Publications, Oxford.
- Departemen Kesehatan Republik Indonesia, 1995, *Farmakope Indonesia*, Edisi Keempat, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia, 2014, *Farmakope Indonesia*, Edisi Kelima, Departemen Kesehatan Republik Indonesia, Jakarta.
- Depkes RI, 1985, *Formularium Kosmetika Indonesia*, Departemen Kesehatan RI, Jakarta, **86**(96): 195-197.
- Devarajan, V., dan Ravichandran, V., 2011, Nanoemulsions: As Modified Drug Delivery Tool, *Int J Compr Pharm*, **2**(4): 1-6.
- Ditjen POM, 2000, *Parameter Standar Umum Ekstrak Tanaman Obat*, Direktorat Jendral Pengawasan Obat dan Makanan, Jakarta.
- Floury, J., dan Legrand, J., 2003, Effect of High Pressure Homogenisation on Methylcellulose as Food Emulsifier, *J. Food Engg*, **58**(3): 227-238.
- Ganesan, P., dan Choi, D. K., 2016, Current Application of Phytocompound-based Nanocosmeceuticals for Beauty and Skin Therapy, *International Journal of Nanomedicine*, **11**, 1987.
- Gupta, P.K., Pandit, J.K., Kumar, A., Swaroop, P., dan Gupta, S., 2010, Pharmaceutical Nanotechnology Novel Nanoemulsion-High Energy Emulsification Preparation, Evaluation and Application, *The Pharma Research*, **3**(3): 117-138.
- Gopala, J., 2016, Pengaruh Kecepatan Sentrifugasi terhadap Hasil Pemeriksaan Sedimen Urin Pagi Metode Konvensional, *Skripsi*, Program Studi D IV Analis Kesehatan, Fakultas Ilmu Keperawatan dan Kesehatan, Universitas Muhammadiyah, Semarang.
- Hakim, N. A., Arianto, A. dan Bangun, H., 2018, Formulasi dan Evaluasi Nanoemulsi dari *Extra Virgin Olive Oil* Sebagai Anti-Aging, *TM Conference Series*, Volume 02, pp. 397-403.
- Han, J. H., Kwon, O. S., Chung, J. H., Cho, K. H., Eun, H. C., dan Kim, K. H. , 2004, Effect of Minoxidil on Proliferation and Apoptosis in Dermal Papilla Cells of Human Hair Follicle, *Journal of dermatological science*, **34**(2), 91-98.
- Handojo, Y., 2011, Uji Stabilitas Fisik dan Aktivitas Pertumbuhan Rambut Tikus Putih dari Sediaan Gel Ekstrak Daun Mangkokan, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- Harmanto, N., 2006, *Ibu Sehat dan Cantik dengan Herbal*, PT. Elex Media Komputindo, Jakarta.
- Harborne, J. B., 1987, *Metode Fitokimia*, diterjemahkan oleh Padmawinata K., dan Soediro I, Edisi ke-2, Institut Teknologi Bandung, Bandung.

- Iswari, T.R., dan Latifah, F., 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Gramedia Pustaka Utama, Jakarta.
- Jafar, G., Adiyati, I., dan Kartanagara, F.F., 2017, Pengembangan Formula dan Karakterisasi Nanoemulsi Ekstrak Kombinasi Daun Teh dan Mangkokaan yang Diinkorporasikan ke dalam Spray sebagai Penumbuh Rambut. *Jurnal Pharmascience*, **4**(2): 155-166.
- Jafar, S., He, Y., dan Bhandari, B., 2007, Optimization of Nanoemulsions Production by Microfluidization, *European Food Research and Technology*, 33-41.
- Jaiswal, M., Dudhe, R., dan Sharma, P.K., 2015, Nanoemulsion: An Advanced Mode of Drug Delivery System, *3 Biotech*, **5**(2), 123-127.
- Jellinek, J. S., 1970, *Formulation and Function of Cosmetics*, 365-407, Wiley Interscience a Division of John Wiley and Son Inc., New York.
- Jubaidah, S., Indriani, R., Sa'adah, H., dan Wijaya, H., 2018, Formulasi dan Uji Pertumbuhan Rambut Kelinci dari Sediaan Hair Tonic Kombinasi Ekstrak Daun Seledri (*Apium Graveolens* Linn) dan Daun Mangkokaan (*Polyscias Scutellaria* (Burm.F.) Fosberg), *Jurnal Ilmiah Manuntung*, **4**(1), 8-14.
- Jufri, M., Amelia, L., dan Munim, A., 2017, Hair Growth Activity and Safety Test of Ethosomal Gel Ethyl Acetate Fraction of Nothopanax Leaves (*Nothopanax scutellarium* Merr.), *Asian J Pharm Clin Res*, **10**(8), 134-138.
- Juliana, Rahmat, D., dan Taurhesia, S., 2019, Nanotechnology Application in Ethanol Extract of Fenugreek Seeds (*Trigonella foenum-graecum* L.) in Development of Hair Tonic Formulation, *International Journal of Pharmacy & Pharmaceutical Research*, **15**(3), 97-112.
- Kalifah, S. N., 2018, Uji Efektivitas Kombinasi Ekstrak Etanol 96% Buah Mengkudu (*Morinda citrifolia* L.) dan Daun Mangkokaan (*Nothopanax scutellarius* (Burm. f.) Merr.) Terhadap Jamur *Candida albicans* ATCC 10231, *Disertasi*, Universitas Setia Budi, Surakarta.
- Khairan, M., 2015, Pengaruh Variasi Konsentrasi Minyak Zaitun (*Olea europeae*) Terhadap Nilai *Sun Protection Factor* (SPF) Krim Tabir Surya Kombinasi Avobenzone dan Oktil Metoksisinamat Secara In Vitro, *Skripsi*, Universitas Sumatera Utara, Medan.
- Kintz, P., 2007, *Analytical and Practical Aspects of Drug Testing in Hair*, Taylor and Francis Group, CRC Press.
- Kirtishanti, A., Dewi, N.L., Jessy, M., 2011, Kemampuan Sediaan Hair Tonic Ekstrak Kulit Apel (*Malus sylvestris* L.) Var Rome Beauty dalam Menumbuhkan Rambut Tikus, *Symposium Penelitian Bahan Obat Alami XV & Kongres Obat Tradisional Indonesia IV*, 218 – 219.
- Kong, M., dan Park, H. J., 2011, Stability Investigation of Hyaluronic Acid Based Nanoemulsion and Its Potential as Transdermal Carrier, *Carbohydrate polymers*, **83**(3), 1303-13.
- Koroleva, M.Y., dan Yurtov, E.Y., 2012, Nanoemulsions: The Properties, Methods of Preparation and Promising Applications, *Russian Chemical Reviews*, **81**(1): 21-43.
- Kukula-Koch, W. A., dan Widelski, J., 2017, Alkaloids, *Pharmacognosy*, 163-198, Academic Press, San Diego.

- Labibah, K., dan Zulkarnain, A.K., 2018, Optimasi Formula dan Uji Aktivitas Secara In Vitro Lotion O/W Kalkon sebagai Tabir Surya, *Doctoral dissertation*, Universitas Gadjah Mada, Yogyakarta.
- Lachman, L., Lieberman, Herbert, A., Kanig, dan Joseph, L., 1994, Teori dan Praktek Industri Farmasi I, diterjemahkan oleh Siti Suyatmi, Edisi III, UI-Press, Jakarta.
- Lawrence, M.J., dan Rees, G.D., 2000, Microemulsion-Based Media as Novel Drug Delivery Systems, *Advanced Drug Delivery Reviews*, **45**(1), 89-121.
- Levin, J., dan Maibach, H., 2008, Human skin buffering capacity: an overview, *Skin Research and Technology*, **14**(2), 121-126.
- Lina, N. M., Maharani, T., Sutharini, M. R., Wijayanti, N. P. A. D., dan Astuti, K. W., 2017, Karakteristik Nanoemulsi Ekstrak Kulit Buah Manggis (*Garcinia Mangostana L.*), *Jurnal Farmasi Udayana*, 6-10.
- List, P.H., dan Schmidt, P.C., 1989, *Phytopharmaceutical Technology*, CRC Press.
- Lund, W., 1994, *The Pharmaceutical Codex Principles and Practice of Pharmaceutics*, 12<sup>th</sup> ed, The Pharmaceutical Press, London.
- Madheswaran, T., Baskaran, R., Thapa, R.K., Rhyu, J.Y., Choi, H.Y., Kim, J.O., Yong, C.S., Yoo, B.K, 2013, Design and *in vitro* Evaluation of Finasteride-Loaded Liquid Crystalline Nanoparticles for Topical Delivery, *AAPS PharmSciTech*, **14**, 45-52.
- Mardikasari, S.A., Jufri, M., dan Djajadisastra, J., 2017, Formulasi dan Uji Penetrasi In-Vitro Sediaan Topikal Nanoemulsi Genistein dari Tanaman *Sophora Japonica Linn*, *Jurnal Ilmu Kefarmasian Indonesia*, **14**(2) 190-198.
- Martin, A., Bustamante, P., dan Chun, A.H.C., 1993, *Physical Pharmacy*. Edisi Keempat, 324-361, Lea and Febiger, London.
- Mason, T.G., Wilking, J.N., Meleson, K., Chang, C.B., dan Graves, S.M., 2006, Nanoemulsions: Formation, Structure, and Physical Properties, *Journal of Physics: Condensed Matter*, **18**(41), R635.
- Mulia, K., Putri, G. A., dan Krisanti, E., 2018, Encapsulation of Mangosteen Extract in Virgin Coconut Oil Based Nanoemulsions: Preparation and Characterization for Topical Formulation, *Materials Science Forum*, Vol. 929, 234-242, Trans Tech Publications Ltd.
- Nilawati, A., Sulaiman, T. S., dan Sasmita, E., 2015, The Influence of Methyl Cellulose 4000 and Propylene Glycol to Physical Stability of Vitamin C Gel, *Jurnal Farmasi Indonesia*, **12**(2), 164-178.
- Nurhayati, N.P., 2019, Pengaruh Penambahan Ekstrak Daun Mangkokan (*Nothopanax Scutellarium Merr.*) terhadap Sifat Fisik dan Masa Simpan *Hair Tonic* Rambut Rontok, *Jurnal Tata Rias*, **8**(3) 56-63.
- Octarika, A. N. R., 2017, Formulasi Sistem Nanoemulsi Meloxicam Menggunakan Virgin Coconut Oil (VCO) Sebagai Fase Minyak, *Disertasi*, Universitas Islam Negeri Maulana Malik Ibrahim, Malang.
- Olsen, E.A., Weiner, M.S., Amara, I.A., dan Delong, E. R., 1990, Five-Year Follow-Up of Men with Androgenetic Alopecia Treated with Topical Minoxidil, *Journal of the American Academy of Dermatology*, **22**(4), 643-646.

- Padois, K., Cantiéni, C., Bertholle, V., Bardel, C., Pirot, F., Falson, F., 2011, Solid Lipid Nanoparticles Suspension Versus Commercial Solutions for Dermal Delivery of Minoxidil, *Int. J. Pharm*, **416**, 300–304.
- Patel, J., Kevin, G., Patel, A., Raval, M., dan Sheth, N., 2011, Design and Development of A Self-Nanoemulsifying Drug Delivery System for Telmisartan for Oral Drug Delivery, *International journal of pharmaceutical investigation*, **1**(2), 112.
- Patel, S., Sharma, V., Chauhan, N., Thakur, M., dan Dixit, V. K., 2015, Hair Growth: Focus on Herbal Therapeutic Agent, *Current Drug Discovery Technologies*, **12**(1), 21–42.
- Paus, R., Olsen, E.A., Messenger, A.G., 2008, Hair Growth Disorders, *Fitzpatrick's Dermatology in General Medicine*, **7**, 753-77.
- Perez, V., 2000, *Tetraoxygenated Naturally Occuring Tannin Phytochemistry*, **44**(2), 191.
- Pérez-Vizcaíno, F., Ibarra, M., Cogolludo, A. L., Duarte, J., Zaragoza-Arnáez, F., Moreno, L., dan Tamargo, J., 2002, Endothelium-Independent Vasodilator Effects of The Flavonoid Quercetin and Its Methylated Metabolites in Rat Conductance and Resistance Arteries, *Journal of Pharmacology and Experimental Therapeutics*, **302**(1), 66-72.
- Pittman, S., 2007, Further Evidence Points to Coffeine as Hair Saver, <http://www.cosmeticsdesign.com>, 20 November 2019.
- Prambudi, K., 2013, Formulasi dan Uji Stabilitas Fisik Sediaan Emulsi Minyak Biji Jinten Hitam (*Nigella Sativa* Linn.), Fakultas Farmasi Universitas Indonesia, Depok.
- Pratiwi, Sylvia., T., 2008, *Mikrobiologi Farmasi*, Erlangga, Jakarta.
- Purwantini, I., Munawaroh, R., Darwati. N., 2006, Kombinasi Daun Teh dan Mangkokan sebagai Penumbuh Rambut, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Rajendra, C. E., Magadum, G. S., Nadaf, M. A., Yashoda, S. V., & Manjula, M., 2011, Phytochemical Screening of The Rhizome of *Kaempferia galangal*, *International Journal of Pharmacognosy and Phytochemical Research*, **3**(3), 61-63.
- Rasooli, I., 2012, *Bioactive Compounds in Phytomedicine*, InTech, Kroasia.
- Rosen, J., Landriscina, A., dan Friedman, A. J., 2015, Nanotechnology-based Cosmetics for Hair Care, *Cosmetics*, **2**(3), 211-224.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009. *Handbook of Pharmaceutical Excipient*, 6 th Ed., Pharmaceutical Press and American Pharmacist Association, London.
- Rifkia, V., Jufri, M., dan Mun'im, A., 2017, Hair Growth Promoting Activity of *Nothopanax scutellarium* Merr. Leaves, *Journal of Young Pharmacists*, **9**(3), 436.
- Safitri, D., Samsiar, A., Astuti, D. Y., dan Roanisca, O., 2019, Nanoemulsi Ekstrak Daun Pelawan (*Tristanopsis Merguensis*) Sebagai Antibakteri (*Escherichia Coli* dan *Staphylococcus Aureus*) Menggunakan *Microwave Assisted Extraction* (MAE). *Proceedings of National Colloquium Research and Community Service*, Vol. 3, 20-23.



- Sa'diah, S., Herlina, N., dan Indriati, D., 2015, Efektivitas Sediaan Emulsi Ekstrak Etanol 70% Daun Mangkokan (*Northopanax Scutellarius* (Burm. F) Merr) sebagai Perangsang Pertumbuhan Rambut, *Fitofarmaka: Jurnal Ilmiah Farmasi*, **4**(1), 10-17.
- Semwal, D., Kotiyal, R., Chauhan, A., Mishra, A., Adhikari, L., Semalty, A., dan Semalty, M., 2015, Alopecia and The Herbal Drugs: an Overview of The Current Status, *Advances in Biomedicine and Pharmacy*, **2**(6), 246-254.
- Senapati, P. C., Sahoo, S. K., dan Sahu, A. N., 2016, Mixed Surfactant Based (SNEDDS) Self-Nanoemulsifying Drug Delivery System Presenting Efavirenz for Enhancement of Oral Bioavailability. *Biomedicine & Pharmacotherapy*, **80**, 42-51.
- Sigit, H., 2005, Pengaruh Ekstrak Etanol Daun Mangkokan (*Nothopanax scutellarium* L.) terhadap Kecepatan Pertumbuhan Rambut Kelinci Jantan Dan Profil Kromatogram Lapis Tipisnya, *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta. Surakarta.
- Sinurat, L., 2019, Formulasi dan Uji Aktivitas Sediaan Nanoemulsi dari Ekstrak Bawang Dayak (*Eleutherine Palmifolia* (L.) Merr.)) Sebagai Anti-Aging, *Skripsi*, Universitas Sumatera Utara, Medan.
- Stephanie, 2015, Pengaruh Variasi Fase Minyak Virgin Coconut Oil dan Medium-Chain Triglycerides Oil terhadap Stabilitas Fisik Nanoemulsi Minyak Biji Delima dengan Kombinasi Surfaktan Tween 80 dan Kosurfaktan PEG 400, *Skripsi*, Fakultas Farmasi, Universitas Sanata Dharma, Yogyakarta.
- Suciati, T., Aliyandi, A., dan Satrialdi, 2014, Development of Transdermal Nanoemulsion Formulation for Simultaneous Delivery of Protein Vaccine and Artrin-M Adjuvant., *International Journal of Pharmacy and Pharmaceutical Science*, **6**(6):536-541.
- Syah, A.N.A., dan Sumangat, D., 2005, Proses dan Pengolahan Hasil. *Teknologi Inovatif Pascapanen untuk Pengembangan Industri Berbasis Pertanian*, 681-685, Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian, Bogor.
- Tanaka, S., Saito, M., Tabasa, M., 1980, *Bioassay of Crude Drugs for Hair Growth Promoting Activity in Mice by a New Simple Method*, 84-90, Planta Medica, Japan.
- Tadros, T., Izquierdo, P., Esquena, J., dan Solans, C., 2004, Formation and Stability of Nano-Emulsions, *Advances in Colloid and Interface Science*, **108**, 303-318.
- Thakkar, H., Nangesh, J., Parmar, M., dan Patel, D., 2011, Formulation and Characterization of Lipid-Based Drug Delivery System of Raloxifene-Microemulsion and Self-Microemulsifying Drug Delivery System, *Journal of Pharmacy and Bioallied Sciences*, **3**(3), 442.
- Thomas, L., Zakir, F., Mirza, M. A., Anwer, M. K., Ahmad, F. J., dan Iqbal, Z., 2017, Development of Curcumin loaded chitosan polymer based nanoemulsion gel: In vitro, ex vivo evaluation and in vivo wound healing studies, *International Journal of Biological Macromolecules*, **101**, 569-579.
- Tjitrosoepomo, C., 1991, *Taksonomi Tumbuhan*, Gajah Mada University Press, Yogyakarta.

- Upadhyay, S., Upadhyay, R., Vinode, R., dan Dixit, V.K., 2013, Effect of Ethanolic Fraction of *Hibiscus Rosa-Sinensis*, L. Leaves in Androgenic Alopecia, *Egypt Dermatol Online*, **9**(2):5.
- Utami, S. S., 2012, Formulasi Dan Uji Penetrasi *In Vitro* Nanoemulsi, Nanoemulsi Gel, dan Gel Kurkumin, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, Depok.
- Verma, A., Jain, A., Hurkat, P., dan Jain, S. K., 2016, Transfollicular Drug Delivery: Current Perspectives, *Research and Reports in Transdermal Drug Delivery*, **5**, 1.
- Wade, A., dan Weller, P. J., 1994, *Handbook of Pharmaceutical Excipients*, American Pharmaceutical Association, London.
- Wasitaatmadja, S. M., 1997, *Penuntun Ilmu Kosmetik Medik*, Penerbit Universitas Indonesia, Jakarta, **3**, 58-59.
- Watanabe, Y., Takahashi, T., dan Kamimura, A., 2002, Investigasi Aplikasi Topikal dari Procyanidin B-2 dari Apel Digunakan untuk Mengidentifikasi Potensi sebagai Agen Tumbuh Rambut, *Phytomedicine*, **7**(6): 529 – 536.
- Wikramanayake, T. C., Villasante, A.C., Mauro, L.M., Perez, C.I., Schachner, L. A., dan Jimenez, J.J., 2012, Prevention and Treatment of Alopecia Areata with Quercetin in The C3H/Hej Mouse Model, *Cell Stress and Chaperones*, **17**(2), 267-274.
- Wilson, C., Walkden, V., dan Powell, S., 1991, *British Journal of Acad Dermatology*, **24**, 661.
- Witono, Y., Aullani, Subagio, A., dan Widjanarko, S.B. 2007. Karakterisasi Hidrolisat Protein Kedelai Hasil Hidrolisis Menggunakan Protease dari Tanaman Biduri (*Calotropis gigantea*). Berk. Penel. Hayati. 13:7.
- Yubin, J. I., Miao, Y., Bing, W., dan Yao, Z., 2014, The Extraction, Separation and Purification of Alkaloids in The Natural Medicine, *J Chem Pharm Res*, **6**(1), 338-45.
- Yukuyama, M. N., Ghisleni, D. D. M., Pinto, T. D. J. A., dan Bou-Chacra, N. A., 2016, Nanoemulsion: process selection and application in cosmetics—a review, *International journal of cosmetic science*, **38**(1), 13-24.
- Yulina, I.K., 2017, Back to Nature: Kemajuan atau Kemunduran. *Jurnal Mangifera Edu*, **2**(1), 20-31.