



DAFTAR PUSTAKA

- Abera, G., Woldeyes, B., Demash, H. & Miyake, G., 2019. Comparison of physicochemical properties of indigenous Ethiopian tuber crop (*Coccinia abyssinica*) starch with commercially available potato and wheat starches. *International Journal of Biological Macromolecules*, Volume 140, pp. 43-48.
- Abera, S. & Rakshit, S., 2003. Comparison of Physicochemical and Functional Properties of Cassava Starch Extracted from Fresh Root and Dry Chips. *Starch/Stärke*, Volume 55, p. 287–296.
- Almeida, R. et al., 2019. Influence of enzymatic hydrolysis on the properties of red rice starch. *International Journal of Biological Macromolecules*.
- Anonim, 2020. <https://www.hielscher.com/up200st-powerful-ultrasonic-lab-homogenizer.htm>. [Online] Available at: <https://www.hielscher.com/up200st-powerful-ultrasonic-lab-homogenizer.htm> [Accessed 14 April 2020].
- Atkin, N., Abeysekera, R. & Robards, A., 1998. The events leading to the formation of ghost remnants from the starch granule surface and the contribution of the granule surface to the gelatinization endotherm. *Carbohydrate Polymers*, Volume 36, pp. 193-204.
- Aydar, A. Y., 2018. Utilization of Response Surface Methodology in Optimization of Extraction of Plant Materials. In: *Statistical Approaches With Emphasis on Design of Experiments Applied to Chemical Processes*. Muradiye, Manisa, Turkey: INTECH, pp. 157-169.
- Bashir, K. & Aggarwal, M., 2019. Physicochemical, structural and functional properties of native and irradiated starch: a review. *Journal of Food Science Technology*, pp. 1-11.
- Bernardo, C. O., Ascheri, J. L. R., Cháveza, D. W. H. & Carvalho, C. W. P., 2018. Ultrasound assisted extraction of yam (*Dioscorea bulbifera*) starch: effect on morphology and functional properties. *Food Chemistry*, pp. 1-37.
- Bertoft, E., 2017. Understanding Starch Structure: Recent Progress. *Agronomy*, 7(56), pp. 1-29.
- Bezerra, M. A. et al., 2008. Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, p. 965–977.
- Bimakr, M., Ganjloo, A., Zarringhalami, S. & Ansarian, E., 2017. Ultrasound-assisted extraction of bioactive compounds from *Malva sylvestris* leaves and its comparison



- with agitated bed extraction technique. *Food Science Biotechnology*, p. 26(6):1481–1490.
- Box, G. E. P. & Behnken, D. W., 1960. Some New Three Level Designs for the Study of Quantitative Variables. *Technometrics*, pp. 2:4, 455-475.
- Box, G. E. P. & Wilson, D. K. B., 1954. The Exploration and Exploitation of Response Surfaces: Some General Considerations and Examples. *Biometrics*, pp. (10): 16-60.
- Breuninger, W., Piyachomkwan, K. & Sriroth, K., 2009. Tapioca/Cassava Starch: Production and Use. In: *Starch: Chemistry and Technology, Third Edition*. s.l.:Elsevier Inc., pp. 541-569.
- Badan Standardisasi Nasional, 2011. <http://sispk.bsn.go.id/SNI/DaftarList>. [Online] Available at: <http://sispk.bsn.go.id/SNI/DaftarList#> [Accessed 28 Juni 2020].
- Carrera, C., Rodríguez, A. R., Palma, M. & Barroso, C. G., 2012. Ultrasound assisted extraction of phenolic compounds from grapes. *Analytica Chimica Acta*, p. 100–104.
- Chemat, F., Huma, Z. e. & Khan, M. K., 2011. Applications of ultrasound in food technology: Processing, preservation and extraction. *Ultrasonics Sonochemistry*, p. 18: 813–835.
- Chemat, F. et al., 2016. Ultrasound assisted extraction of food and natural products. Mechanisms, techniques combinations, protocols and applications A Review. *Ultrasonics Sonochemistry*, pp. 1-64.
- Cheng, X., Bi, L., Zhao, Z. & Chen, Y., 2015. *Advances in Enzyme Assisted Extraction of Natural Products*. s.l., Atlantis Press.
- Chen, M., Zhao, Y. & Yu, S., 2015. Optimization of ultrasonic-assisted extraction of phenolic compounds, antioxidants and anthocyanins from sugar beet molasses. *Food Chemistry*, pp. 1-30.
- Chen, Y., Luo, H., Gao, A. & Zhu, M., 2011. Ultrasound-assisted extraction of polysaccharides from litchi (*Litchi chinensis* Sonn.) seed by response surface methodology and their structural characteristics. *Innovative Food Science and Emerging Technologies*, p. 12: 305–309.
- Chisenga, S., Workneh, T., Bultosa, G. & Alimi, B., 2019. Progress in research and applications of cassava flour and starch: a review. *Journal of Food Science Technology*, 56(6), p. 2799–2813.
- Cornejo-Ramírez, Y. et al., 2018. The structural characteristics of starches and their functional properties. *JOURNAL OF FOOD*, 16(1), p. 1003–1017.



- Dzogbefia, V., Ofosu, G. & Oldham, J., 2008. Evaluation of locally produced *Saccharomyces cerevisiae* pectinase enzyme for industrial extraction of starch from cassava in Ghana. *Scientific Research and Essay*, 3(8), pp. 365-369.
- Ebringerová, A. & Hromádková, Z., 2010. An overview on the application of ultrasound in extraction, separation and purification of plant polysaccharides. *Central European Journal of Chemistry*, p. 8(2): 243–257.
- Emmanuel, A. O. et al., 2012. Chemical composition and cyanogenic potential of traditional and high yielding CMD resistant cassava (*Manihot esculenta* Crantz) varieties. *International Food Research Journal*, pp. 19(1): 175-181.
- FAO, 2020. <http://www.fao.org/faostat>. [Online] Available at: <http://www.fao.org/faostat/en/#data/QC> [Accessed 14 April 2020].
- Fuglie, K. O., Oates, C. G., & Xie, J. 2006. Root Crops, Starch and Agro-industrialization in Asia. *Social Sciences*, 1-19.
- Hashemi, S. M. B., Khaneghah, A. M. & Akbarirad, H., 2016. The Effects of Amplitudes Ultrasound-Assisted Solvent Extraction and Pretreatment Time on the Yield and Quality of Pistacia Khinjuk Hull Oil. *Journal of Oleo Science*, pp. (9): 733-738.
- Kankolongo, A. M. (2018). *Food Crop Production by Smallholder Farmers in Southern Africa 1st Edition*. Canada: Academic Press.
- Krishnakumar, T., 2019. *Optimization of Ultrasound-Assisted Extraction (UAE) of Starch from Cassava (Manihot esculenta Grantz) using Response Surface Methodology (RSM) Technique*, Thanjavur: s.n.
- Krishnakumar, T. & Sajeev, M. S., 2017. Response Surface Optimization of Bath Type Ultrasound-Assisted Extraction (UAE) of Native Starch from Fresh Cassava Tubers. *Advances in Research*, pp. 12 (3): 1-13, 2017.
- Krishnakumar, T. & Sajeev, M. S., 2018. Effect of Ultrasound Treatment on Physicochemical and Functional Properties of Cassava Starch. *International Journal of Current Microbiology and Applied Sciences*, pp. 7(10): 3122-3135.
- Lin, T. et al., 2018. The effect of ultrasound assisted extraction on structural composition, antioxidant activity and immunoregulation of polysaccharides from *Ziziphus jujuba* Mill var. *spinosa* seeds. *Industrial Crops & Products*, pp. 125: 150-159.
- Mali, S., Karam, L., Ramos, L. & Grossmann, M., 2004. Relationships among the Composition and Physicochemical Properties of Starches with the Characteristics of



- Their Films. *Journal of Agricultural and Food Chemistry*, Volume 52, p. 7720–7725.
- Maran, J. P., Mekala, V. & Manikandan, S., 2013. Modeling and optimization of ultrasound-assisted extraction of polysaccharide from *Cucurbita moschata*. *Carbohydrate Polymers*, p. 92: 2018–2026.
- Martendal, E., Budziak, D. & Carasek, E., 2007. Application of Fractional Factorial Experimental and Box-Behnken Designs for Optimization of Single-drop Microextraction of 2,4,6-trichloroanisole and 2,4,6-tribromoanisole from Wine Samples. *Journal of Chromatography*, pp. 1148(2): 131-136.
- Massart, D. L. et al., 1997. *Data Handling in Science and Technology 20 A, Handbook of Chemometrics and Qualimetrics: Part A*. Amsterdam, Netherlands: Elsevier Science B.V.
- Mejía-Aguero, L. et al., 2012. Starch determination, amylose content and susceptibility to in vitro amylolysis in flours from the roots of 25 cassava varieties. *Journal of Science Food Agriculture*, Volume 92, p. 673–678.
- Montagnac, J., Davis, C. & Tanumihardjo, S., 2008. Processing Techniques to Reduce Toxicity and Antinutrients of Cassava for Use as a Staple Food. *COMPREHENSIVE REVIEWS IN FOOD SCIENCE AND FOOD SAFETY*, Volume 8, pp. 17-28.
- Mtunguja, M. et al., 2016. Effect of genotype and genotype by environment interaction on total cyanide content, fresh root, and starch yield in farmer-preferred cassava landraces in Tanzania. *Food Science & Nutrition*, pp. 1-11.
- Mweta, D. et al., 2008. Some properties of starches from cocoyam (*Colocasia esculenta*) and cassava (*Manihot esculenta* Crantz.) grown in Malawi. *African Journal of Food Science*, Volume 2, pp. 102-111.
- Nadar, S., Rao, P. & Rathod, V., 2018. Enzyme assisted extraction of biomolecules as an approach to novel extraction technology: A review. *Food Research International*.
- Nair, A. T., Makwana, A. R. & Ahammed, M. M., 2014. The use of response surface methodology for modelling and analysis of water and wastewater treatment processes: a review. *Water Science & Technology*, pp. 464-478.
- Nand, A., Charan, R., Rohindra, D. & Khurma, J., 2008. Isolation and properties of starch from some local cultivars of cassava and taro in Fiji. *The South Pacific Journal of Natural Science*, Volume 26, pp. 45-49.



- Nogueira, G., Fakhouri, F. & Oliveira, R., 2018. Title: Extraction and characterization of arrowroot (*Maranta arundinaceae* L.) starch and its application in edible films. *Carbohydrate Polymers*.
- Nuerxiati, R. et al., 2019. Optimization of ultrasonic-assisted extraction, characterization and biological activities of polysaccharides from *Orchis chusua* D. Don (Salep). *International Journal of Biological Macromolecules*, p. 141: 431–443.
- Oh, I., Bae, I. & Lee, H., 2018. Title: Effect of dry heat treatment on physical property and in vitro starch digestibility of high amylose rice starch. *International Journal of Biological Macromolecules*.
- Olayinka, O., Adebawale, K. & Olu-Owolabi, B., 2008. Effect of heat-moisture treatment on physicochemical properties of white sorghum starch. *FOOD HYDROCOLLOIDS*, Volume 22, p. 225–230.
- Pan, Z. et al., 2012. Continuous and pulsed ultrasound-assisted extractions of antioxidants from pomegranate peel. *Ultrasonics Sonochemistry*, p. 19: 365–372.
- Park, S. H., Bean, S. R., Wilson, J. D. & Schober, T. J., 2006. Rapid Isolation of Sorghum and Other Cereal Starches Using Sonication. *Cereal Chemistry*, p. 83(6): 611–616.
- Pérez, S. & Bertoft, E., 2010. The molecular structures of starch components and their contribution to the architecture of starch granules: A comprehensive review. *Starch Journal*, Volume 62, p. 389–420.
- Pérez, S., Baldwin, P. & Gallant, D., 2009. Structural Features of Starch Granules I. In: *Starch: Chemistry and Technology, Third Edition*. s.l.:Elsevier Inc., pp. 149-193.
- Rahman, S. & Rakshit, S., 2014. Effect of Endogenous and Commercial Enzyme on Improving Extraction of Sweet Potato Starch. *An ASAE/CSAE Meeting Presentation*, pp. 1-13.
- Rahman, A. M., 2007. *Mempelajari Karakteristik Kimia dan Fisik Tepung Tapioka dan Mocal (Modified Cassava Flour) sebagai Penyalut Kacang pada Produksi Kacang Salut*, Bogor: Institut Pertanian Bogor.
- Saleh, D., Rajagukguk, R. & Suseno, S., 2016. *PEDOMAN BUDI DAYA UBI KAYU DI INDONESIA*. Bogor: IAARD Press.
- Sánchez, T. et al., 2009. Screening of Starch Quality Traits in Cassava (*Manihot esculenta* Crantz). *Starch/Stärke*, Volume 61, pp. 12-19.
- Saunders, J., 2010. *Physicochemical properties of wheat starches and their relationship to liquefaction and fermentative bioethanol performance*, Manitoba: s.n.



- Schirmer, M., Jekle, M. & Becker, T., 2014. Starch gelatinization and its complexity for analysis. *Starch/Stärke*, Volume 67, p. 30–41.
- Schmitz, G. et al., 2016. Selected physicochemical properties of starches isolated from 10 cassava varieties reveal novel industrial uses. pp. 1-31.
- Sheldon, R. & Pelt, S., 2013. Enzyme immobilisation in biocatalysis: why, what and how. *Chemistry Society Review*, pp. 1-13.
- Shittu, T. et al., 2016. Cassava Flour and Starch: Processing Technology and Utilization. In: *Tropical Roots and Tubers: Production, Processing and Technology, First Edition*. s.l.:John Wiley & Sons, Ltd., pp. 415-451.
- Singh, Y., Mazumder, A., Giri, A. & Mishra, H. N., 2016. Optimization of Ultrasound-Assisted Extraction of b-Carotene from Chlorella Biomass (MCC7) and its Use in Fortification of Apple Jam. *Journal of Food Process Engineering*, pp. 1-9.
- Sit, N., Agrawal, U. & Deka, S., 2011. Effect of enzyme concentration, addition of water and incubation time on increase in yield of starch from potato. *Journal of Food Science and Technology*, 51(5), p. 1011–1015.
- Sit, N., Deka, S. & Misra, S., 2014a. Optimization of starch isolation from taro using combination of enzymes and comparison of properties of starches isolated by enzymatic and conventional methods. *Journal of Food Science and Technology*.
- Sit, N., Misra, S. & Deka, S. C., 2014b. Yield and Functional Properties of Taro Starch as Affected by Ultrasound. *Food Bioprocess Technology*, p. 7:1950–1958.
- Sivakumar, V., Rani, K. & Kumari, M., 2016. Efficient extraction of natural dye from red sandal wood (*Pterocarpus Sandalinus*) using ultrasound. *International Wood Products Journal*, pp. 1-4.
- Souza, D. et al., 2015. Characterization of rice starch and protein obtained by a fast alkaline extraction method. *Food Chemistry*.
- Suhaimi, S. H. et al., 2019. Optimization of Ultrasound-Assisted Extraction Conditions Followed by Solid Phase Extraction Fractionation from *Orthosiphon stamineus* Benth (Lamiace) Leaves for Antiproliferative Effect on Prostate Cancer Cells. *Molecules*, pp. 1-20.
- Swinkels, J. J., 1985. *Source of starch, its chemistry and physics*. Di dalam :G.M.A.V. Beynum dan J.A Roels (eds.). *Starch Conversion Technology*. Inc., New York.: Marcel Dekker.



- Tappiban, P. et al., 2020. Gelatinization, pasting and retrogradation properties and molecular fine structure of starches from seven cassava cultivars. *International Journal of Biological Macromolecules*, pp. 1-27.
- Toma, M., Vinatoru, M., Paniwnyk, L. & Mason, T. J., 2001. Investigation of the Effects of Ultrasound on Vegetal Tissues during Solvent Extraction. *Ultrasonics Sonochemistry*, pp. (8): 137-142.
- Tomšik, A. et al., 2016. Optimization of ultrasound-assisted extraction of bioactive compounds from wild garlic (*Allium ursinum* L.). *Ultrasonics Sonochemistry*, p. 29: 502–511.
- Torres, N. M. et al., 2017. Ultrasound Assisted Extraction for the Recovery of Phenolic Compounds from Vegetable Sources. *Agronomy*, pp. 1-19.
- Turrini, F. et al., 2019. Pulsed Ultrasound-Assisted Extraction as an Alternative Method to Conventional Maceration for Alternative Method to Conventional Maceration for the Extraction of the Polyphenolic Fraction of *Ribes nigrum* Buds: A New Category of Food Supplements. *Foods*, pp. 1-14.
- Uchekukwu-Agua, A., Caleb, O. & Opara, U., 2015. Postharvest Handling and Storage of Fresh Cassava Root and Products: a Review. *Food Bioprocess Technology*, pp. 1-20.
- Vanier, N., El Halal, S., Dias, A. & Zavareze, E., 2017. Molecular structure, functionality and applications of oxidized starches: A review. *Food Chemistry*, Volume 221, p. 1546–1559.
- Vinatoru, M., 2001. An Overview of the Ultrasonically Assisted Extraction of Bioactive Principles from Herbs. *Ultrasonics Sonochemistry*, pp. (8): 303-313.
- Vinatoru, M., Mason, T. J. & Calinescu, I., 2017. Ultrasonically Assisted Extraction (UAE) and Microwave Assisted Extraction (MAE) of Functional Compounds from Plant Materials. *Trends in Analytical Chemistry*, pp. 1-52.
- Wheatley, C., Chuzel, G. & Zakhia, N., 2003. The Nature of the Tuber. In: *CASSAVA*. s.l.:Elsevier Science Ltd., pp. 964-969.
- Wheatley, C., Chuzel, G. & Zakhia, N., 2003. Uses as a Raw Material. In: *Cassava*. s.l.:Elsevier Science Ltd., pp. 969-975.
- Yang, W., Fang, Y., Liang, J. & Hu, Q., 2011. Optimization of ultrasonic extraction of *Flammulina velutipes* polysaccharides and evaluation of its acetylcholinesterase inhibitory activity. *Food Research International*, p. 44:1269–1275.



- Yan, Y. I. et al., 2011. Ultrasonic-assisted extraction optimized by response surface methodology, chemical composition and antioxidant activity of polysaccharides from *Tremella mesenterica*. *Carbohydrate Polymers*, p. 83:217–224.
- Zehra, N., Ali, T. & Hasnain, A., 2019. Comparative study on citric acid modified instant starches (alcoholic alkaline treated) isolated from white sorghum and corn grains. *International Journal of Biological Macromolecules*.
- Zhang, Q., Lin, L. & Ye, W., 2018. Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(20), pp. 1-26.
- Zhu, F., 2014. Composition, structure, physicochemical properties, and modifications of cassava starch. *Carbohydrate Polymers*.
- Zou, J., Xu, M., Wen, L. & Yang, B., 2020. Structure and physicochemical properties of native starch and resistant starch in Chinese yam (*Dioscorea opposita* Thunb.). *Carbohydrate Polymers*, Volume 237, p. 116188.



UNIVERSITAS
GADJAH MADA

Optimasi Ekstraksi Berbantu Ultrasonik untuk Produksi Pati dari Singkong
KARMILA, 1. Dr. Widiastuti Setyaningsih, STP., M.Sc. 2. Dr. Ir. M. Nur Cahyanto, STP., M.Sc
Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>