

DAFTAR PUSTAKA

- Ali, M. M., Janius, R. B., Nawi, N. M., & Hashim, N. (2018). Prediction of total soluble solids and pH in banana using near infrared spectroscopy. *Journal of Engineering Science and Technology*, *13*(1), 254–264.
- Ambarwati, E., Murti, R. H., Rahman, Y. A., & Hastari, R. P. (2015). Daya simpan dan mutu buah Tomat galur mutan harapan yang dibudidayakan di dua ketinggian tempat berbeda. *Agrivet*, *19*, 36–45.
- Amodio, M. L., Ceglie, F., Chaudhry, M. M. A., Piazzolla, F., & Colelli, G. (2017). Potential of NIR spectroscopy for predicting internal quality and discriminating among strawberry fruits from different production systems. *Postharvest Biology and Technology*, *125*, 112–121. <https://doi.org/10.1016/j.postharvbio.2016.11.013>
- Angelia, I. O. (2017). Kandungan pH, Total Asam Tertitrasi, Padatan Terlarut dan Vitamin C Pada Beberapa Komoditas Hortikultura. *Journal of Agritech Science*, *1*(2), 68–74.
- Barrios, A. G., López, R. A. B., García, E. R., Ayala, T., & Zarazúa, G. M. S. (2011). Tomato quality evaluation with image processing: A review. *African Journal of Agricultural Research*, *6*(14), 3333–3339. <https://doi.org/10.5897/AJAR11.108>
- Betrisia, N., Ilmu, D., Teknologi, D. A. N., & Pertanian, F. T. (2017). *Korelasi pengukuran kadar asam, gula, dan ph pada buah belimbing, jeruk, dan tomat dengan nilai kapasitansi elektrik*.
- Cahyono, Bambang. 2005. *Tomat, Budidaya dan Analisis Usaha Tani*. Kanisius. Yogyakarta
- Chia, K. S., Abdul Rahim, H., & Abdul Rahim, R. (2012). Prediction of soluble solids content of pineapple via non-invasive low cost visible and shortwave near infrared spectroscopy and artificial neural network. *Biosystems Engineering*, *113*(2), 158–165. <https://doi.org/10.1016/j.biosystemseng.2012.07.003>
- Chia, K. S., Abdul Rahim, H., & Abdul Rahim, R. (2013). Evaluation of common pre-processing approaches for visible (VIS) and shortwave near infrared (SWNIR) spectroscopy in soluble solids content (SSC) assessment. *Biosystems Engineering*, *115*(1), 82–88. <https://doi.org/10.1016/j.biosystemseng.2013.02.008>
- Choudhary, R., Bowser, T. J., Weckler, P., Maness, N. O., & McGlynn, W. (2009). Rapid estimation of lycopene concentration in watermelon and tomato puree by fiber optic visible reflectance spectroscopy. *Postharvest Biology and Technology*, *52*(1), 103–109. <https://doi.org/10.1016/j.postharvbio.2008.10.002>
- Clément, A., Dorais, M., & Vernon, M. (2008). Nondestructive measurement of fresh tomato lycopene content and other physicochemical characteristics using visible NIR spectroscopy. *Journal of Agricultural and Food Chemistry*, *56*(21), 9813–9818. <https://doi.org/10.1021/jf801299r>
- Cortés, V., Ortiz, C., Aleixos, N., Blasco, J., Cubero, S., & Talens, P. (2016). A new internal quality index for mango and its prediction by external visible and

- near-infrared reflection spectroscopy. *Postharvest Biology and Technology*, 118, 148–158. <https://doi.org/10.1016/j.postharvbio.2016.04.011>
- Fang, Q., Hong, H., Zhao, L., Kukulich, S., Yin, K., & Wang, C. (2018). Visible and Near-Infrared Reflectance Spectroscopy for Investigating Soil Mineralogy: A Review. *Journal of Spectroscopy*, 2018. <https://doi.org/10.1155/2018/3168974>
- Fried, George H., P.hD dan George J. Hademenos, P.hD. 2009. *Schaum's Outlines Biology Third Edition*. McGraw Hills. United States of America
- Ghosh, S., Domínguez, T. R. C., Diezma, B., Lleó, L., Barreiro, P., Lacarra, T. G., & Roger, J. M. (2015). VIS/NIR spectral signature for the identification of peanut contamination of powder foods. *Agricultural Engineering International: CIGR Journal*, 17(2), 310–329.
- Guo, Z., Huang, W., Peng, Y., Chen, Q., Ouyang, Q., & Zhao, J. (2016). Color compensation and comparison of shortwave near infrared and long wave near infrared spectroscopy for determination of soluble solids content of “Fuji” apple. *Postharvest Biology and Technology*, 115, 81–90. <https://doi.org/10.1016/j.postharvbio.2015.12.027>
- Hanrahan, G., Udeh, F., & Patil, D. G. (2004). Chemometrics and Statistics - Multivariate Calibration Techniques. *Encyclopedia of Analytical Science: Second Edition*, 1, 27–32. <https://doi.org/10.1016/B0-12-369397-7/00077-7>
- He, Y., Li, X., Hernandez, A., & Garcia, A. (2005). Vis/NIR spectroscopy technique for determination quality attributes of tomato fruit. *MIPPR 2005: SAR and Multispectral Image Processing*, 6043, 60431Y. <https://doi.org/10.1117/12.654948>
- Herdiana, N. (2011). (*Lycopersicum esculentum*) MELALUI Aloe vera Coating Oleh : 6(1), 24–33.
- Heuvelink. 2005. *Tomatoes*. CABI International. USA
- Helmenstine, Anne Marie. 2019. *pH Definition and Equation in Chemistry*. Diakses dari <https://www.thoughtco.com/definition-of-ph-in-chemistry-604605> pada 7 Juni 2020
- Huang, Y., Lu, R., & Chen, K. (2018). Assessment of tomato soluble solids content and pH by spatially-resolved and conventional Vis/NIR spectroscopy. *Journal of Food Engineering*, 236(May), 19–28. <https://doi.org/10.1016/j.jfoodeng.2018.05.008>
- Karangan, J., Sugeng, B., & Sulardi, S. (2019). Uji Keasaman Air Dengan Alat Sensor pH Di STT Migas Balikpapan. *Jurnal Kacapuri : Jurnal Keilmuan Teknik Sipil*, 2(1), 65. <https://doi.org/10.31602/jk.v2i1.2065>
- Khodabakhshian, R., Emadi, B., Khojastehpour, M., Golzarian, M. R., & Sazgarnia, A. (2017). Non-destructive evaluation of maturity and quality parameters of pomegranate fruit by visible/near infrared spectroscopy. *International Journal of Food Properties*, 20(1), 41–52. <https://doi.org/10.1080/10942912.2015.1126725>
- Kusumiyati, K., Hadiwijaya, Y., & Putri, I. E. (2019). Non-Destructive Classification of Fruits Based on Vis-nir Spectroscopy and Principal Component Analysis. *Jurnal Biodjati*, 4(1), 89–95. <https://doi.org/10.15575/biodjati.v4i1.4389>

- Liu, Y., Sun, X., & Ouyang, A. (2010). Nondestructive measurement of soluble solid content of navel orange fruit by visible-NIR spectrometric technique with PLSR and PCA-BPNN. *LWT - Food Science and Technology*, 43(4), 602–607. <https://doi.org/10.1016/j.lwt.2009.10.008>
- Maleta, H. S., Indrawati, R., Limantara, L., & Brotosudarmo, T. H. P. (2018). Ragam Metode Ekstraksi Karotenoid dari Sumber Tumbuhan dalam Dekade Terakhir (Telaah Literatur). *Jurnal Rekayasa Kimia & Lingkungan*, 13(1), 40–50. <https://doi.org/10.23955/rkl.v13i1.10008>
- Min, M., Lee, W. S., Kim, Y. H., & Bucklin, R. A. (2006). Nondestructive detection of nitrogen in Chinese cabbage leaves using VIS-NIR spectroscopy. *HortScience*, 41(1), 162–166. <https://doi.org/10.21273/hortsci.41.1.162>
- Mokrzycki, W., & Tatol, M. (2011). Color difference Delta E - A survey Colour difference ΔE - A survey Faculty of Mathematics and Informatics. *Machine Graphics and Vision*, 20(4), 383–411. <https://doi.org/10.1007/s10817-009-9143-8>
- Negoro, Johan Adi., Andayani, N., & Ginting, C. (2018). Pengaruh Dosis Pupuk NPK dan Penambahan Pupuk Organik Cair Terhadap Pertumbuhan Berbagai Varietas Tanaman Tomat (*Solanum lycopersicum* L.). *Jurnal Agromast*, 03(2), 1-10.
- Nirma Yopita Sari Tarigan, I Made Supartha Utama, P. K. D. K. (2015). Mempertahankan Mutu Buah Tomat Segar Dengan Pelapisan Minyak Nabati [Maintaining The Quality Of Fresh Tomatoes With a Coating Of Vegetable Oil]. *Mempertahankan Mutu Buah Tomat Segar Dengan Pelapisan Minyak Nabati [Maintaining The Quality Of Fresh Tomatoes With a Coating Of Vegetable Oil]* *Nirma*, 1(2), 1–9. <https://doi.org/10.1088/1742-6596/369/1/012003>
- Nturambirwe, J. F. I., Nieuwoudt, H. H., Perold, W. J., & Opara, U. L. (2019). Non-destructive measurement of internal quality of apple fruit by a contactless NIR spectrometer with genetic algorithm model optimization. *Scientific African*, 3. <https://doi.org/10.1016/j.sciaf.2019.e00051>
- Okazaki, Y. (2012). Near-Infrared Spectroscopy—Its Versatility in Analytical. *Anal. Chem*, 28(June), 545–562.
- Phetpan, K., Udompetaikul, V., & Sirisomboon, P. (2018). An online visible and near-infrared spectroscopic technique for the real-time evaluation of the soluble solids content of sugarcane billets on an elevator conveyor. *Computers and Electronics in Agriculture*, 154(September), 460–466. <https://doi.org/10.1016/j.compag.2018.09.033>
- Pracaya, 2012. *Bertanam Tomat*. Kanisius. Yogyakarta
- Pratama, A. J., & Laily, A. N. (2015). Analisis Kandungan Klorofil Gandasuli (*Hedychium gardnerianum* Shephard ex Ker-Gawl) pada Tiga Daerah Perkembangan Daun yang Berbeda. *Seminar Nasional Konservasi Dan Pemanfaatan Sumber Daya Alam*, 216–219. <https://doi.org/10.1016/B978-044452072-2/50025-2>
- Saad, A. G., Jaiswal, P., & Jha, S. N. (2014). Non-destructive quality evaluation of intact tomato using VIS-NIR spectroscopy. *International Journal of Advanced Research*, 2(12), 632–639.

- Sari, H. P., Purwanto, Y. A., & Budiastira, I. W. (2016). Pendugaan Kandungan Kimia Mangga Gedong Gincu Menggunakan Spektroskopi Inframerah Dekat (Prediction of Chemical Contents in 'Gedong Gincu' Mango using Near Infrared Spectroscopy). *Jurnal Agritech*, 36(03), 294. <https://doi.org/10.22146/agritech.16599>
- Sinaga, R., Desrial, D., & Wulandani, D. (2016). Physical and Mechanical Characteristics of Candle Nut (*Aleurites moluccana* Wild.). *Jurnal Keteknik Pertanian*, 04(1), 97–106. <https://doi.org/10.19028/jtep.04.1.97-106>
- Sun, T., Xu, H., Ying, Y., Kondo, N., & Ogawa, Y. (2010). Comparison of different spectrometers for assessing soluble solids content of pears on-line by Vis/NIR spectroscopy. *IFAC Proceedings Volumes (IFAC-PapersOnline)*, 3(PART 1). <https://doi.org/10.3182/20101206-3-jp-3009.00040>
- Varanita, Z. A., & Haryanto, A. (2016). PENGARUH GETARAN TERHADAP KERUSAKAN MEKANIS TOMAT (*Lycopersicum esculentum* Mill) EFFECT OF VIBRATION ON MECHANICAL DAMAGE OF TOMATO (*Lycopersicum esculentum* Mill). 5(2), 117–124.
- Wang, H., Peng, J., Xie, C., Bao, Y., & He, Y. (2015). Fruit quality evaluation using spectroscopy technology: A review. *Sensors (Switzerland)*, 15(5), 11889–11927. <https://doi.org/10.3390/s150511889>
- Winarno, F.G. 2002. *Fisiologi Lepas Panen Produk Hortikultura*. M-Brio Press. Bogor
- Xie, L., Ying, Y., & Ying, T. (2009). Classification of tomatoes with different genotypes by visible and short-wave near-infrared spectroscopy with least-squares support vector machines and other chemometrics. *Journal of Food Engineering*, 94(1), 34–39. <https://doi.org/10.1016/j.jfoodeng.2009.02.023>
- Zakiyah, M., Manurung, F., & Wulandari, R. S. (2018). KANDUNGAN KLOOROFIL DAUN PADA EMPAT JENIS POHON DI ARBORETUM SYLVA INDONESIA PC. UNIVERSITAS TANJUNGPURA (*Leaf Chlorophyll Content In Four Tree Species at Arboretum Sylva Indonesia PC. Universitas Tanjungpura*). 6(1), 48–55.
- Zebua, M. J., Suharsi, T. K., & Syukur, M. (2019). Studi Karakter Fisik dan Fisiologi Buah dan Benih Tomat (*Solanum lycopersicum* L.) Tora IPB. *Buletin Agrohorti*, 7(1), 69. <https://doi.org/10.29244/agrob.7.1.69-75>
- Zhang, Q., Li, Q., & Zhang, G. (2012). Rapid determination of leaf water content using VIS/NIR spectroscopy analysis with wavelength selection. *Spectroscopy (New York)*, 27(2), 93–105. <https://doi.org/10.1155/2012/276795>