



DAFTAR PUSTAKA

- Adams, J.D. dan Lien, E.J., 2013, *Traditional Chinese Medicine Scientific Basis for its Use*, RSC Publishing, Cambridge, UK. Hal. 13.
- Afifi, S.M., Abdel-Sattar, E., Abdel-Monem, A., Hegazy, M.E., & El-Halawany, A.M., (2017). ISOFLAVONES, PHENOLICS CONTENT AND ANTIOXIDANT ACTIVITY OF THREE EGYPTIAN SOYBEAN CULTIVARS. *Al-Azhar Journal of Pharmaceutical Sciences*, **56**(2), 67–74. <https://doi.org/10.21608/ajps.2017.28460>
- Ahmad, A., Ramasamy, K., Majeed, A. B. A., & Mani, V. (2015). Enhancement of β -secretase inhibition and antioxidant activities of *tempeh*, a fermented soybean cake through enrichment of bioactive aglycones. *Pharmaceutical Biology*, **53**(5), 758–766. <https://doi.org/10.3109/13880209.2014.942791>
- Bavia, A. C. F., Silva, C. E. da, Ferreira, M. P., Leite, R. S., Mandarino, J. M. G., & Carrão-Panizzi, M. C. (2012). Chemical composition of tempeh from soybean cultivars specially developed for human consumption. *Food Science and Technology*, **32**(3), 613–620. <https://doi.org/10.1590/S0101-20612012005000085>
- Chang, Y., Zhao, C., Wu, Z., Zhou, J., Zhao, S., Lu, X., & Xu, G. (2012). Chip-based nanoflow high performance liquid chromatography coupled to mass spectrometry for profiling of soybean flavonoids: Microfluidics and Miniaturization. *ELECTROPHORESIS*, **33**(15), 2399–2406. <https://doi.org/10.1002/elps.201100581>
- Chen, L., Hui Teng, H., & Xiao, J. (2019). A value-added cooking process to improve the quality of soybean : Protecting its isoflavones and antioxidant activity, *Food Science and Human Wellness* **8** : 195–201. <https://doi.org/10.1016/j.fshw.2019.05.001>
- Das, D., Sarkar, S., Bordoloi, J., Wann, S. B., Kalita, J., & Manna, P. (2018). Daidzein, its effects on impaired glucose and lipid metabolism and vascular inflammation associated with type 2 diabetes: Prophylactic role of daidzein in type 2 diabetes/Das *et al*. *BioFactors*, **44**(5), 407–417. <https://doi.org/10.1002/biof.1439>
- DrugBank, 2019, Daidzein, <https://www.drugbank.ca/drugs/DB13182>, diakses pada 6 Desember 2019.
- Eugster, P. J., Guillarme, D., Rudaz, S., Veuthey, J.-L., Carrupt, P.-A., & Wolfender, J.-L. (2011). Ultra High Pressure Liquid Chromatography for Crude Plant Extract Profiling. *Journal of AOAC INTERNATIONAL*, **94**(1), 51–70. <https://doi.org/10.1093/jaoac/94.1.51>



- Fahmi, R., Khodaiyan, F., Pourahmad, R., & Emam-Djomeh, Z. (2014). Effect of ultrasound assisted extraction upon the Genistin and Daidzin contents of resultant soymilk. *Journal of Food Science and Technology*, **51**(10), 2857–2861. <https://doi.org/10.1007/s13197-012-0744-6>
- Fessenden, R.J. & Fessenden, J.S. (1982). *Organic Chemistry*, Ed. 2nd. PWS Publishers, USA. hal 557.
- Fessenden, R.J. & Fessenden, J.S., (1986) *Organic Chemistry*, Ed. 3th. diterjemahkan oleh Pudjaatmaka, A.H. *Kimia Organik Edisi Ketiga, Jilid I*. Penerbit Erlangga. Jakarta, hal. 32-33.
- Gandjar, I.G. & Rohman, A. (2007). *Kimia Farmasi Analisis*. Pustaka Pelajar. Yogyakarta. hal. 231, 234-237, 240-246, 378-379, dan 388-390.
- Fiechter, G., Opacak, I., Raba, B., & Mayer, H. K. (2013). A new ultra-high pressure liquid chromatography method for the determination of total isoflavone aglycones after enzymatic hydrolysis: Application to analyze isoflavone levels in soybean cultivars. *Food Research International*, **50**(2), 586–592. <https://doi.org/10.1016/j.foodres.2011.03.038>
- Hasim, Astuti, P., Falah, S. & Faridah, D.N. (2015) *Bacillus subtilis natto* fermentation to improve aglycone isoflavones content of black soybean varieties detam 2. *International Food Research Journal* **22**(6): 2558-2564.
- He, Y., Wu, X., Cao, Y., Hou, Y., Chen, H., Wu, L., Lu, L., Zhu, W., & Gu, Y. (2016). Daidzein exerts anti-tumor activity against bladder cancer cells via inhibition of FGFR3 pathway. *Neoplasma*, **63**(04), 523–531. https://doi.org/10.4149/neo_2016_405
- Hirattanapun, E., Koonrungsesomboon, N., & Teekachunhatean, S. (t.t.). *Variability of Isoflavone Content in Soy Milk Products Commercially Available in Thailand*. **10**.
- Hoffmann, E.D.H. & Stroobant, V. (2007). *Mass Spectrometry: Principles and Applications*, 3th Ed. John Wiley & Sons, Ltd. England. Hal 1-3.
- Hong, J.-L., Qin, X.-Y., Shu, P., Wang, Q., Zhou, Z.-F., Wang, G.-K., Lin, B.-B., Wang, Q., & Qin, M.-J. (2011). Comparative study of isoflavones in wild and cultivated soybeans as well as bean products by high-performance liquid chromatography coupled with mass spectrometry and chemometric techniques. *European Food Research and Technology*, **233**(5), 869–880. <https://doi.org/10.1007/s00217-011-1564-z>
- Hsia, S.-Y., Hsiao, Y.-H., Li, W.-T., & Hsieh, J.-F. (2016). Aggregation of soy protein-isoflavone complexes and gel formation induced by glucono- δ -lactone in soymilk. *Scientific Reports*, **6**(1), 35718. <https://doi.org/10.1038/srep35718>
- Hsiao, Y.-H., Lu, C.-P., Kuo, M.-I., & Hsieh, J.-F. (2016). Coacervation of β -conglycinin, glycinin and isoflavones induced by propylene glycol alginate



- in heated soymilk. *Food Chemistry*, **200**, 55–61. <https://doi.org/10.1016/j.foodchem.2016.01.011>
- Hsiao, Y.-H., Yu, C.-J., Li, W.-T., & Hsieh, J.-F. (2015). Coagulation of β -conglycinin, glycinin and isoflavones induced by calcium chloride in soymilk. *Scientific Reports*, **5**(1), 13018. <https://doi.org/10.1038/srep13018>
- Hu, B., Yu, B., Tang, D., Li, S., & Wu, Y. (2016). Daidzein promotes osteoblast proliferation and differentiation in OCT1 cells through stimulating the activation of BMP-2/Smads pathway. *Genetics and Molecular Research*, **15**(2). <https://doi.org/10.4238/gmr.15028792>
- Hu, Y., Ge, C., Yuan, W., Zhu, R., Zhang, W., Du, L., & Xue, J. (2010). Characterization of fermented black soybean natto inoculated with *Bacillus natto* during fermentation: Characterization of fermented black soybean natto. *Journal of the Science of Food and Agriculture*, **90**(7), 1194–1202. <https://doi.org/10.1002/jsfa.3947>
- Huang, Z., & Xia, M. (2019). HPLC Method for Simultaneous Determination of Six Isoflavones in Soybean Yoghurt. *IOP Conference Series: Materials Science and Engineering*, **562**, 012132. <https://doi.org/10.1088/1757-899X/562/1/012132>
- Jiang, Q., Payton-Stewart, F., Elliott, S., Driver, J., Rhodes, L. V., Zhang, Q., Zheng, S., Bhatnagar, D., Boue, S. M., Collins-Burow, B. M., Sridhar, J., Stevens, C., McLachlan, J. A., Wiese, T. E., Burow, M. E., & Wang, G. (2010). Effects of 7-O Substitutions on Estrogenic and Antiestrogenic Activities of Daidzein Analogues in MCF-7 Breast Cancer Cells. *Journal of medicinal chemistry*, **53**(16), 6153–6163. <https://doi.org/10.1021/jm100610w>
- Jin, X., Sun, J., Yu, B., Wang, Y., Sun, W. J., Yang, J., Huang, S. H., & Xie, W. L. (2017). Daidzein stimulates osteogenesis facilitating proliferation, differentiation, and antiapoptosis in human osteoblast-like MG-63 cells via estrogen receptor-dependent MEK/ERK and PI3K/Akt activation. *Nutrition Research*, **42**, 20–30. <https://doi.org/10.1016/j.nutres.2017.04.009>
- Kim, E.-H., Kim, S.-L., Kim, S.-H., & Chung, I.-M. (2012). Comparison of Isoflavones and Anthocyanins in Soybean [Glycine max (L.) Merrill] Seeds of Different Planting Dates. *Journal of Agricultural and Food Chemistry*, **60**(41), 10196–10202. <https://doi.org/10.1021/jf3031259>
- Kim E.H., Lee, O.K., Kim J.K., Kim, S.L., Lee J.H., Kim, S.H., & Chung, I.M. (2014). Isoflavones and anthocyanins analysis in soybean (Glycine max (L.) Merill) from three different planting locations in Korea. *Field Crops Research* **156** : 76–83. <http://dx.doi.org/10.1016/j.fcr.2013.10.020>
- Kuhnle, G. G. C., Dell'Aquila, C., Aspinall, S. M., Runswick, S. A., Mulligan, A. A., & Bingham, S. A. (2008). Phytoestrogen Content of Foods of Animal



Origin: Dairy Products, Eggs, Meat, Fish, and Seafood. *Journal of Agricultural and Food Chemistry*, **56**(21), 10099–10104. <https://doi.org/10.1021/jf801344x>

Lee, J. H., & Choung, M.-G. (2011). Determination of optimal acid hydrolysis time of soybean isoflavones using drying oven and microwave assisted methods. *Food Chemistry*, **129**(2), 577–582. <https://doi.org/10.1016/j.foodchem.2011.04.069>

Lee, S. Y., Lee, S., Lee, S., Oh, J. Y., Jeon, E. J., Ryu, H. S., & Lee, C. H. (2014). Primary and secondary metabolite profiling of doenjang, a fermented soybean paste during industrial processing. *Food Chemistry*, **165**, 157–166. <https://doi.org/10.1016/j.foodchem.2014.05.089>

Leuner, O., Havlik, J., Hummelova, J., Prokudina, E., Novy, P., & Kokoska, L. (2013). Distribution of isoflavones and coumestrol in neglected tropical and subtropical legumes: Isoflavones and coumestrol in neglected tropical and subtropical legumes. *Journal of the Science of Food and Agriculture*, **93**(3), 575–579. <https://doi.org/10.1002/jsfa.5835>

Liu, J., Viswanadhapalli, S., Garcia, L., Zhou, M., Nair, B. C., Kost, E., Tekmal, R. R., Li, R., Rao, M. K., Curiel, T., Vadlamudi, R. K., & Sareddy, G. R. (2017). Therapeutic utility of natural estrogen receptor beta agonists on ovarian cancer. *Oncotarget*, **8**(30), 50002–50014. <https://doi.org/10.18632/oncotarget.18442>

Mishra, B.K., Hati, S., Das, S., & Prajapati, J.B. (2018) Biofunctional Attributes and Storage Study of Soy Milk Fermented by *Lactobacillus rhamnosus* and *Lactobacillus helveticus*. *Food Technology & Biotechnology*, **57**(3) : 399-407

Mohammadi Sartang, M., Mazloomi, S. M., Tanideh, N., & Rezaian Zadeh, A. (2015, Agustus 11). *The Effects of Probiotic Soymilk Fortified with Omega-3 on Blood Glucose, Lipid Profile, Haematological and Oxidative Stress, and Inflammatory Parameters in Streptozotocin Nicotinamide-Induced Diabetic Rats* [Research Article]. Journal of Diabetes Research; Hindawi. <https://doi.org/10.1155/2015/696372>

Murakami, H., Terao, J., & Matsushita, S. (t.t.). *Antioxidative Stability of Tempehand Liberation of Isoflavones by Fermentation*. **5**.

Nagata, C., Wada, K., Tamura, T., Konishi, K., Goto, Y., Koda, S., Kawachi, T., Tsuji, M., & Nakamura, K. (2017). Dietary soy and natto intake and cardiovascular disease mortality in Japanese adults: The Takayama study. *The American Journal of Clinical Nutrition*, **105**(2), 426–431. <https://doi.org/10.3945/ajcn.116.137281>

Park, H. J., & Jung, M. Y. (2017). One step salting-out assisted liquid-liquid extraction followed by UHPLC-ESI-MS/MS for the analysis of isoflavones in soy milk. *Food Chemistry*, **229**, 797–804. <https://doi.org/10.1016/j.foodchem.2017.02.145>



- Riswanto, F.D.O., Desra, A., Sari, R.M., Thomas, V., Rohman, A., Pramono, S., & Martono, S. (2020). Employing an R Software Package rsm for Optimizing of Genistein, Daidzein, and Glycitein Separation and Its Application for Soy Milk Analysis by HPLC Method, *Indones. J. Chem.*, xxxx, xx (x), xx – xx. DOI: 10.22146/ijc.51669
- Shao, S., Duncan, A. M., Yang, R., Marcone, M. F., Rajcan, I., & Tsao, R. (2011). Systematic evaluation of pre-HPLC sample processing methods on total and individual isoflavones in soybeans and soy products. *Food Research International*, 44(8), 2425–2434. <https://doi.org/10.1016/j.foodres.2010.12.041>
- Shen, D., Wu, Q., Sciarappa, W. J., & Simon, J. E. (2012). Chromatographic fingerprints and quantitative analysis of isoflavones in Tofu-type soybeans. *Food Chemistry*, 130(4), 1003–1009. <https://doi.org/10.1016/j.foodchem.2011.07.121>
- Shim, Y.-S., Yoon, W.-J., Hwang, J.-B., Park, H.-J., Seo, D., & Ha, J. (2015). Rapid method for the determination of 14 isoflavones in food using UHPLC coupled to photo diode array detection. *Food Chemistry*, 187, 391–397. <https://doi.org/10.1016/j.foodchem.2015.04.077>
- Snyder, L.R., Kirkland, J.J., & Dolan, J.W. (2010). *Introduction to Modern Liquid Chromatography*, 3th Ed. A John Wiley & Sons Inc. New Jersey. Hal. 256-269.
- Sulistiyowati, E., Martono, S., Riyanto, S., & Lukitaningsih, E. (2019). DEVELOPMENT AND VALIDATION FOR FREE AGLYCONES DAIDZEIN AND GENISTEIN IN SOYBEANS (GLYCINE MAX (L.) MERR.) USING RP HPLC METHOD. *International Journal of Applied Pharmaceutics*, 138–142. <https://doi.org/10.22159/ijap.2019v11i2.31222>
- Sun, J., Sun, B., Han, F., Yan, S., Yang, H., & Akio, K. (2011). Rapid HPLC Method for Determination of 12 Isoflavone Components in Soybean Seeds. *Agricultural Sciences in China*, 10(1), 70–77. [https://doi.org/10.1016/S1671-2927\(11\)60308-8](https://doi.org/10.1016/S1671-2927(11)60308-8)
- Takagi, A., Kano, M., & Kaga, C. (2015). Possibility of Breast Cancer Prevention: Use of Soy Isoflavones and Fermented Soy Beverage Produced Using Probiotics. *International Journal of Molecular Sciences*, 16(12), 10907–10920. <https://doi.org/10.3390/ijms160510907>
- Takaoka, O., Mori, T., Ito, F., Okimura, H., Kataoka, H., Tanaka, Y., Koshiba, A., Kusuki, I., Shigehiro, S., Amami, T., & Kitawaki, J. (2018). Daidzein-rich isoflavone aglycones inhibit cell growth and inflammation in endometriosis. *The Journal of Steroid Biochemistry and Molecular Biology*, 181, 125–132. <https://doi.org/10.1016/j.jsbmb.2018.04.004>
- Toro-Funes, N., Odriozola-Serrano, I., Bosch-Fusté, J., Latorre-Moratalla, M. L., Veciana-Nogués, M. T., Izquierdo-Pulido, M., & Vidal-Carou, M. C. (2012). Fast simultaneous determination of free and conjugated



isoflavones in soy milk by UHPLC–UV. *Food Chemistry*, **135**(4), 2832–2838. <https://doi.org/10.1016/j.foodchem.2012.06.011>

Wang, F., Wang, H., Wang, D., Fang, F., Lai, J., Wu, T., & Tsao, R. (2015). Isoflavone, γ -aminobutyric acid contents and antioxidant activities are significantly increased during germination of three Chinese soybean cultivars. *Journal of Functional Foods*, **14**, 596–604. <https://doi.org/10.1016/j.jff.2015.02.016>

Wang, M., Guo, J., Qi, W., Su, R., & He, Z. (2013). An effective and green method for the extraction and purification of aglycone isoflavones from soybean. *Food Science and Biotechnology*, **22**(3), 705–712. <https://doi.org/10.1007/s10068-013-0135-4>

Wójciak-Kosior, M., Sowa, I., Blicharski, T., Strzemski, M., Dresler, S., Szymczak, G., Wnorowski, A., Kocjan, R., & Świeboda, R. (2016). The Stimulatory Effect of Strontium Ions on Phytoestrogens Content in Glycine max (L.) Merr. *Molecules*, **21**(1), 90. <https://doi.org/10.3390/molecules21010090>

Yanaka, K., Takebayashi, J., Matsumoto, T., & Ishimi, Y. (2012). Determination of 15 Isoflavone Isomers in Soy Foods and Supplements by High-Performance Liquid Chromatography. *Journal of Agricultural and Food Chemistry*, **60**(16), 4012–4016. <https://doi.org/10.1021/jf205154x>

Yuliani, S. H., Gani, M. R., Istiyastono, E. P., & Riswanto, F. D. O. (t.t.). *Optimization of genistein and daidzein extraction*. **11**.