

DAFTAR PUSTAKA

- Abirami, A., Nagarani, G., dan Siddhuraju, Perumal, 2014, In Vitro Antioxidant, Anti-Diabetic, Cholinesterase and Tyrosinase Inhibitory Potential of Fresh Juice from Citrus Hystrix and C. Maxima Fruits, *Food Science and Human Wellness* 3, no. 1: 16–25, <https://doi.org/10.1016/j.fshw.2014.02.001>
- Adham, dan Nozad, A., Qualitative and Quantitative Estimation of Hesperidin in Peel and Juice of Citrus Fruits by RP-HPLC Method Growing in Kurdistan Region/Iraq, *International Journal of Pharmaceutical Sciences Review and Reseach*, 33(2), No. 46: 220-224.
- Al Shaal, L., Müller, R.H., dan Keck, C.M., 2010, *Preserving Hesperetin Nanosuspensions for Dermal Application*, no. 2: 86–92, <https://doi.org/10.1691/ph.2010.9214>
- Antignac, E., Gerhard, J. N., Thomas, R., Jacques, C., dan Hervé T., 2011, Safety of Botanical Ingredients in Personal Care Products/Cosmetics, *Food and Chemical Toxicology* 49, no. 2: 324–41. <https://doi.org/10.1016/j.fct.2010.11.022>
- Anwer, Md.K., Ramadan, A.S., Shahid, J., Prawez, A., Maged, S.A., dan Faiyaz, S., 2014, Solubility of Bioactive Compound Hesperidin in Six Pure Solvents at (298.15 to 333.15) K, *Journal of Chemical & Engineering Data* 59, no. 6: 2065–69. <https://doi.org/10.1021/je500206w>
- Arct, Jacek, dan Pytkowska, Katarzyna, 2008, Flavonoids as Components of Biologically Active Cosmeceuticals, *Clinics in Dermatology* 26, no. 4: 347–57, <https://doi.org/10.1016/j.clindermatol.2008.01.004>
- Azman, N.F.I.N., *et al.*, 2019, Antioxidant Properties of Fresh and Frozen Peels of Citrus Species, *Current Research in Nutrition and Food Science Journal* 7, no. 2: 331–39, <https://doi.org/10.12944/CRNFSJ.7.2.03>
- Badan Pengawas Obat dan Makanan RI, 2017, *Cek Produk BPOM – BPOM RI*, diakses pada 16 Mei 2020 pukul 03:00 WIB, <https://cekbpom.pom.go.id/index.php/home/produk/196isj0faukolc934c7dkdk8u2/all/row/48/page/1/order/4/DESC/search/5/hesperidin>, diakses pada 16 Mei 2020 pukul 03:00 WIB.
- Badea, G., Lăcătușu, I., Badea, N., Ott, C., dan Meghea, A., 2015, Use of Various Vegetable Oils in Designing Photoprotective Nanostructured Formulations for UV Protection and Antioxidant Activity, *Industrial Crops and Products* 67: 18–24. <https://doi.org/10.1016/j.indcrop.2014.12.049>
- Bagher, Z., Ehterami, A., Safdel, M.H., Khastar, H., Semiari, H., Asefnejad, A., Davachi, S.M., Mirzaei, M., dan Salehi, M., 2020, Wound Healing with Alginate/Chitosan Hydrogel Containing Hesperidin in Rat Model, *Journal of Drug Delivery Science and Technology* 55: 101379. <https://doi.org/10.1016/j.jddst.2019.101379>

- Budiman, A., Faulina, M., Yuliana, A., dan Khoirunisa, A., 2015, Activity Test of Lemon Essential Oil (*Citrus limon* Burm.) Shampoo Gel as Antidandruff against Fungus *Malassezia* sp, *Indonesian Journal of Pharmaceutical Science and Technology* 2, no. 2: 68–74. <https://doi.org/10.15416/ijpst.v2i2.7813>
- Choi, In-Young, *et al.*, 2007, Hesperidin Inhibits Expression of Hypoxia Inducible Factor-1 Alpha and Inflammatory Cytokine Production from Mast Cells, *Molecular and Cellular Biochemistry* 305, no. 1–2: 153–61, <https://doi.org/10.1007/s11010-007-9539-x>
- Cosmetic Ingredients Review, 2016, *Safety Assessment of Citrus Peel-Derived Ingredients as Used in Cosmetics*, CIR-safety Organization, Washington DC.
- Costin, Gertrude-E, dan Hearing, Vincent J., 2007, Human Skin Pigmentation: Melanocytes Modulate Skin Color in Response to Stress, *The FASEB Journal* 21, no. 4: 976–94, <https://doi.org/10.1096/fj.06-6649rev>
- Dănilă, E., Moldovan, Z., Popa, M., Chifiriuc, M.C., Kaya, A.D., dan Kaya, M.A., 2018, Chemical Composition, Antimicrobial and Antibiofilm Efficacy of *C. Limon* and *L. Angustifolia* EOs and of Their Mixtures against *Staphylococcus Epidermidis* Clinical Strains, *Industrial Crops and Products* 122: 483–92. <https://doi.org/10.1016/j.indcrop.2018.06.019>
- Del Río, J.A., 2004, Citrus Limon: A Source of Flavonoids of Pharmaceutical Interest, *Food Chemistry* 84, no. 3: 457–61, [https://doi.org/10.1016/S0308-8146\(03\)00272-3](https://doi.org/10.1016/S0308-8146(03)00272-3)
- Diankov, S., Karsheva, M., dan Hinkov, I., 2011, Extraction of Natural Antioxidants From Lemon Peels. Kinetics and Antioxidant Capacity, *Journal of the University of Chemical Technology and Metallurgy*, 46(3): 315–319.
- Ding, Ai-Jun, *et al.*, 2017, Current Perspective in the Discovery of Anti-Aging Agents from Natural Products, *Natural Products and Bioprospecting* 7, no. 5: 335–404, <https://doi.org/10.1007/s13659-017-0135-9>
- Dornic, N., Ficheux, A.S., dan Roudot, A.C., 2016, Qualitative and Quantitative Composition of Essential Oils: A Literature-Based Database on Contact Allergens Used for Safety Assessment, *Regulatory Toxicology and Pharmacology* 80: 226–32. <https://doi.org/10.1016/j.yrtph.2016.06.016>
- El-Leithy, E.S., dan Abdel-Rashid, R.S., 2016, Validation and Application of Vierordt's Spectrophotometric Method for Simultaneous Estimation of Tamoxifen/Coenzyme Q10 in Their Binary Mixture and Pharmaceutical Dosage Forms, *Asian Journal of Pharmaceutical Sciences* 11 (2): 318–25. <https://doi.org/10.1016/j.ajps.2016.02.005>
- Elsevier, B.V., 2020, 27,068 Search Results - Keywords(nanotechnology drug delivery)-ScienceDirect, <https://www.sciencedirect.com.ezproxy.ugm.ac.id/search?qs=nanotechnology%20drug%20delivery>, diakses pada 15 Juli 2020 pukul 21:00 WIB.

- Endo Shin, 2017, *Glucosyl Hesperidin: A Citrus-derived Polyphenol*, <https://www.vitafoodsinsights.com/ingredients/glucosyl-hesperidin-citrus-derived-polyphenol>, diakses pada 18 Mei 2020 pukul 21:01 WIB.
- Environmental Working Group, 2020, *EWG's Skin Deep® / What is CITRUS MEDICA LIMONUM LEMON PEEL*, https://www.ewg.org/skindeep/ingredients/701446-CITRUS_MEDICA_LIMONUM_LEMON_PEEL/, diakses pada 18 Mei 2020 pukul 02:32 WIB.
- Ephrem, E., Elaissari, H., dan Greige-Gerges. H., 2017, Improvement of Skin Whitening Agents Efficiency through Encapsulation: Current State of Knowledge. *International Journal of Pharmaceutics* 526, no. 1–2: 50–68. <https://doi.org/10.1016/j.ijpharm.2017.04.020>
- European Commission, 2020, *Cosing, the European Commission database with information on cosmetic substances and ingredient*, https://ec.europa.eu/growth/sectors/cosmetics/cosing_en, diakses pada 16 Mei 2020 pukul 08:21 WIB.
- Farahmand, S., Tajerzadeh, H., dan Farboud, E.S., 2006, Formulation and Evaluation of a Vitamin C Multiple Emulsion, *Pharmaceutical Development and Technology* 11, no. 2: 255–61. <https://doi.org/10.1080/10837450500464172>
- FDA, 2008, EAFUS [Everything Added to Food]: *A Food Additive Database*, U.S. Food and Drug Administration FDA Office of Food Safety and Applied Nutrition.
- Fernandes, A.M., dan Jebbanema, L., 2007, The Effect of Surfactant Selection on Emulsion Polymer Properties, *Paint & Coatings Industry Magazine*, diakses pada 13 Juni 2020 23:48 WIB di <https://www.pcimag.com/articles/87271-the-effect-of-surfactant-selection-on-emulsion-polymer-properties>
- Fongnzossie, *et al.*, 2017, Ethnobotany and Pharmacognostic Perspective of Plant Species Used as Traditional Cosmetics and Cosmeceuticals among the Gbaya Ethnic Group in Eastern Cameroon, *South African Journal of Botany* 112 2017: 29–39, <https://doi.org/10.1016/j.sajb.2017.05.013>
- Garnier, 2020a, *Garnier Micellar Oil Infused Cleansing Water 125 mL—Pembersih Makeup*, <https://www.garnier.co.id/tentang-brands/micellar-water/cleansing-oil/micellar-oil-infused-cleansing-water>, diakses pada 15 Mei 2020 pukul 08:12 WIB.
- Garnier, 2020b, *Yuzu Day SPF19 20ml – Cream Pencerah Wajah*, <https://www.garnier.co.id/tentang-brands/light-complete/serum/light-complete-white-speed-yuzu-whitening-serum-cream-spf-19>, diakses pada 15 Mei 2020 pukul 21:28 WIB.
- Giriraj, P., dan Sivakkumar, T., 2017, Simultaneous Estimation of Dutasteride and Tamsulosin Hydrochloride in Tablet Dosage Form by Vierordt's Method,

- Arabian Journal of Chemistry* 10 (Mei): S1862–67.
<https://doi.org/10.1016/j.arabjc.2013.07.013>
- Gran, Kari, 2017, The Green Beauty Barometer Survey, <https://karigran.com/pages/the-green-barometer-survey>, diakses pada 3 Juli 2020 pukul 12.01 WIB.
- Hamdan, D., *et al.*, 2013, Chemical Composition of the Essential Oils of Variegated Pink-Fleshed Lemon (*Citrus x Limon* L. Burm. f.) and Their Anti-Inflammatory and Antimicrobial Activities, *Essential Oils of Variegated Pink Lemon* 10: 275-284.
- Hamdy, A.A., Kassem, H.A., Awad, G.E.A., El-Kady, S.M., Benito, M.T., Doyagüez, E.G., Jimeno, M.L., Lall, N., dan Hussein, A.A., 2017, In-Vitro Evaluation of Certain Egyptian Traditional Medicinal Plants against *Propionibacterium Acnes*, *South African Journal of Botany* 109: 90–95.
<https://doi.org/10.1016/j.sajb.2016.12.026>
- Heinrich, Michael, 2008, Ethnopharmacy and Natural Product Research—Multidisciplinary Opportunities for Research in the Metabolomic Age, *Phytochemistry Letters* 1, no. 1: 1–5.
<https://doi.org/10.1016/j.phytol.2007.11.003>
- Hou, Maihua, *et al.*, 2012, Topical Hesperidin Improves Epidermal Permeability Barrier Function and Epidermal Differentiation in Normal Murine Skin: Hesperidin Improves Epidermal Barrier Function, *Experimental Dermatology* 21, no. 5: 337–40, <https://doi.org/10.1111/j.1600-0625.2012.01455.x>
- Huang, Yaw-Bin, *et al.*, 2010, The Effect of Component of Cream for Topical Delivery of Hesperetin, *CHEMICAL & PHARMACEUTICAL BULLETIN* 58, no. 5: 611–14, <https://doi.org/10.1248/cpb.58.611>
- Huang, Yu-Chun, *et al.*, 2012, Melanogenesis of Murine Melanoma Cells Induced by Hesperetin, a Citrus Hydrolysate-Derived Flavonoid, *Food and Chemical Toxicology* 50, no. 3–4: 653–59, <https://doi.org/10.1016/j.fct.2012.01.012>
- Indrayati, A., Asyarie, S., dan Suciati, T., 2016, Pengaruh Superoksida Dismutase Rekombinan *Staphylococcus equorum* Terhadap Viabilitas Sel dan Deposisi Kolagen Pada Sel Fibroblas 3T3 Yang Dipaparkan UVA, *Jurnal Farmasi Indonesia* 13, no. 1:34 – 40.
- Ishii, H., Todo, H., dan Sugibayashi, K., 2010, Effect of Thermodynamic Activity on Skin Permeation and Skin Concentration of Triamcinolone Acetonide, *CHEMICAL & PHARMACEUTICAL BULLETIN* 58, no. 4: 556–61.
<https://doi.org/10.1248/cpb.58.556>
- Jagetia, G.C., Rao, KVN. M., 2017, Topical Application of Hesperidin, a Citrus Bioflavanone Accelerates Healing of Full Thickness Dermal Excision Wounds in Mice Exposed to 6 Gy of Whole Body Γ -Radiation, *Clinical*

Research in Dermatology: Open Access 4(3): 1-8,
<https://doi.org/10.15226/2378-1726/4/3/00162>

- Jeyapardha, Duraiyan, *et al.*, 2011, Ethnopharmacological Application of Medicinal Plants for Skin Ailments and Cosmetics Used By Various Tribal Communities in Kolli Hills of South India, *International Journal of Pharmaceutical Sciences Review and Research* 11, no. 1: 102–4.
- Jin, S., Zhou, B., dan Lou, D., 2011, Hesperidin Promotes Cyclobutane Pyrimidine Dimer Repair in UVB-Exposed Mice Epidermis, *Irish Journal of Medical Science* 180, no. 3: 709–14, <https://doi.org/10.1007/s11845-010-0503-5>
- Jun, M., Fu, H.Y., Hong, J., Wang, X., Yang, C.S., Ho, C.T., 2006, Comparison of antioxidant activities of isoflavones from kudzu root (*Pueraria lobate ohwi*). *Journal of Food Science*; 2117-22.
- Kalpana, K.B., Srinivasan, M., dan Menon, Venugopal P., 2009, Evaluation of Antioxidant Activity of Hesperidin and Its Protective Effect on H₂O₂ Induced Oxidative Damage on PBR322 DNA and RBC Cellular Membrane, *Molecular and Cellular Biochemistry* 323, no. 1–2: 21–29, <https://doi.org/10.1007/s11010-008-9960-9>
- Kang, Gyeong-Jin *et al.*, 2011, The Inhibitory Effect of Premature Citrus Unshiu Extract on Atopic Dermatitis In Vitro and In Vivo, *Toxicological Research* 27, no. 3: 173–80, <https://doi.org/10.5487/TR.2011.27.3.173>
- Kementerian Kesehatan RI, 2013, *Farmakope Indonesia Edisi V*, Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan, Jakarta: hal. 32.
- Khan, M.K., Zill-E-Huma, dan Dangles, Olivier, 2014, A Comprehensive Review on Flavanones, the Major Citrus Polyphenols, *Journal of Food Composition and Analysis* 33, no.1: 85–104, <https://doi.org/10.1016/j.jfca.2013.11.004>
- Kikuchi Fumitoshi, Akita Yoshika, dan Abe Tsuneyuki, 2013, Olfactory influences on the perceived effects of lip balm, *The Japanese journal of psychology* 84, no. 5 : 515–21, <https://doi.org/10.4992/jjpsy.84.515>
- Kilor, V., Sapkal, N., dan Vaidya, G., 2015, Design and Development of Novel Microemulsion Based Topical Formulation of Hesperidin, *International Journal of Pharmacy and Pharmaceutical Sciences*, 7, no. 12: 142-148.
- Kim, M., Kometani, T., Okada, S., dan Shimuzu, M., 1999, Permeation of Hesperidin Glycosides Across Caco-2 Cell Monolayers Via the Paracellular Pathway, *Bioscience, Biotechnology, and Biochemistry* 63, no. 12: 2183–88. <https://doi.org/10.1271/bbb.63.2183>
- Kim, Jeong-Kee, Park, Nok-Hyun, dan Hwang, Jae-Sung, 2019, Skin Lightening Effect of the Dietary Intake of Citrus Peel Extract Against UV-Induced Pigmentation, *Natural Product Communications* 14, no. 6: 1934578X1985997, <https://doi.org/10.1177/1934578X19859979>

- Klimek-Szczykutowicz, Szopa, dan Ekiert, 2020, Citrus Limon (Lemon) Phenomenon—A Review of the Chemistry, Pharmacological Properties, Applications in the Modern Pharmaceutical, Food, and Cosmetics Industries, and Biotechnological Studies, *Plants* 9, no. 1: 119, <https://doi.org/10.3390/plants9010119>
- Kometani, T., Takaaki, F., Tatsuyuki, K., Kiichiro, K., Wataru, T., Yoshio, K., dan Kensei, N., 2008, Effects of α -Glucosylhesperidin, a Bioactive Food Material, on Collagen-Induced Arthritis in Mice and Rheumatoid Arthritis in Humans, *Immunopharmacology and Immunotoxicology* 30, no. 1: 117–34. <https://doi.org/10.1080/08923970701812688>
- Kumar, A., dan Dixit, C.K., 2017, Methods for Characterization of Nanoparticles, *Advances in Nanomedicine for the Delivery of Therapeutic Nucleic Acids*, 43–58. Elsevier. <https://doi.org/10.1016/B978-0-08-100557-6.00003-1>
- L'Oréal Paris, 2020, Clarify and Smooth Pure Clay Face Mask for Rough Skin - L'Oréal Paris, <https://www.lorealparisusa.com/products/skin-care/products/face-mask/pure-clay-clarify-smooth-face-mask.aspx?shade=clarify-smooth>, diakses pada 15 Mei 2020 pukul 21:23 WIB.
- Lacatusu, I., *et al.*, 2018, New Cosmetic Formulations with Broad Photoprotective and Antioxidative Activities Designed by Amaranth and Pumpkin Seed Oils Nanocarriers, *Industrial Crops and Products* 123: 424–33, <https://doi.org/10.1016/j.indcrop.2018.06.083>
- Lee, Hee-Jeong, *et al.*, 2018, The Flavonoid Hesperidin Exerts Anti-Photoaging Effect by Downregulating Matrix Metalloproteinase (MMP)-9 Expression via Mitogen Activated Protein Kinase (MAPK)-Dependent Signaling Pathways, *BMC Complementary and Alternative Medicine* 18, no. 1: 39, <https://doi.org/10.1186/s12906-017-2058-8>
- Lee, Heun, *et al.*, 2015, Hesperidin, A Popular Antioxidant Inhibits Melanogenesis via Erk1/2 Mediated MITF Degradation, *International Journal of Molecular Sciences* 16, no. 8: 18384–95, <https://doi.org/10.3390/ijms160818384>
- Li, Shiming, *et al.*, 2014, Formulated Extract from Multiple Citrus Peels Impairs Dendritic Cell Functions and Attenuates Allergic Contact Hypersensitivity, *International Immunopharmacology* 20, no. 1: 12–23, <https://doi.org/10.1016/j.intimp.2014.02.005>
- Liao, Y., *et al.*, 2020, Comparison of Surfactants at Solubilizing, Forming and Stabilizing Nanoemulsion of Hesperidin, *Journal of Food Engineering* 281: 110000, <https://doi.org/10.1016/j.jfoodeng.2020.110000>
- Lim, T.K., 2012, Citrus x Limon, *Edible Medicinal And Non-Medicinal Plants*, Dordrecht: Springer Netherlands, 849–64, https://doi.org/10.1007/978-94-007-4053-2_98

- Lin, X.K., Wang, Z.H., Ou, H.L., Mitragotri, S., dan Chen, M., 2020, Correlations Between Skin Barrier Integrity and Delivery of Hydrophilic Molecules in the Presence of Penetration Enhancers, *Pharmaceutical Research* 37, no. 6: 100. <https://doi.org/10.1007/s11095-020-02800-4>
- Liu, L., dan Chen, J., 2008, Solubility of Hesperetin in Various Solvents from (288.2 to 323.2) K, *Journal of Chemical & Engineering Data* 53, no. 7: 1649–50. <https://doi.org/10.1021/jc800078j>
- Lorencini, Márcio, *et al.*, 2014, Active Ingredients against Human Epidermal Aging, *Ageing Research Reviews* 15: 100–115, <https://doi.org/10.1016/j.arr.2014.03.002>
- Lundov, Dyrgaard, M., Moesby, L., Zachariae, C., dan Jeanne Duus Johansen, J.D., 2009, Contamination versus Preservation of Cosmetics: A Review on Legislation, Usage, Infections, and Contact Allergy, *Contact Dermatitis* 60, no. 2: 70–78. <https://doi.org/10.1111/j.1600-0536.2008.01501>
- Mahmoud, Abbas, M.A., Chedea, V.S., Detsi, A., dan Kefalas, P., 2013, Ascorbic Acid Modifies the Free Radical Scavenging Behaviour of Catechin: An Insight into the Mechanism, *Food Research International* 51, no. 2: 907–13. <https://doi.org/10.1016/j.foodres.2013.02.023>
- Mahomoodally, M. Fawzi, dan Ramjuttun, Poorneeka, 2016, A Quantitative Ethnobotanical Survey of Phytocosmetics Used in the Tropical Island of Mauritius, *Journal of Ethnopharmacology* 193: 45–59, <https://doi.org/10.1016/j.jep.2016.07.039>
- Maione-Silva, L., Castro, E.G., Nascimento, T.L., Cintra, E.R., Moreira, L.C., Cintra, B.A.S., Valadares, M.C., dan Lima, E.M., 2019, Ascorbic Acid Encapsulated into Negatively Charged Liposomes Exhibits Increased Skin Permeation, Retention and Enhances Collagen Synthesis by Fibroblasts, *Scientific Reports* 9, no. 1: 522. <https://doi.org/10.1038/s41598-018-36682-9>
- Man, Mao-Qiang, Bin Yang, dan Peter M. Elias, 2019, Benefits of Hesperidin for Cutaneous Functions, *Evidence-Based Complementary and Alternative Medicine*: 1–19. <https://doi.org/10.1155/2019/2676307>
- Manconi, Maria, *et al.*, 2016, Chemical Characterization of Citrus Limon Var. Pompia and Incorporation in Phospholipid Vesicles for Skin Delivery, *International Journal of Pharmaceutics* 506, no. 1–2: 449–57, <https://doi.org/10.1016/j.ijpharm.2016.04.014>
- Manner, H.I., Buker, R.S., Smith, V.E., Ward, D., dan Elevitch, C.R., 2006, Citrus species (*Citrus*): Species profiles for pacific island agro forestry, *Permanent Agriculture Resources (PAR)*, 2: 1–35
- McClements, D.J., 2005, *Food Emulsion: Principles, Practices, and Techniques*, 2nd ed., CRC Press, New York. Hal. 269–339.

- McClements, D.J., 2012, Nanoemulsions versus Microemulsions: Terminology, Differences, and Similarities, *Soft Matter* 8 (6): 1719–29. <https://doi.org/10.1039/C2SM06903B>
- Mehmood, T., *et al.*, 2020, Variation in phenolic acids and antibacterial attributes of peel extracts from ripe and unripe [*Citrus limon* (L.) Osbeck] fruit, *Journal of Food Measurement and Characterization* 14, no. 3: 1325–32, <https://doi.org/10.1007/s11694-020-00380-w>
- Meiyanto, E., Hermawan, A., dan Anindyajati, 2012, Natural Products for Cancer-Targeted Therapy: Citrus Flavonoids as Potent Chemopreventive Agents, *Asian Pacific Journal of Cancer Prevention: APJCP* 13, no. 2: 427–36, <https://doi.org/10.7314/apjcp.2012.13.2.427>
- Merck, KGaA, 2020, Hesperidin ≥80% | 520-26-3 | Sigma-Aldrich, <https://www.sigmaaldrich.com/catalog/product/sigma/h5254?lang=en®ion=ID>, diakses pada 30 Juni 2020 pukul 15:00 WIB.
- Micozzi MS, Pribitkin EA, 2010, Common herbal remedies, adverse reactions, and dermatologic effects, *Skinmed*, Jan-Feb;8(1):30-36.
- Mishra, Prabhat R. *et al.*, 2009, Production and Characterization of Hesperetin Nanosuspensions for Dermal Delivery, *International Journal of Pharmaceutics* 371, no. 1–2: 182–89, <https://doi.org/10.1016/j.ijpharm.2008.12.030>
- Mizon World, 2020, *Vita—Lemon Calming Cream—Mizon World*, <https://mizonworld.com/shop/vita-lemon-calming-cream/>, diakses pada 15 Mei 2020 pukul 21:03.
- Nagashio, Yuuki, Yumi Matsuura, Junki Miyamoto, Takashi Kometani, Takuya Suzuki, dan Soichi Tanabe, 2013, Hesperidin Inhibits Development of Atopic Dermatitis-like Skin Lesions in NC/Nga Mice by Suppressing Th17 Activity, *Journal of Functional Foods* 5, no. 4: 1633–41. <https://doi.org/10.1016/j.jff.2013.07.005>
- National Center for Biotechnology Information, PubChem Database: Limonene, CID=22311, <https://pubchem.ncbi.nlm.nih.gov/compound/Limonene>, diakses 10 Juli 2020 pukul 10:00 WIB.
- Neogen Global, 2020, *Bio-Peel Gauze Peeling Lemon – NEOGEN GLOBAL*, <https://www.neogenlab.us/collections/neogen-dermalogy/products/neogen-bio-peel-gauze-peeling-lemon>, diakses pada 20 Mei 2020 pukul 13.44 WIB.
- Nielsen, Inge, L.F., Winnie S.S.C., Lea, P., Elizabeth, O., Salka, E.R., Hanne, F., Marc, E., Denis, B., Marie-Noelle, H., dan Gary, W., 2006, Bioavailability Is Improved by Enzymatic Modification of the Citrus Flavonoid Hesperidin in Humans: A Randomized, Double-Blind, Crossover Trial, *The Journal of Nutrition* 136, no. 2: 404–8. <https://doi.org/10.1093/jn/136.2.404>

- Oboh, G., Olasehinde, T.A., dan Ademosun, A.O., 2014, Essential Oil from Lemon Peels Inhibit Key Enzymes Linked to Neurodegenerative Conditions and Pro-Oxidant Induced Lipid Peroxidation, *Journal of Oleo Science* 63, no. 4: 373–81, <https://doi.org/10.5650/jos.ess13166>.
- Oboh, G., Olasehinde, T.A., dan Ademosun, A.O., 2017, Inhibition of Enzymes Linked to Type-2 Diabetes and Hypertension by Essential Oils from Peels of Orange and Lemon, *International Journal of Food Properties* 20, no. sup1: S586–94, <https://doi.org/10.1080/10942912.2017.1303709>
- Olisova, O. Y., *et al.*, 2018, Russian Traditional Medicine in Dermatology, *Clinics in Dermatology* 36, no. 3: 325–37, <https://doi.org/10.1016/j.clindermatol.2018.03.007>
- Oliveira, R.M.M., Juliana, F.S.D., Inara, A., Maria, F. G.F.S., João, B.F., dan Rose, M.C., 2013, Structural Effects on the Hesperidin Properties Obtained by Chelation to Magnesium Complexes, *Journal of Inorganic Biochemistry* 129: 35–42. <https://doi.org/10.1016/j.jinorgbio.2013.08.005>
- Olugbami, J.O., Gbadegesin, M.A., dan Odunola, O.A., 2015, In Vitro Evaluation of the Antioxidant Potential, Phenolic and Flavonoid Contents of the Stem Bark Ethanol Extract of *Anogeissus leiocarpus*, *African Journal of Medicine and Medical Sciences*, 43: 101-109.
- Otang, W.M., dan Afolayan, A.J., 2016, Antimicrobial and Antioxidant Efficacy of Citrus Limon L. Peel Extracts Used for Skin Diseases by Xhosa Tribe of Amathole District, Eastern Cape, South Africa, *South African Journal of Botany* 102: 46–49, <https://doi.org/10.1016/j.sajb.2015.08.005>
- Ott, C., Lacatusu, I., Badea, G., Grafu, I.A., Istrati, D., Babeanu, N., Stan, R., Badea, N., dan Meghea. A., 2015, Exploitation of Amaranth Oil Fractions Enriched in Squalene for Dual Delivery of Hydrophilic and Lipophilic Actives, *Industrial Crops and Products* 77: 342–52. <https://doi.org/10.1016/j.indcrop.2015.08.057>
- Oumeish, Youssef, 2001, The Cultural and Philosophical Concepts of Cosmetics in Beauty and Art through the Medical History of Mankind, *Clinics in Dermatology* 19, no. 4: 375–86. [https://doi.org/10.1016/S0738-081X\(01\)00194-8](https://doi.org/10.1016/S0738-081X(01)00194-8)
- Pan, Min-Hsiung *et al.*, 2012, Inhibition of Citrus Flavonoids on 12-O-Tetradecanoylphorbol 13-Acetate-Induced Skin Inflammation and Tumorigenesis in Mice, *Food Science and Human Wellness* 1, no. 1: 65–73, <https://doi.org/10.1016/j.fshw.2012.09.001>
- Papoutsis, K., Vuong, Q.V., Pristijono, P., Golding, J.B., Bowyer, M.C., Scarlett, C.J., dan Stathopoulos, C.E., 2016, Enhancing the Total Phenolic Content and Antioxidants of Lemon Pomace Aqueous Extracts by Applying UV-C Irradiation to the Dried Powder, *Food: Journal of Multidisciplinary Digital Publishing Institute*, 5(55). 10.3390/foods5030055

- Parhiz, Hamideh, Ali Roohbakhsh, Fatemeh Soltani, Ramin Rezaee, dan Mehrdad Iranshahi, 2015, Antioxidant and Anti-Inflammatory Properties of the Citrus Flavonoids Hesperidin and Hesperetin: An Updated Review of Their Molecular Mechanisms and Experimental Models: HESPERIDIN AND HESPERETIN AS ANTIOXIDANT AND ANTI-INFLAMMATORY AGENTS, *Phytotherapy Research* 29, no. 3: 323–31. <https://doi.org/10.1002/ptr.5256>
- Peterson, Julia J., *et al.*, 2006, Flavanones in Grapefruit, Lemons, and Limes: A Compilation and Review of the Data from the Analytical Literature, *Journal of Food Composition and Analysis* 19: S74–80, <https://doi.org/10.1016/j.jfca.2005.12.009>
- Petrova, Antoinette, *et al.*, 2011, Photoprotection by Honeybush Extracts, Hesperidin and Mangiferin against UVB-Induced Skin Damage in SKH-1 Mice, *Journal of Photochemistry and Photobiology B: Biology* 103, no. 2: 126–39, <https://doi.org/10.1016/j.jphotobiol.2011.02.020>
- Priyanga, K.S., dan Vijayalakshmi K., 2017, Investigation of Antioxidant Potential of Quercetin and Hesperidin: An In Vitro Approach, *Asian Journal of Pharmaceutical and Clinical Research* 10, no. 11: 83. <https://doi.org/10.22159/ajpcr.2017.v10i11.20260>
- PT Mustika Ratu, Tbk., 2020, *Mustika Ratu Official Store Peel Off Mask Lemon 60ml*, <https://mustikaratuonline.com/v/product/19421155-0972-4b8e-acfa-bbf772600e5c/5e1e4150-1b31-11ea-829b-8b768b39c79b#tabreview>, diakses pada 15 Mei 2020 pukul 21:43 WIB.
- Rafiq, Shafiya, *et al.*, 2018, Citrus Peel as a Source of Functional Ingredient: A Review, *Journal of the Saudi Society of Agricultural Sciences* 17, no. 4: 351–58, <https://doi.org/10.1016/j.jssas.2016.07.006>
- Ravichandran, Chandrakala, *et al.*, 2018, Review of Toxicological Assessment of D-Limonene, a Food and Cosmetics Additive, *Food and Chemical Toxicology* 120: 668–80, <https://doi.org/10.1016/j.fct.2018.07.052>
- Romero, Gregori B., *et al.*, 2015, Industrial Concentrates of Dermal Hesperidin SmartCrystals® – Production, Characterization dan Long-Term Stability, *International Journal of Pharmaceutics* 482, no. 1–2: 54–60, <https://doi.org/10.1016/j.ijpharm.2014.11.039>
- Russo, Marina, *et al.*, 2014, Underestimated Sources of Flavonoids, Limonoids and Dietary Fibre: Availability in Lemon's by-Products, *Journal of Functional Foods* 9: 18–26, <https://doi.org/10.1016/j.jff.2014.04.004>
- Secret Key, 2020, *Lemon Sparkling Cleansing Oil 150ml*, http://www.secretkey.co.kr/shop/shopdetail.html?branduid=1982917&xcode=006&mcode=004&scode=&type=Y&sort=sellcnt&cur_code=006004&GfDT=bmt1W14%3D#tabstyle_05, diakses pada 15 Mei 2020 pukul 21:11 WIB.

- Sharma, Kavita, *et al.*, 2017, Converting Citrus Wastes into Value-Added Products: Economic and Environmentally Friendly Approaches, *Nutrition* 34: 29–46, <https://doi.org/10.1016/j.nut.2016.09.006>;
- Shie, Pei-Hsin, dan Lay, Horng-Liang, 2013, Component analysis and antioxidant activity of Citrus limon, *Academia Journal of Medicinal Plants*, 1(3): 049-058.
- Sinko, P.J., 2005, *Martin's Physical Pharmacy and Pharmaceutical Science*, 6th Ed., Lippincott Williams and Wilkins, Philadelphia, Hal. 420-464.
- Simão, D.O., Thalita, T.D., Gobo, G.G., Piva, H.L., Goto, P.L., Rolim, L.A., Turrin, C.O., Blanzat, M., Tedesco, A.C., dan Siqueira-Moura, M.P., 2020, Preparation and Cytotoxicity of Lipid Nanocarriers Containing a Hydrophobic Flavanone, *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 601: 124982. <https://doi.org/10.1016/j.colsurfa.2020.124982>
- SkinFood, 2020, *Yuja Water C Whitening Ampoule In Serum 2X – SKINFOOD since 1957*, <https://theskinfood.us/products/yuja-water-c-whitening-ampoule-in-serum-2x>, diakses pada 15 Mei 2020 pukul 21:34 WIB.
- Statista Research Departement, 2020, *Cosmetics and personal care in South Korea - Statistics dan Facts*, <https://www.statista.com/topics/4545/cosmetics-and-personal-care-in-south-korea/>, diakses pada 23 Mei 2020 pukul 18.02 WIB.
- Tag, Hend M., *et al.*, 2014, Potential Anti-Inflammatory Effect of Lemon and Hot Pepper Extracts on Adjuvant-Induced Arthritis in Mice, *The Journal of Basic dan Applied Zoology* 67, no. 5: 149–57, <https://doi.org/10.1016/j.jobaz.2014.01.003>
- Takumi, Hiroko, Noboru Fujishima, Koso Shiraishi, Yuka Mori, Ai Ariyama, Takashi Kometani, Shinichi Hashimoto, dan Tomonori Nadamoto, 2010, Effects of α -Glucosylhesperidin on the Peripheral Body Temperature and Autonomic Nervous System, *Bioscience, Biotechnology, and Biochemistry* 74, no. 4: 707–15. <https://doi.org/10.1271/bbb.90742>
- Tammaro, A., *et al.*, 2012, Contact Allergy to Limonene from a Home-Made Cosmetic, *European Journal of Inflammation* 10, no. 2: 243–45, <https://doi.org/10.1177/1721727X1201000211>
- Techinamuti, N., dan Pratiwi, R., 2018, Review: Metode Analisis Kadar Vitamin C, *Farmaka Suplemen* 16 (2): 309-315.
- Tian, Y., T. Hoshino, C. J. Chen, Y. E, S. Yabe, dan W. Liu, 2009, The Evaluation of Whitening Efficacy of Cosmetic Products Using a Human Skin Pigmentation Spot Model, *Skin Research and Technology* 15, no. 2: 218–23. <https://doi.org/10.1111/j.1600-0846.2009.00358.x>

- Tonymoly USA, 2020, *I'm Real Sheet Mask (Set of 2)*, <https://tonymoly.us/collections/i-am-collection/products/im-real-mask?variant=25819630608>, diakses pada 15 Mei 2020 pukul 21:17 WIB.
- Toyo Sugar Refining Co., Ltd., 2011, *α G Hesperidin (Alpha Glucosyl Hesperidin)*, <http://www.toyosugar.co.jp/en/item/hesperidin.html>, diakses pada 18 Mei 2020 pukul 20:29 WIB.
- Tsai, Y.H., *et al.*, 2010, In Vitro Permeation and in Vivo Whitening Effect of Topical Hesperetin Microemulsion Delivery System, *International Journal of Pharmaceutics* 388, no. 1–2: 257–62, <https://doi.org/10.1016/j.ijpharm.2009.12.051>
- Valgimigli, L., *et al.*, 2012, Lemon (*Citrus Limon*, Burm.f.) Essential Oil Enhances the Trans-Epidermal Release of Lipid- (A, E) and Water- (B6, C) Soluble Vitamins from Topical Emulsions in Reconstructed Human Epidermis: Lemon EO as Vitamins' Skin-Penetration Enhancer, *International Journal of Cosmetic Science* 34, no. 4: 347–56, <https://doi.org/10.1111/j.1468-2494.2012.00725.x>
- Viva Cosmetic, 2016, *Face Tonic Lemon*, <http://vivacosmetic.com/id/face-tonic/20-face-tonic-lemon.html>, diakses pada 17 Mei pukul 08:02 WIB.
- Wang Liwen *et al.*, 2014, Anticancer Activities of Citrus Peel Polymethoxyflavones Related to Angiogenesis and Others, *BioMed Research International* 2014: 1–10, <https://doi.org/10.1155/2014/453972>
- Wishart, D.S., Feunang, Y.D., Guo, A.C., Lo, E.J., Marcu, A., Grant, J.R., Sajed, T., Johnson, D., Li, C., Sayeeda, Z., Assempour, N., Iynkkaran, I., Liu, Y., Maciejewski, A., Gale, N., Wilson, A., Chin, L., Cummings, R., Le, D., Pon, A., Knox, C., Wilson, M., 2017, DrugBank 5.0: a major update to the DrugBank database for 2018. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/gkx1037>
- Yamada, Mika, Fujimi Tanabe, Norie Arai, Hitoshi Mitsuzumi, Yoshikatsu Miwa, Michio Kubota, Hiroto Chaen, dan Masayoshi Kibata, 2006, Bioavailability of Glucosyl Hesperidin in Rats, *Bioscience, Biotechnology, and Biochemistry* 70, no. 6: 1386–94. <https://doi.org/10.1271/bbb.50657f>
- Yassa, N., Masoomi, F., Rohani, R.S.E., Hadjiakhoondi, A., 2009, Chemical Composition and Antioxidant Activity of the Extract and Essential oil of *Rosa damascena* from Iran, Population of Guilan, *DARU Journal of Pharmaceutical Sciences*, Vol. 17, No. 3.
- Yoshikawa, Yuko, Toshiaki Mori, Mari Suzuki, Tadayuki Imanaka, dan Kenichi Yoshikawa, 2010, Comparative Study of Kinetics on DNA Double-Strand Break Induced by Photo- and Gamma-Irradiation: Protective Effect of Water-Soluble Flavonoids, *Chemical Physics Letters* 501, no. 1–3: 146–51. <https://doi.org/10.1016/j.cplett.2010.11.003>

- Yoshino Fumihiko, Yoshida Ayaka, Toyama Toshizo, Wada-Takahashi Satako, Takahashi Shun-suke, 2016, α -Glucosyl hesperidin suppressed the exacerbation of 5-fluorouracil-induced oral mucositis in the hamster cheek pouch, *Journal of Functional Foods* 21: 223–231.
- Zaid, Abdel Naser, *et al.*, 2017, Ethnopharmacological Survey of Home Remedies Used for Treatment of Hair and Scalp and Their Methods of Preparation in the West Bank-Palestine, *BMC Complementary and Alternative Medicine* 17, no. 1: 355, <https://doi.org/10.1186/s12906-017-1858-1>
- Zhang, Chongwei, *et al.*, 2007, Tyrosinase Inhibitory Effects and Inhibition Mechanisms of Nobiletin and Hesperidin from Citrus Peel Crude Extracts, *Journal of Enzyme Inhibition and Medicinal Chemistry* 22, no. 1: 91–98, <https://doi.org/10.1080/14756360600988989>
- Zulaikha, S., Syed I., dan Praveena, S.M., 2015, Hazardous Ingredients in Cosmetics and Personal Care Products and Health Concern: A Review, *Public Health Research*, 2015. 7-15. [10.5923/j.phr.20150501.02](https://doi.org/10.5923/j.phr.20150501.02)
- Zulkarnain, I., Pakki, E., dan Talib, A.R., 2018, Evaluasi Stabilitas Farmasetik dan Uji Iritasi Formula Masker Sari Lemon (*Citrus limon* L.) dengan Uji Yoghurt Plain, *As-Syifaa* Vol 10(02): 239-246
- Uchiyama, H., Tozuka, Y., Imono, M., dan Takeuchi, H., 2010, Improvement of Dissolution and Absorption Properties of Poorly Water-Soluble Drug by Preparing Spray-Dried Powders with α -Glucosyl Hesperidin, *International Journal of Pharmaceutics* 392, no. 1–2s: 101–6. <https://doi.org/10.1016/j.ijpharm.2010.03.037>