

BIBLIOGRAPHY

- Adibi, H., Rashidi, A., Khodaei, M. M., Alizadeh, A., Majnooni, M. B., Pakravan, N., Abiri, R., and Nematollahi, D., 2011, Catecholthioether Derivatives: Preliminary Study of in-Vitro Antimicrobial and Antioxidant Activities, *Chem Pharm Bull*, 59 (9), 1149-1152.
- Ak, T. and Gülçin, İ., 2008, Antioxidant and radical scavenging properties of curcumin, *Chem Biol Interact*, 174, 27-37.
- Akbar, A., Kuanar, A., Sandeep, S., Kar, B., Singh, S., Mohanty, S., Patnaik, J., and Nayak, S., 2015, GC-MS analysis of essential oil of some high drug yielding genotypes of turmeric (*Curcuma longa* L.), *Int J Pharm Pharm Sci*, 7 (9), 35-40.
- Alam, M. N., Bristi, N. J., and Rafiquzzaman, M., 2012, Review on *in vivo* and *in vitro* methods evaluation of antioxidant activity, *Saudi Pharm J*, 21 (2013), 143-152.
- Ao, G., Chu, X., Ji, Y., and Wang, J., 2014, Antioxidant Properties and PC12 Cell Protective Effects of a Novel Curcumin Analog (2E,6E)-2,6-Bis(3,5-dimethoxybenzylidene)cyclohexanone (MCH), *Int J Mol Sci*, 15, 3970-3988.
- Barzegar, A. and Moosavi-Movahedi, A. A., 2011, Intracellular ROS Protection Efficiency and Free Radical-Scavenging Activity of Curcumin, *PLoS One*, 6 (10), 1-7.
- Bhullar, K. S., Jha, A., Youssef, D., and Rupasinghe, H. P. V., 2013, Curcumin and Its Carbocyclic Analogs: Structure-Activity in Relation to Antioxidant and Selected Biological Properties, *Mol*, 18, 5389-5404.
- Butnariu, M. and Grozea, I., 2012, Antioxidant (Antiradical) Compounds, *J Bioequivalence Bioavailab*, 4 (6), 17-19.
- Chen, B., Zhu, Z., Chen, M., Dong, W., and Li, Z., 2014, Three-dimensional quantitative structure-activity relationship study on antioxidant capacity of curcumin analogs, *J Mol Struct*, 1061, 134-139.
- Ciura, K., Dziomba, S., Nowakowska, J., and Markuszewski, M. J., 2017, Thin layer chromatography in drug discovery process, *J Chromatogr A*, 1520 (2017), 9-22.
- Cocolas, A. H., Parks, E. L., Ressler, A. J., Havasi, M. H., Seeram, N. P., and Henry, G. E., 2019, Heterocyclic β -keto sulfide derivatives of carvacrol: Synthesis and copper (II) ion reducing capacity, *Bioorg Med Chem Lett*, 29, 1-5.
- Ekananda, Shinta Diva, 2019, Sintesis dan Uji Aktivitas Antioksidan Senyawa 2,6-Bis-(2'-kloro-6'-florobenziliden)-sikloheksanon, *Undergraduate Thesis*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- El-Enin, M. A. A., El-Waseef, D. R., El-Sherbiny, D. T., and El-Ashry, S. M., 2009, Spectrophotometric Determination of Labetalol and Lercanidipine in Pure Form and in Pharmaceutical Preparations Using Ferric-1,10-Phenantroline, *Int J Biomed Sci*, 5 (3), 261-266.
- Fatmayanti, Baiq Risma, 2019, Sintesis dan Uji Aktivitas Antioksidan Senyawa 2,6-Bis-(3'-bromo-4'-metoksibenziliden)-sikloheksanon dengan Metode

- Penangkapan Radikal Bebas DPPH dan Reduksi Ion Ferri, *Undergraduate Thesis*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- Fujisawa, S., Ishihara, M., Murakami, Y., Atsumi, T., Kadoma, Y., and Yokoe, I., 2007, Predicting the Biological Activities of 2-Methoxyphenol Antioxidants: Effects of Dimers, *In Vivo*, 21, 181-188.
- Gottlieb, H. E., Kotlyar, V., and Nudelman, A., 1997, NMR Chemical Shifts of Common Laboratory Solvents as Trace Impurities, *J Org Chem*, 62, 7512-7515.
- Gülçin, İlhami, 2014, Fe³⁺-Fe²⁺ Transformation Method: An Important Antioxidant Assay, *Methods Mol Biol*, 1208, 233-246.
- Halvorsen, B. L., Holte, K., Myhrstad, M. C. W., Barikmo, I., Hvattum, E., Remberg, F., Wold, A., Haffner, K., Baugerød, H., Andersen, L. F., Moskaug, J. Ø., Jacobs Jr., D. R., and Blomhoff, R., 2002, A Systematic Screening of Total Antioxidants in Dietary Plants, *J Nutr*, 132, 461-471.
- Handayani, S., Matsjeh, S., Anwar, C., Atun, S., and Fatimah, I., 2012, Reaction Efficiency of Crossed-Aldol Condensation between Acetone and Benzaldehyde over ZrO₂ and ZrO₂-Montmorillonite Catalyst, *J Appl Sci Res*, 8 (5), 2457-2464.
- Handayani, Sri, 2014, Study of Acid Catalysis for Condensation of 4-Hydroxybenzaldehyde with Acetone, *Proceeding of International Conference on Research, Implementation and Education of Mathematics and Sciences*, C187-C194, Yogyakarta State University, Yogyakarta.
- Hasaninejad, A., Zare, A., Balooty, L., Mehregan, H., and Shekouhy, M., 2010, Solvent-Free, Cross-Aldol Condensation Reaction Using Silica-Supported, Phosphorus-Containing Reagents Leading to α,α' -Bis(arylidene)cycloalkanones, *Synth Commun*, 40, 3488-3495.
- Herebian, D., Choi, J., El-Aty, A. M. A., Shim, J., and Spitteller, M., 2009, Metabolite analysis in Curcuma domestica using various GC-MS and LC-MS separation and detection techniques, *Biomed Chromatogr*, 23, 951-965.
- Ismail, E. H., Sabry, D. Y., Mahdy, H., and Khalil, M. M. H., 2014, Synthesis and Characterization of some Ternary Metal Complexes of Curcumin with 1,10-phenanthroline and their Anticancer Applications, *J Sci Res*, 6 (3), 509-519.
- Janßen, A. and Gole, T. H., 1984, Thin-Layer Chromatographic Determination of Curcumin (Turmeric) in Spices, *Chromatographia*, 18 (10), 546-549.
- Jayaprakasha, G. K., Rao, L. J., and Sakariah, K. K., 2005, Antioxidant activities of curcumin, demethoxycurcumin, and bisdemethoxycurcumin, *Food Chem*, 98 (2006), 720-724.
- Jha, N. S., Mishra, S., Jha, S. K., and Surolia, A., 2015, Antioxidant activity and electrochemical elucidation of the enigmatic redox behavior of curcumin and its structurally modified analogs, *Electrochim Acta*, 151 (2015), 574-583.
- Karian, Harutun G., 2003, *Handbook of Polypropylene and Polypropylene Composites*, 2nd ed., CRC Press, Florida.
- Keenan, Charles W., 1992, *Ilmu Kimia untuk Universitas*, 2nd Ed., Erlangga, Jakarta.

- Lee, Masaichi-Chang-il, 2012, Assessment of oxidative stress and antioxidant property using electron spin resonance (ESR) spectroscopy, *J Clin Biochem Nutr*, 52 (1), 1-8.
- Lee, C. Y., Anamoah, C., Semenya, J., Chapman, K. N., Knoll, A. N., Brinkman, H. F., Malone, J. I., and Sharma, A., 2020, Electronic (Donating or Withdrawing) Effects of Ortho-Phenolic Substituents in Dendritic Antioxidants, *Tetrahedron Lett*, 61 (11), 1-20.
- Lee, C. Y., Sharma, A., Semenya, J., Anamoah, C., Chapman, K. N., and Barone, V., 2020, Computational Study of Ortho-Substituent Effects on Antioxidant Activities of Phenolic Dendritic Antioxidants, *Antioxidants*, 9 (189), 1-14
- Li, Q., Chen, J., Luo, S., Xu, J., Huang, Q., and Liu, T., 2015, Synthesis and assessment of the antioxidant and antitumor properties of asymmetric curcumin analogs, *Eur J Med Chem*, 93, 461-469.
- Liguori, I., Russo, G., Curcio, F., Bulli, G., Aran, L., Della-Morte, D., Gargiulo, G., Testa, G., Cacciatore, F., Bonaduce, D., and Abete, P., 2018, Oxidative stress, aging, and diseases, *Clin Interv Aging*, 2018 (13), 757-772.
- LibreTexts, 2019, *Aldol Condensation*, retrieved at June 15th, 2019, from Chemistry LibreTexts, [https://chem.libretexts.org/Bookshelves/Organic_Chemistry/Supplemental_Modules_\(Organic_Chemistry\)/Reactions/Organic_Reactions/Aldol_Condensation](https://chem.libretexts.org/Bookshelves/Organic_Chemistry/Supplemental_Modules_(Organic_Chemistry)/Reactions/Organic_Reactions/Aldol_Condensation).
- Lozada-García, M. C., Enríques, R. G., Ramírez-Apán, T. O., Nieto-Camacho, A., Palacios-Espinosa, J. F., Custodio-Galván, Z., Soria-Arteche, O., and Pérez-Villanueva, J., 2017, Synthesis of Curcuminoids and Evaluation of Their Cytotoxic and Antioxidant Properties, *Mol*, 22, 633-645.
- Lü, J., Lin, P. H., Yao, Q., and Chen, C., 2010, Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems, *J Cell Mol Med*, 14 (4), 840-860.
- Luis, P. B., Boeglin, W. E., and Schneider, C., 2018, Thiol Reactivity of Curcumin and Its Oxidation Products, *Chem Res Toxicol*, 31(4), 269-276.
- Manchand, P. S., Belica, P. S., and Wong, H. S., 1990, Synthesis of 3,4,5-Trimethoxybenzaldehyde, *Synth Commun*, 20 (17), 2659-2666.
- McMurry, John, 1968, *Organic Chemistry*, 5th ed., 937-975, Brooks/Cole, Ohio.
- Moghadamtousi, S. Z. M., Kadir, H. A., Hassandarvish, P., Tajik, H., Abubakar, S., and Zandi, K., 2014, A Review on Antibacterial, Antiviral, and Antifungal Activity of Curcumin, *BioMed Res Int*, 2014, 1-12.
- Molyneux, Philip., 2004, The use of stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity, *Songklanakarin J Sci Technol*, 26 (2), 211-219.
- Mu, S., Liu, H., Zhang, L., Wang, X., Xue, F., and Zhang, Y., 2017, Synthesis and Biological Evaluation of Novel Thioether Pleuromutilin Derivatives, *Biol Pharm Bull*, 40 (8), 1165-1173.
- Nieto, C. I., Cornago, M. P., Cabildo, M. P., Sanz, D., Claramunt, R. M., Torralba, M. C., Torres, M. R., Casanova, D. M., Sánchez-Alegre, Y. R., Escudero, E., and Lavendera, J. L., 2018, Evaluation of the Antioxidant and Neuroprotectant Activities of New Asymmetrical 1,3-Diketones, *Mol*, 23, 1837-1864.

- Nimse, S. B. and Pal, D., 2015, Free radicals, natural antioxidants, and their reaction mechanisms, *RSC Adv.*, 2015 (5), 27986-28006.
- Owen, G. R. and Reese, C. B., 1970, A convenient preparation of tetrahydro-4H-pyran-4-one, *J Chem Soc C*, 17, 2401-2403.
- Pavia, D. L., Lampman, G. M., and Kriz, G. S., 2015, *Introduction to Spectroscopy: A Guide for Students of Organic Chemistry*, 5th ed., 13-465, Brooks/Cole, Ohio.
- Payton, F., Sandusky, P., and Alworth, W. L., 2007, NMR Study of the Solution Structure of Curcumin, *J Nat Prod*, 70 (2), 143-146.
- Phaniendra, A., Jestadi, D. B., and Periyasamy, L., 2014, Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases, *Indian J Clin Biochem*, 30 (1), 11-26.
- Pisoschi, A. M., Pop, A., Cimpeanu, C., and Predoi, G., 2016, Antioxidant Capacity Determination in Plants and Plant-Derived Products: A Review, *Oxid Med Cell Longev*, 2016.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D., and Bitto, A., 2017, Oxidative Stress: Harms and Benefits for Human Health, *Oxid Med Cell Longev*, 2017.
- Rahal, A., Kumar, A., Singh, V., Yadav, B., Tiwari, R., Chakraborty, S., and Dhama, K., 2014, Oxidative Stress, Prooxidants, and Antioxidants: The Interplay, *Biomed Res Int*, 2014.
- Reksohadiprodjo, M. S., Timmerman, H., Sardjiman, Margono, S. A., Martono, S., Sugiyanto, Hakim, L. R., Nurlaila, Hakim, A. R., Puspitasari, I., Nurrochmad, A., Purwatiningsih, Oetari, and Yuwono, T., 2004, Derivatives of Benzylidene Cyclohexanone, Benzylidene Cyclopentanone, Benzylidene Acetone, and Therapeutic Uses Thereof, *US Patent No. U.S. 6,777,447 B2*, Date of Patent 17 August.
- Rosette, A. L. R. M., Carneiro, J. M. T., Filho, C. R. S. A., and Bendasolli, J. A., 2012, Isotope determination of sulfur by mass spectrometry in soil samples, *Rev Bras Ciênc Solo*, 36 (6), 1787-1793.
- Sahu, P. K., Sahu, P. K., Sahu, P. L., and Agarwal, D. D., 2016, Structure activity relationships, cytotoxicity and evaluation of antioxidant activity of curcumin derivatives, *Bioorg Med Chem Lett*, 26 (2016), 1342-1347.
- Sardjiman, 2000, Synthesis of Some New Series of Curcumin Analogs, Antioxidative, Antiinflammatory, Antibacterial Activities and Qualitative-Structure Activity Relationships, *Dissertation*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- Sardjiman, 2016, *Belajar Kimia Organik Metode Iqro*, 3rd ed., Pustaka Pelajar, Yogyakarta.
- Sardjiman, S. S., Reksohadiprodjo, M. S., Hakim, L., van der Goot, H., and Timmerman, H., 1997, 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogs as antioxidative agents. Synthesis and structure-activity relationship, *Eur J Med Chem*, 625-630.
- Sardjiman, Reksohadiprodjo, M. S., and Timmerman, H., 2003, Derivatives of Benzylidene Cyclohexanone, Benzylidene Cyclopentanone, Benzylidene

- Acetone, and Their Synthesis, *US Patent No. U.S. 6,541,672 B1*, Date of Patent 1 April.
- Sardjiman, Reksohadiprodjo, M. S., and Timmerman, H., 2004, Turunan Benzilidin Sikloheksanon, Benzilidin Siklopentanon, Benzilidin Aseton dan Pembuatannya, *Indonesia Patent*, ID 0 012 940, Date of Patent 27 April.
- Setyaningsih, D., Murti, Y. B., Fudholi, A., Hinrichs, W. L. J., Mudjahid, R., Martono, S., and Hertiani, T., 2016, Validated TLC Method for Determination of Curcumin Concentrations in Dissolution Samples Containing *Curcuma longa* Extract, *Jurnal Ilmu Kefarmasian Indonesia*, 14 (2), 147-157.
- Shalaby, E. A. and Shanab, S. M. M., 2013, Antioxidant compounds, assays of determination, and mode of action, *Afr J Pharm Pharmacol*, 7 (10), 528-539.
- Shang, Y., Jin, X., Shang, X., Tang, J., Liu, G., Dai, F., Qian, Y., Fan, G., Liu, Q., and Zhou, B., 2010, Antioxidant capacity of curcumin-directed analogs: Structure-activity relationship and influence of microenvironment, *Food Chem*, 119 (2010), 1435-1442.
- Sharp, J. T., Gosney, I., and Rowley, A. G., 1989, *Practical Organic Chemistry: A student handbook of techniques*, 86-89 & 114-119, Chapman and Hall, London.
- Sikorski, J. A in Taylor, J. B. and Triggle, D. J., 2007, *Comprehensive medicinal chemistry II*, 2nd ed., Elsevier Science, Amsterdam.
- Smolyaninov, I. V., Pitikova, O. V., Korchagina, E. O., Poddel'sky, A. I., Fukin, G. K., Luzhnova, S. A., Tichkomirov, A. M., Ponomareva, E. N., and Berberova, N. T., 2019, Catechol thioethers with physiologically active fragments: Electrochemistry, antioxidant and cyroprotectice activities, *Bioorg Chem*, 89, 1-16.
- Singh, U., Barik, A., Singh, B. G., and Priyadarsini, I., 2010, Reactions of reactive oxygen species (ROS) with curcumin analogs: Structure-activity relationship, *Free Radic Res*, 45 (3), 317-325.
- Siregar, C., Martono, S., and Rohman, A., 2018, Application of Fourier transform infrared (FTIR) spectroscopy coupled with multivariate calibration for quantitative analysis of curcuminoid in tablet dosage form, *J Appl Pharm Sci*, 8 (08), 151-156.
- Soderberg, Tim, 2019, *The three phases of radical chain reactions*, retrieved at June 12nd, 2019, from Chemistry LibreTexts, [https://chem.libretexts.org/Bookshelves/Organic_Chemistry/Book%3A_Organic_Chemistry_with_a_Biological_Emphasis_\(Soderberg\)/17%3A_Radical_reactions/17.2%3A_Radical_chain_reactions](https://chem.libretexts.org/Bookshelves/Organic_Chemistry/Book%3A_Organic_Chemistry_with_a_Biological_Emphasis_(Soderberg)/17%3A_Radical_reactions/17.2%3A_Radical_chain_reactions).
- Sökmen, M. and Khan, M. A., 2016, The antioxidant activity of some curcuminoids and chalcones, *Inflammopharmacol*, 24 (2016), 81-86.
- Song, M., Lv, N., Kim, E., Kwon, K. S., Yoo, Y., Kim, J., Lee, S., Song, J., Lee, J., Lee, S., Shin, B., Ryu, D., Park, B., and Kwon, K., 2009, Antiobesity Activity of Aqueous Extracts of Rhizome *Dioscoreae Tokoronis* on High-Fat Diet-Induced Obesity in Mice, *J Med Food*, 12 (2), 304-309.

- Suwanti, Ika Sri, 2015, Sintesis dan Uji Antioksidan Senyawa Tetrahidropentagamavunon-5 dengan Metode Penangkapan Radikal DPPH dan Reduksi Ion Ferri, *Thesis*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- Tranggono, Muhammad Bhagaskara Naufal, 2019, Sintesis dan Uji Aktivitas Antioksidan Senyawa 2,6-Bis-(2'-karboksibenziliden)-sikloheksanon dengan Metode Penangkapan Radikal Bebas DPPH dan Reduksi Ion Ferri, *Undergraduate Thesis*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- Tyagi, P., Singh, M., Kumari, H., Kumari, A., and Mukhopadhyay, K., 2015, Bactericidal Activity of Curcumin I is Associated with Damaging of Bacterial Membrane, *PLoS One*, 10 (3), 1-15.
- Viglianisi, C. and Menichetti, S., 2019 Chain Breaking Antioxidant Activity of Heavy (S, Se, Te) Chalcogens Substituted Polyphenols, *Antioxidants*, 8, 487-509.
- Warsi, W., Sardjiman, S., and Riyanto, S., 2018, Synthesis and Antioxidant Activity of Curcumin Analogs, *J Chem Pharm Res*, 10 (4), 1-9.
- Wijianto, Bambang, 2019, Seri Baru Analog Senyawa HGV, PGV, dan PGVT: Studi QSAR, Sintesis, dan Skrining Aktivitas Biologi, *Dissertation*, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta.
- Yehye, W. A., Rahman, N. A., Saad, O., Ariffin, A., Hamid, S. B. A., Alhadi, A. A., Kadir, F. A., Yaeghoobi, M., and Matlob, A. A., 2016, Rational Design and Synthesis of New, High Efficiency, Multipotent Schiff Base-1,2,4-triazole Antioxidants Bearing Butylated Hydroxytoluene Moieties, *Mol*, 21, 847-865.
- Zuo, L., Zhou, T., Pannell, B. K., Ziegler, A. C., and Best, T. M., 2015, Biological and physiological role of reactive oxygen species – the good, the bad and the ugly, *Acta Physiol*, 2015 (214), 329-348.