

REFERENCES

- Alriols, M.G., Tejado, A., Blanco, M., Mondragon, I., Labidi, J., 2009. Agricultural palm oil tree residues as raw material for cellulose, lignin and hemicelluloses production by ethylene glycol pulping process. *Chem. Eng. J.* 148, 106–114.
- Azadi, P., Inderwildi, O. R., Farnood, R., & King, D. A. (2013). Liquid fuels, hydrogen and chemicals from lignin: A critical review. *Renewable and Sustainable Energy Reviews*, 21, 506–523. <https://doi.org/10.1016/j.rser.2012.12.022>.
- Baadhe, R. R., Potumarthi, R., & Mekala, N. K. (2014). Influence of dilute acid and alkali pretreatment on reducing sugar production from corncobs by crude enzymatic method: A comparative study. *Bioresource Technology*, 162, 213–217. <https://doi.org/10.1016/j.biortech.2014.03.117>
- Baeza, J., Urizar, S., de Magalhães Erismann, N., Freer, J., Schmidt, E., & Durán, N. (1991). Organosolv pulping - V: Formic acid delignification of *Eucalyptus globulus* and *Eucalyptus grandis*. *Bioresource Technology*, 37(1), 1–6. [https://doi.org/10.1016/0960-8524\(91\)90105-S](https://doi.org/10.1016/0960-8524(91)90105-S).
- Bajpai P (2016). Pretreatment of lignocellulosic biomass for biofuel production. Springer Briefs in Molecular Science, pp 17–70.
- Brandt, A., Gräsvik, J., Hallett, J. P., & Welton, T. (2013). Deconstruction of lignocellulosic biomass with ionic liquids. *Green Chemistry*, 15(3), 550–583. <https://doi.org/10.1039/c2gc36364j>.
- C. Martin et al., “Effect of glycerol pretreatment on component recovery and enzymatic hydrolysis of sugarcane bagasse,” *Cellulose Chem. Technol.* 45(7–8), 487–494 (2011)
- Chandra, R.; Bura, R.; Mabee, W.; Berlin, A.; Pan, X.; Saddler, J. Substrate pretreatment: The key to effective enzymatic hydrolysis of lignocellulosics? *Adv. Biochem. Eng. Biotechnol.* 2007, 108, 67-93.
- Chopda, R., Ferreira, J. A., & Taherzadeh, M. J. (2020). Biorefining oat husks into high-quality lignin and enzymatically digestible cellulose with acid-

catalyzed ethanol organosolv pretreatment. *Processes*, 8(4).
<https://doi.org/10.3390/PR8040435>.

Chowdhury, Z. Z., Hamid, S. B. A., Das, R., Hasan, M. R., Zain, S. M., Khalid, K., & Uddin, M. N. (2013). Preparation of carbonaceous adsorbents from lignocellulosic biomass and their use in removal of contaminants from aqueous solution. *BioResources*, 8(4), 6523–6555.
<https://doi.org/10.15376/biores.8.4.6523-6555>

de Araújo Padilha, C. E., Nogueira, C. da C., Souza, D. F. de S., de Oliveira, J. A., & dos Santos, E. S. (2019). Valorization of green coconut fibre: Use of the black liquor of organosolv pretreatment for ethanol production and the washing water for production of rhamnolipids by *Pseudomonas aeruginosa* ATCC 27583. *Industrial Crops & Products*, 140(August), 111604.
<https://doi.org/10.1016/j.indcrop.2019.111604>

Decker, E. A., Rose, D. J., & Stewart, D. (2014). Processing of oats and the impact of processing operations on nutrition and health benefits. *British Journal of Nutrition*, 112 (October), S58–S64.
<https://doi.org/10.1017/S000711451400227X>

Department of Energys Genomic, 1986. <http://genomics.energy.gov>.

Duff, S. J. B., & Murray, W. D. (1996). Bioconversion of forest products industry waste cellulose to fuel ethanol: A review. *Bioresource Technology*, 55(1), 1–33. [https://doi.org/10.1016/0960-8524\(95\)00122-0](https://doi.org/10.1016/0960-8524(95)00122-0)

Ferreira, J. A., & Taherzadeh, M. J. (2020). Improving the economy of lignocellulose-based biorefineries with organosolv pretreatment. *Bioresource Technology*, 299(December 2019), 122695.
<https://doi.org/10.1016/j.biortech.2019.122695>.

Gajzago I, Rose P, Vamos-Vigyazo L (1973) Possibilities of enzymic hydrolysis of cellulose-containing wastes. II. Chemical pretreatment of poplar sawdust and of corn cob to improve the efficiency of enzymic hydrolysis. *Acta Alimentaria Academiae Scientiarum Hungaricae* 2:55–67.

Girardet N & Webster FH (2011) Oat milling: specifications, storage, and processing. In *Oats: Chemistry and Technology*, 2nd ed., pp. 301–316 [FH

- Webster and PJ Wood, editors]. St Paul, MN: American Association of Cereal Chemists.
- Hage, R. El, Brosse, N., Chrusciel, L., Sanchez, C., Sannigrahi, P., & Ragauskas, A. (2009). Characterization of milled wood lignin and ethanol organosolv lignin from miscanthus. *Polymer Degradation and Stability*, *94*(10), 1632–1638. <https://doi.org/10.1016/j.polymdegradstab.2009.07.007>
- Hansen, C. M., & Björkman, A. (1998). The Ultrastructure of Wood from a Solubility Parameter Point of View. *Holzforschung*, *52*(4), 335–344. <https://doi.org/10.1515/hfsg.1998.52.4.335>
- Hoffman, L. A. (1995). World production and use of oats. *The Oat Crop*, 34–61. https://doi.org/10.1007/978-94-011-0015-1_2.
- Ichwan M, Son TW (2011) Study on organosolv pulping methods of oil palm biomass. In: International seminar on chemistry. pp 364–370.
- Jönsson, A. S., Nordin, A. K., & Wallberg, O. (2008). Concentration and purification of lignin in hardwood kraft pulping liquor by ultrafiltration and nanofiltration. *Chemical Engineering Research and Design*, *86*(11), 1271–1280. <https://doi.org/10.1016/j.cherd.2008.06.003>
- Jung, S. J., Kim, S. H., & Chung, I. M. (2015). Comparison of lignin, cellulose, and hemicellulose contents for biofuels utilization among 4 types of lignocellulosic crops. *Biomass and Bioenergy*, *83*, 322–327. <https://doi.org/10.1016/j.biombioe.2015.10.007>
- Kalogiannis, K. G., Matsakas, L., Aspden, J., Lappas, A. A., Rova, U., & Christakopoulos, P. (2018). Acid assisted organosolv delignification of beechwood and pulp conversion towards high concentrated cellulosic ethanol via high gravity enzymatic hydrolysis and fermentation. *Molecules*, *23*(7), 1–18. <https://doi.org/10.3390/molecules23071647>.
- Katrib FA, Chambat G, Joseleau JP (1988) Organic solvent pretreatment to enhance enzymic saccharification of straw. *J Sci Food Agr* 43:309–17.
- Kim, M., & Day, D. F. (2011). Composition of sugar cane, energy cane, and sweet sorghum suitable for ethanol production at Louisiana sugar mills. *Journal of Industrial Microbiology and Biotechnology*, *38*(7), 803–807.

- <https://doi.org/10.1007/s10295-010-0812-8> Azadi, P., Inderwildi, O. R., Farnood, R., & King, D. A. (2013). Liquid fuels, hydrogen and chemicals from lignin: A critical review. *Renewable and Sustainable Energy Reviews*, 21, 506–523. <https://doi.org/10.1016/j.rser.2012.12.022>
- Kumar, A. K., & Sharma, S. (2017). Recent updates on different methods of pretreatment of lignocellulosic feedstocks: a review. *Bioresources and Bioprocessing*, 4(1). <https://doi.org/10.1186/s40643-017-0137-9>
- Matsakas, L., Karnaouri, A., Cwirzen, A., Roa, U., & Christakopoulos, P. (2018). Formation of Lignin Nanoparticles by Combining Organosolv Pretreatment of Birch Biomass and Homogenization Processes. *Molecules*, 23(07), 1822. <https://doi.org/10.3390/molecules23071822>
- Mesa, L., González, E., Cara, C., González, M., Castro, E., & Mussatto, S. I. (2011). The effect of organosolv pretreatment variables on enzymatic hydrolysis of sugarcane bagasse. *Chemical Engineering Journal*, 168(3), 1157–1162. <https://doi.org/10.1016/j.cej.2011.02.003>
- Millati, R., Syamsiah, S., Niklasson, C., Nur Cahyanto, M., Lundquist, K., & Taherzadeh, M. J. (2011). Biological pretreatment: Review. *BioResources*, 6(4), 5224–5259.
- Millati, R., Wikandari, R., Ariyanto, T., Putri, R. U., & Taherzadeh, M. J. (2020). Pretreatment technologies for anaerobic digestion of lignocelluloses and toxic feedstocks. *Bioresource Technology*, 304(February), 122998. <https://doi.org/10.1016/j.biortech.2020.122998>
- Sun, Z., Fridrich, B., De Santi, A., Elangovan, S., & Barta, K. (2018). Bright Side of Lignin Depolymerization: Toward New Platform Chemicals. *Chemical Reviews*, 118(2), 614–678. <https://doi.org/10.1021/acs.chemrev.7b00588>
- Taherzadeh, M. J., & Karimi, K. (2008). Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review. In *International Journal of Molecular Sciences* (Vol. 9, Issue 9). <https://doi.org/10.3390/ijms9091621>
- Thompson DN, Chen HC, Grethlein HE (1992) Comparison of pretreatment methods on the basis of available surface area. *Bioresource Technol* 39:155–163.

- Trevorah, R. M., Huynh, T., Vancov, T., & Othman, M. Z. (2018). Bioethanol potential of *Eucalyptus obliqua* sawdust using gamma- valerolactone fractionation. *Bioresource Technology*, 250(October 2017), 673–682. <https://doi.org/10.1016/j.biortech.2017.11.084>
- Vallejos, M. E., Zambon, M. D., Area, M. C., & Curvelo, A. A. da S. (2015). Low liquid-solid ratio fractionation of sugarcane bagasse by hot water autohydrolysis and organosolv delignification. *Industrial Crops and Products*, 65, 349–353. <https://doi.org/10.1016/j.indcrop.2014.11.018>
- Vallejos, M. E., Zambon, M. D., Area, M. C., & Da Silva Curvelo, A. A. (2012). Low liquid-solid ratio (LSR) hot water pretreatment of sugarcane bagasse. *Green Chemistry*, 14(7), 1982–1989. <https://doi.org/10.1039/c2gc35397k>.
- Vats S, Maurya DP, Shaimoon M, Negi S (2013) Development of a microbial consortium for the production of blend enzymes for the hydrolysis of agricultural waste into sugars. *J Sci Ind Res* 72:585–590.
- Xu, Z.; Wang, Q.; Jiang, Z.; Yang, X.-X.; Ji, Y. Enzymatic hydrolysis of pretreated soybean straw. *Biomass Bioenerg.* 2007, 31, 162-167.
- Zacchi G, Skoog K, Hahn-Hagerdal B (1988) Economic evaluation of enzymatic hydrolysis of phenol-pretreated wheat straw. *Biotechnol Bioeng* 32:460–466.
- Zeng, M.; Mosier, N.S.; Huang, C.P.; Sherman, D.M.; Ladisch, M.R. Microscopic examination of changes of plant cell structure in corn stover due to hot water pretreatment and enzymatic hydrolysis. *Biotechnol. Bioeng.* 2007, 97, 265-278.
- Zhang, Z., Harrison, M. D., Rackemann, D. W., Doherty, W. O. S., & O'Hara, I. M. (2016). Organosolv pretreatment of plant biomass for enhanced enzymatic saccharification. *Green Chemistry*, 18(2), 360–381. <https://doi.org/10.1039/c5gc02034d>
- Zhao, X., Cheng, K., & Liu, D. (2009). Organosolv pretreatment of lignocellulosic biomass for enzymatic hydrolysis. *Applied Microbiology and Biotechnology*, 82(5), 815–827. <https://doi.org/10.1007/s00253-009-1883-1>
- Zhu, Y., Lee, Y. Y., & Elander, R. T. (2005). Optimization of dilute-acid pretreatment of corn stover using a high-solids percolation reactor. *Applied*

*Biochemistry and Biotechnology - Part A Enzyme Engineering and
Biotechnology*, 124(1–3), 1045–1054. <https://doi.org/10.1385/ABAB:124:1-3:1045>