

## DAFTAR PUSTAKA

Alsaied, A.S., 2017. Paranasal Sinus Anatomy: What the Surgeon Needs to Know, Paranasal Sinuses, in: Gendeh, B.S. (Ed.), Paranasal Sinuses. IntechOpen, London. doi:DOI: 10.5772/intechopen.69089

Arun, G., A., Moideen, S.P., M., M., Afroze M., K.H., Thampy, A.S., 2017. Anatomical variations in superior attachment of uncinate process and localization of frontal sinus outflow tract. *Int. J. Otorhinolaryngol. Head Neck Surg.* 3: 176. doi:10.18203/issn.2454-5929.ijohns20160077

Carrasco, V., Montoya, J., Maneva, S., Carreto, A., Gujjarro, B., Gonzalez, C., Valle, J., 2015. Nasal Septum Anatomy and Deviations : beyond straight and flat. *Eur. Soc. Radiol.* 2: 1–25.

Cashman, E.C., MacMahon, P.J., Smyth, D., 2011. Computed tomography scans of paranasal sinuses before functional endoscopic sinus surgery. *World J. Radiol.* 3: 199–204. doi:10.4329/wjr.v3.i8.199

Chapman, P.R. 2016. Chronic Rhinosinusitis. In: Koch, B.L., Hamilton, B.E., Hudgins, P.A., Harnsberger, H.R., editor, *Diagnostic Imaging Head and Neck*, 3<sup>rd</sup> ed., Elsevier Inc., Salt Lake City.

Clement, Y., Sia, D.S., Hallinan, J.T., Chong, V., 2018. Imaging of the Paranasal Sinuses and Their Surgical Relevance, in: Skull Base Imaging. Elsevier Inc., Singapore, pp. 21–38. doi:<https://doi.org/10.1016/B978-0-323-48563-0.00002-7>

Dahlan, M.S., 2013a. Menggunakan Rumus Besar Sampel secara Benar. In: Dahlan, M.S., *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*, Edisi ke 3. ed. Penerbit Salemba Medika, Jakarta.

Dahlan, M.S. 2013b. Teori Sederhana Prosedur Pemilihan Uji Hipotesis. In: Dahlan, M.S., *Statistik untuk Kedokteran dan Kesehatan Seri Evidence Based Medicine 1*, Edisi 3. ed. Penerbit Salemba Medika, Jakarta.

De Araújo Neto, S.A., Martins, P.D.S.L., Soares De Souza, A., Elias Baracat, E.C., Nanni, L., 2006. The role of osteomeatal complex anatomical variants in chronic rhinosinusitis. *Radiol. Bras.* 39: 227–232. doi:10.1590/S0100-39842006000300014

Dobra, A.M., Badiu, C.A., Balint, A., Barsan, I., Buruian, M., 2015. What should the radiologist report before functional endoscopic sinus surgery. *Eur. Congr. Radiol.* doi:10.1594/ecr2015/C-0509

Fadda, G.L., Rosso, S., Aversa, S., Petrelli, A., Ondolo, C., Succo, G., 2012. Multiparametric statistical correlations between paranasal sinus anatomic variations and chronic rhinosinusitis. *Acta Otorhinolaryngol. Ital.* 32: 244–51.

Halawar, R.S., Sudhindraswamy, V.B., 2017. Association of Deviated Nasal Septum and Sinusitis : A Radiological Study. *Int. J. Biomed. Adv. Res.* 8: 421–424. doi:<https://doi.org/10.7439/ijbar>

Hasan, O.A., Hassan, M.A., Fawzy, E.K., 2017. Anatomical Variations of Nasal Structures in Chronic Rhinosinusitis as Detected by Computed Tomography Scan. *Egypt. J. Hosp. Med.* 68: 1390–1394. doi:10.12816/0039679

Hiyama, T., Shiigai, M., Masumoto, T., Minami, M., 2013. The ethmoid bone : clinical imaging anatomy from an embryological point of view. *ECR Poster*. doi:10.1594/ecr2013/C-2208

Indrawaty, L.P.L., 2016. Rhinosinusitis kronis:Problem Kesehatan Hari Ini [WWW Document]. URL <https://fk.ugm.ac.id/rinosinusitis-kronis-problem-kesehatan-hari-ini1/>

Kamble, A., Garg, D., Puttewar, M., 2019. Study of CT Variations in Patients with Chronic Rhinosinusitis at Rural based Tertiary Care Hospital. *Int. J. Contemp. Med. Surg. Radiol.* 4: 207–212. doi:10.21276/ijcmsr.2019.4.3.45

Koethekkat, A.A., Paul, R.R., Kurien, M., Kumar, S., Al Abri, R., Thomas, K., 2013. Diagnosis of adult chronic rhinosinusitis: Can nasal endoscopy predict intrasinus disease? *Oman Med. J.* 28: 427–431. doi:10.5001/omj.2013.120

Kurniasih, C., Ratnawati, L.M., 2019. Distribusi penderita rinosinusitis kronis yang menjalani pembedahan di RSUP Sanglah Denpasar. *Medicina (B. Aires)*. 50: 133–137. doi:10.15562/Medicina.v50i1.272

Levine, H.L., Clemente, M.P., 2005. Sinus Surgery Endoscopic and Microscopic Approaches. Thieme Medical Publisher, Inc., New York.

Liu, J., Yuan, J., Dai, J., Wang, N., 2020. The Whole Lateral Type of the Sphenoethmoidal Cell and Its Relevance to Endoscopic Sinus Surgery. *Ear, Nose Throat J.* doi:10.1177/0145561320922119

Ludman, H., J Bradley, P., 2012. *ABC Telinga Hidung dan Tenggorok*, Edisi V. ed. EGC, Jakarta.

Mamatha, H., Shamasundar, N.M., Bharathi, M.B., Prasanna, L.C., 2010. Variations of ostiomeatal complex and its applied anatomy: A CT scan study. *Indian J. Sci. Technol.* 3: 904–907. doi:10.17485/ijst/2010/v3i8/29907

Misch, C.E., Resnik, R., 2017. Misch's Avoiding Complications in Oral Implantology E-Book. Elsevier Health Sciences.

Mossa-Basha, M., Blitz, A.M., 2013. Imaging of the Paranasal Sinuses. *Semin. Roentgenol.* 48: 14–34. doi:10.1053/j.ro.2012.09.006

Mustafa, M., Patawari, P., Shimmi, S.C., Hussain, S.S., 2015. Acute and Chronic Rhinosinusitis, Pathophysiology and Treatment. *Int. J. Pharm. Sci. Invent. ISSN* 4: 30–36.

Norton, N.S. 2017. *NETTER'S HEAD and NECK ANATOMY for DENTISTRY*, Third ed. Elsevier Inc., Philadelphia.

O'Brien, W.T., Hamelin, S., Weitzel, E.K., 2016. The preoperative sinus CT: Avoiding a "cLOSE" call with surgical complications. *Radiology* 281: 10–21. doi:10.1148/radiol.2016152230

Paulsen, F., Waschke, J., 2011. *Sobotta Atlas of Human Anatomy*, 15th editi. ed. Elsevier GmbH, Urban and Fischer, Munich.

Perschbacher, S.E. 2017. Sinonasal Overview. *In: Koenig, J.L., Tamimi, D., Petrikowski, C.G., Perschbacher, S.E., Ruprecht, A., Hatcher, D., editor, Diagnostic Imaging Oral and Maxillofacial*, Second ed., Elsevier Inc., Salt Lake City.

Rajeev, K., S., R., S., C.C., Shenoy, S.B., . J., 2018. Anatomical variations of maxillary and ethmoid sinus in chronic rhinosinusitis. *Int. J. Otorhinolaryngol. Head Neck Surg.* 4: 1008. doi:10.18203/issn.2454-5929.ijohns20182703

Reddy, A., Kumar, K.P., Kondragunta, C., Gandra, N.R., 2018. Role of computed tomography in identifying anatomical variants in chronic sinusitis an observational study. *West African J. Radiol.* 25: 65–71. doi:DOI: 10.4103/wajr.wajr\_18\_17

Rosenfeld, R.M., Piccirillo, J.F., Chandrasekhar, S.S., Brook, I., Ashok Kumar, K., Kramper, M., Orlandi, R.R., Palmer, J.N., Patel, Z.M., Peters, A., Walsh, S.A., Corrigan, M.D., 2015. Clinical practice guideline (update): Adult sinusitis. *Otolaryngol. - Head Neck Surg. (United States)* 152: S1–S39. doi:10.1177/0194599815572097

Roy, C.A., George, A.A., Sonawale, S.L., Joshi, S. V, Telang, R.A., Raut, V., 2018. Original article: A prospective CT-PNS study of 130 cases of concha bullosa 7: 59–72.

Rusu, M.C., Sava, C.J., Ilie, A.C., Săndulescu, M., Dincă, D., 2019. Agger Nasi Cells Versus Lacrimal Cells and Uncinate Bullae in Cone-Beam Computed Tomography. *Ear, Nose Throat J.* 98: 334–339. doi:10.1177/0145561319840836

Sastroasmoro, S. & Ismael, S. 2011. Usulan Penelitian. *In: Sastroasmoro, S., Ismael, S., editor, Dasar-dasar Metodologi Penelitian Klinis*. Sagung Seto, Jakarta.

Senturk, M., Guler, I., Azgin, I., Sakarya, E.U., Ovet, G., Alatas, N., Tolu, I.,

Erdur, O., 2017. Papel das células de Onodi na esfenoidite: resultados da tomografia computadorizada com reconstrução multiplanar. *Braz. J. Otorhinolaryngol.* 83: 88–93. doi:10.1016/j.bjorl.2016.01.011

Server, E.A., Karagoz, Y., Yasak, A.G., Yigit, O., 2019. Impact of high septal deviation in the success of frontal sinus surgery. *B-ENT* 15: 319–324.

Shi, J.B., Fu, Q.L., Zhang, H., Cheng, L., Wang, Y.J., Zhu, D.D., Lv, W., Liu, S.X., Li, P.Z., Ou, C.Q., Xu, G., 2015. Epidemiology of chronic rhinosinusitis: Results from a cross-sectional survey in seven Chinese cities. *Allergy Eur. J. Allergy Clin. Immunol.* 70: 533–539. doi:10.1111/all.12577

Shokri, A., Faradmal, M.J., Hekmat, B., 2019. Correlations between anatomical variations of the nasal cavity and ethmoidal sinuses on cone-beam computed tomography scans. *Imaging Sci. Dent.* 49: 103–113. doi:10.5624/isd.2019.49.2.103

Shpilberg, K.A., Daniel, S.C., Doshi, A.H., Lawson, W., Som, P.M., 2015. CT of anatomic variants of the paranasal sinuses and nasal cavity: Poor correlation with radiologically significant rhinosinusitis but importance in surgical planning. *Am. J. Roentgenol.* 204: 1255–1260. doi:10.2214/AJR.14.13762

Shrestha, K.K., Acharya, R., Joshi, R., Maharjan, S., Adhikari, D., 2019. Anatomical variations of the paranasal sinuses and the nasal cavity. *Nepal Med Coll J* 21: 7–11.

Snell, R.S. 2012. *Anatomi klinis berdasarkan sistem*. EGC, Jakarta.

Som, P.M., Curtin, H.D. 2003. *Head and Neck Imaging*. 4<sup>th</sup> ed., Mosby, St. Louis.

Srivastava, M., Tyagi, S., 2016. Role of Anatomic variations of Uncinate Process in Frontal Sinusitis. *Indian J. Otolaryngol. Head Neck Surg.* 68: 441–444. doi:10.1007/s12070-015-0932-6

Stackpole, S., Edelstein, D., 1997. The anatomic relevance of the Haller cell in sinusitis. *Am J Rhinol* 11(3): 219–223. doi:doi:10.2500/105065897781751910

Stevens, W.W., Lee, R.J., Schleimer, R.P., Cohen, N.A., 2015. Chronic Rhinosinusitis Pathogenesis HHS Public Access. *J Allergy Clin Immunol. J Allergy Clin Immunol* 136: 1442–1453. doi:10.1016/j.jaci.2015.10.009

Stultz, T.W., Modic, M.T. 2005. Imaging of the Paranasal Sinuses. In: Levine, H.L., Clemente, M.P., editor, *Sinus Surgery Endoscopic and Microscopic Approaches*, Thieme Medical Publisher, Inc., New York.

Sumaily, I., Hudise, J., Aldhabaan, S., 2017. Relation between deviated nasal septum and paranasal sinus pathology. *Int. J. Otorhinolaryngol. Head Neck Surg.*

3: 786. doi:10.18203/issn.2454-5929.ijohns20174124

Taghiloo, H., Halimi, Z., 2019. The frequencies of different types of nasal septum deviation and their effect on increasing the thickness of maxillary sinus mucosa. *J. Dent. Res. Dent. Clin. Dent. Prospects* 13: 208–214. doi:10.15171/joddd.2019.032

Wardani, R.S., Wardhana, A., Mangunkusumo, E., Wulani, V., Anthony Senior, B., 2017. Radiological anatomy analysis of uncinate process, concha bullosa, and deviated septum in chronic rhinosinusitis. *Oto Rhino Laryngol. Indones.* 47: 16. doi:10.32637/orli.v47i1.191

Yeo, D.M., Choi, J. Il, Lee, Y.J., Park, M.Y., Chun, H.J., Lee, H.G., 2014. Comparison of RECIST, mRECIST, and choi criteria for early response evaluation of hepatocellular carcinoma after transarterial chemoembolization using drug-eluting beads. *J. Comput. Assist. Tomogr.* 38: 391–397. doi:10.1097/RCT.0000000000000070