

DAFTAR PUSTAKA

- Aminah, S., Ramdhan, T., Yanis, M., 2015, Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (*Moringa oleifera*), *Bulletin Pertanian Perkotaan*, 5, 35–44.
- Anonim, 2014. Farmakope Indonesia Edisi V, 5th ed, Jakarta. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2013. Farmakope Herbal Indonesia Suplemen III, I. ed. Departemen Kesehatan RI, Jakarta.
- Ashraf S. Hassan, 2014. The Antibacterial Activity of Dimethyl Sulfoxide (DMSO) with and without of Some Ligand Complexes of the Transitional Metal Ions of Ethyl Coumarin against Bacteria Isolate from Burn and Wound Infection. *J. Nat. Sci. Res.* 4: 106–111. doi:10.13140/RG.2.2.36692.40321
- Atiqah, S.N., 2017. Optimasi Dan Uji Pelepasan Kuersetin Ekstrak Daun Kelor (*Moringa oleifera*) Dalam Sediaan Gel-Mikroemulsi. *Cent. Libr. Maulana Malik Ibrahim State Islam. Univ. Malang*. Universitas Islam Negri Maulana Malik Ibrahim Malang.
- Azizoglu, R.O., Lyman, R., Anderson, K.L., 2013. Bovine *Staphylococcus aureus*: Dose Response to Iodine and Chlorhexidine and Effect of Iodine Challenge On Antibiotic Susceptibility. *J. Dairy Sci.* 96: 993–999.
- Azwanida, N., 2015. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Med. Aromat. Plants* 04: 3–8. doi:10.4172/2167-0412.1000196
- Baffoni, M., Bessa, L.J., Grande, R., Di Giulio, M., Mongelli, M., Ciarelli, A., Cellini, L., 2012. Laser Irradiation Effect on *Staphylococcus aureus* and *Pseudomonas aeruginosa* Biofilms Isolated from Venous Leg Ulcer. *Int. Wound J.* 9: 517–524. doi:10.1111/j.1742-481X.2011.00910.x
- Bali, V., Ali, M., Ali, J., 2010. Study of Surfactant Combinations and Development of A Novel Nanoemulsion for Minimising Variations in Bioavailability of Ezetimibe. *Colloids Surfaces B Biointerfaces* 76: 410–420. doi:10.1016/j.colsurfb.2009.11.021
- Balouiri, M., Sadiki, M., Ibsouda, S.K., 2016. Methods for In Vitro Evaluating Antimicrobial Activity: A review. *J. Pharm. Anal.* 6: 71–79. doi:10.1016/j.jpha.2015.11.005
- Borhade, V., Pathak, S., Sharma, S., Patravale, V., 2012. Clotrimazole Nanoemulsion for Malaria Chemotherapy. Part I: Preformulation studies, formulation design and physicochemical evaluation. *Int. J. Pharm.* 431: 138–148. doi:10.1016/j.ijpharm.2011.12.040

- Cai, L., 2014. Thin Layer Chromatography. *Curr. Protoc. Essent. Lab. Tech.* 2014: 6.3.1-6.3.18. doi:10.1002/9780470089941.et0603s08
- Calligaris, S., Comuzzo, P., Bot, F., Lippe, G., Zironi, R., Anese, M., Nicoli, M.C., 2015. Nanoemulsions as Delivery Systems of Hydrophobic Silybin from Silymarin Extract: Effect of oil type on silybin solubility, invitro bioaccessibility and stability. *LWT - Food Sci. Technol.* 63: 77–84. doi:10.1016/j.lwt.2015.03.091
- Chairuk, P., Tubtimsri, S., Jansakul, C., Sriamornsak, P., Weerapol, Y., 2020. Enhancing Oral Absorption of Poorly Water-Soluble Herb (*Kaempferia parviflora*) Extract Using Self-Nanoemulsifying Formulation. *Pharm. Dev. Technol.* 25: 340–350. doi:10.1080/10837450.2019.1703134
- Chuesiang, P., Siripatrawan, U., Sanguandeeikul, R., Yang, J.S., McClements, D.J., McLandsborough, L., 2019. Antimicrobial Activity and Chemical Stability of Cinnamon Oil in Oil-In-Water Nanoemulsions Fabricated Using the Phase Inversion Temperature Method. *LWT - Food Sci. Technol.* 110: 190–196. doi:10.1016/j.lwt.2019.03.012
- Costa, J.A., Lucas, E.F., Queirós, Y.G.C., Mansur, C.R.E., 2012. Evaluation of Nanoemulsions in the Cleaning of Polymeric Resins. *Colloids Surfaces A Physicochem. Eng. Asp.* 415: 112–118. doi:10.1016/j.colsurfa.2012.10.011
- Date, A.A., Desai, N., Dixit, R., Nagarsenker, M., 2010. Self-Nanoemulsifying Drug Delivery Systems: Formulation insights, applications and advances. *Nanomedicine* 5: 1595–1616. doi:10.2217/NNM.10.126
- Dinos, G.P., 2017. The Macrolide Antibiotic Renaissance. *Br. J. Pharmacol.* 174: 2967–2983. doi:10.1111/bph.13936
- Devarajan, V., Ravichandran, V., 2011. Nanoemulsions: As Modified Drug Delivery Tool. *Pharm. Glob.* 2: 1–6.
- El-Naggar, M.E., Soliman, R.A., Morsy, O.M., Abdel-Aziz, M.S., 2020. Nanoemulsion of Capsicum fruit extract as an eco-friendly antimicrobial agent for production of medical bandages. *Biocatal. Agric. Biotechnol.* 23: 1–11. doi:10.1016/j.bcab.2020.101516
- Fouad, E.A., Abu Elnaga, A.S.M., Kandil, M.M., 2019. Antibacterial Efficacy of *Moringa oleifera* Leaf Extract Against Pyogenic Bacteria Isolated From a Dromedary Camel (*Camelus dromedarius*) abscess. *Vet. World* 12: 802–808. doi:10.14202/vetworld.2019.802-808
- Gopalakrishnan, L., Doriya, K., Kumar, D.S., 2016. *Moringa oleifera*: A Review On Nutritive Importance And Its Medicinal Application. *Food Sci. Hum. Wellness* 1–29. doi:10.1016/j.fshw.2016.04.001
- Gupta, A., Eral, H.B., Hatton, T.A., Doyle, P.S., 2016. Nanoemulsions: Formation,

properties and applications. *Soft Matter* 12: 2826–2841.
doi:10.1039/c5sm02958a

Hafizah, A.U., 2014. FORMULASI DAN UJI AKTIVITAS SELF-NANOEMULSIFYING DRUG DELIVERY SYSTEM (SNEDDS) SEBAGAI ANTI-HIPERKOLESTEROL DARI KOMBINASI EKSTRAK TEMULAWAK (*Curcuma xanthorrhiza* Roxb) DAN DAUN SAMBUNG NYAWA (*Gynura procumbent* (Lour) Merr) MENGGUNAKAN VIRGIN COCONUT OIL SEBAGAI MINYAK PEMBAWA, Tesis, Fakultas Farmasi Universitas Gadjah Mada.

Handayani, F., Sundu, R., Sari, R.M., 2017. FORMULASI DAN UJI AKTIVITAS ANTIBAKTERI *Streptococcus mutans* DARI SEDIAAN MOUTHWASH EKSTRAK DAUN JAMBU Biji (*Psidium guajava* L.). *J. Sains dan Kesehatan* 1: 422–433. doi:10.25026/jsk.v1i8.62

Hess, D.J., Henry-Stanley, M.J., Barnes, A.M.T., Dunny, G.M., Wells, C.L., 2012. Ultrastructure of a Novel Bacterial Form Located in *Staphylococcus aureus* In Vitro and In Vivo Catheter-Associated Biofilms. *J. Histochem. Cytochem.* 60: 770–776. doi:10.1369/0022155412457573

Hussan, 2012. a Novel Transdermal Drug Delivery System. *Int. Res. J. Pharm.* 3: 39–44.

Jaiswal, M., Dudhe, R., Sharma, P.K., 2015. Nanoemulsion: an advanced mode of drug delivery system. *3 Biotech* 5: 123–127. doi:10.1007/s13205-014-0214-0

Jawetz, Melnick, Adelberg, 2018. Classification of Bacteria, 26th ed, Principles and Practice of Pediatric Infectious Diseases. McGraw-Hill Companies, New York.

Jelić, D., Antolović, R., 2016. From Erythromycin to Azithromycin and New Potential Ribosome-Binding Antimicrobials. *Antibiotics* 5: 1–13. doi:10.3390/antibiotics5030029

Jusnita, N., Liesbetini, H., Erliza, N., 2014. Produksi Nanoemulsi Ekstrak Temulawak Dengan Metode Homogenisasi., Tesis, *Cent. Libr. Bogor Agric. Univ.* Institut Pertanian Bogor.

Jusnita, N., Syurya, W., 2019. Karakterisasi Nanoemulsi Ekstrak Daun Kelor (*Moringa oleifera* Lamk.). *J. Sains Farm. Klin.* 6: 16–24. doi:10.25077/jsfk.6.1.16-24.2019

Khogta, S., Patel, J., Barve, K., Londhe, V., 2019. Herbal nano-formulations for topical delivery. *J. Herb. Med.* 1–9. doi:10.1016/j.hermed.2019.100300

Khudaer, N.B., Hassn, Z.Y.M., Al-Sammarrae, K.W., 2016. Purification and Identification of Total Flavonoids Extracted from *Moringa oleifera* Leaves in Iraq. *J. Biotechnol. Res. Cent.* 10: 73–80.

- Kotta, S., Khan, A.W., Ansari, S.H., Sharma, R.K., Ali, J., 2015. Formulation of nanoemulsion: A comparison between phase inversion composition method and high-pressure homogenization method. *Drug Deliv.* 22: 455–466. doi:10.3109/10717544.2013.866992
- Liau, K.M., Lee, Y.Y., Chen, C.K., Rasool, A.H.G., 2011. An Open-Label Pilot Study to Assess the Efficacy and Safety of Virgin Coconut Oil in Reducing Visceral Adiposity. *ISRN Pharmacol.* 2011: 1–7. doi:10.5402/2011/949686
- Limthin, D., Phromyothin, D., 2019. Improving Stability of Nanoemulsion Containing *Centella asiatica*, *Lycopersicon Esculentum* Mil. and *Moringa oleifera* Lam. Extract. *Mater. Today Proc.* 17: 1852–1863. doi:10.1016/j.matpr.2019.06.223
- Lundberg, A., 2015. Mastitis in Dairy Cows. Genotypes, spread and infection outcome of three important udder pathogens. Swedish University of Agricultural Sciences.
- Martien, R., Mada, U.G., Adhyatmika, A., Mada, U.G., Farida, V., Sari, D.P., 2012. Perkembangan Teknologi Nanopartikel dalam Sistem Penghantaran Obat. *Maj. Farm.* 8: 133–144.
- Martien, R., Syukri, Y., Lukitaningsih, E., Nugroho, A.E., 2018. Novel Self-Nano Emulsifying Drug Delivery System (SNEDDS) of andrographolide isolated from *Andrographis paniculata* Nees: Characterization, in-vitro and in-vivo assessment. *J. Drug Deliv. Sci. Technol.* 47: 514–520. doi:10.1016/j.jddst.2018.06.014
- McBirney, S.E., Trinh, K., Wong-Beringer, A., Armani, A.M., 2016. Wavelength-normalized spectroscopic analysis of *Staphylococcus aureus* and *Pseudomonas aeruginosa* growth rates. *Biomed. Opt. Express* 7: 4034–4042. doi:10.1364/boe.7.004034
- Mendieta-Araica, B., Spörndly, E., Reyes-Sánchez, N., Salmerón-Miranda, F., Halling, M., 2013. Biomass production and chemical composition of *Moringa oleifera* under different planting densities and levels of nitrogen fertilization. *Agrofor. Syst.* 87: 81–92.
- Mishra, R.K., Soni, G.C., Mishra, R., 2014. Nanoemulsion: A Novel Drug Delivery Tool. *Int. J. Pharma Res. Rev.* 3: 32–43.
- Micek, J., Jurikova, T., Skrovankova, S., Sochor, J., 2016. Quercetin and its anti-allergic immune response. *Molecules* 21: 1–15. doi:10.3390/molecules21050623
- Nazari-Vanani, R., Azarpira, N., Heli, H., 2018. Development of self-nanoemulsifying drug delivery systems for oil extracts of *Citrus aurantium* L. blossoms and *Rose damascena* and evaluation of anticancer properties. *J. Drug Deliv. Sci. Technol.* 47: 330–336. doi:10.1016/j.jddst.2018.08.003

- Nugroho, B.H., Syifaudin, M.R., Fauzi, L.R., Anggraini, E., Ritonga, H.O., 2020. Snedds (Self-nanoemulsifying Drug Delivery System) Formulation of Sarang Semut Extract on Cervical Cancer Cells (HeLa) with MTT Assay Method. *J. Phys. Conf. Ser.* 1445. doi:10.1088/1742-6596/1445/1/012020
- Omidkhoda, M., Rashed, R., Bagheri, Z., Ghazvini, K., Shafae, H., 2016. Comparison of Three Different Sterilization and Disinfection Methods on Orthodontic Markers. *J. Orthod. Sci.* 5: 14–17. doi:10.4103/2278-0203.176653
- Panche, A.N., Diwan, A.D., Chandra, S.R., 2016. Flavonoids: An overview. *J. Nutr. Sci.* 5: 1–15. doi:10.1017/jns.2016.41
- Pandey, A.K., Savita, 2017. Harvesting and Post-Harvest Processing of Medicinal Plants: Problems and Prospects. *Pharma Innov. J.* 6: 229–235.
- Patel, H.C., Parmar, G., Seth, A., Patel, J.D., Patel, S.R., 2013. Formulation and evaluation of o/w Nanoemulsion of Ketoconazole 4: 338–351.
- Patel, J., Kevin, G., Patel, A., Raval, M., Sheth, N., 2011. Design and Development Of A Self-Nanoemulsifying Drug Delivery System for Telmisartan or Oral Drug Delivery. *Int. J. Pharm. Investig.* 1: 112. doi:10.4103/2230-973X.82431
- Patrignani, F., Lanciotti, R., 2016. Applications of high and ultra high pressure homogenization for food safety. *Front. Microbiol.* 7: 1–13. doi:10.3389/fmicb.2016.01132
- Paudel, S.K., Bhargava, K., Kotturi, H., 2019. Antimicrobial activity of cinnamon oil nanoemulsion against *Listeria monocytogenes* and *Salmonella spp.* on melons. *LWT - Food Sci. Technol.* 111: 682–687. doi:10.1016/j.lwt.2019.05.087
- Poeloengan, M., 2011. The effect of red ginger (*Zingiber officinale* Roscoe) extract on the growth of mastitis causing bacterial isolates. *African J. Microbiol. Res.* 5: 382–388. doi:10.5897/AJMR10.776
- Prihapsara, F., Harini, M., Widiyani, T., Artanti, A.N., Ani, I.L., 2016. Antidiabetic Activity of Self Nanoemulsifying Drug Delivery System from Bay Leaves (*Eugenia polyantha* Wight) Ethyl Acetate Fraction. *J. Phys. Conf. Ser.* 755. doi:10.1088/1742-6596/755/1/011001
- Priya, V., Abiramasundari, P., Devi, G.S., Jeyanthi, G.P., 2011. Antibacterial Activity Of the Leaves, Bark, Seed and Flesh of *Moringa Oleifera*. *Int. J. Pharm. Sci. Res.* 2: 2045–2049.
- Rahayu, N.Y., Budiharjo, A., Pangastuti, A., Artanti, A.N., Prihapsara, F., Harini, M., 2019. Optimization Formula of SNEDDS Dosage from Ethanol Extract of Turmeric (*Curcuma domestica*) with Waste Oil of Eel (*Anguilla spp.*) as A Carrier. *IOP Conf. Ser. Mater. Sci. Eng.* 578: 1–9. doi:10.1088/1757-

899X/578/1/012049

- Raja, R.R., Sreenivasulu, M., Vaishnavi, S., Navyasri, D.M., Samantha, G., Geethalakshmi, S., 2016. *Moringa Oleifera*-An Overview. *Res. Anal. J. Appl. Res.* 2: 620–624.
- Rani, N.Z.A., Husain, K., Kumolosasi, E., 2018. *Moringa* genus: A review of phytochemistry and pharmacology. *Front. Pharmacol.* 9: 1–26. doi:10.3389/fphar.2018.00108
- Rohman, A., Widodo, H., Lukitaningsih, E., Windarsih, A., Rafi, M., Nurulhidayah, A.F., 2020. Review on in vitro antioxidant activities of Curcuma species commonly used as herbal components in Indonesia. *Food Res.* 4: 286–293. doi:10.26656/fr.2017.4(2).163
- Rowe, B.R.C., Sheskey, P.J., Cook, W.G., Quinn, M.E., 2013. Handbook of Pharmaceutical Excipients – 7th Edition, 7th ed, Pharmaceutical Development and Technology. Pharmaceutical Development and Technology, Washington DC. doi:10.3109/10837450.2012.751408
- Safaya, M., Rotliwala, Y.C., 2019. Nanoemulsions: A review on low energy formulation methods, characterization, applications and optimization technique. *Mater. Today Proc.* 1–6. doi:10.1016/j.matpr.2019.11.267
- Salim, N., Basri, M., Rahman, M.B.A., Abdullah, D.K., Basri, H., Salleh, A.B., 2011. Phase behaviour, formation and characterization of palm-based esters nanoemulsion formulation containing ibuprofen. *J. Nanomedicine Nanotechnol.* 2: 1–5. doi:10.4172/2157-7439.1000113
- Savale, S.K., Mahajan, H.S., 2018. Nanoemulsion : A Versatile Mode of Drug Delivery System. *Indian J. Nov. Drug Deliv.* 8 (3): 123–132.
- Septiyanti, M., Meliana, Y., 2020. Characterization of nanoemulsion gotukola, mangosteen rind, cucumber and tomato extract for cosmetic raw material. *J. Phys. Conf. Ser.* 1442: 1–7. doi:10.1088/1742-6596/1442/1/012046
- Serban, G., 2016. The isolation and identification of rutin from pharmaceutical products THE ISOLATION AND IDENTIFICATION OF RUTIN FROM development of different types of age-related cancer as well as disease , Huntington ’ s disease , depression or multiple sclerosis (Hal. *Analele Univ. din Oradea, Fasc. Ecotoxicologie, Zoteh. și Tehnol. Ind. Aliment.* XV/A.
- Shah, P., Bhalodia, D., Shelat, P., 2010. Nanoemulsion: A pharmaceutical review. *Syst. Rev. Pharm.* 1: 24–32. doi:10.4103/0975-8453.59509
- Sharma, V., Janmeda, P., 2017. Extraction, isolation and identification of flavonoid from *Euphorbia neriifolia* leaves. *Arab. J. Chem.* 10: 509–514. doi:10.1016/j.arabjc.2014.08.019

- Siqueira, D.L.B. de O., Matos, A.P. dos S., Cardoso, V. da S., Villanova, J.C.O., Guimaraes, B. da C.L.R., Santos, dos E.P., Vermelho, A.B., Oliveira-Santos, R., Junior, E.R., 2010. Clove oil nanoemulsion showed potent inhibitory effect against *Candida spp.* *Biochem. J.* 1–40. doi:10.1088/1361-6528/ab30c1
Manuscript
- Sulkhan, A.A.R., Artanti, A.N., Ermawati, D.E., Prihapsara, F., 2019. Optimization of Self-Nanoemulsifying Drug Delivery System (SNEDDS) of *Annona muricata* L. leaves chloroform extract using VCO (Virgin Coconut Oil) as an oil phase. *IOP Conf. Ser. Mater. Sci. Eng.* 578: 1–8. doi:10.1088/1757-899X/578/1/012046
- Suryana, 2012. Metodologi Penelitian: Metodologi Penelitian Model Praktis Penelitian Kuantitatif dan Kualitatif, Universitas Pendidikan Indonesia. Universitas Pendidikan Indonesia, Jakarta.
- Suryani, Zubaydah, W.O.S., Sahumena, M.H., Adawia, S., Wahyuni, R., Adjeng, A.N.T., Nisa, M., Kasmawati, H., Ihsan, S., Ruslin, Aswan, M., 2019. Preparation and characterization of self-nanoemulsifying drug delivery system (SNEDDS) from *Moringa oleifera* L. and *Cassia alata* L. leaves extracts. *AIP Conf. Proc.* 2199: 1–8. doi:10.1063/1.5141325
- Syahruramadhan, M., Yanti, N.A., Darlian, L., 2016. Aktivitas Antijamur Ekstrak Daun Kelor (*Moringa oleifera* Lamck.) Dan Daun Kirinyuh (*Chromolaena odorata* L.) Terhadap *Candida albicans* Dan *Aspergillus flavus*. *J. AMPIBI* 1: 7–12.
- Talegaonkar, S., Mustafa, G., Akhter, S., Iqbal, Z.I., 2010. Design and development of oral oil-in-water nanoemulsion formulation bearing atorvastatin: In vitro assessment. *J. Dispers. Sci. Technol.* 31: 690–701. doi:10.1080/01932690903120540
- Thomas, A., 2013. Self-Assembly of Surfactants [WWW Document]. *Encycl. Colloid Interface Sci.* doi:10.1007/978-3-642-20665-8_155
- Tshabalala, T., Ndhlala, A.R., Ncube, B., Abdelgadir, H.A., Van Staden, J., 2019. Potential substitution of the root with the leaf in the use of *Moringa oleifera* for antimicrobial, antidiabetic and antioxidant properties. *South African J. Bot.* 1–7. doi:10.1016/j.sajb.2019.01.029
- Ujilestari, T., Danar Dono, N., Ariyadi, B., Martien, R., Zuprizal, Z., 2018. Formulation and characterization of self-nano emulsifying drug delivery systems of lemongrass (*Cymbopogon citratus*) essential oil. *Malaysian J. Fundam. Appl. Sci.* 14: 360–363. doi:10.11113/mjfas.v14n3.1070
- Wang, S., Yao, J., Zhou, B., Yang, J., Chaudry, M.T., Wang, M., Xiao, F., Li, Y., Yin, W., 2017. Bacteriostatic effect of quercetin as an antibiotic alternative in vivo and its antibacterial mechanism in vitro. *J. Food Prot.* 81: 68–78. doi:10.4315/0362-028X.JFP-17-214

- Wijayanti, I.I., Budiharjo, A., Pangastuti, A., Prihapsara, F., Artanti, A.N., Harini, M., 2019. Optimization of self nanoemulsifying drug delivery system with ethanolic extract of ginger (*Zingiber officinale*) and eel bone oil (*Anguilla spp.*) extracted by maceration as carrier. *IOP Conf. Ser. Mater. Sci. Eng.* 578: 1–7. doi:10.1088/1757-899X/578/1/012050
- Xie, Y., Yang, W., Tang, F., Chen, X., Ren, L., 2014. Antibacterial Activities of Flavonoids: Structure-Activity Relationship and Mechanism. *Curr. Med. Chem.* 22: 132–149. doi:10.2174/0929867321666140916113443
- Yoo, J.H., 2018. Review of disinfection and sterilization - Back to The Basics. *Infect. Chemother.* 50: 101–109. doi:10.3947/ic.2018.50.2.101