

DAFTAR PUSTAKA

- Aggarwal, B.B., Kumar, A., Bharti, A.C., 2003, Anticancer potential of curcumin: Preclinical and clinical studies. *Anticancer Res.*, **23**, 363–398.
- Aggarwal, B.B., Harikumar, K.B., 2009, Potential therapeutic effects of curcumin, the anti-inflammatory agent, against neurodegenerative, cardiovascular, pulmonary, metabolic, autoimmune and neoplastic diseases, *The International Journal of Biochemistry & Cell Biology*, **41** (1), 40-59.
- Agudelo, M., Gandhi, N., Saiyed, Z., 2011, Effects of Alcohol on Histone Deacetylase 2 (HDAC2) and the Neuroprotective Role of Trichostatin A (TSA), *Alcohol Clin Exp Res.*, **35** (8), 1550-1556.
- Ahmed, T., dan Gilani, A.H., 2009, Inhibitory effect of curcuminoids on acetylcholinesterase activity and attenuation of scopolamine-induced amnesia may explain medicinal use of turmeric in Alzheimer's disease, *Pharmacology Biochemistry and Behavior*, **91** (4), 554–559.
- Al-Amily, D.H. dan Hassan, M., 2019, Design, Synthesis, and Docking Study of Acyl Thiourea Derivatives as Possible Histone Deacetylase Inhibitors with a Novel Zinc Binding Group, *Scientia Pharmaceutica*, **87** (4).
- Ali, E. H. A., dan Arafa, N. M. S., 2011, Comparative protective action of curcumin, memantine and diclofenac against scopolamine-induced memory dysfunction, *Fitoterapia*, **82** (4), 601–608.
- Akomolafe, S. F., Olasehinde, T. A., Oyeleye, S. I., Aluko, T. B., Adewale, O. O., Ijomone, O. M., 2020, Curcumin Administration Mitigates Cyclophosphamide-Induced Oxidative Damage and Restores Alteration of Enzymes Associated with Cognitive Function in Rats' Brain, *Neurotoxicity Research*, **38** (1), 199–210.
- Ao, M., Pan, Z., Qian, Y., Tang, B., Feng, Z., Fang, H., Wu, Z., Chen, J., Xue, Y., Fang, M., 2018, Design, synthesis, and biological evaluation of AV6 derivatives as novel dual reactivators of latent HIV-1, *RSC Advances*, **8** (31), 17279–17292.
- Azizah, U.L., 2019, Pengaruh Nanoemulsi Kurkumin Terhadap Ekspresi Gen Histone Deasetilase 2, Tropomyosin Receptor Kinase B dan 5-Hydroxytryptamine Receptor 1B, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Bagheri, A., Habibzadeh, P., Razavipour, S., Volmar, C.-H., Chee, N., Brothers, S., Wahlestedt, C., Mowla, S., Faghihi, M., 2019, HDAC Inhibitors Induce BDNF Expression and Promote Neurite Outgrowth in Human Neural Progenitor Cells-Derived Neurons, *International Journal of Molecular Sciences*, **20** (5), 1109.
- Banasr, M., Dwyer, J.M., Duman, R.S., 2011, Cell atrophy and loss in depression: reversal by antidepressant treatment, *Curr Opin Cell Biol*, **23** (6), 730–7.
- Bath K.G. dan Lee F S 2006 Variant BDNF (Val66Met) impact on brain structure and function *Cogn. Affect Behav. Neurosci.* **6** (1), 79–85.
- Bathina, S. dan Das, U. N., 2015, Brain-derived neurotrophic factor and its clinical implications, *Arch. Med. Sci.*, **6**, 1164-1178.
- Beneduci, A., Corrente, G. A., Marino, T., Aiello, D., Bartella, L., Di Donna, L., Napoli, A., Russo, N., Romeo, I., Furia, E., 2019, Insight on the chelation of

- aluminum(III) and iron(III) by curcumin in aqueous solution, *Journal of Molecular Liquids*, **296**, 111805.
- Blurton-Jones, M., Kitazawa, M., Martinez-Coria, H., 2009, Neural stem cells improve cognition via BD7yNF in a transgenic model of Alzheimer disease, *Proc Natl Acad Sci USA*, **106**, 13594-13599.
- Borrelli, E., Nestler, E.J., Allis, C.D., Sassone-Corsi, P., 2008, Decoding the epigenetic language of neuronal plasticity, *Neuron*, **60**, 961–974.
- Broide, R.S., Redwine, J.M., Aftahi, N., 2007, Distribution of Histone Deacetylases 1–11 in The Rat Brain, *Journal of Molecular Neuroscience*, **31** (1), 47-58.
- Chen, P. C., Patil, V., Guerrant, W., Green, P., Oyelere, A. K., 2008, Synthesis and structure–activity relationship of histone deacetylase (HDAC) inhibitors with triazole-linked cap group, *Bioorganic & Medicinal Chemistry*, **16** (9), 4839-4853.
- Chen, Q., Prior, M., Dargusch, R., Roberts, A., Riek, R., Eichmann, C., Chiruta, C., Akaishi, T., Abe, K., Maher, P., Schubert, D., 2011, A Novel Neurotrophic Drug for Cognitive Enhancement and Alzheimer’s Disease, *PLoS ONE*, **6** (12), e27865.
- Choi, G.Y., Kim, H.B., Hwang, E.-S., Lee, S., Kim, M.J., Choi, J.Y., Lee, S.O., Kim, S.S., Park, J.H., 2017, Curcumin Alters Neural Plasticity and Viability of Intact Hippocampal Circuits and Attenuates Behavioral Despair and COX-2 Expression in Chronically Stressed Rats, *Mediators of Inflammation*, **2017**, 1–9.
- Costa, V., Lugert, S., Jagasia, R., 2015, Role of adult hippocampal neurogenesis in cognition in physiology and disease: pharmacological targets and biomarkers, *Handbook of experimental pharmacology*, **228**, 99–155.
- Dai, Y., Guo, Y., Curtin, M. L., Li, J., Pease, L. J., Guo, J., Michaelides, M. R., 2003, A novel series of histone deacetylase inhibitors incorporating hetero aromatic ring systems as connection units, *Bioorganic & Medicinal Chemistry Letters*, **13** (21), 3817–3820.
- Dairam, A., Limson, J.L., Watkins, G.M., Antunes, E., Daya, S., 2007, Curcuminoids, curcumin, and demethoxycurcumin reduce lead-induced memory deficits in male wistar rats, *J. Agric. Food Chem.*, **55**, 1039-1044.
- Das, T. K., Jana, P., Chakrabarti, S. K., Abdul Hamid, M. R. W., 2019, Curcumin downregulates GSK3 and Cdk5 in scopolamine-induced Alzheimer’s disease rats abrogating A β 40/42 and tau hyperphosphorylation, *Journal of Alzheimer’s Disease Reports*, **3** (1), 257–267.
- Deng, W., Aimone, J. B., Gage, F. H., 2010, New neurons and new memories: How does adult hippocampal neurogenesis affect learning and memory?, *Nature Reviews Neuroscience*, **11** (5), 339–350.
- Dikmen, M., 2017, Comparison of the effects of curcumin and RG108 on NGF-induced PC-12 adh cell differentiation and neurite outgrowth, *Journal of Medicinal Food*, **20** (4), 376–384.
- Ding, H., Dolan, P.J., Johnson, G.V., 2008, Histone deacetylase 6 interacts with the microtubule-associated protein tau, *J Neurochem*, **106**, 2119–2130.

- Duan, R., Liu, X., Wang, T., 2016, Histone acetylation regulation in sleep deprivation-induced spatial memory impairment, *Neurochem Res*, **41**, 2223-2232.
- Dugger, B.N. dan Dickson, D.W., 2017, Pathology of neurodegenerative diseases, *Cold Spring Harbor perspectives in biology*, **9** (7).
- Felsenfeld, G., Groudine, M., 2003, Controlling the double helix, *Nature*, **421**, 448–453.
- Feng, J., Fouse, S., Fan, G., 2007, Epigenetic regulation of neural gene expression and neuronal function, *Pediatr Res.*, **61**, 58-63.
- Finnin, M. S., Donigian, J. R., Cohen, A., Richon, V. M., Rifkind, R. A., Marks, A., Breslow, R., dan Pavletich, N., 1999, Structures of A Histone Deacetylase Homologue Bound to The TSA And SAHA Inhibitors, *Nature*, **401**, 188-193.
- Fischer, A., Sananbenesi, F., Wang, X., Dobbin, M., Tsai, L.H., 2007, Recovery of learning and memory is associated with chromatin remodeling, *Nature*, **447**, 178–182.
- Ganai, S. A., Abdullah, E., Rashid, R., Altaf, M., 2017, Combinatorial In Silico Strategy towards Identifying Potential Hotspots during Inhibition of Structurally Identical HDAC1 and HDAC2 Enzymes for Effective Chemotherapy against Neurological Disorders, *Frontiers in Molecular Neuroscience*, **10**, 357.
- Giacobbo, L.B., Doorduyn, J., Klein, H C., Dierckx, R., Bromberg, E., dan de Vries, E., 2019, Brain-Derived Neurotrophic Factor in Brain Disorders: Focus on Neuroinflammation, *Molecular neurobiology*, **56** (5), 3295–3312.
- Gibson, C.L. dan Murphy, S.P., 2010, Benefits of histone deacetylase inhibitors for acute brain injury; a systematic review of animal studies, *J. Neurochem.*, **115**, 806–813.
- Global Burden and Disease Dementia Collaborators, 2016, Global, regional, and national burden of Alzheimer’s disease and other dementias, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016, *Neurology*, **4422** (18), 30403-30404.
- Graff, J., Rei, D., Guan, J.S., Wang, W.Y., Seo, J., Hennig, K.M., Nieland, T.J., Fass, D.M., Kao, P.F., Kahn, M., 2012, An epigenetic blockade of cognitive functions in the neurodegenerating brain, *Nature*, **483**, 7388, 222-226.
- Godoy, L. D., Lucas, J. E., Bender, A. J., Romanick, S. S., Ferguson, B. S., 2017, Targeting the epigenome: Screening bioactive compounds that regulate histone deacetylase activity. *Molecular Nutrition & Food Research*, **61** (4), 1600744.
- Gonzalez-Zuniga, M., Contreras, P.S., Estrada, L.D., Chamorro, D., Villagra, A., Zanolungo, S., Seto, E., and Alvarez, A.R., 2014, c-Abl stabilizes HDAC2 levels by tyrosine phosphorylation repressing neuronal gene expression in Alzheimer’s disease, *Mol. Cell*, **56**, 163–173.
- Guan, J. S., Haggarty, S. J., Giacometti, E., Dannenberg, J. H., Joseph, N., Gao, J., Nieland, T.J., Zhou, Y., Wang, X., Mazitschek, R., Bradner, J.E., DePinho, R.A., Jaenisch, R., dan Tsai, L.H., 2009, HDAC2 Negatively Regulates Memory Formation and Synaptic Plasticity, *Nature*, **7**, 55-60.

- Gupta, S. C., Prasad, S., Kim, J. H., Patchva, S., Webb L. J., Priyadarsini, I. K., dan Anggarwal, B. B., 2011, Multitargeting by Curcumin as Revealed by Molecular Interaction Studies, *Natural Products Report*, **28**, 1937-1955.
- Hanson, J.E., Deng, L., Hackos, D.H., Lo, S.C., Lauffer, B.E., Steiner, P., Zhou, Q., 2013, Histone deacetylase 2 cell autonomously suppresses excitatory and enhances inhibitory synaptic function in CA1 pyramidal neurons, *J. Neurosci.*, **33**, 5924–5929.
- Haorah, J., Ramirez, S. H., Floreani, N., Gorantla, S., Morsey, B., & Persidsky, Y., 2008, Mechanism of alcohol-induced oxidative stress and neuronal injury, *Free radical biology & medicine*, **45** (11), 1542–1550.
- Heebkaew, N., Rujanapun, N., Kunhorm, P., Jaroonwichawan, T., Chaicharoenaudomrung, N., Promjantuek, W., Noisa, P., 2019, Curcumin induces neural differentiation of human pluripotent embryonal carcinoma cells through the activation of autophagy, *BioMed Research International*, **2019**, 1–12.
- Hegde, M. L., Hegde, P. M., Rao, K. S., Mitra, S., 2011, Oxidative genome Damage and its repair in neurodegenerative diseases: function of transition metals as a double-edged sword, *Journal of Alzheimer's Disease*, **24** (s2), 183–198.
- Hernandez, R., Pernandez, Mde. L., Miranda, G., Suastegin, R., 2005, Decrease of folic acid and cognitive alterations in patients with epilepsy treated with phenytoin or carbamazepine, pilot study, *Rev. Invest. Clin.*, **57**, 522–531.
- Hewlings, S.J. dan Kalman, D.S., 2017, Curcumin: A Review of Its' Effects on Human Health, *Foods*, **6**, 10, 92.
- Hieu, T.Q. dan Thao, D.T.T., 2019, Enhancing the Solubility of curcumin metal complexes and investigating some of their biological activities, *Journal of Chemistry*, **2019**, 1-8.
- Hsiao, Y.H., Hung, H.C., Yu, Y.J., Su, C.L., Chen, S.H., Gean, P.W., 2017, Co-housing reverses memory decline by epigenetic regulation of brain-derived neurotrophic factor expression in an animal model of Alzheimer's disease, *Neurobiol. Learn. Mem.*, **141**, 1–8.
- Hsieh, J. dan Gage, F.H., 2004, Epigenetic Control of Neural Stem Cell Fate, *Current Opinion in Genetics and Development*, **14**, 5, 461–469.
- Hurley, L. L., Akinfiresoye, L., Nwulia, E., Kamiya, A., Kulkarni, A. A., Tizabi, Y., 2013, Antidepressant-like effects of curcumin in WKY rat model of depression is associated with an increase in hippocampal BDNF, *Behavioural Brain Research*, **239**, 27–30.
- Iranshahi, M., Chini, M. G., Masullo, M., Sahebkar, A., Javidnia, A., Chitsazian Yazdi, M., Pergola, C., Koeberle, A., Werz, O., Pizza, C., Terracciano, S., Piacente, S., Bifulco, G., 2015, Can small chemical modifications of natural pan-inhibitors modulate the biological selectivity? The case of curcumin prenylated derivatives acting as HDAC or mPGES-1 inhibitors, *Journal of Natural Products*, **78** (12), 2867–2879.
- Istyastono, E.P., Nurrochmad, A., Yuniarti, N., 2016, Structure-Based Virtual Screening Campaigns on Curcuminoids as Potent Ligands for Histone Deacetylase-2, *Oriental Journal of Chemistry*, **32**, 1.

- Jayaraj, R.L., Tamilselvam, K., Manivasagam, T., 2013, Neuroprotective Effect of CNB-001, a novel pyrazole derivative of curcumin on biochemical and apoptotic markers against rotenone-induced SK-N-SH cellular model of parkinson's disease, *J Mol Neurosci*, **51**, 863–870.
- Jayaraj, R. L., Elangovan, N., Manigandan, K., Singh, S., Shukla, S., 2014, CNB-001 a novel curcumin derivative, guards dopamine neurons in MPTP model of parkinson's disease, *BioMed Research International*, **2014**, 1–11.
- Ji, M., Dong, L., Jia, M., Liu, W., Zhang, M., Ju, L., 2014, Epigenetic enhancement of brain-derived neurotrophic factor signaling pathway improves cognitive impairments induced by isoflurane exposure in aged rats, *Mol Neurobiol*, **2014**.
- Jiang, T., Wang, L., Zhang, S., Sun, P.-C., Ding, C.-F., Chu, Y.-Q., Zhou, P., 2011, Interaction of curcumin with Al(III) and its complex structures based on experiments and theoretical calculations, *Journal of Molecular Structure*, **1004** (1–3), 163–173.
- Jin, X., Yu, Z.F., Chen, F., Lu, G.X., Ding, X.Y., Xie, L.J., Sun, J.T., 2017, Neuronal Nitric Oxide Synthase in Neural Stem Cells Induces Neuronal Fate Commitment via the Inhibition of Histone Deacetylase 2, *Frontiers in Cellular Neuroscience*, **11**.
- Juliandi, B.A., 2010, Epigenetic Regulation in Neural Stem Cell Differentiation, *Development, Growth and Differentiation*, **52**, 6, 493–504.
- Kang, H. dan Schuman, E. M., 1995, long-lasting neurotrophin-induced enhancement of synaptic transmission in the adult hippocampus, *Science*, **267** (5204), 1658–1662.
- Kasprzak, M. M., Erxleben, A., Ochocki, J., 2015, Properties and applications of flavonoid metal complexes. *RSC Advances*, **5** (57), 45853–45877.
- Kementrian Kesehatan Republik Indonesia, 2016, *Menkes : Lansia yang Sehat, Lansia yang Jauh dari Demensia*, <http://www.depkes.go.id/article/print/16031000003/menkes-lansia-yang-sehat-lansia-yang-jauh-dari-demensia.html>, 2 November 2019.
- Khan, M.S., Muhammad, T., Muhammad, I., Kim, M.O., 2019, Dietary supplementation of the antioxidant curcumin halts systemic LPS-Induced neuroinflammation-associated neurodegeneration and memory/synaptic impairment via the JNK/NF- κ B/Akt signaling pathway in adult rats, *Oxidative Medicine and Cellular Longevity*, **2019**, 1–23.
- Krämer, O. H., Zhu, P., Ostendorff, H. P., Golebiewski, M., Tiefenbach, J., Peters, M. A., Brill, B., Groner, B., Bach, I., Heinzel, T., Göttlicher, M., 2003, The histone deacetylase inhibitor valproic acid selectively induces proteasomal degradation of HDAC2, *The EMBO journal*, **22** (13), 3411–3420.
- Kumboonma, P., Senawong, T., Saenglee, S., Senawong, G., Somsakeesit, L., Yenjai, C., Phaosiri, C., 2019, New histone deacetylase inhibitors and anticancer agents from *Curcuma longa*, *Medicinal Chemistry Research*, **28** (10), 1773–1782.
- Lapchak, P. A., Boitano, P. D., Bombien, R., Cook, D. J., Doyan, S., Lara, J. M., Schubert, D. R., 2019, CNB-001, a pleiotropic drug is efficacious in

- embolized agyrencephalic New Zealand white rabbits and ischemic gyrencephalic cynomolgus monkeys. *Experimental Neurology*, **313**, 98–108.
- Lapchak, P.A., Schubert, D.R., Maher, P.A., 2011, Delayed treatment with a novel neurotrophic compound reduces behavioral deficits in rabbit ischemic stroke, *J. Neurochem.*, **116**, 122–131.
- Levenson, R.W., Sturm, V.E., dan Haase, C.M., 2014, Emotional and behavioral symptoms in neurodegenerative disease: a model for studying the neural bases of psychopathology, *Annual review of clinical psychology*, **10**, 581–606.
- Li, Z., Theus, M. H., Wei, L., 2006, Role of ERK 1/2 signaling in neuronal differentiation of cultured embryonic stem cells, *Development, Growth and Differentiation*, **48** (8), 513–523.
- Lim, D. W., Son, H. J., Um, M. Y., Kim, I. H., Han, D., Cho, S., Lee, C. H., 2016, Enhanced Cognitive Effects of Demethoxycurcumin, a Natural Derivative of Curcumin on Scopolamine-Induced Memory Impairment in Mice, *Molecules (Basel, Switzerland)*, **21** (8), 1022.
- Liu, D., Wang, Z., Gao, Z., Xie, K., Zhang, Q., Jiang, H., Pang, Q., 2014, Effects of curcumin on learning and memory deficits, BDNF, and ERK protein expression in rats exposed to chronic unpredictable stress, *Behavioural Brain Research*, **271**, 116–121.
- Liu, F., Zuan, A., Chen, Y., Zhang, J., Xu, L., Yan, Q., Long, D., 2014, Combined effect of nerve growth factor and brain-derived neurotrophic factor on neuronal differentiation of neural stem cells and the potential molecular mechanisms, *Molecular Medicine Reports*, **10**, 1739–1745.
- Liu, H.L., Chen, Y., Cui, G.H., Zhou, J.F., 2005, Curcumin, a potent anti-tumor reagent, is a novel histone deacetylase inhibitor regulating B-NHL cell line Raji proliferation. *Acta Pharmacol Sin*, **26**, 603–609.
- Liu, H., Li, Z., Qui, D., 2010, The inhibitory effects of different curcuminoids on beta-amyloid protein, beta-amyloid precursor protein and beta-site amyloid precursor protein cleaving enzyme 1 in swAPP HEK293 cells, *Neurosci Lett*, **485**, 83–88.
- Liu, L., Geisert, E.E., Frankfurter, A., Spano, A.J., Jiang, C.X., Yue, J., Goldowitz, D., 2007, A transgenic mouse class-III beta tubulin reporter using yellow fluorescent protein, *Genesis*, **45** (9), 560–569.
- Liu, Q., Yu, T., Jiang, T., Kang, Y., 2018, Effect of Brain-Derived Neurotrophic Factor on the Neurogenesis and Osteogenesis in Bone Engineering, *Tissue Engineering Part A*, **24**, 15–16.
- Liu, Y., Dargusch, R., Maher, P., Schubert, D., 2008, A broadly neuroprotective derivative of curcumin, *Journal of Neurochemistry*, **105** (4), 1336–1345.
- Low, W.C., Yau, W.W., Stanton, L.W., Marcy, G., Goh, E., Chew, S.Y., 2012, Directing neuronal differentiation of primary neural progenitor cells by gene knockdown approach, *DNA and Cell Biology*, **31**, 7.
- Ma, H, Yu, B, Kong, L, Zhang, Y, Shi, Y, 2011, Neural stem cells over-expressing brain-derived neurotrophic factor (BDNF) stimulate synaptic protein

- expression and promote functional recovery following transplantation in rat model of traumatic brain injury, *Neurochem Res*, **37**, 69–83.
- Mai, A., Massa, S., Rotili, D., Pezzi, R., Bottoni, P., Scatena, R., Meraner, J., Brosch, G., 2005, Exploring the connection unit in the HDAC inhibitor pharmacophore model: Novel uracil-based hydroxamates, *Bioorganic & Medicinal Chemistry Letters*, **15**, 4656-4661.
- Madiha, S., dan Haider, S., 2019, Curcumin restores rotenone induced depressive-like symptoms in animal model of neurotoxicity: Assessment by social interaction test and sucrose preference test. *Metabolic Brain Disease*, **34** (1), 297–308.
- Maher, P., Akaishi, T., Schubert, D., Abe, K., 2010, A pyrazole derivative of curcumin enhances memory, *Neurobiology of Aging*, **31** (4), 706–709.
- Mahgoub, M. dan Monteggia, L.M., 2014, A role for histone deacetylases in the cellular and behavioral mechanisms underlying learning and memory, *Learning and Memory*, **21**, 564-568.
- Majid, A.I., 2016, Pengaruh Pemberian Nanoemulsi Kurkumin dan Nanoemulsi Pentagamavunon-0 terhadap Perubahan Perilaku Interaksi Sosial serta Fungsi Memori dan Kognitif, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Miller, T.A., Witter, D.J., Belvedere, S., 2003, Histone deacetylase inhibitors, *J. Med. Chem.*, **46**, 5097–5116.
- Morris, M.J., Mahgoub, M., Na, E.S., Pranav, H., Monteggia, L.M., 2013, Loss of histone deacetylase 2 improves working memory and accelerates extinction learning, *J. Neurosci.*, **33**, 6401–6411.
- Motaghinejad, M., Motevalian, M., Fatima, S., Hashemi, H., Gholami, M., 2017, Curcumin confers neuroprotection against alcohol-induced hippocampal neurodegeneration via CREB-BDNF pathway in rats, *Biomedicine & Pharmacotherapy*, **87**, 721–740.
- Mulyadi, D.F., 2015, Pengaruh Pemberian Nanoemulsi Kurkumin dan Nanoemulsi Pentagamavunon-0 terhadap Perubahan Perilaku Fungsi Memori Kognitif dan Kecemasan, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Nian, H., Delage, B., Pinto, J.T., Dashwood, R.H., 2008, Allyl mercaptan, a garlic-derived organosulfur compound, inhibits histone deacetylase and enhances Sp3 binding on the P21WAF1 promoter, *Carcinogenesis*, **29** (9):1816-1824.
- Nibuya, M., Morinobu, S., Duman, R.S., 1995, Regulation of BDNF and trkB mRNA in rat brain by chronic electroconvulsive seizure and antidepressant drug treatments, *Journal of Neuroscience*, **15**, 7539–47.
- Nimse, S. B. dan Pal, D., 2015, Free radicals, natural antioxidants, and their reaction mechanisms, *RSC Advances*, **5** (35), 27986–28006.
- Penney, J. dan Tsai, L., 2014, Neuroscience: Histone Deacetylases in Memory and Cognition, *Science Signaling*, **7** (355), 12.
- Pham-the, H., dan Le-thi-thu, H., 2018, Integrating structure and ligand-based approaches for modelling the histone deacetylase inhibition activity of

- hydroxamic acid derivatives, *Asian Journal of Pharmaceutical and Clinical Research*, **11** (2), 198.
- Rainey, N. E., Moustapha, A., Saric, A., Nicolas, G., Sureau, F., Petit, P. X., 2019, Iron chelation by curcumin suppresses both curcumin-induced autophagy and cell death together with iron overload neoplastic transformation, *Cell Death Discovery*, **5** (1), 150.
- Reeta, K. H., Mehla, J., Gupta, Y. K., 2009, Curcumin is protective against phenytoin-induced cognitive impairment and oxidative stress in rats, *Brain Research*, **1301**, 52–60.
- Ritmaleni, 2016, Synthesis of pentagamavunon-0 (PGV-0) : an improved technique, *Int. J. Pharm. Sci. Rev. Res.*, **39** (1), 9-11.
- Sandur, S. K., Pandey, M. K., Sung, B., Ahn, K. S., Murakami, A., Sethi, G., Aggarwal, B.B., 2007, Curcumin, demethoxycurcumin, bisdemethoxycurcumin, tetrahydrocurcumin and turmerones differentially regulate anti-inflammatory and anti-proliferative responses through a ROS-independent mechanism, *Carcinogenesis*, **28** (8), 1765–1773.
- Santana-Martínez, R. A., Silva-Islas, C. A., Fernández-Orihuela, Y. Y., Barrera-Oviedo, D., Pedraza-Chaverri, J., Hernández-Pando, R., Maldonado, P. D., 2019, The therapeutic effect of curcumin in quinolinic acid-induced neurotoxicity in rats is associated with BDNF, ERK1/2, Nrf2, and antioxidant enzymes, *Antioxidants*, **8** (9), 388.
- Sardjiman, 1993, Sintesa 2,6-Bis (3,5-Dimetil-4-Hidroksi Benzilidin) Sikloheksanon, 2,5-(3,5-dimetil-4- Hidroksi Benzilidin) Siklopentanon & Pentadien-on dan Daya antioksidannya, *Laporan Penelitian*, **10** (5), 373–385, Universitas Gadjah Mada, Yogyakarta.
- Sarkar R, Mukherjee A, Mukherjee S, Biswas R, Biswas J, Roy M., 2014, Curcumin augments the efficacy of antitumor drugs used in leukemia by modulation of heat shock proteins via HDAC6, *J Environ Pathol Toxicol Oncol*, **33**, 247-63.
- Savira, N., 2019, Pengaruh Nanoemulsi PGV-0 Terhadap Ekspresi Gen Histon Deasetilase 2, Tropomyosin Receptor Kinase B dan 5-Hydroxytryptamine Receptor 1B, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Schroeder, J.S.H., 2013, ‘Spinal Alignment in Low Back Pain Patients and Age-Related Side Effects: A Multivariate Cross-Sectional Analysis of Video Rasterstereography Back Shape Reconstruction Data’, *European Spine Journal*, **22** (9), 1979-1985.
- Setyowati, L.A., 2017, Analisis Pengaruh Pentagamavunon-0 terhadap Aktivitas Enzim HDA 2 secara In Vitro, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada Yogyakarta.
- Shannon, H.E. dan Love, P.L., 2005, Effects of antiepileptic drugs on attention as assessed by a five choice strial reaction time task in rats, *Epilepsy Behav.*, **7**, 620–628.
- Shen, Y. dan Yu, L.C., 2008, Potential Protection of Curcumin against Hypoxia-induced Decreases in Beta-III Tubulin Content in Rat Prefrontal Cortical Neurons, *Neurochemical Research*, **33** (10), 2112–2117.

- Singh, P., Konar, A., Kumar, A., Srivas, S., Thakur, M.K., 2015, Hippocampal chromatin-modifying enzymes are pivotal for scopolamine-induced synaptic plasticity gene expression changes and memory impairment, *J. Neurochem.*, **134**, 642-651.
- SoukhakLari, R., Moezi, L., Pirsalami, F., Ashjazadeh, N., Moosavi, M., 2018, Curcumin ameliorates scopolamine-induced mice memory retrieval deficit and restores hippocampal p-Akt and p-GSK-3 β , *European Journal of Pharmacology*, **841**, 28-32.
- Souza, B.K., da Costa Lopez, P.L., Menegotto, P.R., Vieira, I.A., Kersting, N., Abujamra, A.L., Brunetto, A.T., Brunetto, A.L., Gregianin, L., de Farias, C.B., Thiele, C.J., Roesler, R., 2017, Targeting histone deacetylase activity to arrest cell growth and promote neural differentiation in Ewing sarcoma, *Mol Neurobiol.*
- Stankowska, D. L., Krishnamoorthy, V. R., Ellis, D. Z., Krishnamoorthy, R. R., 2017, Neuroprotective effects of curcumin on endothelin-1 mediated cell death in hippocampal neurons, *Nutritional Neuroscience*, **20** (5), 273-283.
- Stolerman, I.P., Lawrence H., 2014, *Encyclopedia of Psychopharmacology*, Springer Berlin Heidelberg, London.
- Sun, X.Y., Zheng, T., Yang, X., Liu, L., Gao, S.S., Xu, H. B., Song, Y. T., Tong, K., Yang, L., Gao, Y., Wu, T., Hao, J. R., Lu, C., Ma, T., Gao, C., 2019, HDAC2 hyperexpression alters hippocampal neuronal transcription and microglial activity in neuroinflammation-induced cognitive dysfunction, *Journal of Neuroinflammation*, **16** (1), 249.
- Sun, Y., Bao, X., Ren, Y., Jia, L., Zou, S., Han, J., Zhao, M., Han, M., Li, H., Hua, Q., Fang, Y., Yang, J., Wu, C., Chen, G., Wang, L., 2019, Targeting HDAC/OAZ1 axis with a novel inhibitor effectively reverses cisplatin resistance in non-small cell lung cancer, *Cell Death & Disease*, **10** (6), 400.
- Tejeda, G.S. dan Díaz-Guerra, M., 2017, Integral characterization of defective BDNF/TrkB signalling in neurological and psychiatric disorders leads the way to new therapies. *International journal of molecular sciences*, **18**(2), 268.
- Tiwari, V., dan Chopra, K., 2013, Protective effect of curcumin against chronic alcohol-induced cognitive deficits and neuroinflammation in the adult rat brain, *Neuroscience*, **244**, 147-158.
- Tiwari, V. dan Chopra, K., 2012, Attenuation of oxidative stress, neuroinflammation, and apoptosis by curcumin prevents cognitive deficits in rats postnatally exposed to ethanol, *Psychopharmacology*, **224** (4), 519-535.
- Toda, T., Parylak, S.L., Linker, S.B., Gage, F.H., 2019, The role of adult hippocampal neurogenesis in brain health and disease, *Molecular psychiatry*, **24** (1), 67-87.
- Uesato, S., Kitagawa, M., Nagaoka, Y., Maeda, T., Kuwajima, H., Yamori, T., 2002, Novel histone deacetylase inhibitors: N-hydroxycarboxamides possessing a terminal bicyclic aryl group, *Bioorganic & Medicinal Chemistry Letters*, **12** (10), 1347-1349.

- Utami, N., Effendy, E., dan Amin, M., 2018, BDNF (brain-derived neurotrophic factor) serum levels in schizophrenic patients with cognitive deficits, *IOP Conference Series: Earth and Environmental Science*, **125**.
- Volmar, C.H. dan Wahlestedt, C., 2014, Histone deacetylases (HDACs) and brain function, *Neuroepigenetics*, **2014**, 1-7.
- von Bohlen dan Halbach, O., 2007, Immunohistological markers for staging neurogenesis in adult hippocampus, *Cell Tissue Res*, **329**, 409–420.
- Wang, B.Y., Zhong, Y., Zhao, Z., Miao, Y., 2014, Epigenetic suppression of hippocampal BDNF mediates the memory deficiency induced by amyloid fibrils. *Pharmacology, Biochemistry and Behavior*, **126**, 83–89.
- Wang, R., Li, Y.B., Li, Y.H., Xu, Y., Wu, H., Li, X.J., 2008, Curcumin protects against glutamate excitotoxicity in rat cerebral cortical neurons by increasing brain-derived neurotrophic factor level and activating TrkB, *Brain Research*, **1210**, 84–91.
- Wang, R., Li, Y.H., Xu, Y., Li, Y.B., Wu, H.L., Guo, H., Zhang, J.Z., Zhang, J.J., Pan, X.Y., Li, X.J., 2010, Curcumin produces neuroprotective effects via activating brain-derived neurotrophic factor/TrkB-dependent MAPK and PI-3K cascades in rodent cortical neurons, *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, **34** (1), 147–153.
- WHO, 2019, *Dementia*, <https://www.who.int/news-room/fact-sheets/detail/dementia>, 1 November 2019.
- Woo, S. H., Frechette, S., Khalil, E. A., Bouchain, G., Vaisburg, A., Bernstein, N., Moradei, O., Leit, S., Allan, M., Fournel, M., Trachy-Bourget, M.-C., Li, Z., Besterman, J. M., Delorme, D., 2002, Structurally simple trichostatin A-like straight chain hydroxamates as potent histone deacetylase inhibitors, *Journal of Medicinal Chemistry*, **45** (13), 2877–2885.
- Wu, A., Ying, Z., Gomez-Pinilla, F., 2006, Dietary curcumin counteracts the outcome of traumatic brain injury on oxidative stress, synaptic plasticity, and cognition, *Experimental Neurology*, **197** (2), 309–317.
- Wu, J., Liu, C., Zhang, L., Qu, C.-H., Sui, X.L., Zhu, H., Huang, L., Xu, Y.F., Han, Y.L., Qin, C., 2017, Histone deacetylase-2 is involved in stress-induced cognitive impairment via histone deacetylation and PI3K/AKT signaling pathway modification, *Molecular Medicine Reports*, **16** (2), 1846–1854.
- Wu, X., Chen, H., Huang, C., Gu, X., Wang, J., Xu, D., Yu, X., Shuai, C., Chen, L., Li, S., Xu, Y., Gao, T., Ye, M., Su, W., Liu, H., Zhang, J., Wang, C., Chen, J., Wang, Q., Cui, W., 2017, Curcumin attenuates surgery-induced cognitive dysfunction in aged mice, *Metabolic Brain Disease*, **32** (3), 789–798.
- Wu, Y., Xu, Y., Huang, X., Ye, D., Han, M., Wang, H.L., 2018, Regulatory roles of histone deacetylases 1 and 2 in Pb-induced neurotoxicity, *Toxicological Sciences*, **162** (2), 688–701.
- Xu, Y., Ku, B., Cui, L., Li, X., Barish, P. A., Foster, T. C., Ogle, W. O., 2007, Curcumin Reverses Impaired Hippocampal Neurogenesis and Increases Serotonin Receptor 1a mRNA and Brain-Derived Neurotrophic Factor Expression in Chronically Stressed Rats, *Brain Res.*, **1162**, 9–18.

- Xu, Y., Ku, B., Tie, L., Yao, H., Jiang, W., Ma, X., Li, X., 2006, Curcumin reverses the effects of chronic stress on behavior, the HPA axis, BDNF expression and phosphorylation of CREB, *Brain Research*, **1122** (1), 56–64.
- Yadav, R. S., Chandravanshi, L. P., Shukla, R. K., Sankhwar, M. L., Ansari, R. W., Shukla, P. K., Pant, A. B., Khanna, V. K., 2011, Neuroprotective efficacy of curcumin in arsenic induced cholinergic dysfunctions in rats. *NeuroToxicology*, **32** (6), 760–768.
- Yan, F.S., Sun, J.L., Xie, W.H., Shen, L., Ji, H.F., 2018, Neuroprotective effects and mechanisms of curcumin–cu(II) and –zn(II) complexes systems and their pharmacological implications, *Nutrients*, **10** (1), 28.
- Yu, N., Chen, P., Wang, Q., Liang, M., Qiu, J., Zhou, P., Yang, M., Yang, P., Wu, Y., Han, X., Ge, J., Zhuang, J., Yu, K., 2020, Histone deacetylase inhibitors differentially regulate c-Myc expression in retinoblastoma cells, *Oncology letters*, **19** (1), 460–468.
- Yuniarti, N., Juliandi, B., MuhChyi, C., Noguchi, H., Sanosaka, T., Nakashima, K., 2013, Prenatal exposure to suberoylanilide hydroxamic acid perturbs corticogenesis, *Neuroscience Research*, **77** (1–2), 42–49.
- Yuniarti, N., Murwanti, R., dan Sugiyanto, 2017, Elusidasi Mekanisme Molekular Kurkumin dan Dietary Compounds Lain sebagai Brain Disorder Treatment Agents Baru melalui Uji Aktivitas in silico, in vitro, dan in vivo pada Target Enzim Histon Deasetilase, *Laporan Tahun Terakhir Penelitian Berbasis Kompetensi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Yuniarti, N., dan Nurrochmat, A., 2016, Elusidasi Mekanisme Molekular Kurkumin dan Dietary Compounds Lain sebagai Brain Disorder Treatment Agents Baru melalui Uji Aktivitas in vitro, in silico, dan in vivo pada Target Enzim Histon Deasetilase, *Laporan Tahun 2016 Penelitian Berbasis Kompetensi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Yuniarti, N., Purwantiningsih, dan Nurrochmat, A., 2015, Elusidasi Mekanisme Molekular Kurkumin dan Dietary Compounds Lain sebagai Brain Disorder Treatment Agents Baru melalui Uji Aktivitas in vitro, in silico, dan in vivo pada Target Enzim Histon Deasetilase, *Laporan Tahun 2015 Penelitian Berbasis Kompetensi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Zhang, J.H., Mottamal, M., Jin, H.S., Guo, S., Gu, Y., Wang, G., Zhao, L.M., 2019, Design, synthesis and evaluation of belinostat analogs as histone deacetylase inhibitors, *Future Medicinal Chemistry*, **11** (21), 2765–2778.
- Zhang J. dan Jiao J., 2015, Molecular biomarkers for embryonic and adult neural stem cell and neurogenesis, *Biomed Research International*, **2015**, 1-14.
- Zhang, L., Xu, T., Wang, S., Yu, L., Liu, D., Zhan, R., Yu, S. Y., 2012, Curcumin produces antidepressant effects via activating MAPK/ERK-dependent brain-derived neurotrophic factor expression in the amygdala of mice, *Behavioural Brain Research*, **235** (1), 67–72.