

## DAFTAR PUSTAKA

- Adam, A.G.A., Nelwan, J.E., Wariki, W.M., 2018. Kejadian hipertensi dan riwayat keluarga menderita hipertensi di Puskesmas Paceda Kota Bitung. *J. Kesmas* 7: 1–5.
- Albuquerque, N.L.S. de, Oliveira, A.S.S. de, Silva, J.M. da, Araújo, T.L. de, 2018. Association between follow-up in health services and antihypertensive medication adherence. *Rev. Bras. Enferm.* 71: 3006–3012. doi:10.1590/0034-7167-2018-0087
- Alvarado, A.M., Navarro, S.A., 2014. Comparative Clinical Trail Of Safety And Tolerability Of Gabapentin Plus Vitamin B1/B12 Versus Pregabalin In The Treatment Of Painful Peripheral Diabetic Neuropathy. *J. Pain Reli.* S3: 1–6. doi:10.4172/2167-0846.s3-006
- American Pharmacists Association, National Association of Chain Drug Stores Foundation, 2008. Medication Therapy Management in Pharmacy Practice: Core Elements of an MTM Service Model. 1: 1–19.
- Azhari, M.H., 2017. Faktor-Faktor yang Berhubungan dengan Kejadian Hipertensi di Puskesmas Makrayu Kecamatan Ilir Barat II Palembang. *J. Aisyah J. Ilmu Kesehatan.* 2: 23–30. doi:10.30604/jika.v2i1.29
- Badan Pengawas Obat dan Makanan Republik Indonesia, 2006. Faktor penting dalam keberhasilan terapi. *Infopom* 7: 1–12.
- Badan Pusat Statistik, 2013. Kota Yogyakarta Dalam Angka. doi:0215.2479
- Barreto, M. da S., Reiners, A.A.O., Marcon, S.S., 2014. Conhecimento sobre hipertensão arterial e fatores associados à não adesão à farmacoterapia. *Rev. Lat. Am. Enfermagem* 22: 491–498. doi:10.1590/0104-1169.3447.2442
- Beevers, G., Lip, G. Y. *et al.*, 2001, ABC of hypertension: The pathophysiology of hypertension, *British Medical Journal*, 322: 912-916.
- Benetos, A., Thomas, F., Bean, K.E., Guize, L., 2003. Why cardiovascular mortality is higher in treated hypertensives versus subjects of the same age, in the general population. *J. Hypertens.* 21: 1635–1640. doi:10.1097/00004872-200309000-00011
- Bina Farmasi Komunitas dan Klinik, 2006. Pharmaceutical Care Untuk Penyakit Hipertensi. Jakarta.
- Bluml, B.M., 2005. Definition of medication therapy management: Development of professionwide consensus. *J. Am. Pharm. Assoc.* 45: 566–572. doi:10.1331/1544345055001274
- Burnier, M., 2017. Drug adherence in hypertension. *Pharmacol. Res.* 125: 142–149. doi:10.1016/j.phrs.2017.08.015
- Burns, A., 2008. Medication therapy management in pharmacy practice: Core elements of an MTM service model (version 2.0). *J. Am. Pharm. Assoc.* 48: 341–353. doi:10.1331/JAPhA.2008.08514
- Chobanian, A. V, Bakris, G.L., Cushman, W.C., Black, H.R., 2004. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. doi:10.1097/00001573-199903000-00014

- Cipolle, R. J., Strand, L. M. S., and Mortley. P. C., 2012, *Pharmaceutical Care Practice: The Patient-centered Approach to Medication Management Services, Third ed*, New York, McGraw-Hill Companies. P 49-55.
- Dipiro. J. T., Dipiro, C. V., Wells, B. G., and Schwinghammer, T. L., 2009, *Pharmacotherapy Handbook Seventh Edition*, 111-129. The McGraw-Hill Companies, Inc, New York.
- De Oliveira, D.R., Brummel, A.R., Miller, D.B., 2010. Medication therapy management: 10 Years of experience in a large integrated health care system. *J. Manag. Care Pharm.* 16: 185–195. doi:10.18553/jmcp.2010.16.3.185
- Dinas Kesehatan Kota Yogyakarta, 2019. Profil Kesehatan 2019. Kota Yogyakarta.
- Evadewi, P.K.R., Suarya, L.M.K.S., 2013. Kepatuhan Mengonsumsi Obat Pasien Hipertensi Di Denpasar Ditinjau Dari Kepribadian Tipe A Dan Tipe B. *J. Psikol. Udayana* 1: 32–42. doi:10.24843/jpu.2013.v01.i01.p04
- Franssen, M., Farmer, A., Grant, S., Greenfield, S., Heneghan, C., Hobbs, R., Hodgkinson, J., Jowett, S., Mant, J., Martin, U., Milner, S., Monahan, M., Ogburn, E., Perera-Salazar, R., Schwartz, C., Yu, L.M., McManus, R.J., 2017. Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): Protocol for a randomised controlled trial. *BMC Cardiovasc. Disord.* 17: 1–8. doi:10.1186/s12872-017-0494-5
- Gadde, K.M., Martin, C.K., Berthoud, H.R., Heymsfield, S.B., 2018. Obesity: Pathophysiology and Management. *J. Am. Coll. Cardiol.* 71: 69–84. doi:10.1016/j.jacc.2017.11.011
- Galistiani, G.F., Wibowo, M.I.N., Putriana, N., 2018. Pengaruh Konseling Apoteker terhadap Manajemen Rawat Mandiri dan Kepatuhan Minum Obat Pasien Hipertensi di Puskesmas Wilayah Purwokerto, in: Kongres XX & Pertemuan Ilmiah Tahunan IAI. pp. 1–7.
- Gama, I.K., Sarmadi, I.W., Harini, I., 2014. Faktor penyebab ketidakepatuhan kontrol penderita hipertensi. *skripsi*. Politeknik Kesehatan Denpasar, Bali.
- Hajjar, L., Kotchen, T.A., 2003. Trends in Prevalence , Awareness , in the United States , 1988-2000. *J. Am. Med. Assoc.* 290: 199–206.
- Halim, M.C., Andrajati, R., Supardi, S., 2015. Risiko Penggunaan ACEi Terhadap Kejadian Batuk Kering pada Pasien Hipertensi di RSUD Cengkareng dan RSUD Tarakan DKI Jakarta. *J. Kefarmasian Indones.* 5: 113–122. doi:10.22435/jki.v5i2.4406.113-122
- Hazwan, A., Pinatih, G.N.I., 2017. Gambaran Karakteristik Penderita Hipertensi dan Tingkat Kepatuhan Minum Obat di Wilayah Kerja Puskesmas Kintamani I. *Intisari Sains Medis* 8: 130–134. doi:10.1556/ism.v8i2.127
- Huang, N., Duggan, K., Harman, J., 2008. Lifestyle management of hypertension. *Aust. Prescr.* 31: 150–153. doi:10.18773/austprescr.2008.085
- Ibn, Y.S., Tata, F., Abdulganiyu, G., Jamilu, M., Mohammed, G.T., 2013. Evaluation of the Relative Incidence of Adverse Effects Leading To Treatment Discontinuation of Recommended Antihypertensive Drugs. *Int. Res. J. Pharm.* 4: 58–61. doi:10.7897/2230-8407.04613
- In, J., 2017. Introduction of a pilot study. *Korean J. Anesthesiol.* 70: 601–605. doi:10.4097/kjae.2017.70.6.601
- Karakurt, P., Kaşıkçı, M., 2012. Factors affecting medication adherence in patients

- with hypertension. *J. Vasc. Nurs.* 30: 118–126. doi:10.1016/j.jvn.2012.04.002
- Keitel S, 2012. Pharmaceutical Care: Policies and Practices for a Safer, More Responsible and Cost-effective Health System, Serials Review. doi:10.1016/S0098-7913(02)00269-1
- Kementerian Kesehatan Republik Indonesia, 2018. Hasil Utama Riset Kesehatan Dasar (RISKESDAS). Jakarta. doi:10.1088/1751-8113/44/8/085201
- Kementerian Kesehatan Republik Indonesia, 2014. Pusdatin Hipertensi, Infodatin. Jakarta. doi:10.1177/109019817400200403
- Khalesi, S., Irwin, C., Sun, J., 2017. Dietary Patterns, Nutrition Knowledge, Lifestyle, and Health-Related Quality of Life: Associations with Anti-Hypertension Medication Adherence in a Sample of Australian Adults. *High Blood Press. Cardiovasc. Prev.* 24: 453–462. doi:10.1007/s40292-017-0229-9
- Kristanti, P., 2015. Efektifitas dan Efek Samping Penggunaan Obat Antihipertensi Pada Pasien Hipertensi di Puskesmas Kalirungkut Surabaya. *J. Ilm. Mhs. Univ. Surabaya* 4: 1–13.
- Kristina, S.A., Putri, L.R., Riani, D.A., Ikawati, Z., Endarti, D., 2019. Validity of Self-Reported Measure of Medication Adherence Among Diabetic Patients in Indonesia. *Int. Res. J. Pharm.* 10: 144–148. doi:10.7897/2230-8407.1007234
- Krousel-Wood, M., Hyre, A., Muntner, P., Morisky, D., 2005. Methods to improve medication adherence in patients with hypertension: Current status and future directions. *Curr. Opin. Cardiol.* 20: 296–300.
- Krousel-Wood, M., Thomas, S., Muntner, P., Morisky, D., 2004. Medication adherence: A key factor in achieving blood pressure control and good clinical outcomes in hypertensive patients. *Curr. Opin. Cardiol.* 19: 357–362. doi:10.1097/01.hco.0000126978.03828.9e
- Krousel-Wood, M.A., Muntner, P., Islam, T., Morisky, D.E., Webber, L.S., 2009. Barriers to and Determinants of Medication Adherence in Hypertension Management: Perspective of the Cohort Study of Medication Adherence Among Older Adults. *Med. Clin. North Am.* 93: 753–769. doi:10.1016/j.mcna.2009.02.007
- Larasati, T.A., 2019. Komunikasi Dokter-Pasien Berfokus Pasien pada Pelayanan Kesehatan Primer Patient Centered Communication in Primary Care. *J. Kedokt. Univ. Lampung* 3: 160–166.
- Lemeshow, S., Hosmer, D.W., Klar, J., Lwanga, S.K., 1990. Adequacy of Sample Size in Health Studies. New York. doi:10.2307/2532527
- Liu, M.Y., Li, N., Li, W.A., Khan, H., 2017. Association between psychosocial stress and hypertension: a systematic review and meta-analysis. *Neurol. Res.* 39: 573–580. doi:10.1080/01616412.2017.1317904
- Mancia, G., Backer, G. De, Dominiczak, A., Cifkova, R., Fagard, R., 2007. 2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). *J. Hypertens.* 25: 1105–1187. doi:10.1016/s0145-4145(08)05031-4
- Marasabessy, H., Fudholi, A., Andayani, T.M., 2019. Pengaruh Kepatuhan Pasien Rawat Jalan Hipertensi Peserta Asuransi PT. Askes Terhadap Pembiayaanya.

- Tunas-Tunas Ris. Kesehat.* 9: 56–63.
- McGivney, M.S., Meyer, S.M., Duncan-Hewitt, W., Hall, D.L., Goode, J.V.R., Smith, R.B., 2007. Medication therapy management: Its relationship to patient counseling, disease management, and pharmaceutical care. *J. Am. Pharm. Assoc.* 47: 620–628. doi:10.1331/JAPhA.2007.06129
- McKenzie, K., Forsyth, K., O'Hare, A., McClure, I., Rutherford, M., Murray, A., Irvine, L., 2016. The relationship between waiting times and “adherence” to the Scottish Intercollegiate Guidelines Network 98 guideline in autism spectrum disorder diagnostic services in Scotland. *Autism* 20: 395–401. doi:10.1177/1362361315586136
- Nanurlaili, S.W., Sudhana, I.W., 2014. Gambaran Kepatuhan Minum Obat Dan Peran Serta Keluarga Pada Keberhasilan Pengobatan Pasien Hipertensi Di Desa Timbrah Kecamatan Karangasem Pada Januari 2014. *skripsi*. Universitas Udayana, Bali.
- Nguyen, O., Dominguez, J., Nguyen, L., Grillpalli, N., 2010. Hypertension Management: An Update, *American Health & Drug Benefit*, 3(10). 47-56.
- Notoadmojo, S., 2018. *Metodologi Penelitian Kesehatan*, Jakarta: Rineka Cipta.
- Pinzon, R.T., Sanyasi, R.D.L.R., 2019. Efektivitas Penggunaan Kombinasi Vitamin B pada Pasien Neuropati Diabetikum. *J. Farm. Dan Ilmu Kefarmasian Indones.* 5: 6. doi:10.20473/jfiki.v5i12018.6-12
- Pirasath, S., Kumanan, T., Guruparan, M., 2017. A Study on Knowledge, Awareness, and Medication Adherence in Patients with Hypertension from a Tertiary Care Centre from Northern Sri Lanka. *Int. J. Hypertens.* 1: 1–6. doi:10.1155/2017/9656450
- Pratiwi, L., Hasneli, Y., Ernawaty, J., 2015. Pengaruh Teknik Relaksasi Benson dan Murottal Al-Qur'an Terhadap Tekanan Darah pada Penderita Hipertensi Primer. *J. Online Mhs.* 2: 1212–1220.
- Pringle, J.L., Boyer, A., Conklin, M.H., McCullough, J.W., Aldridge, A., 2014. The pennsylvania project: Pharmacist intervention improved medication adherence and reduced health care costs. *Health Aff.* 33: 1444–1452. doi:10.1377/hlthaff.2013.1398
- Putri, R.A., Andrajati, R., Bahtiar, A., 2013. Perbandingan Efektivitas Konseling dan Poster terhadap Kepatuhan dan Luaran Terapi pada Pasien Hipertensi. *J. Manaj. dan Pelayanan Farm.* 3: 117–124.
- Rahajeng, E., Tuminah, S., 2009. Prevalensi Hipertensi dan Determinannya di Indonesia. *Maj Kedokt. Indones.* 59: 580–587.
- Rahmawati, I., 2018. Dampak Pemberian Media Leaflet Hipertensi Terhadap Tingkat Kepatuhan pada Pasien Hipertensi di Puskesmas Kota Yogyakarta Bagian Barat. Universitas Gadjah Mada Yogyakarta.
- Rahmawati, R., Bajorek, B., 2017. Factors affecting self-reported medication adherence and hypertension knowledge: A cross-sectional study in rural villages, Yogyakarta Province, Indonesia. *Chronic Illn.* 0: 1–16. doi:10.1177/1742395317739092
- Saqlain, M., Riaz, A., Malik, M.N., Khan, S., Ahmed, A., Kamran, S., Ali, H., 2019. Medication adherence and its association with health literacy and performance in activities of daily livings among elderly hypertensive patients in Islamabad,

- Pakistan. *Med.* 55: 1–16. doi:10.3390/medicina55050163
- Schmieder, R.E., 2005. Mechanisms for the clinical benefits of angiotensin II receptor blockers. *Am. J. Hypertens.* 18: 720–730. doi:10.1016/j.amjhyper.2004.11.032
- Setyanda, Y.O.G., Sulastrri, D., Lestari, Y., 2015. Hubungan Merokok dengan Kejadian Hipertensi pada Laki-Laki Usia 35-65 Tahun di Kota Padang. *J. Kesehat. Andalas* 4: 434–440. doi:10.25077/jka.v4i2.268
- Son, Y.J., Won, M.H., 2017. Depression and medication adherence among older Korean patients with hypertension: Mediating role of self-efficacy. *Int. J. Nurs. Pract.* 23: 1–8. doi:10.1111/ijn.12525
- Sriani, K.I., Fakhriadi, R., Rosadi, D., 2016. Hubungan Antara Perilaku Merokok dan Kebiasaan Olahraga dengan Kejadian Hipertensi pada Laki-Laki Usia 18-44 Tahun. *J. Kesehat. Masy. Indones.* 3: 1–6.
- Spencer, Rebecca 2007. Simple Guide Menopause. Jakarta. Erlangga.
- Sujarweni, V. S., 2015, *Statistik untuk Kesehatan*, Gava Media: Yogyakarta.
- Sukandar EY, Andrajati R, Sigit JI, I Ketut A, Setiadi AAP, Kusnandar.2008.ISO Farmakoterapi.Jakarta : PT. ISFI
- Sunyoto, D., 2011, Analisis Data Untuk Penelitian Kesehatan : Analisis Data Penelitian dengan SPSS untuk Mahasiswa dan Praktisi Kesehatan, Nuha Medika, Yogyakarta.
- Suhadi, R., Atthobari, J., Irawan, B., Dwiprahasto, I., 2013. Hubungan Faktor Komorbiditas, Intensifikasi Terapi, dan Pengendalian Tekanan Darah. *J. Farm. Sains dan Komunitas* 10: 1–8. doi:10.1017/CBO9781107415324.004
- Susilowati, A., Risnawati, C., 2017. Gambaran Pola Pengobatan Hipertensi Di Puskesmas Berbah Sleman Yogyakarta Bulan Januari 2017 the Drug Prescribing Pattern in Hypertensive Patients At Puskesmas Berbah Sleman Yogyakarta on January 2017. *Akfarindo* 2: 25–32.
- Syahrini, E. nur, Susanto, H., Udiyono, A., 2012. Faktor Risiko Hipertensi Primer. *Nurs. Times* 1: 315–325.
- Tedla, Y.G., Bautista, L.E., 2016. Drug Side Effect Symptoms and Adherence to Antihypertensive Medication. *Am. J. Hypertens.* 29: 772–779. doi:10.1093/ajh/hpv185
- Tjandrawinata, R.R., 2012 , Hypertension, *Jurnal Medicinus*, 25 (1), 7.
- Touchette, D.R., Masica, A.L., Dolor, R.J., Schumock, G.T., Choi, Y.K., Kim, Y., Smith, S.R., 2012. Safety-focused medication therapy management: A randomized controlled trial. *J. Am. Pharm. Assoc.* 52: 603–612. doi:10.1331/JAPhA.2012.12036
- Ulfa, M., 2017. Analisis Efektivitas Biaya (Cost Effectiveness Analysis) Penggunaan Amlodipin Dibandingkan Captopril pada Pasien Hipertensi di RSUD Kabupaten Karanganyar Tahun 2016. *skripsi*. Universitas Setia Budi, Surakarta.
- Utami, R.S., Raudatussalamah, R., 2017. Hubungan Dukungan Sosial Keluarga dengan Kepatuhan Berobat Penderita Hipertensi di Puskesmas Tualang. *J. Psikol.* 12: 91. doi:10.24014/jp.v12i2.3235
- Wahyudi, A.I., 2014. Gambaran Tekanan Darah Berdasarkan Faktor Pemberat Hipertensi pada Pasien Hipertensi Perokok di Wilayah Kerja Puskesmas





- Ciputat Kota Tangerang Selatan. *skripsi*. UIN Syarif Hidayatullah Jakarta.
- Wahyuni, Eksanoto, D., 2013. Hubungan tingkat pendidikan dan jenis kelamin dengan kejadian hipertensi di kelurahan jagalan di wilayah kerja puskesmas pucangsawit surakarta. *J. Ilmu Keperawatan Indones.* 1: 112–121.
- WHO, 2013. Global Brief on Hypertension: Silent Killer, Global Public Health Crisis. Geneva. doi:10.5005/ijopmr-24-1-2
- WHO, 2005. Clinical Guidelines for the Management of Hypertension. Cairo.
- WHO, 2003. Adherence To Long-Term Therapies: Evidence for Action. Geneva.
- Wolf, A., Hutcheson, K.A., 2008. Advances in evaluation and management of pediatric idiopathic intracranial hypertension. *Curr. Opin. Ophthalmol.* 19: 391–397. doi:10.1097/ICU.0b013e328309f1b6
- Yosida, I., 2016. Efektivitas Penggunaan Obat Antihipertensi di Instalasi Rawat Inap Bangsal Bakung RSUD Panembahan Senopati Bantul Periode Agustus 2015. *skripsi*. Universitas Sanata Dharma, Yogyakarta.