

## DAFTAR PUSTAKA

- Andayani, T.M., 2013, *Farmakoekonomi: Prinsip dan Metodologi*, Bursa Ilmu, Yogyakarta.
- Andayani, T.M., Kristina, S.A., dan Endarti, D., 2018, *Pengembangan Instrumen untuk Pengukuran Kualitas Hidup dalam Studi Farmakoekonomi dan Health Technology Assessment di Indonesia*, Laporan Akhir Tahun Penelitian Unggulan Perguruan Tinggi, Universitas Gadjah Mada, Yogyakarta.
- Andayani, T.M., Kristina, S.A., dan Endarti, D., 2019, Translation, cultural adaptation, and validation of the quality of well being self-administered questionnaire in general population in Indonesia, *Journal of Basic and Clinical Physiology and Pharmacology*, 30(6), 1-8.
- Anonim, 2013, *Pedoman Penerapan Kajian Farmakoekonomi*, Direktorat Jenderal Bina Kefarmasian dan Alat Kesehatan, Kementerian Kesehatan RI, Jakarta.
- Anonim, 2013, Peraturan Presiden Nomor 12 Tahun 2013, Kementerian Kesehatan RI, Jakarta.
- Anonim, 2017, *Buku Panduan Penilaian Teknologi Kesehatan : Efektivitas Klinis dan Evaluasi Ekonomi*, Panduan Pusat Pembiayaan dan Jaminan Kesehatan, Kementerian Kesehatan RI, Komite Penilaian Teknologi Kesehatan, Jakarta.
- Bharmal, M., dan Thomas, J., 2006, Comparing the EQ-5D and the SF-6D Descriptive Systems to Assess Their Ceiling Effects in the US General Population, *Value in Health*, 9(4), 262-271.
- Brazier J., dan Roberts, J., 2004, The estimation of a preference-based measure of health from the SF-12, *Medical Care*, 42(9), 851–859.
- Brazier, J., Fukahara, S., Roberts, J., Kharroubi, S., Yamamoto, Y., Ikeda, S., Doherty, J., dan Kurokawa, K., 2009, Estimating a preference-based index from the Japanese SF-36, *J Clin Epidemiol*, 62(12), 1323–1331.
- Brazier, J., Roberts, J., dan Deverill, M., 2002, The estimation of a preference-based measure of health from the SF-36, *Journal of Health Economics*, 21, 271-292.
- Campolina, A.G., Bortoluzzo, A.B., Ferraz, M.B., dan Ciconelli, R.M., 2010, The SF-6D Brazil Questionnaire: Generation Models and Application in Health Economics, *Revista da Associação Médica Brasileira*, 56(4), 409 – 414.
- Campolina, A.G., Lopez R.V.M., Nardi, E.P., dan Ferraz, M.B., 2018, Internal Consistency of the SF-6D as a Health Status Index in the Brazilian Urban Population, *Value in Health Regional Issues*, 17, 74-80.
- Cramer, J.A., Spilker, B., 1998, *Quality of life and pharmacoeconomics: an introduction*, Lippincott-Raven, Philadelphia.

- Cruz, L., Comey, S., Hoffmann, J.F., Rowen, D., Brazier, J.E., Fleck, M.P., dan Polanczyk, C.A., 2011, Estimating the SF-6D value set for a population-based sample of Brazilians, *Value Health*, 14(5), 108-114.
- Deng, N., Allison, J.J., Fang, H.J., Ash, A.S., dan Ware Jr, J.E, 2013, Using the Bootstrap to Establish Statistical Significance for Relative Validity Comparisons Among Patient-Reported Outcome Measures, *Health Quality of Life Outcomes*, 11(89), 1477-7525.
- Drummond, M.F., Sculpher, M.J., Torrance, G.W., O'Brien, B.J., dan Stoddart, G.L., 2005, *Methods for The Evaluation of Health Care Programmes*, Third Edition, Oxford University Press, New York.
- Engel, L., Bryan, S., Evers, S.M.A.A., Dirksen, C.D., Noonan, V.K., dan Whitehurst, D.G.T., 2014, Exploring psychometric properties of the SF-6D, a preference-based health-related quality of life measure, in the context of spinal cord injury, *Quality of Life Research*, 23(8), 2383-2393.
- Ferreira, L., Ferreira, P., Pereira, L., Brazier, J., dan Rowen, D., 2010, A Portuguese value set for the SF-6D, *Value Health*, 13(5), 624-630.
- Ferreira, L., N., Feirera, P.L., Pereira, L.N., dan Brazier, J., 2008, An application of the SF-6D to create health values in Portuguese working age adults, *Journal of Medical Economics*, 11, 215-233.
- Fitzpatrick, R., Davey, C., Buxton, M.J. dan Jones, D.R., 1998, Evaluating Patient Based Outcome Measures for Use in Clinical Trials, *Health Technology Assessment*, 2(14), 1-74.
- Haris, R.N.H., Makmur, R., Andayani, T.M., dan Kristina, S.A., 2019, *Penilaian Properti Psikometrik Instrumen Kualitas Hidup (HRQol) pada Populasi Umum: Tinjauan Sistematis*, Jurnal Manajemen dan Pelayanan Farmasi, 9(2), 65-75.
- Heslin, M., Chua, K.C., Trevillion, K., Nath, S., Howard, L.M., dan Byford, S., 2019, Psychometric properties of the five-level EuroQoL-5 dimension and Short Form-6 dimension measures of health-related quality of life in a population of pregnant women with depression, *BJPsych Open*, 5(6), 1-6.
- Hofman, C.S., Lutomski, J.E., Boter, H., Buurman, B.M., Craen, A.J.M., Donders, R., Rikkert, M.G.M.O., Makai, P., dan Melis, R.J.F., 2017, Examining the construct and known-group validity of a composite endpoint for The Older Persons and Informal Caregivers Survey Minimum Data Set (TOPICS-MDS); A large-scale data sharing initiative, *PLoS One*, 12(3), 1-12.
- Jogiyanto, H.M., 2008, *Pedoman Survei Kuesioner: Mengembangkan Kuesioner, Mengatasi Bias, dan Meningkatkan Respon*, Badan Penerbit Fakultas Ekonomika dan Bisnis UGM, Yogyakarta.

- Johnson, J.A., Luo, N., Shaw, J.W., Kind, P., dan Coons, S.J., 2005, Valuations of the EQ-5D health states: Are the united states and united kingdom different, *Medical Care*, 43(3), 221-228.
- Kontodimopoulos, N., Pappa, E., Papadopoulos, A.A., Tountas, Y., dan Niakas, D., 2009, Comparing SF-6D and EQ-5D utilities across groups differing in health status, *Quality of Life Research*, 18(1), 87-97.
- Lam, C.L.K., Brazier, J., dan McGhee, S.M., 2008, Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population, *Value in Health* 11(2), 295 – 303.
- Lemeshow, S., Hosmer Jr., D.W., Klar, J., dan Lwanga, S.K., 1990, *Adequacy of Sample Size in Health Studies*, John Wiley & Sons Ltd., Chichester.
- Murti, B., 2011, *Validitas dan Reliabilitas Pengukuran*, Matrikulasi Program Studi Doktorat, Fakultas Kedokteran, UNS.
- Nurpiati dan Perwitasari, D.P., 2015, Perbandingan kualitas hidup pasien hipertensi menggunakan kuesioner EQ-5D dan SF-6D di RS X Yogyakarta, *Farmasains*, 2(6), 253-258.
- Polinder, S., Toet, H., Panneman, M., dan Beeck, E.V., 2011, *Methodological Approaches for Cost-Effectiveness and Cost-Utility Analysis of Injury*, Erasmus MC, Denmark.
- Pramono, A., Sumariyono dan Isbagio, H., 2010, Reliability and validity of European Quality of Life 5 Dimension (EQ-5D) for measuring health related quality of life in knee osteoarthritis patients at Cipto Mangunkusumo General Hospital, *Indonesian Journal of Rheumatology*, 2(3), 19-25.
- Purba, F., Hunfeld, J.A.M., Iskandarsyah, A., Fitriana, T.S., Sadarjoen, S.S., Ramos-Goni, J.M., Passchier, J., dan Busschbach, J.J.V., 2017, The Indonesian EQ-5D-5L Value Set, *PharmacoEconomics* 35(8), 1153-1165.
- Rachmawati, Y., Perwitasari, D.A., dan Adnan, 2014, Validasi Kuesioner SF-36 Versi Indonesia terhadap Pasien Hipertensi Di Puskesmas Yogyakarta, *Pharmacy*, 11(1), 14-25.
- Reenen, M.V., dan Janssen, B., 2015, *EQ-5D-5L User Guide: Basic information on how to use the EQ-5D-5L instrument*, Versi 2.1.
- Ross, K. N., 2005, *Sample Design for Educational Survey Research*, International Institute for Educational Planning/United Nations Educational, Scientific and Cultural Organization. Paris, Perancis.
- Rudmik, L., dan Drummond, M., 2013, Health Economic Evaluation: Important Principles and Methodology, *The Laryngoscope*, 123(6), 1341-1347
- Sakthong, P., dan Mumpan, W., 2017, A Head-to-Head Comparison of UK SF-6D and Thai and UK EQ-5D-5L Value Sets in Thai Patients with Chronic Diseases, *Applied Health Economics and Health Policy*, 15(12), 669-679.

- Søgaard, R., Christensen, F.B., Videbæk, T.S., Bünger, C., Christiansen, T., 2009, Interchangeability of the EQ-5D and the SF-6D in long-lasting low back pain, *Value in Health*, 12(4), 606-612.
- Srikesavan, C.S., Shay, B., dan Szturm, T., 2015, Test-Retest Reliability and Convergent Validity of a Computer Based Hand Function Test Protocol in People with Arthritis, *The Open Orthopaedics Journal*, 9, 57–67.
- Streiner, D.L. dan Norman, G.R., 1995, *Health Measurement Scale: A Practical Guide to Their Development and Us*, Oxford University Press, New York.
- Terwee, C.B., Bot, S.D.M., de Boer, M.R., van der Windt, D.A., Knol, D.L., Dekker, J.,... dan de Vet, H.C.W., 2007, Quality Criteria were Proposed for Measurement Properties of Health Status Questionnaires, *Journal of Clinical Epidemiology*, 60(1), 34-42.
- Thaweethamcharoen, T., Noparatayaporn, P., Sritippayawan, S., dan Aiyasanon, N., 2019, Comparison of EQ-5D-5L, VAS, and SF-6D in Thai Patients on Peritoneal Dialysis, *Value in Health Regional Issues*, 18, 59-64.
- The EuroQol Group, 1990, *EuroQol-a new facility for the measurement of healthrelated quality of life*, *Health Policy* 16(3):199-208., dalam EuroQol Group, 2015, EQ-5D-3L User Guide–Basic information on how to use the EQ-5D-3L instrument.
- Torrance, G.W., 1986, *Measurement of Health State Utilities for Economic Appraisal*, *Journal of Health Economics*, 5(1), 1-30.
- Tsuchiya, A., Ikeda, S., Ikekami, N., Nishimura, S., Sakai, I., Fukuda, T., Hamashima, C., Hisashige, A., dan Tamura, M., 2002, Estimating an EQ-5D population value set: the case of Japan, *Health Econ*, 11(4), 341-345.
- Walters, S.J., 2009, *Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation*, John Wiley dan Sons, Ltd., Chichester.
- Whitehead, S. J., dan Ali, S., 2010, *Health Outcomes in Economic Evaluation: The QALY and Utilities*, *British Medical Bulletin*, 96, 5-21.
- Widhiarso, W., 2016, *Estimasi Reliabilitas via SPSS*, Bab 2, <http://widhiarso.staff.ugm.ac.id/file>, 19 Februari 2020.
- Wittrup-jensen, K.U., Lauridsen, J.T., dan Gudex, C., 2002, Estimating Danish EQ-5D tariffs using the time trade-off (TTO) and visual analog scale (VAS) methods, *Swedish Institute for Health economics*, 257-292.
- Woo, J.M., dan Il, L.S., 2007, General population time trade-off values for 42 EQ-5D health states in South Korea, *Journal of Preventive Medicine and Public Health*, 40(2), 169-176.
- Wu, J., Han, Y., Zhao, F.L., Zhou, J., Chen, Z., dan Sun, H., 2014, Validation and comparison of EuroQoL-5 dimension (EQ-5D) and Short Form-6 dimension

(SF-6D) among stable angina patients, *Health and Quality of Life Outcomes*, 12(156), 1-11.

Ye, Z., Sun, L., dan Wang, Q., 2019, A head-to-head comparison of EQ-5D-5 L and SF-6D in Chinese patients with low back pain, *Health and Quality of Life Outcomes*, 17(57), 1-11.

Zhao, F.M.S., Yue, M., Yang, H., Wang, T., Wu, J.H., dan Li, S.C., 2010, Validation and Comparison of EuroQol and Short Form 6D in Chronic Prostatitis Patients, *Value in Health*, 13(5), 649-656.

Zhao, L., dkk., Comparison of the psychometric properties of the EQ-5D-3L and SF-6D in the general population of Chengdu city in China, *Medicine Journal*, 98(11), 1-11.