

## DAFTAR PUSTAKA

- Aksoydan, E., & Camci, N. (2009). Prevalence of orthorexia nervosa among Turkish performance artists. *Eating and Weight Disorders*, 14(1), 33–37. <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L358439672%0Ahttp://www.kurtis.it/download/index.cfm?id=6158&t=lres>.
- Almeida, C., Vieira Borba, V., & Santos, L. (2018). Orthorexia nervosa in a sample of Portuguese fitness participants. *Eating and Weight Disorders*, 23(4), 443–451. <https://doi.org/10.1007/s40519-018-0517-y>.
- Asil, E., & Surucuoglu, M. S. (2015). Orthorexia nervosa in Turkish dieticians. *Ecology of Food and Nutrition*, 54, 303–313.
- Barthels, F., Meyer, F., Huber, T., & Pietrowsky, R. (2017). Orthorexic eating behaviour as a coping strategy in patients with anorexia nervosa. *Eating and Weight Disorders*, 22(2), 269–276. <https://doi.org/10.1007/s40519-016-0329-x>.
- Bartrina, J. A. (2007). Ortorexia o la obsesio 'n por la dieta saludable. *Arch Latinoam Nutr* 57(4):313–315.
- Barzegari, A., Ebrahimi, M., Azizi, M. and Ranjbar, K. (2011) A Study of Nutrition Knowledge, Attitudes and Food Habits of College Students. *World Applied Sciences Journal*, 15, 1012-1017.
- Bratland-Sanda, S., & Sundgot-Borgen, J. (2013). Eating disorders in athletes: Overview of prevalence, risk factors and recommendations for prevention and treatment. *European Journal of Sport Science*. <https://doi.org/10.1080/17461391.2012.740504>.
- Bratman, S. (2017). Orthorexia vs. theories of healthy eating. *Eating and Weight Disorders*, 22(3), 381–385. <https://doi.org/10.1007/s40519-017-0417-6>.
- Brytek-Matera, A. (2012). *Orthorexia nervosa – an eating disorder , obsessive- - compulsive disorder or disturbed eating habit ?* 55–60.
- Brytek-Matera, A., Fonte, M. L., Poggiogalle, E., Donini, L. M., & Cena, H. (2017). Orthorexia nervosa: relationship with obsessive-compulsive symptoms,

- disordered eating patterns and body uneasiness among Italian university students. *Eating and Weight Disorders*, 22(4), 609–617. <https://doi.org/10.1007/s40519-017-0427-4>.
- Brytek-Matera, A., Rogoza, R., Gramaglia, C., & Zeppegno, P. (2015). Predictors of orthorexic behaviours in patients with eating disorders: A preliminary study. *BMC Psychiatry*, 15(1), 1–9. <https://doi.org/10.1186/s12888-015-0628-1>.
- Bundros, J., Clifford, D., Silliman, K., & Neyman Morris, M. (2016). Prevalence of Orthorexia nervosa among college students based on Bratman’s test and associated tendencies. *Appetite*, 101, 86–94. <https://doi.org/10.1016/j.appet.2016.02.144>.
- Carrotte, E. R., Vella, A. M., Lim, M. S. (2015). Predictors of “liking” three types of health and fitness-related content on social media: a cross-sectional study. *J Med Internet Res* 17(8).
- Chaki, B., Pal, S., & Bandyopadhyay, A. (2013). Exploring scientific legitimacy of orthorexia nervosa: A newly emerging eating disorder. *Journal of Human Sport and Exercise*, 8(4), 1045–1053. <https://doi.org/10.4100/jhse.2013.84.14>.
- Clifford, T., & Blyth, C. (2018). A pilot study comparing the prevalence of orthorexia nervosa in regular students and those in University sports teams. *Eating and Weight Disorders*, 0(0), 0. <https://doi.org/10.1007/s40519-018-0584-0>.
- Costa, C. B., & Hardan-Khalil, K. (2018). Orthorexia nervosa and obsessive-compulsive behavior among college students in the United States. *Journal of Nursing Education and Practice*, 9(2), 67. <https://doi.org/10.5430/jnep.v9n2p67>.
- Costa, C. B., Hardan-Khalil, K., & Gibbs, K. (2017). Orthorexia Nervosa: A Review of the Literature. *Issues in Mental Health Nursing*, 38(12), 980–988. <https://doi.org/10.1080/01612840.2017.1371816>
- de Souza, Q. J. O. V., & Rodrigues, A. M. (2014). Risk behavior for orthorexia nervosa in nutrition students. *Revista Chilena de Nutricion*, 63(3), 200-204. <http://dx.doi.org/10.1590/0047-20850000000026>.
- Depa, J., Schweizer, J., Bekers, S. K., Hilzendegen, C., & Stroebele-Benschop, N.

- (2017). Prevalence and predictors of orthorexia nervosa among German students using the 21-item-DOS. *Eating and Weight Disorders*, 22(1), 193–199. <https://doi.org/10.1007/s40519-016-0334-0>.
- Depkes RI. (2009). *Klasifikasi Umur Menurut Kategori*. Jakarta: Ditjen Yankes.
- Donini, L. M., Marsili, D., Graziani, M. P., Imbriale, M., & Cannella, C. (2004). Orthorexia nervosa: A preliminary study with a proposal for diagnosis and an attempt to measure the dimension of the phenomenon. *Eating and Weight Disorders*, 9(2), 151–157. <https://doi.org/10.1007/BF03325060>.
- Donini, L. M., Marsili, D., Graziani, M. P., Imbriale, M., & Cannella, C. (2005). Orthorexia nervosa: Validation of a diagnosis questionnaire. *Eating and Weight Disorders*, 10(2). <https://doi.org/10.1007/BF03327537>.
- Fidan, T., Ertekin, V., Isikay, S., & Kirpinar, I. (2010). Prevalence of orthorexia among medical students in Erzurum, Turkey. *Comprehensive Psychiatry*, 51(1), 49-54. <http://dx.doi.org/10.1016/j.comppsy.2009.03.001>.
- Freeman, H. (2015). Green is the new black: the unstoppable rise of the healthy-eating guru. *Guardian*.
- Herranz, J., & Patricia, V. (2014). *Prevalence of orthorexia nervosa among ashtanga yoga practitioners : a pilot study*. 469–472. <https://doi.org/10.1007/s40519-014-0131-6>.
- Hungu. 2007. Pengertian Jenis Kelamin. Dapat dibuka pada situs <http://www.scribd.com/doc/143354392/BAB-II-Tinjauan-Gender>
- Kaltsa M, Garoufi A, Tsitsika A, Tsirogianni A, Papasteriades C, Kossiva L. (2015). Patients with eating disorders showed no signs of coeliac disease before and after nutritional intervention. *Acta paediatrica* (Oslo, Norway : 1992). 104. 10.1111/apa.12985.
- Kiss-Leizer, M., Tóth-Király, I., & Rigó, A. (2019). How the obsession to eat healthy food meets with the willingness to do sports: the motivational background of orthorexia nervosa. *Eating and Weight Disorders*, 0(0), 0. <https://doi.org/10.1007/s40519-019-00642-7>.
- Koven, N. S., & Abry, A. W. (2015). *Neuropsychiatric Disease and Treatment Dovepress The clinical basis of orthorexia nervosa: emerging perspectives*.

385–394. <https://doi.org/10.2147/NDT.S61665>.

Koven, N. S., & Senbonmatsu, R. (2013). A neuropsychological evaluation of orthorexia nervosa. *Open Journal of Psychiatry*, 03(02), 214–222. <https://doi.org/10.4236/ojpsych.2013.32019>.

Malmborg, J., Bremander, A., Olsson, M. C., & Bergman, S. (2017). Health status, physical activity, and orthorexia nervosa: A comparison between exercise science students and business students. *Appetite*, 109, 137–143. <https://doi.org/10.1016/j.appet.2016.11.028>.

McInerney-Ernst, E. M. (2011). *Orthorexia nervosa: Real construct or newest social trend?* (Unpublished doctoral dissertation). Kansas city, MO: University of Missouri.

Meeusen, R., Duclos, M., Gleeson, M., Rietjens, G., Steinacker, J., & Urhausen, A. (2006). Prevention, diagnosis and treatment of the overtraining syndrome. *European Journal of Sport Science*, 6(1), 1-14.

Nuttall F. Q. (2015). Body Mass Index: Obesity, BMI, and Health: A Critical Review. *Nutrition today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>

Oberle, C. D., Samaghabadi, R. O., & Hughes, E. M. (2017). Orthorexia nervosa: Assessment and correlates with gender, BMI, and personality. *Appetite*, 108, 303–310. <https://doi.org/10.1016/j.appet.2016.10.021>.

Oberle, C. D., Watkins, R. S., & Burkot, A. J. (2018). Orthorexic eating behaviors related to exercise addiction and internal motivations in a sample of university students. *Eating and Weight Disorders*, 23(1), 67–74. <https://doi.org/10.1007/s40519-017-0470-1>.

Parra-Fernández, M. L., Rodríguez-Cano, T., Onieva-Zafra, M. D., Perez-Haro, M. J., Casero-Alonso, V., Fernández-Martínez, E., & Notario-Pacheco, B. (2018). Prevalence of orthorexia nervosa in university students and its relationship with psychopathological aspects of eating behaviour disorders. *BMC Psychiatry*, 18(1), 1–8. <https://doi.org/10.1186/s12888-018-1943-0>.

Plichta, M., & Jezewska-Zychowicz, M. (2019). Eating behaviors, attitudes toward health and eating, and symptoms of orthorexia nervosa among students.

- Appetite*, 137(September 2018), 114–123.  
<https://doi.org/10.1016/j.appet.2019.02.022>.
- Plichta, M., & Jezewska-Zychowicz, M. (2020). Orthorexic tendency and eating disorders symptoms in Polish students: Examining differences in eating behaviors. *Nutrients*, 12(1). <https://doi.org/10.3390/nu12010218>.
- Ramacciotti, C. E., Perrone, P., Coli, E., Buralassi, A., Conversano, C., Massimetti, G., et al. (2011). Orthorexia nervosa in the general population: A preliminary screening using a self-administered questionnaire (ORTO-15). *Eating and Weight Disorders*, 16, 127–130.
- Reynolds, R. (2018). Is the prevalence of orthorexia nervosa in an Australian university population 6.5%? *Eating and Weight Disorders*, 23(4), 453–458. <https://doi.org/10.1007/s40519-018-0535-9>.
- Sanlier, N., Yassibas, E., Bilici, S., Sahin, G., & Celik, B. (2016). Does the rise in eating disorders lead to increasing risk of orthorexia nervosa? Correlations with gender, education, and body mass index. *Ecology of Food and Nutrition*, 55(3), 266–278. <https://doi.org/10.1080/03670244.2016.1150276>.
- Shah, S. M. (2012). Orthorexia nervosa: healthy eating or eating disorder? *Masters Thesis*, 991. <https://doi.org/10.1037/e546872013-026>.
- Sharma, S. S., & De Choudhury, M. (2015). Measuring and characterizing nutritional information of food and ingestion content in instagram. *WWW 2015 Companion - Proceedings of the 24th International Conference on World Wide Web*. <https://doi.org/10.1145/2740908.2742754>.
- Sidani, J. E., Shensa, A., Radovic, A., Miller, E., Colditz, J. B., Hoffman, B. L., Giles, L. M., Primack, B. A. (2016). Association between social media use and depression among US young adults. *Depress Anxiety* 33(4):323–331.
- Strahler, J., Hermann, A., Walter, B., & Stark, R. (2018). Orthorexia nervosa: A behavioral complex or a psychological condition? *Journal of Behavioral Addictions*, 7(4), 1143–1156. <https://doi.org/10.1556/2006.7.2018.129>.
- Tremelling, K., Sandon, L., Vega, G. L., & McAdams, C. J. (2017). Orthorexia Nervosa and Eating Disorder Symptoms in Registered Dietitian Nutritionists in the United States. *Journal of the Academy of Nutrition and Dietetics*,

117(10), 1612–1617. <https://doi.org/10.1016/j.jand.2017.05.001>.

Turner, P. G., & Lefevre, C. E. (2017). Instagram use is linked to increased symptoms of orthorexia nervosa. *Eating and Weight Disorders*, 22(2), 277–284. <https://doi.org/10.1007/s40519-017-0364-2>.

Varga, M., Dukay-Szabó, S., Túry, F., & van Furth, E. F. (2013). Evidence and gaps in the literature on orthorexia nervosa. *Eating and Weight Disorders*, 18(2), 103–111. <https://doi.org/10.1007/s40519-013-0026-y>.

Varga, M., Dukay-Szabó, S., Túry, F., & van Furth, E. F. (2014). When eating healthy is not healthy: Orthorexia nervosa and its measurement with the ORTO-15 in Hungary. *BMC Psychiatry*, 1–11. <https://doi.org/10.1186/1471-244X-14-59>.

Zamora, M. L. C., Bonaechea, B. B., Garcia, S., & Rial, B. (2005). Clinical case Orthorexia nervosa . A new eating behavior disorder? *Actas Esp. Psiquiatr*, 33(1), 66–68.