

DAFTAR PUSTAKA

- Adelaja, A.A., Ayoola, M.D., Otulana, J.O., Akinola, O.B., Olayiwola, A. & Ejiwunmi, A.B., 2008, Evaluation of the Histo-Gastroprotective and Antimicrobial Activities of *Heliotropium indicum* Linn. (Boraginaceae), *Malaysian Journal of Medical Sciences*, **15(3)**: 22–30.
- Adjagba, M., Awede, B., Osseni, R., Dougnon, G., Dosseh, W., Lagnika, L., Darboux, R. & Laleye, A., 2017, Effects of Crude Aqueous Extracts of *Heliotropium indicum* Linn. (Boraginaceae) on Blood Pressure in Wistar Rats, *International Journal of Pharmacological Research*, **7(8)**: 165–169.
- Afolabi F, A.F., 2013, Phytochemical Constituents of Some Medicinal Plants in South West, Nigeria, *IOSR Journal of Applied Chemistry*, **4(1)**: 76–78.
- Ahmed, S., Roy, R., Romi, I., Hasan, M., Bhuiyan, M. & Khan, M., 2019, Phytochemical Screening, Antioxidant and Antibacterial Activity of Some Medicinal Plants Grown In Sylhet Region, *Journal Of Pharmacy And Biological Sciences*, **14(1)**: 26–37.
- Al-Shekhany, Y.N.M. & Al-Khesraji, T.O., 2015, Alkaloid and Glycoside Contents and Antioxidant Activity of Two *Heliotropium* Species (Boraginaceae) from Kurdistan Region-Northern Iraq.
- Alexander, A. & Sharma, M.K., 2011, Pharmacognostical and Phytochemical Investigations of Root of *Heliotropium indicum* Linn., *Phytochemical Analysis*, **2(6)**: 1569–1571.
- Ambarwati, N., Rakhmawati, R., Sari, D. & Wahyuni, C., 2015, Uji Toksisitas Fraksi Daun Ambre (*Geranium radula*) Terhadap *Artemia salina* dan Profil Kandungan Kimia Fraksi Teraktif, **13(1)**: 15–24.
- Aryal, S., 2019, Sabouraud Dextrose Agar (SDA) – Composition, Principle, Uses, Preparation and Colony Morphology, <https://microbiologyinfo.com/sabouraud-dextrose-agar-sda-composition-principle-uses-preparation-and-colony-morphology/>, diakses 21 Januari 2020.
- Asprey, G.F. & Thornton, P., 1955, Medicinal Plants of Jamaica III, *The West Indian Medical Journal*, **4(4)**: 69–82.
- Badrinasar, A. & Santoso, H.B., 2016, *Tumbuhan Liar Berkhasiat Obat*,
- Barrett, B., 1994, Medicinal Plants of Nicaragua's Atlantic Coast, *Economic Botany*, **48(1)**: 8–20.
- Betina, V., 1973, Bioautography in Paper and Thin-Layer Chromatography and Its Scope in the Antibiotic Field, *Journal of Chromatography A*.
- Braithwaite, A., Smith, F.J., Braithwaite, A. & Smith, F.J., 1999, Processing Chromatographic Data, *Chromatographic Methods*.
- Brownlee, H.E., McEuen, A.R., Hedger, J. & Scott, I.M., 1990, Anti-Fungal Effects of Cocoa Tannin on the Witches' Broom Pathogen *Crinipellis perniciosus*, *Physiological and Molecular Plant Pathology*, **36(1)**: 39–48.
- Cervantes Ceballos, L., Sánchez Hoyos, F. & Gómez Estrada, H., 2017, Antibacterial Activity of *Cordia dentata* Poir, *Heliotropium indicum* Linn and *Momordica*

- charantia* Linn from the Northern Colombian Coast, *Revista Colombiana de Ciencias Químico-Farmacéuticas*, **46(2)**.
- Cowan, M.M., 1999, Plant Products as Antimicrobial Agents, *Clinical Microbiology Reviews*, **12(4)**: 564–582.
- Das, K., Tiwari, R.K.S. & Shrivastava, D.K., 2010, Techniques for Evaluation of Medicinal Plant Products as Antimicrobial Agent: Current Methods and future trends, *Journal of Medicinal Plants Research*.
- Dash, G.K., 2011, Antimicrobial Activity of Few Selected Medicinal Plants, *IRJP*, **2(1)**: 146–152.
- Dash, G.K. & Abdullah, M.S., 2013, A Review on *Heliotropium indicum* L., **4(4)**: 1253–1258.
- Dattagupta, S. & Datta, P.C., 1977, Pharmacognostic Study of the Leaf of *Heliotropium indicum* Linn., *Pharmaceutical Biology*, **141–151**.
- Dehkharghanian, M., Adenier, H. & Vijayalakshmi, M.A., 2010, Study of Flavonoids in Aqueous Spinach Extract Using Positive Electrospray Ionisation Tandem Quadrupole Mass Spectrometry, *Food Chemistry*, **121(3)**: 863–870.
- Departemen Kesehatan RI, 1988, *Inventaris Obat Indonesia*, Jilid I, Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan RI, 1995, *Materia Medika Indonesia*, Departemen Kesehatan RI, Jakarta.
- Departemen Kesehatan RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, IV, Departemen Kesehatan RI, Jakarta.
- Departemen Kesehatan RI, 2008, *Farmakope Hebal Indonesia*, Departemen Kesehatan RI, Jakarta.
- Devi, P. & Meera, R., 2009, Physio-Phytochemical Screening and Siuretic Activity of Leaves of *Heliotropium indicum*, *Journal of Chemical and Pharmaceutical Sciences*, **2(4)**: 233–237.
- Dilika, F., Afolayan, A.J. & Meyer, J.J.M., 1997, Comparative Antibacterial Activity of Two *Helichrysum* Species Used in Male Circumcision in South Africa, *South African Journal of Botany*.
- Djide, M.N., Sartini. & Syahrudin, K., 2005, *Mikrobiologi Farmasi Terapan*, Laboratorium Mikrobiologi dan Bioteknologi Farmasi, Fakultas MIPA, Universitas Hasanuddin, Makassar.
- El-Shazly, A. & Wink, M., 2014, Diversity of pyrrolizidine alkaloids in the Boraginaceae structures, distribution, and biological properties, *Diversity*, **6(2)**: 188–282.
- Fayemi, S.O. & Osho, A., 2012, Comparison of Antimicrobial Effects of *Mezoneuron benthamianum*, *Heliotropium indicum* and *Flabellaria paniculata* on *Candida* Species, *Journal of Microbiology Research*, **2(1)**: 18–23.
- Futuro, D.O., Ferreira, P.G., Nicoletti, C.D., Borba-Santos, L.P., Da Silva, F.C., Rozental, S. & Ferreira, V.F., 2018, The antifungal activity of naphthoquinones: An integrative review, *Anais da Academia Brasileira de Ciencias*, **90(1)**: 1187–

1214.

- Gandjar, Indrawati & Wellyzar S., 2006, *Mikologi Dasar dan Terapan*, Yayasan Obor Indonesia, Jakarta.
- Ghosh, P., Das, P., Das, C. & Mahapatra, S., 2018, Morphological characteristics and Phyto-pharmacological detailing of Morphological characteristics and Phyto-pharmacological detailing of Hatishur (*Heliotropium indicum* Linn.): A concise review, *Journal of Pharmacognosy and Phytochemistry*, **7**: 1900–1907.
- Gritter, R.J., Bobbit, J.M. & Swharting, A.E., 1991, *Pengantar Kromatografi*.
- Guntern, A., Ioset, J.R., Queiroz, E.F., Foggin, C.M. & Hostettmann, K., 2001, Quinones from *Heliotropium ovalifolium*, *Phytochemistry*, **58**(4): 631–635.
- Gurib-fakim, A., Sewraj, M.D., Gueho, J. & Dulloo, E., 1996, Medicinal Plants of Rodrigues, *International Journal of Pharmacognosy*, **34**(1): 2–14.
- Harborne, J.B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro*.
- Harborne, J.B., 1973, Phenolic Compounds, In, *Phytochemical Methods*, Chapman and Hall Ltd., London.,
- Hart, J.H., 1972, Inhibition of Wood-Rotting Fungi by Ellagitannins in the Heartwood of *Quercus alba*, *Phytopathology*.
- Hasan, M.N., Ahsan, M., Hasan, C.M. & Zafrul Azam, A.T.M., 2016, 2,5-Dihydroxy-3-Heptadecyl-1,4-Benzoquinone and Stigmasterol from *Heliotropium indicum* L., *Dhaka University Journal of Pharmaceutical Sciences*, **15**(1): 113–115.
- Haslam, E., 1988, Plant Polyphenols (Syn. Vegetable Tannins) and Chemical Defense-A Reappraisal, *Journal of Chemical Ecology*.
- Hermawan, A., Eliyani, H. & Tyasningsih, W., 2007, Pengaruh Ekstrak Daun Sirih (*Piper betle* L.) Terhadap Pertumbuhan *Staphylococcus aureus* dan *Escherichia coli* dengan Metode Difusi Disk, **1–7**.
- Horn, D.L., Neofytos, D., Anaissie, E.J., Fishman, J.A., Steinbach, W.J., Olyaei, A.J., Marr, K.A., Pfaller, M.A., Chang, C. & Webster, K.M., 2009, Epidemiology and Outcomes of Candidemia in 2019 Patients: Data from the Prospective Antifungal Therapy Alliance Registry, *Clinical Infectious Diseases*, **48**(12): 1695–1703.
- Hostettmann, K., Hostettman, M., & Marston, A., 1995, *Cara Kromatografi Preparatif Penggunaan pada Isolasi Senyawa Alam*, ITB, Bandung.
- Ioset, J.R., Marston, A., Gupta, M.P. & Hostettmann, K., 1998, Antifungal and Larvicidal Meroterpenoid Naphthoquinones and a Naphthoxirene from the Roots of *Cordia linnaei*, *Phytochemistry*, **47**(5): 729–734.
- Jethinlalkhosh, J.P. & Lathika, V., 2012, Screening of Phytochemical Constituents and Antimicrobial Activity of Traditional Medicinal Plants, *International Journal of Research in Pharmaceutical Sciences*, **3**(3): 461–465.
- Kabir, M.A., Hussain, M.A. & Ahmad, Z., 2012, *Candida albicans* : A Model Organism for Studying Fungal Pathogens , *ISRN Microbiology*, **1–15**.
- Karnick, C.R., 1994, *Pharmacopoeial Standards of Herbal Plants*, 1st ed, Sri Satguru Publications, Delhi, **179**.
- Mandal, S. & Rath, J., 2015, Phytochemical and Antioxidant Activities of Ethno-

- medicinal Plants Used by Fisher Folks of Chilika Lagoon for Indigenous Phytotherapy, **3(5): 55–65.**
- Mandal, V. & Yogesh, M.H., 2007, Microwave assisted Extraction –An Innovative and Promising Extraction Tool for Medicinal Plant Research, *Pharmacognosy Rev* **1**.
- Mandeel, Q. & Taha, A., 2005, Assessment of In Vitro Antifungal Activities of Various Extracts of Indigenous Bahraini Medicinal Plants, *Pharmaceutical Biology*, **43(4): 340–348.**
- Maro, J.P., Alimuddin, A.H. & Harlia, 2015, Aktivitas Antioksidan Hasil Kromatografi Vakum Cair Fraksi Metanol Kulit Batang Ceria (*Baccaurea hookeri*), *JKK*, **4(4): 35-40.**
- Marston, A., 2011, Thin-layer Chromatography with Biological Detection in Phytochemistry, *Journal of Chromatography A*.
- Martin, G.S., Mannino, D.M., Eaton, S. & Moss, M., 2003, The Epidemiology of Sepsis in the United States from 1979 through 2000, *New England Journal of Medicine*, **348(16): 1546–1554.**
- Mayer, J.E., Chaves, A.L. & Vergara, C.E., 1995, Dichloromethane as an Economic Alternative to Chloroform in the Extraction of DNA from Plant Tissues, *Plant Molecular Biology Reporter*, **13(1): 18–25.**
- Meyers, E. & Smith, D.A., 1964, Bioautography of antibiotic spread-layer chromatograms, *J. Chromatogr*, **14: 129–132.**
- Mohammad, S.A., Nabi, S.A., Marella, S., Thandaiah, K.T., Jyothi Kumar, M.V. & Rao, C.A., 2014, Phytochemical screening and antihyperglycemic activity of *Heliotropium indicum* whole plant in Streptozotocin induced diabetic rats, *Journal of Applied Pharmaceutical Science*, **4(12): 065–071.**
- Morrissey, J.P. & Osbourn, A.E., 1999, Fungal Resistance to Plant Antibiotics as a Mechanism of Pathogenesis, *Microbiology and Molecular Biology Reviews*, **63(3): 708–724.**
- Muchtadi, T.E. & Maryana, 2008, *Teknik Mikroenkapsulasi Minyak Sawit Mentah*, Perhimpunan Ahli Teknologi Pangan Indonesia, Bogor.
- Mukhriani, 2014, Ekstraksi Pemisahan Senyawa dan Identifikasi Senyawa Aktif, *Journal Kesehatan*.
- Muthu, C., Ayyanar, M., Raja, N. & Ignacimuthu, S., 2006, Medicinal Plants Used by Traditional Healers in Kancheepuram District of Tamil Nadu, India, *Journal of Ethnobiology and Ethnomedicine*, **2: 1–10.**
- Najeeb, T.M., Musa, A.E. & Osman Khider, T., 2020, Antibacterial and Antifungal Activities of *Heliotropium bacciferum* Forssk Leaves and Stem, *Advances in Biological Research*, **14(1): 1–07.**
- Narasimhachari, N. & Ramachandran, S., 1967, A Simple Bioautographic Technique for Identifying Biologically Active Material on Thin-Layer Chromatograms, *Journal of Chromatography A*.
- Olaleye, O.O., Nwaeze, K.U., Afolabi, A.T. & Ota, D.A., 2019, Phytochemical Screening of Ethanolic Extract of *Heliotropium indicum* Leaf and Its Haemostatic Effect in Sprague Dawley rats, *J. Chem Soc. Nigeria*, **44(7): 1368–1374.**

- Osbourn, A.E., 1996, Preformed Antimicrobial Compounds and Plant Defense Against Fungal Attack, *Plant Cell*, **8(10): 1821–1831**.
- Osungunna, M. & Adedeji, K., 2011, Phytochemical and Antimicrobial Screening of Methanol Extract of *Heliotropium indicum* Leaf, *Journal of Microbiology and Antimicrobials*, **3: 213–216**.
- Pelczar, M.J., 1986, Dasar-dasar Mikrobiologi Jilid 1, *Jakarta: Universitas Indonesia*.
- Pradana, D.L.C., 2016, Skrining Triterpenoid dan Formulasi Granul dari Ekstrak Daun Mengkudu (*Morinda Citrifolia* L .) sebagai Neuroprotektor pada Perokok Triterpenoids Screening and Granules Formulation of *Morinda Citrifolia* L . Leaf Extract as Neuroprotector for Smoker, *Bio-Site*, **2(2): 44–50**.
- Pramono, S., 2019, Diktat Kuliah Galenika, Fakultas Farmasi UGM, Agustus 2019.
- Premnath, D., Priya, J. V, E, E.S. & M, P.G., 2012, Antifungal and Anti Bacterial Activities of Chemical Constituents from *Heliotropium indicum* Linn . Plant, **4(11): 564–568**.
- Qadir, M.I. & Asif, H., 2019, An Overview to Candidiasis - A Candida Infection, *International Journal of Advanced Research in Microbiology and Immunology*, **2(1): 1–3**.
- Rahman, M.A., Mia, M.A. & Shahid, I.Z., 2011, Pharmacological and Phytochemical Screen Activities of Roots of *Heliotropium indicum* Linn., *Pharmacologyonline*, **1: 185–192**.
- Rao, K.N. & Venkatachalam, S.R., 2000, Inhibition of Dihydrofolate Reductase and Cell Growth Activity by the Phenanthroindolizidine Alkaloids Pergularinine and Tylophorinidine: the In Vitro Cytotoxicity of These Plant Alkaloids and Their Potential as Antimicrobial and Anticancer Agents, *Toxicology in Vitro*, **14(1): 53–59**.
- Rao, P.R., Nammi, S. & Raju, A.D. V, 2002, Studies on the Antimicrobial Activity of *Heliotropium indicum* Linn., *Journal of Natural Remedies*, **2(2): 195–198**.
- Reichardt, C. & Welton, T., 2011, *Solvents and Solvents Effects in Organic Chemistry*, Fourth, Weinheim.
- Ribera, A.E. & Zuñiga, G., 2012, Induced Plant Secondary Metabolites for Phytopathogenic Fungi Control: a Review, *Journal of Soil Science and Plant Nutrition*, **12(4): 893–911**.
- Rother, E.T., 2007, Systematic Literature Review x Narrative Review, *ACTA Paulista de Enfermagem*, **20(2): 7–8**.
- Runyoro, D.K.B., Matee, M.I.N., Ngassapa, O.D., Joseph, C.C. & Mbwambo, Z.H., 2006, Screening of Tanzanian Medicinal Plants for Anti-Candida Activity, *BMC Complementary and Alternative Medicine*, **6(11)**.
- Santhosha, D., Ramesh, A., Hemalatha, E. & Nagulu, M., 2015, Phytochemical Screening and Anti-Oxidant Activity of Ethanolic Extract of *Heliotropium indicum*, *International Research Journal of Pharmacy*, **6(8): 567–572**.
- Sastrohamidjojo, H., 2005, *Kromatografi*, Liberty, Yogyakarta.
- Scalbert, A., 1991, Antimicrobial Properties of Tannins, *Phytochemistry*, **30(12): 3875–3883**.

- Shahat, A.A., El-Barouty, G., Hassan, R.A., Hammouda, F.M., Abdel-Rahman, F.H. & Saleh, M.A., 2008, Chemical Composition and Antimicrobial Activities of the Essential Oil from the Seeds of *Enterolobium contortisiliquum* (Leguminosae), *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes*.
- Sherma, J., 2008, Planar chromatography, *Analytical Chemistry*.
- Shmelzer, G.H. & Gurib-Fakim, A., 2008, *Plant Resources of Africa - Medicinal Plants I*, PROTA Foundation, Wageningen, Netherlands.
- Stahl, E., 1985, *Analisis Obat Secara kromatografi dan Mikroskopi*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro, ITB, Bandung.
- Da Silva, A.R., De Andrade Neto, J.B., Da Silva, C.R., Campos, R.D.S., Costa Silva, R.A., Freitas, D.D., Do Nascimento, F.B.S.A., De Andrade, L.N.D., Sampaio, L.S., Grangeiro, T.B., Magalhães, H.I.F., Cavalcanti, B.C., De Moraes, M.O. & Nobre, H.V., 2016, Berberine Antifungal Activity in Fluconazole-Resistant Pathogenic Yeasts: Action Mechanism Evaluated by Flow Cytometry and Biofilm Growth Inhibition in *Candida* spp., *Antimicrobial Agents and Chemotherapy*, **60(6): 3551–3557**.
- Silva, M.T.G., Simas, S.M., Batista, T.G., Cardarelli, P. & Tomassini, T.C.B., 2005, Studies on Antimicrobial Activity, In Vitro, of *Physalis angulata* L. (Solanaceae) Fraction and Physalin B Bringing Out the Importance of Assay Determination, *Memorias do Instituto Oswaldo Cruz*.
- Singh, J., Dubey, A.K. & Tripathi, N.N., 1994, Antifungal Activity of *Mentha spicata*, **32(4): 314–319**.
- Soliman, S., Alnajdy, D., El-Keblawy, A.A., Mosa, K.A., Khoder, G. & Noreddin, A.M., 2017, Plants' Natural Products as Alternative Promising Anti-Candida Drugs, *Pharmacognosy Reviews*, **11(22): 104–122**.
- Soroush, S., Rafieian-Kopaei, M., Bahmani, M., Sepahvand, A., Hassanzadazar, H., Abaszadeh, A. & Rafieian, R., 2016, Candidiasis Phytotherapy: An Overview of the Most Important Medicinal Plants Affecting the *Candida albicans*, *Journal of Chemical and Pharmaceutical Sciences*, **9(3): 1284–1293**.
- Souza, J.S.N., Machado, L.L., Pessoa, O.D.L., Braz-Filho, R., Overk, C.R., Yao, P., Cordell, G.A. & Lemos, T.L.G., 2005, Pyrrolizidine Alkaloids from *Heliotropium indicum*, *Journal of the Brazilian Chemical Society*, **16(6 B): 1410–1414**.
- Sudbery, P., Gow, N. & Berman, J., 2004, The Distinct Morphogenic States of *Candida albicans*, *TRENDS in Microbiology*, **184**.
- Thawabteh, A., Juma, S., Bader, M., Karaman, D., Scrano, L., Bufo, S.A. & Karaman, R., 2019, The Biological Activity of Natural Alkaloids Against Herbivores, Cancerous Cells and Pathogens, *Toxins*.
- Tjitrosoepomo, G., 1984, Traditional Classification of Plants, *The Environmentalist*.
- Togola, A., Diallo, D., Dembele, S., Barsett, H. & Paulsen, B.S., 2005, Ethnopharmacological Survey of Different Uses of Seven Medicinal Plants from Mali, (West Africa) in the Regions Doila, Kolokani, and Siby, *Journal of Ethnobiology and Ethnomedicine*, **1(7)**.

- Van Steenis, C.G.G.J., 2003, *Flora*, PT. Pradnya Paramita, Jakarta.
- Wagner, H. & Bladt, S., 1996, *Plant Drug Analysis*, Second, Springer, Berlin.
- Wani, P.A., Tolu, A.M. & Wahid, S., 2018, Antioxidant, Antimicrobial and Antibiotic Resistance Modifying Effect of *Heliotropium indicum*, *Biocatalysis and Agricultural Biotechnology*.
- Widyawati, P., Budianta, T.D.W., Kusuma, F.A. & Wijaya, E.L., 2014, Difference of Solvent Polarity to Phytochemical Content and Antioxidant Activity of *Pluchea indica* Less Leaves Extracts, *International Journal of Pharmacognosy and Phytochemical Research*, **6(4)**: 850–855.