



CONTENTS

PERNYATAAN BEBAS PLAGIASI	5
ACKNOWLEDGEMENT	6
Abstract	8
CONTENTS	10
LIST OF TABLES	13
LIST OF FIGURES	14
CHAPTER 1	15
1.1. Background	15
1.2. Problem Statement	17
1.3. Objectives	18
CHAPTER 2	19
2.1. Biopolymers and Biodegradable polymers	19
2.1.1. Biopolymer Classification	19
2.2. Poly(lactic acid) (PLA)	20
2.2.1. Properties of PLA	21
2.2.2. Applications of PLA in Food Packaging	24
2.3. Poly(butylene adipate-co-terephthalate) (PBAT).....	26
2.3.1. Properties of PBAT	27
2.3.2. PBAT based blends	29
2.3.3. Applications of PBAT in Food Packaging	29
2.4. PLA-PBAT based blends	30
2.5. Antimicrobial Polymer.....	31
2.5.1. Type of Antimicrobial Polymers	32
2.5.2. Effectiveness of Antimicrobial Polymers	34
2.6. Palmyra Palm Fruit (<i>Borrassus flabellifer</i> Linn.)	36
2.6.1. The Antimicrobial Activity of Young Seed Coat from Palmyra Palm Fruit	36
CHAPTER 3	41
3.1. Materials.....	41
3.2. Chemicals	41
3.3. Microorganisms.....	41
3.4. Equipments.....	41



UNIVERSITAS GADJAH MADA	
3.5. Methods	42
3.5.1. Preparation of Seed Coat Dried Powder	42
3.5.2. Seed Coat Powder Extraction	42
3.5.3. Extract Yield (EY)	42
3.5.4. Determination of total phenols content of the prepared extracts	43
3.5.5. Antimicrobial Activity of the Seed Coat Extract from <i>B. flabellifer</i>	43
3.5.6. Minimum Inhibitory Concentration (MIC) and Minimum Bactericidal Concentration (MBC) of the Extract	44
3.5.7. Preparation of the Polymers Blend	44
3.5.8. Fabrication of the Blend Films	45
3.6. Analysis	45
3.6.1. Mechanical Properties	45
3.6.2. Barrier Properties	45
3.6.3. Morphology characterization of the films	46
3.6.4. Antimicrobial Activity of the Films	46
3.6.5. Morphology Changes of the Bacteria	47
3.6.6. Statistical Analysis	47
CHAPTER 4	48
4.1. Preliminary study of seed coat extract	48
4.1.1. Extract yield and total phenolics content	48
4.1.2. Antimicrobial activity	49
4.2. Characterization of PLA/PBAT film	54
4.2.1. Mechanical properties of the film	54
4.2.2. Morphology of the films	55
4.2.3. Barrier properties of the film	57
4.3. Characterization of PLA/PBAT film with seed coat extract	58
4.3.1. Antimicrobial properties	58
4.3.2. Morphology Changes of the Bacteria	63
4.3.3. Mechanical properties	64
4.3.4. Barrier Properties	66
CHAPTER 5	68
5.1. Conclusions	68
5.2. Suggestions	68
BIBLIOGRAPHY	69



Development of Poly(Lactic Acid)/Poly(Butylene Adipate-Co-Terephthalate) Blend Films Incorporated with Seed Coat Extract from *Borassus Flabellifer* Linn. for Antimicrobial Food Packaging

IVENA CALOSA H, Dr. Ir. Supriyadi, M.Sc; Asst. Prof. Dr. Ponusa Jitphuthi

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS
GADJAH MADA

APPENDICES82



LIST OF TABLES

Table 1. Effects of stereochemistry and crystallinity on PLA mechanical properties (Hartmann and Kaplan, 1998; Perego et al., 1996)	23
Table 2. Potential food application of PLA based packaging materials (Whiteman, 2002; Haugaard et al., 2002)	25
Table 3. The mechanical properties of PBAT (Jian et al., 2020)	28
Table 4. Antibacterial activity of seed coat extracts of <i>B. flabellifer</i> extracted with different solvents against some pathogenic bacteria (Alamelumangai et al., 2014)	37
Table 5. Antifungal activity of seed coat extracts of <i>B. flabellifer</i> extracted with different solvents (Alamelumangai et al., 2014)	37
Table 6. Dose-Dependent Inhibitory Effect of Methanol Extract of <i>B. Flabellifer</i> Seed Coat against some bacteria (Duddukuri et al., 2011)	38
Table 7. Extract yield and total phenolic content of seed coat extract from <i>B. flabellifer</i> extracted with 70 and 80% of ethanol as solvent.....	48
Table 8. Minimum inhibiton concentration and Minimum bactericidal concentration of <i>B. flabellifer</i> seed coat extract against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i>	50
Table 9. Inhibitory zone diameter of <i>Borassus flabellifer</i> seed coat extract against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i>	52
Table 10. Effect of different PLA/PBAT ratio on mechanical properties of the film	54
Table 11. Effect of different PLA/PBAT ratio on water vapor permeability and oxygen permeability coefficients of the film.....	57
Table 12. Log reduction of cell viability (log CFU/ml) of (a) <i>Staphylococcus aureus</i> (b) <i>Escherichia coli</i> after 12 hours of incubation.....	62
Table 13. Mechanical Properties of PLA/PBAT film incorporated with seed coat extract from <i>Borassus flabellifer</i>	65
Table 14. Water vapor permeability and oxygen permeability coefficients of PLA/PBAT film incorporated with seed coat extract from <i>Borassus flabellifer</i>	66



LIST OF FIGURES

Figure 1. Polymerization scheme of copolymers from L-lactic acid and	22
Figure 2. Structure of PLA (Blackburn, 2005)	22
Figure 3. Barrier properties of PLA in comparison to other common polymers, Low-density polyethylene (LDPE), polyethylene terephthalate (PET) and polystyrene (PS) at 30 °C (a) N ₂ , (b) O ₂ , (c) CO ₂ , and (d) CH ₄ (Lehermeier et al., 2001; Hamad et al., 2015)	24
Figure 4. PLA based food packaging (Whiteman, 2002; Haugaard et al., 2002).....	26
Figure 5. Schematic diagram of PBAT synthesis (Jian et al., 2020)	27
Figure 6. Some applications of PBAT based products (Jian et al., 2020)	30
Figure 7. Schematic representation of the different types of antimicrobial polymeric systems (Barziq, 2015)	32
Figure 8. The palmyra palm fruit young (left) and palmyra palm fruit ripe (right) (Artnarong et al., 2016)	40
Figure 9. Inhibitory zone of extract from <i>Borassus flabellifer</i> seed coat (a) (1)BFE 0% (2)BFE 5% (3)BFE 10% (4)BFE 25% against <i>Staphylococcus aureus</i> (b) (1)BFE 0% (2)BFE 50% (3)BFE 75% (4)BFE 100% against <i>Staphylococcus aureus</i> (c) (1)BFE 0% (2)BFE 5% (3)BFE 10% (4)BFE 25% against <i>Escherichia coli</i> (d) (1)BFE 0% (2)BFE 50% (3)BFE 75% (4)BFE 100% against <i>Escherichia coli</i>	54
Figure 10. SEM micrographs of (a)surface of PLA100 (5000x) (b)cross-section of PLA100 (300x) (c)cross-section of PLA100 (1000x) (d)surface of PLA80 (5000x) (e)cross-section of PLA80 (300x) (f)cross-section of PLA80 (1000x) (g)surface of PLA70 (5000x) (h)cross-section of PLA70 (300x) (i)cross-section of PLA70 (1000x)	57
Figure 11. Antimicrobial activity of PLA/PBAT film incorporated with different concentrations of BFE against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i>	60
Figure 12. SEM images of (a) <i>Escherichia coli</i> (b) <i>Staphylococcus aureus</i> before exposed to PLA/PBAT30 film. Magnification: ×35 000	64