



BIBLIOGRAPHY

- Abreu, A. S., Oliveira, M., Sa, A., Rodrigues, R. M., Cerqueira, M. A., Vicente, A. A., Machado, A. V. 2015. Antimicrobial nanostructured starch based films for packaging. *Carbohydrate Polymers*, 129, 127-134
- Agourram, A., Ghirardello, D., Rantsiou, K., Zeppa, G., Belviso, S., Romane, A., Oufdou, K., Giordano, M. 2013. Phenolic Content, Antioxidant Potential, and Antimicrobial Activities of Fruit and Vegetable By-Product Extracts. *International Journal of Food Properties*, 16(5), 1092-1104
- Ahmed, J., Varshney, S. K., Zhang, J. X., Ramaswamy, H. S. 2009a. Effect of high-pressure treatment on thermal properties of polylactides. *Journal of Food Engineering*, 93, 308–312
- Ahmed, J., Zhang, J., Song, Z., Varshney, S. K. 2009b. Thermal properties of polylactides: effect of molar mass and nature of lactide isomer, *Journal of Thermal Analysis and Calorimetry*, 95, 957–964
- Ahmed, J., and Varshney, S. K. 2011. Polylactides—Chemistry, Properties and Green Packaging Technology: A Review. *International Journal of Food Properties*, 14, 37–58
- Alamelumangai, M., Dhanalakshmi, J., Mathumitha, M., Renganayaki, R. S., Muthukumaran, P., Saraswathy, N. 2014. In vitro studies on phytochemical evaluation and antimicrobial activity of Borassus flabellifer Linn against some human pathogens. *Asian Pac J Trop Med*, 7 (Suppl 1), S182-S185
- Al-Ittry, R., Lamnawar, K., Maazouz, A. 2014a. Rheological, morphological, and interfacial properties of compatibilized PLA/PBAT blends. *Rheol Acta*, <https://doi.org/10.1007/s00397-014-0774-2>
- Al-Ittry, R., Lamnawar, K., Maazouz, A. 2014b. Reactive extrusion of PLA, PBAT with a multi-functional epoxide: physico-chemical and rheological properties. *European Polymer Journal*, 58, 90-102
- Aman, A., Rajan, R., Sinha, S. 2018. The Palmyrah Palm (*Borassus flabellifer L.*): Overview of Biology, Uses, and Cultivation. *Biomolecule Reports- An International e-Newsletter*, BR/04/18/21
- Amos-Tauta, W., Angaye, S., Jonathan, G. 2011. Phytochemical screening and antimicrobial activity of the menthol and chloroform extracts of A. Cordifolia. *Journal of Emerging Trends in Engineering and Applied Sciences*, 2(3), 445-447.



Anh, D. H., Dumri, K., Anh, N. T., Punyodom, W., Rachtanapun, P. 2016. Facile fabrication of polyethylene/silver nanoparticle nanocomposites with silver nanoparticles traps and holds early antibacterial effect. *Journal of Applied Polymer Science*, 133. doi: 10.1002/app.43331.

Arabski, M., Wegierek-Ciuk, A., Czerwonka, G., Lankoff, A., Wieslaw, K. 2012. Effects of Saponins against Clinical *E. coli* Strains and Eukaryotic Cell Line. *Journal of Biomedicine and Biotechnology*, Vol. 2012, Article ID 286216, doi: 10.1155/2012/286216

Ariyasena, D. D., Jayasekara, S., Jansz, E. R., Abeysekara, A. M. 2000. Inhibitory effect of the bitter principle of palmyrah (*Borassus flabellifer* L.) fruit pulp on growth of ICR mice. *Journal Science Food Agriculture*, 80, 1763-1766

Arrieta, M. P., Samper, M. D., Lopez, J., Jimenez, A. 2014. Combined Effect of Poly(hydroxybutyrate) and Plasticizers on Polylactic acid Properties for Film Intended for Food Packaging. *Journal of Polymers and the Environment*, <https://doi.org/10.1007/s10924-014-0654-y>

Artiola, J. F., in: third ed., in: Brusseau, M. L., Pepper, I. L., Gerba, C. P. Chapter 21 – Industrial Waste and Municipal Solid Waste Treatment and Disposal. *Environmental and Pollution Science*, Academic Press, pp. 377-391

Artnarong, S., Masniyom, P., and Maneesri, J. 2016. Isolation of yeast and acetic acid bacteria from palmyra palm fruit pulp (*Borassus flabellifer* Linn.). *International Food Research Journal*, 23(3), 1308-1314

ASTM D 6400-99. 1976. Standard specification for compostable plastics, annual book of standards. ASTM, Philadelphia

Auras, R., Singh, S. V., Singh, J. 2005. Evaluation of oriented poly(lactide) polymers vs. existing PET and oriented PS for fresh food service containers. *Packaging Technology and Science*, 18, 207-216

Ayertey, E., Tandoh, M. A., Mills-Robertson, F. C., Kumah, D. B., Larbie, C., Aninkorah, N. P. 2018. *Borassus aethiopum* Fruit Pulp Extract has Antimicrobial Activity on Selected Clinical Microbial Strain. *JOCAMR*, 6(3): 1-8, Article no. JOCAMR.44495

Balouiri, M., Sadiki, M., Ibnsouda, S. K. 2016. Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71-79

Barziq, A. I., Ioan, S. 2015. Antibacterial drugs—From basic concepts to complex therapeutic mechanisms of polymer systems. In Concepts, Compounds and the Alternatives of Antibacterials; Bobbarala, V., Ed.; Science, Technology and Medicine: London, UK



Bastarrachea, L., Dhawan, S., Sablani, S. S., Mah, J., Kang, D., Zhang, J., Tang, J. 2010.

Biodegradable Poly(butylene adipate-co-terephthalate) Films Incorporated with Nisin: Characterization and Effectiveness against *Listeria innocua*. Journal of Food Science Vol. 75, Nr. 4

Bellahcen, T. O., Cherki, M., Sanchez, J. A. C., Cherif, A., Amrani, A. E. 2019. Chemical Composition and Antibacterial Activity of the Essential Oil of *Spirulina platensis* from Morocco. Journal of Essential Oil Bearing Plants, 22(5), 1265-1276

Benkeblia, N. 2004. Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*). LWT- Food Science and Technology, 37(2), 263-268

Blackburn, R. S. 2005. Biodegradable and sustainable fibres. Cambridge: Woodhead Publishing Limited

Bonilla, A. M., and Garcia, M. F. 2012. Polymeric Materials with Antimicrobial Activity. Progress in Polymer Science, 37, 281-339

Borges, A., Ferreira, C., Saavedra, M. J., & Simoes, M. 2013. Antibacterial activity and mode of action of ferulic and gallic acids against pathogenic bacteria. Microbial Drug Resistance, 19(4), 256–265. <https://doi.org/10.1089/mdr.2012.0244>.

Bordes, P., Pollet, E., and Averous, L. 2009. Nano-biocomposites: biodegradable polyester/nanoclay systems, Progress in Polymer Science, 34(2), 125-155

Cava R., Nowak E., Taboada A., Marin-Iniesta F. 2007. Antimicrobial activity of clove and cinnamon essential oils against *Listeria monocytogenes* in pasteurized milk. Journal of Food Protection, 70, 2757–2763

Chavalitpanya, K., and Phatttanarudee, S. 2013. Poly(lactic acid)/polycaprolactone blends compatibilized with block copolymer. Energy Procedia 34, 542-548

Cheng, J., Wang, H., Kang, S., Xia, L., Jiang, S., Chen, M., Jiang, S. 2019. An active packaging film based on yam starch with eugenol and its application for pork preservation. Food Hydrocolloids, 96, 546-554

Cheng, Y., Deng, S., Chen, P., Ruan, R. 2009. Polylactic acid (PLA) synthesis and modifications: a review. Frontiers of Chemistry in China, 4(3), 259–264

Cockell, C., S. and Knowland, J. 1999. Ultraviolet radiation screening compounds. Biological Reviews of the Cambridge Philosophical Society, 74, 311-345

Coltelli, M. B., Maggiore, I. D., Bertoldo, M., Signori, F., Bronco, S., Ciardelli, F. 2008. Poly(lactic acid) properties as a consequence of poly(butylene adipate-co-terephthalate) blending and acetyl tributyl citrate plasticization. Journal of Applied Polymer Science, 110(2), 1250-1262



Cranston, E., Kawada, J., Raymond, S., MorinR, F. G., Marchessault, H. 2003.

Cocrystallization model for synthetic biodegradable poly(butylene adipate-co-butylene terephthalate). *Biomacromolecules*, 4(4), 995-999

Cruz, P. 2008. Anthelmintic effect of *Solanum lycocarpum* in mice infected with *Aspicularis tetraptera*. *The Journal of American Science*, 4(3), 75-79

Cushnie, T., & Lamb, A. 2005. Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*, 26, 343-356

Dartee, M., Lunt, J., and Shafer, A. 2001. *Man-Made Fiber Year Book*, August, 29 (2001).

Del Nobile, M. A., Conte, A., Buonocore, G. G., Incoronato, A. L., Massaro, A., Panza, O. 2009. Active packaging by extrusion processing of recyclable and biodegradable polymers. *Journal of Food Engineering*, 93(1), 1–6

Deng, R., Chen, Y., Chen, P., Zhang, L., Liao, B. 2006. Properties and biodegradability of water-resistant soy protein/poly (ϵ -caprolactone)/toluene-2, 4-diisocyanate composites. *Polymer degradation and stability*, 91(9), 2189-2197.

Deng, Y., Yu, C., Wongwiwattana, P., Thomas, N. L. 2018. Optimising Ductility of Poly(Lactic Acid)/Poly(Butylene Adipate-coTerephthalate) Blends Through Co-continuous Phase Morphology. *Journal of Polymers and the Environment* 26, 3802–3816

Diaz, A., Katsarava, R., Puiggali, J. 2014. Synthesis, properties and applications of biodegradable polymers derived from diols and dicarboxylic acids: from polyesters to poly(ester amide)s. *International Journal of Molecular Science*, 15(5), 7064-7123

Dong, W. F. , Zou, B. S., Yan, Y. Y., MaM, P. M., Chen, Q. 2013. Effect of chain-extenders on the properties and hydrolytic degradation behavior of the poly(lactide)/poly(butylene adipate-co-terephthalate) blends. *International Journal of Molecular Science*, 14(10), 20189-20203

Duddukuri, G. R., Sastry, Y. N., Kaladhar, D. S. V. G. K., Rao, K. K., Chaitanya, K. K. 2011. Antibacterial Activity of Methanolic Seed Coat Extract of *Borassus Flabellifer* L. *International Journal of Pharmaceutical Sciences and Research*, 2(9), 2435-2438

Enwa, F. O., Omojate, G. C., Eze, C. O., Jewo, A. O. 2014. Mechanisms of Antimicrobial Actions of Phytochemicals against Enteric Pathogens – A Review. *Journal of Pharmaceutical, Chemical and Biological Sciences*, 2(2), 77-85

Farah, S., Anderson, D. G., Langer, R. 2016. Physical and mechanical properties of PLA, and their functions in widespread applications – A comprehensive review. *Advanced Drug Delivery Reviews*, 107, 367-392



Farsetti, S., Cioni, B., Lazzeri, A. 2011. Physico-mechanical properties of biodegradable rubber toughened polymers. *Macromolecular symposia*, vol. 301, Wiley Online Library 82–89

Fernandes, M. R. V., Dias, A. L. T., Carvalho, R. R., Souza, C. R. F., Oliveira, W. P. 2014. Antioxidant and antimicrobial activities of *Psidium guajava* L. spray dried extracts. *Industrial Crops and Products*, 60, 39-44

Ferreira, F. V., Cividanes, L. S., Gouveia, R. F., Lona1, L. M. F. 2017. An Overview on Properties and Applications of Poly(butylene adipate-co-terephthalate)–PBAT Based Composites. *Polymer Engineering And Science*, doi: 10.1002/pen

Fitzgerald, D. J., Stratford, M., Gasson, M. J., Ueckert, J., Bos, A., Narbad, A. 2004. Mode of antimicrobial action of vanillin against *Escherichia coli*, *Lactobacillus plantarum* and *Listeria innocua*. *Journal of Applied Microbiology*, 97(1), 104-13.

Francolini I., Donelli G., Crisante F., Taresco V., Piozzi A. 2015. Antimicrobial polymers for anti-biofilm medical devices: State-of-art and perspectives. *Advances in Experimental Medicine and Biology*, 831, 93–117

Gontard, N., Thibault, R., Cuq, B., & Guilbert, S. 1996. Influence of relative humidity and film composition on oxygen and carbon dioxide permeabilities of edible films. *Journal of Agricultural and Food Chemistry*, 44, 1064–1069

Gram L., and Dalgaard P. 2002. Fish spoilage bacteria—problems and solutions. *Curr. Opin. Biotechnol.* 13, 262–266

Han, J. H., 2000. Antimicrobial food packaging. *Food Technology*, 54(3), 56-65

Han, J. H. 2005. Plastic Films in Food Packaging. Adapted from a chapter in: Han, Innovations in Food Packaging, PepsiCo Corporate Research, PepsiCo Inc., Plano, TX 75024 USA

Hamad, K., Kaseem, M., Yang, H. W., Deri, F., Ko, Y. G. 2015. *Express Polymer Letters*, 9, 435-455

Hartmann, M.H. and Kaplan, D. H. 1998. High molecular weight polylactic acid polymers. In *Biopolymers from Renewable Resources*; Ed.; Springer-Verlag: Berlin, 367–411

Haugaard, V. K., Weber, C. J., Danielsen, B., Bertelsen, G. 2002. Quality changes in orange juice packaged inmaterials based on polylactate. *European Food Research Technology*, 214, 423–428

Herrera, R., Franco, L., Rodriguez-Galan, A., Puiggali, J. 2002. *Journal of Polymer Science. Part A: Polymer Chemistry*, 40, 4141



Hongdilokkul, P., Keeratipinit, K., Chawthai, S., Hararak, B., Seadan, M., Suttiruengwong, S.

2015. A study on properties of PLA/PBAT from blown film process. IOP Conf. Series: Materials Science and Engineering 87, doi:10.1088/1757-899X/87/1/012112

Huang, K. S., Yang, C. H., Huang, S. L., Chen, C.Y., Lu, Y. Y., Lin, Y. S. 2016. Recent Advances in Antimicrobial Polymers: A Mini-Review. International Journal of Molecular Science, 17(9), 1578

Imran, H., Revol-Junelles, A. M., Martyn, A., Tehrany, E. A., Jacquot, M., Linder, M., et al. 2010. Active food packaging evolution: Transformation from micro- to nanotechnology. Critical Review in Food Science and Nutrition, 50(9), 799-821.

Imre, B., Pukánszky, B. 2013. Compatibilization in bio-based and biodegradable polymer blends. European Polymer Journal, 49(6), 1215–1233

Inta, O., Yoksan, R., Limtrakul, J. 2014. Hydrophobically modified chitosan: A bio-based material for antimicrobial active film. Materials Science & Engineering C-Materials for Biological Applications, 42, 569–577. doi: 10.1016/j.msec.2014.05.076.

Ivankovic A., Zeljkol, K., Talic, S., Martinovic, A., Lasic, B. M. 2017. Biodegradable packaging in the food industry. Journal of Food Safety and Food Quality 68, Heft 2

Jamkhande, P., Suryawan, V. A., Kaylankar, T. M., Patwekar, S. T. 2016. Biological activities of leaves of ethnomedicinal plant, *Borassus flabellifer* Linn. (Palmyra palm): An antibacterial, antifungal and antioxidant evaluation. Bulletin of Faculty of Pharmacy, Cairo University, 54, 59-66

Jansz, E. R., Nikawala, J. K., Gunaretne, J., Theivendirajah, K. 1994. Studies on the bitter principle and debittering of palmyrah fruit pulp. Journal of the Science of Food and Agriculture, 65, 185-189

Jian, J., Xiangbin, Z., Xianbo, H. 2020. An overview on synthesis, properties and applications of poly(butylene-adipate-co-terephthalate)-PBAT. Advanced Industrial and Engineering Polymer Research, 3, 19-26

Jiang, L., Wolcott, M. P., Zhang, W. 2006. Study of biodegradable poly(lactide)/poly(butylene adipate-co-terephthalate) blends. Biomacromolecules, 7(1), 199-207

Jiang, L., & Zhang, J. 2013. Biodegradable Polymers and Polymer Blends. Adapted from a chapter in: Kutz, Applied Plastics Engineering Handbook

Kale, G. 2011. Overview of biodegradable packaging, methods and current trends. Formulating, Packaging and Marketing of Natural Cosmetic Products, 411-419



Kapetanakou, A. E., Karyotis, D., Skandamis, P. N. 2013. Control of Listeria monocytogenes

by applying ethanol-based antimicrobial edible films on ham slices and microwave reheated frankfurters. *Food Microbiology*, 54, 80–90

Ke, T., Sun, S. X., Seib, P. 2003. Blending of poly(lactic acid) and starches containing varying amylose content. *Journal of Applied Polymer Science*, 89, 3639-3646

Kim, D. O., and Lee, C. Y. 2001. Extraction and isolation of polyphenolics. *Current Protocols in Food Analytical Chemistry*: John Wiley & Sons, Inc

Kouki M, and Manetas, Y. 2002. Resource availability affects differentially the levels of gallotannins and condensed tannins in *Ceratonia siliqua*. *Biochemical Systematics and Ecology*, 30, 631- 639

Kumar, M., Mohanty, S., Nayak, S. K., Parvaiz, M. 2010. Effect of glycidyl methacrylate (GMA) on the thermal, mechanical and morphological property of biodegradable PLA/PBAT blend and its nanocomposites. *Bioresource Technology*, 101(21), 8406–8415

Lasprilla, A. J., Martinez, G. A., Lunelli, B. H., Jardini, A. I., Filho, R. M. 2012. Poly-lactic acid synthesis for application in biomedical devices - a review. *Biotechnology Advances*, 30(1), 321-328

Lee, S. H., Lim, S. W., & Lee, K. H. (1999). Properties of potentially biodegradable copolyesters of (succinic acid-1, 4-butanediol)/(dimethyl terephthalate-1, 4-butanediol). *Polymer international*, 48(9), 861-867.

Lehermeier, H. J., Dorgan, J. R., Way, J. D. 2001. *Journal of Membrane Science*, 190, 243-251

Lemus-Mondaca, R., Vega-Gálvez, A., Rojas, P., Stucken, K., Delporte, C., Valenzuela-Barra, G., Jagus, R. J., Agüero, M. V., Pasten, A. 2018. Antioxidant, antimicrobial and anti-inflammatory potential of *Stevia rebaudiana* leaves: effect of different drying methods. *Journal of Applied Research on Medicinal and Aromatic Plants*, <https://doi.org/10.1016/j.jarmap.2018.10.003>

Li, J., Lai, L., Wu, L., Severtson, S. J., Wang, W. 2018. Enhancement of Water Vapor Barrier Properties of Biodegradable Poly(butylene adipate-co-terephthalate) Films with Highly Oriented Organomontmorillonite. *ACS Sustainable Chem. Eng.* XXXX, XXX, XXX–XXX. DOI: 10.1021/acssuschemeng.8b00430

Lisperguer, J., Saravia, Y., Vergara, E. 2016. Structure and Thermal Behavior of Tannins from *Acacia dealbata* Bark and Their Reactivity Toward Formaldehyde. *Journal of the Chilean Chemical Society*, 61(4), Concepcion dic.



Liu, H., Zhang, J. 2011 Research progress in toughening modification poly (lactic acid).

Journal of Polymer Science Part B, 49(15), 1051–1083

Lopez-Romero, J. C., Ríos, H., Borges, A., Simões, M. 2015. Antibacterial Effects and Mode of Action of Selected Essential Oils Components against Escherichia coli and Staphylococcus aureus. Evidence-based Complementary and Alternative Medicine. Evidence-based Complementary and Alternative Medicine, 4, doi: 10.1155/2015/795435

Lorenzo, M. I. 2005. Crystallization Behavior of Poly(L-lactic acid). European Polymer Journal, 41(3), 569-575

Lucera, A., Costa, C., Conte, A., Del Nobile, M. A. 2012. Food applications of natural antimicrobial compounds. Frontiers in Microbiology, 3, 287

Luckachan, G. E., Pillai, C. K. S. 2011. Biodegradable Polymers- A Review on Recent Trends and Emerging Perspectives. Journal of Polymers and the Environment, 19, 637–676

Ma, X. F., Yu, J. G., Zhao, A. 2006. Compos. Sci. Technol., 66, 2360

Malinowska-Pańczyk, E., Staroszczy, H., Gottfried, K., Kolodziejska, I., Wojtasz-Pajak, A. 2015. Antimicrobial properties of chitosan solutions, chitosan films and gelatin-chitosan films. Journal of Polimery, 60, 11-12

Mandalari, G., Bennett, R. N., Bisignano, G., Trombetta, D., Saija, A., Faulds, C. B., Gasson, M. J., Narbad, A. 2007. Antimicrobial activity of flavonoids extracted from bergamot (*Citrus bergamia* Risso) peel, a byproduct of the essential oil industry. Journal of Applied Microbiology, 103(6), 2056-64

Martins, A. F., Facchi, S. P., Follmann, H. D. M., Pereira, A. G. B., Rubira, A. F., Muniz, E. C. 2014. Antimicrobial activity of chitosan derivatives containing n-quaternized moieties in its backbone: A review. International Journal of Molecular Sciences, 15, 20800–20832. doi: 10.3390/ijms151120800

Mkpenie, V., Ebong, G., Obot, I. B., Abasiekong, B. 2008. Evaluation of the effect of azo group on the biological activity of 1-(4-methylphenylazo)-2-naphthol. Journal of chemistry, 5(3), 431-434

Mohammed, A. 2003. Factors Affecting The Extraction Process. Iraqi Journal of Chemical and Petroleum Engineering, 4

Monteiro, J. M., Albuquerque, U. P., Lins Neto, E. M. F., Araújo, E. L., Albuquerque, M. M., Amorim, E. L. C. 2006. The effects of seasonal climate changes in the Caatinga on tannin level. Revista Brasileira de Farmacognosia, 16, 338-344



- Morah, F. N. I., Emehige, E. P., Mowang, M. M. 2017. Chemical composition and antimicrobial activity of Nauclea latifolia leaf essential oil. International Journal of Chemical and Biochemical Sciences, 11, 44-50
- Mourya, V. K., Inamdar, N. N. 2009. Trimethyl chitosan and its applications in drug delivery. Journal of Materials Science: Materials in Medicine, 20, 1057–1079. doi: 10.1007/s10856-008-3659-z. ACS Applied Materials & Interfaces
- Moustafa, H., Kissi, N. E., Abou-Kandil, A. I., Abdel-Aziz, M. S., Dufresne, A. 2017. PLA/PBAT Bionanocomposites with Antimicrobial Natural Rosin for Green Packaging.
- Mueller, R. J., Witt, U., Rantze, E., Decker, W. D. 1998. Architecture of biodegradable copolyesters containing aromatic constituents, Polymer Degradation and Stability, 59(1-3), 203-208
- Muthulakshmi, V., Shanti, S., Jayashree, G. 2018. Determination of bioactive compounds from seed coat of *Borassus flabellifer Linn* seed using phytochemical and gc-ms analysis. World Journal of Pharmaceutical Research, 7(7), 196-204
- Nampoothiri, K. M., Nair, N. R., John, R. P. 2010. An overview of the recent developments in polylactide (PLA) research. Bioresource Technology, 101, 8493–8501
- Nazzaro, F., Fratianni, F., Martino, L. D., Coppola, R., Feo, V. D. 2013. Effect of Essential Oils on Pathogenic Bacteria. Pharmaceuticals (Basel), 6(12), 1451–1474
- Nunes, E. C. D., Souza, A. G., Coiado, R. D. S., Moura, E. A. B., Rosa, D. S. 2017. Evaluation of the Poly (Lactic Acid) and Calcium Carbonate Effects on the Mechanical and Morphological Properties in PBAT Blends and Composites. International Journal of Innovative Science, Engineering & Technology, Vol. 4 Issue 6.
- Onning, G., Juillerat, M. A., Fay, L., Asp, N. G. 1994. Degradation of oat saponins during heat processing-Effect of pH, stainless steel, and iron at different temperatures. Journal of Agricultural and Food Chemistry, 42, 2578–2582
- Pal, K., Banerjee, I., Sarkar, P., Kim, D., Deng, W., Dubey, N. K., Majumder, K. 2020. Biopolymer-based Formulations. United Kingdom: Matthew Deans
- Perego, G., Cella, G. D., Bastioli, C. 1996. Effect of molar mass and crystallinity on poly(lactic acid) mechanical properties. Journal of Applied Polymer Science, 59, 37–43
- Plackett, D.V., Holm, V. K., Johansen, P., Ndoni, S., Nielsen, P. V., Sipilainen-Malm, T., Södergård, A., Verstichel, S. 2006. Characterization of L-Polylactide and L-Polylactide–polycaprolactone Co-polymer films for use in cheese-packaging applications, Packaging Technology & Science, 19, 1–24



Radusin, T., Torres-Giner, S., Stupar, A., Ristic, I., Miletic, A., Novakovic, A., Lagaron, J. M.

2019. Preparation, characterization and antimicrobial properties of electrospun polylactide films containing Allium ursinum L. extract. *Food Packaging and Shelf Life* 21, 100357. <https://doi.org/10.1016/j.fpsl.2019.100357>

Rhim, J. 2007. Mechanical and Water Barrier Properties of Biopolyester Films Prepared by Thermo-Compression. *Food Science and Biotechnology*, 16(1), 62-66

Ro, E. Y., Kim, G. S., Kwon, D. Y., Park, Y. M., Cho, S. W., Lee, S. Y., Yeo, I. H., Yoon, K. S. 2018. Effects of natural antimicrobials with modified atmospherepackaging on the growth kinetics of *Listeria monocytogenes* in ravioli at various temperatures. *Journal of Food Safety*, 38, e12392. doi: 10.1111/jfs.12392

Rocha, M., Ferreira, F. A., Souza, M. M., Prentice, C. 2013. Antimicrobial films: a review. *Microbial Pathogens and Strategies for Combating Them: Science, Technology and Education*. 1. 23-31

Rodiah, M. H., Jamilah, B., Sharifah Kharidah, S. M., Russly, A. R. 2019. Physico-chemical and antioxidant properties of mesocarp and exocarp from *Borassus flabellifer*. *International Food Research Journal*, 26(5), 1469-1476

Rostagno, M., Manchón, N., Guillamón, E., García-Lafuente, A., Villares, A., Martínez, J. A. 2010. Methods and techniques for the analysis of isoflavones in foods. *Chromatography: Types, Techniques and Methods*, 157-198

Sahni, C., Shakil, N. A., Jha, V., Gupta, R. K. 2014. Screening of Nutritional, Phytochemical, Antioxidant and Antibacterial activity of the roots of *Borassus flabellifer* (Asian Palmyra Palm). *Journal of Pharmacognosy and Phytochemistry*, 3(4), 58-68

Santos, M. R. E., Fonseca, A. C., Mendonca, P. V., Branco, R., Serra, A. C., Morais, P. V., Coelho, J. F. J. 2016. Recent Developments in Antimicrobial Polymers: A Review. *Journal of Materials*, 9, 599

Scalbert, A. 1991. Antimicrobial Properties of Tannins. *Phytochemistry*, 30(12), 3875-3883

Shankar, S., and Rhim, J. W. 2018a. Bionanocomposite Films for Food Packaging Applications. *Reference Module in Food Science*. Elsevier, pp. 1–10. doi: <http://dx.doi.org/10.1016/B978-0-08-100596-5.21875-1>

Shankar, S., and Rhim, J. W. 2018b. Preparation of antibacterial poly(lactide)/poly(butylene adipate-co-terephthalate) composite films incorporated with grapefruit seed extract. *InternationalJournal of BiologicalMacromolecules*, 120, 846 –852

Shankar, S., and Rhim, J. W. 2019. Effect of types of zinc oxide nanoparticles on structural, mechanical and antibacterial properties of poly(lactide)/poly(butylene adipate-co-



terephthalate) composite films. *Food Packaging and Shelf Life*, Volume 21, <https://doi.org/10.1016/j.fpsl.2019.100327>

Shankar, S., Teng, X., Li, G., Rhim, J. W. 2015. Preparation, characterization, and antimicrobial activity of ZnO nanocomposite films. *Food Hydrocolloids*, 45, 264-271

Sharma, K., Ko, E. Y., Assefa, A. D., Ha, S., Nile, S. H., Lee, E. T., Park, S. W. 2015. Temperature-dependent studies on the total phenolics, flavonoids, antioxidant activities, and sugar content in six onion varieties. *Journal of Food and Drug Analysis*, 23, 243-252

Shogren, R. 1997. Water vapor permeability of biodegradable polymers. *Journal of Environmental Polymer Degradation*, 5, 91–95

Shrivastava, S., Bera, T., Roy, A., Singh, G., Ramachandrara, P., Dash, D. 2007. Characterization of enhanced antibacterial effects of novel silver nanoparticles. *Nanotechnology*. 18. 225103. [10.1088/0957-4484/18/22/225103](https://doi.org/10.1088/0957-4484/18/22/225103).

Siemann, U. 1992. The solubility parameter of poly(DL-lacticacid). *European Polymer Journal*, 28, 293–297

Signori, F., Coltelli, M. B., Bronco, S. 2009. Thermal degradation of poly(lactic acid) (PLA) and poly(butylene adipate-co-terephthalate) (PBAT) and their blends upon melt processing. *Polymer Degradation and Stability*, 94(1), 74-82

Singchai, B., Kansane, K., Chourykaew, B. 2015. Phytochemical screening and biological activities of borassus flabellifer L. *Asian Journal of Pharmaceutical and Clinical Research*, 8, 151-153

Sodergard, A., & Stolt, M. 2002. Properties of Lactic Acid Based Polymers and Their Correlation with Composition. *Progress in Polymer Science*, 27, 1123-1163

Sousa, A. F., Vilela, C., Fonseca, A. C., Matos, M., Freire, C. S. R., Gruter, G. J. M., Coelho, J. F. J., and Silvestre, A. J. D. 2015. Biobased polyesters and other polymers from 2,5-furandicarboxylic acid: a tribute to furan excellency, *Polymer Chemistry*, 6, 5961

Srivastava, A., Bishnoi, S. K., and Sarkar, P. K. 2017. Value addition in palmyra palm (*Borassus flabellifer* L.): A potential strategy for livelihood security and poverty alleviation. *Rashtriya Krishi, 12(1)*, 110-112

Tamboli, D. P., and Lee, D. S. 2013. Mechanistic antimicrobial approach of extracellularly synthesized silver nanoparticles against Gram positive and Gram negative bacteria. *Journal of Hazardous Material*, 260, 878-884

Teamsinsungvon, A., Ruksakulpiwat, Y., and Jarukumjorn, K. 2013. Preparation and Characterization of Poly(lactic acid)/Poly(butylene adipate-co-terephthalate) Blends and



Their Composite. Polymer-Plastics Technology and Engineering, 52(13), 1362-1367,

DOI: 10.1080/03602559.2013.820746

Teh, C. H., Nazni, W. A., Nurulhusna, A. H., Norazah, A., Lee, H. L. 2017. Determination of antibacterial activity and minimum inhibitory concentration of larval extract of fly via resazurin-based turbidometric assay. BMC MicrobiologySP, 36(17), 1AB

Urayama, H., Moon, S. I., Kimura, Y. 2003. Microstructure and thermal properties of polylactides with different L- and D- unit sequences: importance of the helical nature of the L-sequenced segments. Macromolecular Materials and Engineering, 288, 137–143

Wang, K., Lim, P. N., Tong, S. Y., Thian, E. S. 2019. Development of grapefruit seed extract-loaded poly(ϵ -caprolactone)/ chitosan films for antimicrobial food packaging. Food Packaging and Shelf Life, 22, <https://doi.org/10.1016/j.fpsl.2019.100396>

Wang, L. F. and Rhim, J. W. 2016. Grapefruit seed extract incorporated antimicrobial LDPE and PLA films: Effect of type of polymer matrix. Food Science and Technology, 74, 338-345

Wang, Y. W., Mo, W., Yao, H., Wu, Q., Chen, J., Chen, G. O. 2004. Biodegradation studies of poly(3-hydroxybutyrate- co-3-hydroxyhexanoate). Polymer Biodegradation and Stability, 85, 815-821

Wang, N., Yu, J., Ma, X. 2007. Preparation and characterization of thermoplastic starch/PLA blends by one-step reactive extrusion. Polymer International, 56(11), 1140

Wang, S., Han, J., Zhao, W., Jiang, X., Liu, T., Liu, L. 2010. Anthelmintic activity of steroidal saponins from Paris polyphylla. Phytomedicine, 17, 1102-1105

Whiteman, N. 2002. Bio-based materials: a reality in the packaging industry. Packexpo. PMMI: Chicago, IL, 37–42

Witt, U., Mueller, R. J., Deckwer, W. D. 1996. Biodegradation of polyester copolymers containing aromatic compounds by investigations of model oligomers. Journal of Environmental Polymer Degradation, 4(1), 9

Xiuyu, M., Yufeng, W., Jianqing, W., Yaning, X. 2017. Effect of PBAT on Property of PLA/PHB Film Used for Fruits and Vegetables. MATEC Web of Conferences 88, 02009. DOI: 10.1051/matecconf/20178802009

Yang, Y., Kayan, B., Bozer, N., Pate, B., Baker, C., Gizir, A. M. 2007. Terpene degradation and extraction from basil and oregano leaves using subcritical water. Journal of Chromatography A, 1152, 262–267



Yeh, J. T., Tsou, C. H., Huang, C. Y., Chen, K. N., Wu, C. S., and Chai, W. L. 2010.

Compatible and crystallization properties of poly(lactic acid)/poly(butylene adipate-co-terephthalate) blends. *Journal of Applied Polymer Science*, 116, 680–687

Yeh, J., Yang, M., Wu, C., Wu, X., Wu, C. 2008. Study on the Crystallization Kinetic and Characterization of Poly(lactic acid) and Poly(vinyl alcohol) Blends. *Polymer-Plastics Technology and Engineering*, 47(12), 1289-1296

Yoksan, R., and Chirachanchai, S. 2010. Silver nanoparticle-loaded chitosan-starch based films: Fabrication and evaluation of tensile, barrier and antimicrobial properties. *Materials Science and Engineering C*, 30(6), 891-897

Youssef, A. M., Assem, F. M., Abdel-Aziz, M. E., Elaaser, M., Ibrahim, O. A., Mahmoud, M., Abd El-Salam, M. H. 2019. Development of bionanocomposite materials and its use in coating of Ras cheese, *Food Chemistry*, 270, 467-475

Youssef, A. M., El-Sayed, S. M., El-Sayed, H. S., Salama, H. H., Assem, F. M., Abd El-Salam, M. H. 2018. Novel bionanocomposite materials used for packaging skimmed milk acid coagulated cheese (Karish). *International Journal of Biology and Macromology*, 115, 1002-1011

Yuliana, P., Laconi, E. B., Wina, E., Jayanegara, A. 2014. Extraction of Tannins and Saponins from Plant Sources and Their Effect on In vitro Methanogenesis and Rumen Fermentation. *Journal of the Indonesian Tropical Animal Agriculture*, 39(2), 91-97

Zhang, L., Li, R., Dong, F., Tian, A., Li, Z., Dai, Y. 2015. Physical, mechanical and antimicrobial properties of starch films incorporated with ε-poly-L-lysine. *Food Chemistry* 166, 107–114

Zhang, M. and Thomas, N. L. 2011. Blending polylactic acid with polyhydroxybutyrate: The effect on thermal, mechanical, and biodegradation properties. *Advances in Polymer Technology*, 30(2), 67-79