

## DAFTAR PUSTAKA

- Aberkane, L., Roudaut, G. and Saurel, R. (2014) ‘Encapsulation and Oxidative Stability of PUFA-Rich Oil Microencapsulated by Spray Drying Using Pea Protein and Pectin’, *Food and Bioprocess Technology*, 7(5), pp. 1505–1517. doi: 10.1007/s11947-013-1202-9.
- Abourashed, E. A. and El-Alfy, A. T. (2016) ‘Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.)’, *Phytochemistry Reviews*. Springer Netherlands, 15(6), pp. 1035–1056. doi: 10.1007/s11101-016-9469-x.
- Alagbe, E. E., Daniel, E. O. and Oyeniyi, E. A. (2020) ‘Dataset on the effect of different pretreatment on the proximate analysis, microbial and sensory evaluation of dried banana during its storage’, *Data in Brief*. Elsevier Inc., 31. doi: 10.1016/j.dib.2020.105678.
- Albano, K. M., Cavallieri, Â. L. F. and Nicoletti, V. R. (2020) ‘Electrostatic Interaction between Soy Proteins and Pectin in O/W Emulsions Stabilization by Ultrasound Application’, *Food Biophysics*. Food Biophysics. doi: 10.1007/s11483-020-09625-z.
- Alcântara, M. A. *et al.* (2019) ‘Influence of the emulsion homogenization method on the stability of chia oil microencapsulated by spray drying’, *Powder Technology*, 354, pp. 877–885. doi: 10.1016/j.powtec.2019.06.026.
- Anandharamakrishnan, C., Padma Ishwarya, S. (2015) ‘Spray drying for nanoencapsulation of food components’, *Spray Drying Techniques for Food Ingredient Encapsulation*. John Wiley & Sons, Ltd., Chichester, UK, pp. 180–197, (Chapter 8).
- Anthony, J. P., Fyfe, L. and Smith, H. (2005) ‘Plant active components - A resource for antiparasitic agents?’, *Trends in Parasitology*, 21(10), pp. 462–468. doi: 10.1016/j.pt.2005.08.004.
- Amer, S. A. *et al.* (2020) ‘Impact of partial substitution of fish meal by methylated soy protein isolates on the nutritional, immunological, and health aspects of Nile tilapia, *Oreochromis niloticus* fingerlings’, *Aquaculture*. Elsevier, 518(December 2019), p. 734871. doi: 10.1016/j.aquaculture.2019.734871.
- Ariahu, C. C., Kamaldeen, O. S. and Yusufu, M. I. (2020) ‘Kinetic and thermodynamic studies on the degradation of carotene in carrot powder beads’, *Journal of Food Engineering*. Elsevier Ltd, 288(April 2020), p. 110145. doi: 10.1016/j.jfoodeng.2020.110145.

- Bai, L. *et al.* (2017) 'Comparison of emulsifying properties of food-grade polysaccharides in oil-in-water emulsions: Gum arabic, beet pectin, and corn fiber gum', *Food Hydrocolloids*. Elsevier Ltd, 66, pp. 144–153. doi: 10.1016/j.foodhyd.2016.12.019.
- Bastos, L. P. H. *et al.* (2020) 'Encapsulation of the black pepper (*Piper nigrum* L.) essential oil by lactoferrin-sodium alginate complex coacervates: Structural characterization and simulated gastrointestinal conditions', *Food Chemistry*. Elsevier, 316(August 2019), p. 126345. doi: 10.1016/j.foodchem.2020.126345.
- Bazaria, B. and Kumar, P. (2016) 'Effect of whey protein concentrate as drying aid and drying parameters on physicochemical and functional properties of spray dried beetroot juice concentrate', *Food Bioscience*. Elsevier, 14, pp. 21–27. doi: 10.1016/j.fbio.2015.11.002.
- Brennan, J. G. (2003). *Spray Drying*, (x), 1929–1938.
- Büchi Labortechnik, AG, (2013). Nano Spray Dryer B-90 Technical data sheet, en 1311 A. Available from: [http://static2.buchi.com/sites/default/files/technical-data-pdf/B-90\\_Data\\_Sheet\\_en\\_A\\_0.pdf](http://static2.buchi.com/sites/default/files/technical-data-pdf/B-90_Data_Sheet_en_A_0.pdf)
- Bustaman, S. (2008) 'Prospek pengembangan minyak pala banda sebagai komoditas ekspor maluku', *Jurnal Litbang Pertanian*, 27(10), pp. 93–98. Available at: [https://www.researchgate.net/publication/237588497\\_PROSPEK\\_PENGEMBANGAN\\_MINYAK\\_PALA\\_BANDA\\_SEBAGAI\\_KOMODITAS\\_EKSPOR\\_MALUKU](https://www.researchgate.net/publication/237588497_PROSPEK_PENGEMBANGAN_MINYAK_PALA_BANDA_SEBAGAI_KOMODITAS_EKSPOR_MALUKU).
- Cao, X. *et al.* (2018) 'Effect of spray drying on the properties of camelina gum isolated from camelina seeds', *Industrial Crops and Products*. Elsevier, 117(March), pp. 278–285. doi: 10.1016/j.indcrop.2018.03.017.
- Carter, B. P. *et al.* (2015) 'The critical water activity from dynamic dewpoint isotherms as an indicator of pre-mix powder stability', *Journal of Food Measurement and Characterization*. Springer US, 9(4), pp. 479–486. doi: 10.1007/s11694-015-9256-1.
- Castel, V., Rubiolo, A. C. and Carrara, C. R. (2018) 'Brea gum as wall material in the microencapsulation of corn oil by spray drying: Effect of inulin addition', *Food Research International*, 103(October 2017), pp. 76–83. doi: 10.1016/j.foodres.2017.10.036.
- Chalapud, M. C., Bäuml, E. R. and Carelli, A. A. (2018) 'Emulsions of sunflower wax in pectin aqueous solutions: Physical characterization and stability', *Food Research International*, 108(March), pp. 216–225. doi: 10.1016/j.foodres.2018.03.053.
- Charles, D. J. (2013). *Antioxidant Properties of Spices, Herbs and Other Sources*. London: Springer

- Chan, S. Y. *et al.* (2017) 'Pectin as a rheology modifier: Origin, structure, commercial production and rheology', *Carbohydrate Polymers*. Elsevier Ltd., 161, pp. 118–139. doi: 10.1016/j.carbpol.2016.12.033.
- Cheng, H. *et al.* (2019) 'Optimising water activity for storage of high lipid and high protein infant formula milk powder using multivariate analysis', *International Dairy Journal*. Elsevier Ltd, 93, pp. 92–98. doi: 10.1016/j.idairyj.2019.02.008.
- Cho, I. H. *et al.* (2010) 'Comparison of volatile Maillard reaction products from tagatose and other reducing sugars with amino acids', *Food Science and Biotechnology*, 19(2), pp. 431–438. doi: 10.1007/s10068-010-0061-7.
- Clark, J. P., & Doona, C. J. (2015). *Spray Drying Techniques for Food Ingredient Encapsulation*. UK: John Wiley & Sons, Ltd.
- De la Peña Armada, R., Villanueva-Suárez, M. J. and Mateos-Aparicio, I. (2020) 'High hydrostatic pressure processing enhances pectin solubilisation on apple by-product improving techno-functional properties', *European Food Research and Technology*. Springer Berlin Heidelberg, 246(8), pp. 1691–1702. doi: 10.1007/s00217-020-03524-w.
- Dhakal, S. P. and He, J. (2020) 'Microencapsulation of vitamins in food applications to prevent losses in processing and storage: A review', *Food Research International*. Elsevier, 137(May), p. 109326. doi: 10.1016/j.foodres.2020.109326.
- Dranca, F. and Oroian, M. (2018) 'Extraction, purification and characterization of pectin from alternative sources with potential technological applications', *Food Research International*. Elsevier, 113(February), pp. 327–350. doi:10.1016/j.foodres.2018.06.065.
- Dumore, N. S. and Mukhopadhyay, M. (2020) 'Antioxidant properties of aqueous selenium nanoparticles (ASeNPs) and its catalysts activity for 1, 1-diphenyl-2-picrylhydrazyl (DPPH) reduction', *Journal of Molecular Structure*. Elsevier B.V, 1205, p. 127637. doi: 10.1016/j.molstruc.2019.127637.
- Dupuy, N., Molinet, J., Mehl, F., Nanlohy, F., Dréau, Y. Le, & Kister, J. (2013). Chemometric analysis of mid infrared and gas chromatography data of Indonesian nutmeg essential oils. *Industrial Crops & Products*, 43, 596–601.
- Einhorn-Stoll, U. (2018) 'Pectin-water interactions in foods – From powder to gel', *Food Hydrocolloids*. Elsevier Ltd, 78, pp. 109–119. doi: 10.1016/j.foodhyd.2017.05.029.
- El-alfy, E. A. A. T. (2016). Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt ). *Phytochemistry Reviews*, 15(6), 1035–1056. <https://doi.org/10.1007/s11101-016-9469-x>

- Etzbach, L. *et al.* (2020) 'Effects of carrier agents on powder properties, stability of carotenoids, and encapsulation efficiency of goldenberry (*Physalis peruviana* L.) powder produced by co-current spray drying', *Current Research in Food Science*. Elsevier Ltd, 3(November 2019), pp. 73–81. doi: 10.1016/j.crfs.2020.03.002.
- Esfanjani, A. F. *et al.* (2015) 'Nano-encapsulation of saffron extract through double-layered multiple emulsions of pectin and whey protein concentrate', *Journal of Food Engineering*. Elsevier Ltd, 165, pp. 149–155. doi: 10.1016/j.jfoodeng.2015.06.022.
- Faridi Esfanjani, A., Jafari, S. M. and Assadpour, E. (2017) 'Preparation of a multiple emulsion based on pectin-whey protein complex for encapsulation of saffron extract nanodroplets', *Food Chemistry*. Elsevier Ltd, 221, pp. 1962–1969. doi: 10.1016/j.foodchem.2016.11.149.
- Fleddermann, M. *et al.* (2013) 'Nutritional evaluation of rapeseed protein compared to soy protein for quality, plasma amino acids, and nitrogen balance - A randomized cross-over intervention study in humans', *Clinical Nutrition*. Elsevier Ltd, 32(4), pp. 519–526. doi: 10.1016/j.clnu.2012.11.005.
- Ferreira, S. *et al.* (2019) 'Physicochemical, morphological and antioxidant properties of spray-dried mango kernel starch', *Journal of Agriculture and Food Research*. Elsevier Ltd, 1(November), p. 100012. doi: 10.1016/j.jafr.2019.100012.
- Frascareli, E. C., Silva, V. M., Tonon, R. V., & Hubinger, M. D. (2011). Food and Bioproducts Processing Effect of process conditions on the microencapsulation of coffee oil by spray drying. *Food and Bioproducts Processing*, 90(3), 413–424.  
<https://doi.org/10.1016/j.fbp.2011.12.002>
- García-Saldaña, J. S. *et al.* (2016) 'Microencapsulation of sulforaphane from broccoli seed extracts by gelatin/gum Arabic and gelatin/pectin complexes', *Food Chemistry*, 201, pp. 94–100. doi: 10.1016/j.foodchem.2016.01.087.
- Geranpour, M., Assadpour, E. and Jafari, S. M. (2020) 'Recent advances in the spray drying encapsulation of essential fatty acids and functional oils', *Trends in Food Science & Technology*. Elsevier Ltd. doi: 10.1016/j.tifs.2020.05.028.
- Goula, A. M. and Adamopoulos, K. G. (2005) 'Spray drying of tomato pulp in dehumidified air: II. The effect on powder properties', *Journal of Food Engineering*, 66(1), pp. 35–42. doi: 10.1016/j.jfoodeng.2004.02.031.
- Gupta, S. *et al.* (2016) *Encapsulation: entrapping essential oil/flavors/aromas in food, Encapsulations*. Elsevier Inc. doi: 10.1016/b978-0-12-804307-3.00006-5.

- Guo, Q. *et al.* (2020) 'Production and characterization of pea protein isolate-pectin complexes for delivery of curcumin: Effect of esterified degree of pectin', *Food Hydrocolloids*. Elsevier Ltd, 105(17), p. 105777. doi: 10.1016/j.foodhyd.2020.105777.
- Han, Y., Yu, M. and Wang, L. (2018) 'Preparation and characterization of antioxidant soy protein isolate films incorporating licorice residue extract', *Food Hydrocolloids*. Elsevier Ltd, 75, pp. 13–21. doi: 10.1016/j.foodhyd.2017.09.020.
- He, Q. *et al.* (2020) 'Investigation on dynamic hygro-thermo-elastic response of cylindrical shells with a porous microcapsule coating', *Composite Structures*, 243(January). doi: 10.1016/j.compstruct.2020.112146.
- Hernández-Nava, R. *et al.* (2020) 'Encapsulation of oregano essential oil (*Origanum vulgare*) by complex coacervation between gelatin and chia mucilage and its properties after spray drying', *Food Hydrocolloids*. Elsevier Ltd, p. 106077. doi: 10.1016/j.foodhyd.2020.106077.
- Hidar, N. *et al.* (2018) 'Investigation of water adsorption and thermodynamic properties of stevia powder', *Journal of Food Measurement and Characterization*. Springer US, 12(4), pp. 2615–2625. doi: 10.1007/s11694-018-9879-0.
- Jiang, Y. *et al.* (2019) 'Effects of pectin polydispersity on zein/pectin composite nanoparticles (ZAPs) as high internal-phase Pickering emulsion stabilizers', *Carbohydrate Polymers*. Elsevier, 219(February), pp. 77–86. doi: 10.1016/j.carbpol.2019.05.025.
- Kazemi, M. *et al.* (2020) 'Ultrasonic and heating extraction of pistachio by-product pectin: physicochemical, structural characterization and functional measurement', *Journal of Food Measurement and Characterization*. Springer US, 14(2), pp. 679–693. doi: 10.1007/s11694-019-00315-0.
- Kinalski, T. and Noreña, C. P. Z. (2019) 'Effect of spray drying encapsulation of garlic extract on inulin and thiosulfates contents', *Journal of Food Measurement and Characterization*. Springer US, 13(3), pp. 2438–2447. doi: 10.1007/s11694-019-00164-x.
- Kuck, L. S. and Noreña, C. P. Z. (2016) 'Microencapsulation of grape (*Vitis labrusca* var. Bordo) skin phenolic extract using gum Arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents', *Food Chemistry*. Elsevier Ltd, 194, pp. 569–576. doi: 10.1016/j.foodchem.2015.08.066.
- Li, Q. *et al.* (2020) 'Revealing the effects of multi-scale molecules on  $\alpha$ -linolenic acid-loaded W1/O/W2 microemulsion: A combined study from physical properties, antioxidant

- capacity and in vitro release kinetics', *Journal of Molecular Liquids*. Elsevier B.V, 303, p. 112675. doi: 10.1016/j.molliq.2020.112675.
- Locali Pereira, A. R., Gonçalves Cattelan, M. and Nicoletti, V. R. (2019) 'Microencapsulation of pink pepper essential oil: Properties of spray-dried pectin/SPI double-layer versus SPI single-layer stabilized emulsions', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. Elsevier, 581(July), p. 123806. doi: 10.1016/j.colsurfa.2019.123806.
- Lopes da Silva, J. A., & Rao, M. A. (2006). Pectins: Structure, functionality, and uses. In A. M. Stephen (Ed.). *Food polysaccharides and their applications* (2nd ed.). Boca Raton, FL: CRC/Taylor & Francis.
- Ma, X. *et al.* (2020) 'Conjugation of soy protein isolate (SPI) with pectin by ultrasound treatment', *Food Hydrocolloids*. Elsevier Ltd, 108(May), p. 106056. doi: 10.1016/j.foodhyd.2020.106056.
- Magri, G. *et al.* (2019) 'Data on spray-drying processing to optimize the yield of materials sensitive to heat and moisture content', *Data in Brief*, 23, pp. 4–7. doi: 10.1016/j.dib.2019.103792.
- Martins, C., Rueff, J. and Rodrigues, A. S. (2018) 'Genotoxic alkenylbenzene flavourings, a contribution to risk assessment', *Food and Chemical Toxicology*, 118(February), pp. 861–879. doi: 10.1016/j.fct.2018.06.020.
- Matulyte, I., Marksa, M., Ivanauskas, L., & Kalv, Z. (2019). GC-MS Analysis of the Composition of the Extracts and Essential Oil from *Myristica fragrans* Seeds Using Magnesium Aluminometasilicate as Excipient, 2–13.  
<https://doi.org/10.3390/molecules24061062>
- Mazumder, A. R., & Ranganathan, T. V. (2019). Encapsulation of isoflavone with milk, maltodextrin and gum acacia improves its stability. *Current Research in Food Science*.  
<https://doi.org/10.1016/j.crfs.2019.12.003>
- Mehran, M., Masoum, S. and Memarzadeh, M. (2020) 'Microencapsulation of Mentha spicata essential oil by spray drying: Optimization, characterization, release kinetics of essential oil from microcapsules in food models', *Industrial Crops and Products*. Elsevier, 154(June), p. 112694. doi: 10.1016/j.indcrop.2020.112694.
- Miranti, L. (2009) 'Pengaruh Konsentrasi Minyak Atsiri Kencur (*Kaempferia galanga* L.) Dengan Basis Salep Larut Air Terhadap Sifat Fisik Salep Dan Daya Hambat Bakteri *Staphylococcus aureus* Secara In Vitro', *Pharmakon Jurnal Ilmiah Farmasi*, 2(1), pp. 20–26.



- Mohammadi, A. *et al.* (2016) 'Nano-encapsulation of olive leaf phenolic compounds through WPC-pectin complexes and evaluating their release rate', *International Journal of Biological Macromolecules*. Elsevier B.V., 82, pp. 816–822. doi: 10.1016/j.ijbiomac.2015.10.025.
- Mohnen, D. (2008). Pectin structure and biosynthesis. <https://doi.org/10.1016/j.pbi.2008.03.006>
- Moghbeli, S. *et al.* (2019) 'Influence of pectin-whey protein complexes and surfactant on the yield and microstructural properties of date powder produced by spray drying', *Journal of Food Engineering*. Elsevier, 242(April 2018), pp. 124–132. doi: 10.1016/j.jfoodeng.2018.08.025.
- Morales-Contreras, B. E. *et al.* (2020) 'Apple pomace from variety "Blanca de Asturias" as sustainable source of pectin: Composition, rheological, and thermal properties', *Lwt*. Elsevier, 117(August 2019), p. 108641. doi: 10.1016/j.lwt.2019.108641.
- Moser, P., Ferreira, S. and Nicoletti, V. R. (2019) 'Buriti oil microencapsulation in chickpea protein-pectin matrix as affected by spray drying parameters', *Food and Bioprocess Technology*. Institution of Chemical Engineers, 117, pp. 183–193. doi: 10.1016/j.fbp.2019.07.009.
- Mousavi, S. M. *et al.* (2019) 'Green synthesis of supermagnetic Fe<sub>3</sub>O<sub>4</sub>–MgO nanoparticles via Nutmeg essential oil toward superior anti-bacterial and anti-fungal performance', *Journal of Drug Delivery Science and Technology*. Elsevier, 54(August), p. 101352. doi: 10.1016/j.jddst.2019.101352.
- Muzaffar, K. and Kumar, P. (2015) 'Parameter optimization for spray drying of tamarind pulp using response surface methodology', *Powder Technology*. Elsevier B.V., 279, pp. 179–184. doi: 10.1016/j.powtec.2015.04.010.
- Nandiyanto, A. B. D. and Okuyama, K. (2011) 'Progress in developing spray-drying methods for the production of controlled morphology particles: From the nanometer to submicrometer size ranges', *Advanced Powder Technology*. The Society of Powder Technology Japan, 22(1), pp. 1–19. doi: 10.1016/j.apr.2010.09.011.
- Naqash, F. *et al.* (2017) 'Emerging concepts in the nutraceutical and functional properties of pectin—A Review', *Carbohydrate Polymers*. Elsevier Ltd., 168, pp. 227–239. doi: 10.1016/j.carbpol.2017.03.058.
- Nishinari, K., Fang, Y., Guo, S., & Phillips, G. O. (2014). Food Hydrocolloids Soy proteins : A review on composition , aggregation and emulsi fi cation. *Food Hydrocolloids*, 39, 301–318. <https://doi.org/10.1016/j.foodhyd.2014.01.013>

- Noreen, A. *et al.* (2017) 'Pectins functionalized biomaterials; a new viable approach for biomedical applications: A review', *International Journal of Biological Macromolecules*. Elsevier B.V., 101, pp. 254–272. doi: 10.1016/j.ijbiomac.2017.03.029.
- Nurdjannah, N. (2007) 'Teknologi Pengolahan Pala', *Badan Penelitian dan Pengembangan Pertanian. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian*, pp. 154.
- Ogawa, K. and Ito, M. (2019) 'Appetite-enhancing effects of nutmeg oil and structure–activity relationship of habituation to phenylpropanoids', *Journal of Natural Medicines*. Springer Singapore, 73(3), pp. 513–522. doi: 10.1007/s11418-019-01295-7.
- Ozsagiroglu, E. and Guvenilir, Y. A. (2016) 'Production of polycaprolactone–polyethylene glycol–sodium alginate biocomposites for spray drying encapsulation of l-ascorbic acid', *Iranian Polymer Journal (English Edition)*. Springer Berlin Heidelberg, 25(9), pp. 757–763. doi: 10.1007/s13726-016-0464-2.
- Panchev, I. N. *et al.* (2010) 'On the water-sorption properties of pectin', *Food Hydrocolloids*. Elsevier Ltd, 24(8), pp. 763–769. doi: 10.1016/j.foodhyd.2010.04.002
- Park, C. W. and Drake, M. A. (2017) 'The effect of homogenization pressure on the flavor and flavor stability of whole milk powder', *Journal of Dairy Science*. American Dairy Science Association, 100(7), pp. 5195–5205. doi: 10.3168/jds.2017-12544.
- Partheniadis, I. *et al.* (2019) 'Formulation, characterization and antimicrobial activity of tablets of essential oil prepared by compression of spray-dried powder', *Journal of Drug Delivery Science and Technology*. Elsevier, 50(November 2018), pp. 226–236. doi: 10.1016/j.jddst.2019.01.031.
- Pereira Souza, A. C., Deyse Gurak, P. and Damasceno Ferreira Marczak, L. (2017) 'Maltodextrin, pectin and soy protein isolate as carrier agents in the encapsulation of anthocyanins-rich extract from jaboticaba pomace', *Food and Bioproducts Processing*. Institution of Chemical Engineers, 102, pp. 186–194. doi: 10.1016/j.fbp.2016.12.012.
- Quek, S. Y., Chok, N. K. and Swedlund, P. (2007) 'The physicochemical properties of spray-dried watermelon powders', *Chemical Engineering and Processing: Process Intensification*, 46(5), pp. 386–392. doi: 10.1016/j.cep.2006.06.020.
- Raeisi, S. *et al.* (2019) 'Nano-encapsulation of fish oil and garlic essential oil by a novel composition of wall material: Persian gum-chitosan', *Lwt*. Elsevier, 116(August), p. 108494. doi: 10.1016/j.lwt.2019.108494. Raimúndez-Rodríguez, E. A., Losada-



- Ramakrishnan, Y. *et al.* (2018) 'Effect of wall materials on the spray drying efficiency, powder properties and stability of bioactive compounds in tamarillo juice microencapsulation', *Powder Technology*. Elsevier B.V., 328, pp. 406–414. doi: 10.1016/j.powtec.2017.12.018.
- Rehman, A. *et al.* (2019) 'Pectin polymers as wall materials for the nano-encapsulation of bioactive compounds', *Trends in Food Science and Technology*. Elsevier, 90(March), pp. 35–46. doi: 10.1016/j.tifs.2019.05.015.
- Ren, Z. *et al.* (2020) 'Characteristics and rheological behavior of Pickering emulsions stabilized by tea water-insoluble protein nanoparticles via high-pressure homogenization', *International Journal of Biological Macromolecules*. Elsevier B.V., 151, pp. 247–256. doi: 10.1016/j.ijbiomac.2020.02.090.
- Saavedra Isusi, G. I. *et al.* (2020) 'Polymer or microgel particle: Differences in emulsifying properties of pectin as microgel or as individual polymer chains', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. Elsevier, 598(February), p. 124793. doi: 10.1016/j.colsurfa.2020.124793.
- Saha, D., Nanda, S. K. and Yadav, D. N. (2019) 'Optimization of spray drying process parameters for production of groundnut milk powder', *Powder Technology*. Elsevier B.V., 355, pp. 417–424. doi: 10.1016/j.powtec.2019.07.066.
- Sales, A., Felipe, L. de O. and Bicas, J. L. (2020) 'Production, Properties, and Applications of  $\alpha$ -Terpineol', *Food and Bioprocess Technology*. Food and Bioprocess Technology. doi: 10.1007/s11947-020-02461-6.
- Sanchez-Reinoso, Z., Osorio, C. and Herrera, A. (2017) 'Effect of microencapsulation by spray drying on cocoa aroma compounds and physicochemical characterisation of microencapsulates', *Powder Technology*. Elsevier B.V., 318, pp. 110–119. doi: 10.1016/j.powtec.2017.05.040.
- Santhalakshmy, S. *et al.* (2015) 'Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder', *Powder Technology*. Elsevier B.V., 274, pp. 37–43. doi: 10.1016/j.powtec.2015.01.016.
- Sarabandi, K. and Jafari, S. M. (2020) 'Improving the antioxidant stability of flaxseed peptide fractions during spray drying encapsulation by surfactants: Physicochemical and morphological features', *Journal of Food Engineering*. Elsevier Ltd, 286(April), p. 110131. doi: 10.1016/j.jfoodeng.2020.110131.
- Sasikumar, R., Das, M. and Deka, S. C. (2020) 'Process optimization for the production of blood fruit powder by spray drying technique and its quality evaluation', *Journal of*

- Food Science and Technology*. Springer India, 57(6), pp. 2269–2282. doi: 10.1007/s13197-020-04264-1.
- Shao, P. *et al.* (2019) ‘Encapsulation efficiency and controlled release of *Ganoderma lucidum* polysaccharide microcapsules by spray drying using different combinations of wall materials’, *International Journal of Biological Macromolecules*. Elsevier B.V., 125, pp. 962–969. doi: 10.1016/j.ijbiomac.2018.12.153.
- Shavakhi, F., Boo, H. C. and Osman, A. (2011) ‘Effects of Enzymatic Liquefaction , Maltodextrin Concentration , and Spray-Dryer Air Inlet Temperature on Pumpkin Powder Characteristics’. doi: 10.1007/s11947-011-0686-4.
- Silva Faria, W. C. *et al.* (2020) ‘Antioxidant efficacy and in silico toxicity prediction of free and spray-dried extracts of green Arabica and Robusta coffee fruits and their application in edible oil’, *Food Hydrocolloids*, 108(December 2019). doi: 10.1016/j.foodhyd.2020.106004.
- Sun, D., Chen, X. and Zhu, C. (2020) ‘Physicochemical properties and antioxidant activity of pectin from hawthorn wine pomace: A comparison of different extraction methods’, *International Journal of Biological Macromolecules*. Elsevier B.V., 158, pp. 1239–1247. doi: 10.1016/j.ijbiomac.2020.05.052.
- Sun, X., Cameron, R. G. and Bai, J. (2020) ‘Effect of spray-drying temperature on physicochemical, antioxidant and antimicrobial properties of pectin/sodium alginate microencapsulated carvacrol’, *Food Hydrocolloids*. Elsevier Ltd, 100(October 2019), p. 105420. doi: 10.1016/j.foodhyd.2019.105420.
- Tan, S. P. *et al.* (2015) ‘Effects of the spray-drying temperatures on the physiochemical properties of an encapsulated bitter melon aqueous extract powder’, *Powder Technology*. Elsevier B.V., 281, pp. 65–75. doi: 10.1016/j.powtec.2015.04.074.
- Thakur, S. *et al.* (2019) ‘Progress in pectin based hydrogels for water purification: Trends and challenges’, *Journal of Environmental Management*. Elsevier, 238(November 2018), pp. 210–223. doi: 10.1016/j.jenvman.2019.03.002.
- Tongnuanchan, P., & Benjakul, S. (2014). Essential Oils: Extraction, Bioactivities, and Their Uses for Food Preservation, 79(7), 1231–1249. <https://doi.org/10.1111/1750-3841.12492>
- Wang, Y. and Selomulya, C. (2019) ‘Spray drying strategy for encapsulation of bioactive peptide powders for food applications q’, *Advanced Powder Technology*. The Society of Powder Technology Japan, (xxxx). doi: 10.1016/j.appt.2019.10.034.

- Wathoni, N. *et al.* (2019) 'Characterization and antioxidant activity of pectin from Indonesian mangosteen (*Garcinia mangostana* L.) rind', *Heliyon*. Elsevier Ltd, 5(8), p. e02299. doi: 10.1016/j.heliyon.2019.e02299.
- Wong, T. W. *et al.* (2015) 'Advances in Spray Drying Technology for Nanoparticle Formation', pp. 1–16. doi: 10.1007/978-3-319-13188-7.
- Yang, S. *et al.* (2012) 'The improving effect of spray-drying encapsulation process on the bitter taste and stability of whey protein hydrolysate', *European Food Research and Technology*, 235(1), pp. 91–97. doi: 10.1007/s00217-012-1735-6.
- Zhang, R. *et al.* (2020) *Microencapsulation of anthocyanins extracted from grape skin by emulsification/internal gelation followed by spray/freeze-drying techniques: Characterization, stability and bioaccessibility*, *Lwt*. Elsevier Ltd. doi: 10.1016/j.lwt.2020.109097.
- Zhang, C. *et al.* (2020) 'Microencapsulation of fermented noni juice via micro-fluidic-jet spray drying: Evaluation of powder properties and functionalities', *Powder Technology*. Elsevier B.V., 361, pp. 995–1005. doi: 10.1016/j.powtec.2019.10.098.
- Zhang, J. *et al.* (2020) 'High-efficient, Rapid and Continuous Separation of Surfactant-stabilized Oil/Water Emulsions by Selective Under-liquid Adhering Emulsified Droplets', *Journal of Hazardous Materials*. Elsevier, 400(June), p. 123132. doi: 10.1016/j.jhazmat.2020.123132.
- Zhao, S. *et al.* (2020) 'Effect of mesoscopic structure of citrus pectin on its emulsifying properties: Compactness is more important than size', *Journal of Colloid and Interface Science*. Elsevier Inc., 570, pp. 80–88. doi: 10.1016/j.jcis.2020.02.113.
- Zaitseva, O. *et al.* (2020) 'Pectins as a universal medicine', *Fitoterapia*. Elsevier, 146(June), p. 104676. doi: 10.1016/j.fitote.2020.104676.