

## DAFTAR PUSTAKA

- Abdurrahman, I.N., Gultom, H.J., dan Desmaliana, E. 2018. *Kajian Eksperimental Sifat Mekanik Panel Cross Laminated Timber Kayu Sengon dan Kayu Jabon*. RekaRacana: Jurnal Teknil Sipil, 4(4):78-87
- Altinok, M., Tas, H.H., dan Cimen, M. 2009. *Effects of Combined Usage of Traditional Glue Joint Methods in Box Construction on Strength of Furniture*. Material and desains.30(8):313-317
- Amelia, T., Yusita, K., dan Lucky, Basuki. 2018. *Eksperimen Material untuk Mebel dari Limbah Kertas Koran*. Intra, 6(2):572-579.
- Anshari, B. 2006. *Pengaruh variasi tekanan kempa terhadap kuat lentur kayu laminasi dari kayu meranti dan keruing*. Civil Engineering Dimension, 8(1):25-33.
- ASTM (American Standard Test Methods). 2000. *Standar Test Methods for Small Clear Specimens of Timber* D 143-94. Annual Book of ASTM Standard. Philadelphia. : 9-11.
- Avramidis, G., Nothnick, E., Millitz, H., Viol, W., dan Wolkenhauer, A. 2011. *Accelerated Curing of PVAc Adhesive on Plasma-Treated Wood Veneers*. European Journal of Wood and Wood Product. 69: 329-332.
- Awaludin, A. 2005. *Konstruksi Kayu*. Biro Penerbit KMTS Jurusan Teknik Sipil Fakultas Teknik Universitas Gadjah Mada. Yogyakarta.
- Badan Pusat Statistik [BPS]. 2019. *Produksi Kayu Bulat Perusahaan Hak Pengusahaan Hutan (HPH) Menurut Pulau (m3)*. Badan Pusat Statistik, Indonesia.
- Basri, E., dan Rahmat. 2001. *Pembuatan kilang pengeringan kayu kombinasi energi surya dan tungku*. Pusat Penelitian dan Pengembangan Teknologi Hasil Hutan. Bogor
- Bowyer, J.L., Shmulsky, R., dan Haygreen, J.G. 2008. *Forest Product and Wood Science – An Introduction, 5th edition*. Iowa State University press, USA
- Branco, J.M., dan Descamps, T. 2015. *Analysis and Strengthening of Carpentry Joints*. Construction and Building Materials. 97:34-47.
- Buchanan, A., Bruce, D., Fragfiacom, M., Stefano, P., dan Alessandro, P. 2008. *Multi-storey prestressed timber buildings in New Zealand*. Structural Engineering International, 18(2):166–173
- Burdurlu, E., Y. Kilic., Ellibol, G.C., dan Kilic, M. 2006. *Shear Streght of Calabrian Pine (Pinus Burtia Ten) Bonded with Polyurethan and Polyvinyl acetate Adhesive*. Journal of Appllication Polymer Science 100:856-867
- Badan Standardisasi Nasional. 1995. *Metode Pengujian Modulus Elastisitas Lentur Kayu Konstruksi Berukuran Struktural*. SNI 03-3972-1995. Jakarta (ID)BSN.
- Cahyono, T.D., Wahyudi, I., Priadi, T., Febrianto, F., dan Ohrella, D. 2014. *Analaisis Modullus Geser dan Pengaruhnya terhadap kekakuan Panel Laminasi Kayu Samama (Antocephallus macrophyllus)*. Journal Teoritis dan Terapan Bidang Rekayasa Sipil. 21(2):121-127.
- Chang, R. 2005. *General Chemistry: The Essential Concept*. Jilid 2, edisi tiga, Erlangga.

- Chen, Y. 2011. *Structural Performance of Box Based Cross Laminated Timber System Used in Floor Applications*. Vancouver, BC, Canada: University of British Columbia.
- Cimadevila, J.E., Suarez, R., Otero, C., dan Martín, E. 2018. *Experimental analysis of pretensioned CLT-glulam T-section beams*. Advances in Materials Science and Engineering.
- Danardoni. 2013. *Metode Statistika II*. Bahan Ajar. Universitas Gadjah Mada. Yogyakarta
- Dumanau, D.F. 1999. *Mengenal Kayu*. Gramedia, Jakarta.
- Espinoza, O., Buehlmann, U., Laguarda, M., dan Trujillo, V.R. 2016. *Identifcation of Research Areas to Advance The Adoption of Cross-Laminated Timber in North America*. BioProducts Business, 1-13.
- Frese, M., Enders, C.M., Blab, H.J., dan Glos, P. 2012. *Compressive strength of spruce glulam*. European Journal of Wood and Wood Products. 70(6): 801-809
- Grøstad, K., dan Pedersen, A. 2010. *Emulsion polymer isocyanates as wood adhesive: A review*. Journal of Adhesion Science and Technology. 24:1357-1381.
- Hadiyan, Y. 2010. *Evaluasi Pertumbuhan Awal Kebun Benih Semai Uji Keturunan Sengon (*Falcataria moluccana* sinonim: *Paraserianthes falcataria*) Umur 4 Bulan di Cikampek Jawa Barat*. Jurnal Penelitian Hutan Tanaman, 7(2):85-91.
- Handayani, S. 2009. *Metode Perekatan Dengan Lem Pada Sambungan Kayu*. Jurnal Teknik Sipil & Perencanaan. 1(11):11-20
- Hayatunnufus, A. 2018. *Pengaruh Perkuatan Pelat Besi Terhadap Kekuatan Sambungan Kayu Takikan Lurus*. Jurnal Rekayasa Sipil. 14(1):21-34
- Hidayat, D.W. 1996. *Pengaruh Variasi Bentuk Sambungan Dan Perekat Terhadap Sifat Fisik Mekanik Papan Sambung Kayu Kelapa Sawit*. Skripsi. Jurusan Teknologi Hasil Hutan. Fakultas Kehutanan. IPB. Bogor
- Iskandar, M.I., dan Sulastiningsih, I.M. 2006. *Sifat Papan Blok Sengon dengan Venir Silang Kayu Tusam*. Jurnal Penelitian Hasil Hutan, 24(2):145-155.
- JPIC (Japan Plywood Inspection Corporation). 2003. *Japanese Agricultural Standard for Glued Laminated Timber*. JPIC. Tokyo.
- Jokerst, R. 1981. *Finger Jointed Wood Products*. USA (US): United States Departement of Agriculture
- Kaboorani, A., dan Riedl, B. 2011. *Effects of Adding Nanoclay on Performance of Polyvinyl Acetate (PVA) as a Wood Adhesive*. Composites. 42(8):1031-1039.
- Karnasudirdja, S. 1989. *Kekuatan kayu lamina yang dibuat dari tiga jenis kayu*. Jurnal Penelitian Hasil Hutan, 6(5): 281-287
- Keibal, N.A., Bondarenko, S.N., dan Kablov, F. 2010. *Modification of Adhesive Composite Based on Polychlorophene with Element-Containing Adhesion Promoters*. Polymer Science. 4(4):267-280
- Kim, S., dan Kim, H.J. 2005. *Effect of addition of polyvinyl acetate to melamine-formaldehyde resin on the adhesion and formaldehyde emission in engineered flooring*. International Journal of Adhesion & Adhesives. 25: 456-461.

- Kirk, R.E., dan Othmer, D.F. 1980. *Encyclopedia of Chemical Technology*. 3rd ed. The Inter Science Encyclopedia Inc, New York.
- Kollman, E.W., Kuenzi dan Stamm, A.J. 1975. *Principle of Wood Science and Technology. Volume II Wood Based Material*. Springer Verlag Berlin Heidelberg, New York
- Kurniady, W.R. 2007. *Pemanfaatan material bambu sebagai material bangunan sederhana didaerah rawan gempa*. Skripsi. Institut Teknologi Bandung, Bandung
- Lam, F., dan Prion, H.G. 2003. *Engineered Wood Products for Structural Purposes*. Timber engineering. 14:81-102
- Li Hao, Brad, J.W., Piexing, W., dan Libin, W. 2019. *Cross-laminated Timber (CLT) in China: A State-of-the-Art*. Journal of Bioresources and Bioproduct. 4(1):22-30
- Liliefna, L.D., Nugroho, N., Karlinasari, S., dan Sadiyo, S. 2020. *Development of Low-Tech Laminated Bamboo Esterilla Sheet Made of Thin-Wall Bamboo Culm*. Construction and Building Material Journal. 242: 118-181.
- Mahdie, M.F., dan Rinaldi, A. 2007. *Pengaruh Pola Susunan Laminasi Balok Bambu Tali (*Gigantochloa apus Kurz*) terhadap Kerapatan, Delaminasi dan Keteguhan Patah*. Jurnal Ilmu Kehutanan. 1(2):22-29
- Marra A.A. 1992. *Technology of wood Bonding: Principle in Prattice*. New York: Van Nostrand Reinhold
- Martawijaya, A., Kartasujana, I., Mandang, Y.I., Prawira, S.A., Kadir, K. 1989. *Atlas Kayu Indonesia Jilid II*. Badan Penelitian dan Pengembangan Kehutanan. Bogor
- Maysarah, S., dan Herlina, N. 2015. *Pembuatan Perekat Lignin Resorsinol Formaldehid dari Natrium Lignosulfonat Tandan Kosong Kelapa Sawit*. Jurnal Teknik Kimia USU. 4(4):58-63
- Moody, R.C., dan Hernandez, R. 1997. *Glued-laminated timber*. Forest Product Laboratory. USDA Forest Service. Madison, Winconsin
- Mubarok, R.I. 2015. *Optimasi Multirespon Untuk Rancangan Mixture Pada Pembuatan Perekat Body Mobil Listrik Based PVAc (Polyvinil Asetat)*. Dissertasi. Institut Teknologi Sepuluh Nopember
- Muszynski, L., Eric, H., Shanuka, F., Gabriel, S., dan Jasmin, R. 2017. *Insight into The Global Cross-Laminated Timber Industry*. BioProduct Business. 77-92
- Nandika, D., dan Darmawan, W. 2015. *Peningkatan Kualitas Kayu Sengon (*Paraserianthes Falcataria* (L) Nielsen) Melalui Tknik Kompregnasi*. Journal of Agroindustrial Technology, 25(2).
- Nguyen, T., dan Johns, W.E. 1979. *The effects of aging and extraction on the surface free energy of Douglas fir and redwood*. Wood Sci Technol. 13: 29–40
- Nurleni, L. 1994. *Produktivitas Pembuatan Papan Sambung di PT. Albasi Parahyangan Banjar-Ciamis*. Skripsi. Fakultas Kehutanan, Institut Pertanian Bogor
- Nurmadina, Prayitno, T.A., dan Febrianto, F. 2016. *Pengaruh Umur dan Bonita terhadap Sifat Perekatan Laminasi Kayu Jati (*The Effect of Age Class and Site Index on Bonding Properties of Teak Wood Lamina*)*. Jurnal Ilmu Teknologi Kayu Tropis. 14(1)

- Nuryawan, A., dan Alamsyah, E.M. 2017. *A Review of Isocyanate Wood Adhesive: A Case Study in Indonesia*. Chapter 5. Intech. 73-90.
- Okuda, S., Corpataux, L., Muthukrishnan, S., dan Wei, K.H. 2018. *Cross-Laminated Timber with Renewabe, Fast-Growing Tropical Species in Southeast Asia*. World Conference on Timber Engineering. Seoul, Republic of Korea.
- Pandit, I.K.N., dan Dani, K. 2008. *Sifat Kayu Sebagai Bahan Baku dan Ciri Diagnostik Kayu Perdagangan Indonesia*. Bogor: Centium
- Penebar Swadaya. 2008. *Panduan Lengkap Karet*. Jakarta: Penebar Swadaya
- Perkins, P., dan McCloskey, K. 2010. *A Strategic Plan for the Commercialization of Cross-Laminated Timber in Canada and the United State*. Canadian Wood Council
- Pizzi, A., dan Mittal, K.L. 2003. *Handbook of Adhesive Technology Second Edition, Revised and Expanded*. Marcel Dekker Inc. USA (US): New York
- Plantamor. 2020. *Albasia (Falcataria moluccana)*. Diakses pada: 11 Juli 2020, <http://plantamor.com/species/info/falcataria/moluccana>
- Pogius, A.V. 2002. *Adhesion and Adhesive Technology 2nd Edition*. Hanser Publisher, Munich. Germany
- Praptoyo, H. 2010. *Sifat Anatomi dan sifat fisika kayu mindi (Melia azedarach Linn) dari Hutan Rakyat di Yogyakarta*. Jurnal Ilmu Kehutanan. 4(1):21-27.
- Prayitno, T.A. 2012. *Teknologi Perekatan Kayu*. Fakultas Kehutanan UGM
- Puspantoro, B. 1995. *Konstruksi Bangunan Gedung Sambungan kayu pintu dan jendela*. Andi Offset Yogyakarta
- Que, Z.L., Li, Z.R., Wang, F.B., Hou, T.Y., dan Shang, P. 2017. *Review of research and development status of cross-laminated timber used by medium high-rise structure in Europe*. Building Structure. 47(2):75–80
- Rosberg, M., Lendle, W., Pfleiderer, G., Tögel, A., Dreher, E.L., Langer, E., Rassaerts, H., Kleinschmidt, P., Strack, H., Cook, R. dan Beck, U. 2000. *Chlorinated hydrocarbons*. Ullmann's encyclopedia of industrial chemistry.
- Rostina, T. 2001. *Pengaruh jumlah lapisan dan komposisi kekakuan lamina terhadap keteguhan lentur statis balok laminasi kayu kelapa (Cocos nucifera Linn.)*. Skripsi. Bogor: Fakultas Kehutanan, Institut Pertanian Bogor.
- Ruhendi, S., Koroh, D.S., Syamani, F.A., Yanti, H., Nurhaida., Saad, S., dan Sucipto, T. 2007. *Analisis Perekatan Kayu*. Fakultas Kehutanan Institut Pertanian Bogor. Bogor.
- Ruhendi, S dan Hadi, Y. 1997. *Perekat dan Perekatan*. Bogor: Institut Pertanian Bogor.
- Safitri, E., dan Gunawan, P., 2010. *Pengujian Sambungan Finger Joint untuk mengkaji kuat lentur pada balok kayu*. Media Teknik Sipil. 10(2):113-118.
- Sahu, A., dan Ganguly, S. 2018. *The Compression Test on the Lap Joints Made of Meliaazedarach to Evaluate Their Suitability for Various End Uses*. Journal og Agroecology and Natural Rosource Management. 5(1):41-46
- Sari, R.J.P. 2011. *Karakteristik Balok Laminasi dari Kayu Sengon (Paraserianthes falcataria (L.) Nielson), Manii (Maesopsis eminii Willd.), dan Akasia (Acacia mangium Engl.)*. Skripsi. Depatemen Hasil Hutan, Fakultas Kehutanan IPB. Bogor

- Sari, R.R., Hairiah, K., dan Suyanto, S., 2018. *Karakteristik Hutan Rakyat Jati dan Sengon serta Manfaat Ekonominya di Kabupaten Malang*. Jurnal Ekonomi Pertanian dan Agribisnis. 2(2):129-137.
- Sasaki, H., McArthur, E., dan Gottstein, J.W. 1973. *Maximum Strenght of End-Grain to End-Grain Butt Joint*. Forest Product Journal, 23(2): 48-54.
- Semple, K.E., Sackey, E.K., Fakhri, H.R., McConchie, T. dan Smith, G.D. 2007. *Effect of extended mat open assembly time on properties of OSB bonded with PMDI*. Wood and fiber science. 38(3):546-552.
- Setiasih, I. 2012. *Manfaat Ekonomi dan Peluang Pengembangan Hutan Rakyat Sengon di Kabupaten Ngawi*. Jurnal Penelitian Sosial dan Ekonomi Kehutanan. 9(3):126-139
- Sotayo, A., Bradley, D., Bather, M., Sareh, P., Oudjene, M., El-Houjeiri, I., Harte, A.M., Mehra, S., O'Ceallaigh, C., Haller, P., dan Namari, S. 2020. *Review of State of the Art of Dowel Laminated Timber Members and Densified Wood Materials as Sustainable Engineered Wood Products for Construction and Building Applications*. Developments in the Built Environment. 1(20):100-104
- Steel, R. G. D., dan Torrie, J.H. 1995. *Prinsip dan Prosedur Statistika*. Gramedia Pustaka. Jakarta
- Stürzenbecher, R., Hofstetter, K., dan Eberhardsteiner, J. 2010. *Structural design of Cross Laminated Timber (CLT) by Advanced Plate Theories*. Composites Science and Technology. 70:1368–1379
- Sugiarti. 2010. *Kekuatan lentur glulam struktural yang terbuat dari papan sambung kayu tusam dan kayu manis*. Skripsi. Institut Pertanian Bogor
- Sulastiningsih, I. M., dan Santoso, A. 2012. *Pengaruh Jenis Bambu, Waktu Kempa dan Perlakuan Pendahuluan Bilah Bambu Terhadap Sifat Papan Bambu Lamina*. Jurnal Hasil Hutan. 30(3):199-207
- Supriadi, A. dan Rachman, O. 2002. Sifat pemesian empat jenis kayu kurang dikenal dan hubungannya dengan berat jenis dan ukuran pori. Bulletin Penelitian Hasil Hutan. Pusat Litbang Hasil Hutan, Bogor. 20(1):70-85.
- Supriyono, T.C.B. 1994. *Pengaruh Pelarut Metil Etil Keton terhadap Daya Rekat Bahan Perekat dari Karet Nitril*. Jurnal Kemenperin. 9(16):32-39.
- Tikno, I. 2008. *Mengenal Konstruksi Kayu untuk Furnitur dan Bangunan*. Jakarta (ID): Esensi
- Tout, R. 2000. *A review of adhesives for furniture*. International Journal of Adhesion and Adhesives. 20(4):269-272.
- Tsoumis, G. 1991. *Science and Technology of Wood Structure, Properties, Utilization*. Van Nostrand Reinhold. New York
- UNECE. 2016. *Forest Products Annual Market Review 2015-2016*. Geneva, Switzerland: United Nations Economic Comission for Europe.
- UNECE. 2019. *Forest Products Annual Market Review 2018-2019*. Geneva, Switzerland: United Nations Economic Comission for Europe
- Vick, C.B. 1999. *Adhesive bending of wood materials*. Wood handbook: Wood as an enginer material Madison. Department of Agriculture, Forest Products Laboratory



- Wahyuddin, D., Anshari, B. dan Fajrin, J., 2017. *Analisis Penggunaan Pasak Sebagai Pengganti Lem Pada Struktur Kayu Laminasi Silang (CLT)*. Spektrum Sipil. 3(2):133-143.
- Wang, Zhiaqiang., Gong, M., Chui, Y.H. 2015. *Mechanical Properties of Laminated Strand Lumber and Hybrid Cross-Laminated Timber*. Constrution and Building Materials. 101(1)622-627
- Wangard, F.F. 1950. *The Mecahnical Prperties of Wood*. New York: John Wiley & Son
- Wiryomartono dan Suwarno. 1976. *Kontruksi Kayu*. UGM, Yogyakarta
- Widyawati, R. 2009. *Perbandingan Kekuatan Butt Joint Dan Scarf Joint Pada Kayu Dengan Alat Sambung Perekat*. Jurnal Rekayasa, 13(1):81-91.
- Yap, F. 1964. *Konstruksi Kayu*. Trimitra Mandiri, Bandung
- Zhou, J., Chui, Y.H., Gong, M., dan Hu, L. 2017. *Elastic Properties of Full-size Mass Timber Panels: Characterization Using Modal Testing and Comparison with Model Predictions*. Composites Part B: Engginering. 112:203–212.

