

## DAFTAR PUSTAKA

- Abdulsalam, H., Babaji, G., 2018. The Shift in Bandgap and Dielectric Constant Due to lattice Expansion in CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Using FHI-aims 5.
- Absor, M.A.U., Ishii, F., Kotaka, H., Saito, M., 2015. Persistent spin helix on a wurtzite ZnO(101<sup>-</sup>0) surface: First-principles density-functional study. *Appl. Phys. Express* 8.
- Absor, M.A.U., Kotaka, H., Ishii, F., Saito, M., 2016. Strain-controlled spin splitting in the conduction band of monolayer WS<sub>2</sub>. *Phys. Rev. B* 94, 1–6.
- Absor, M.A.U., Santoso, I., Harsojo, Abraha, K., Ishii, F., Saito, M., 2017a. Defect-induced large spin-orbit splitting in monolayer PtSe<sub>2</sub>. *Phys. Rev. B* 96, 1–6.
- Absor, M.A.U., Santoso, I., Harsojo, Abraha, K., Kotaka, H., Ishii, F., Saito, M., 2017b. Polarity tuning of spin-orbit-induced spin splitting in two-dimensional transition metal dichalcogenides. *J. Appl. Phys.* 122.
- Absor, M.A.U., Santoso, I., Harsojo, H., Abraha, K., Kotaka, H., Ishii, F., Saito, M., 2018. Strong Rashba effect in the localized impurity states of halogen-doped monolayer PtSe<sub>2</sub>. *Phys. Rev. B* 97, 1–8.
- Ali, I.O.A., Joubert, D.P., Suleiman, M.S.H., 2019. First-principles study of structural, mechanical, dynamical stability, electronic and optical properties of orthorhombic CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> under pressure. *Eur. Phys. J. B* 92, 1–7.
- Amat, A., Mosconi, E., Ronca, E., Quarti, C., Umari, P., Nazeeruddin, M.K., Grätzel, M., De Angelis, F., 2014. Cation-induced band-gap tuning in organohalide perovskites: Interplay of spin-orbit coupling and octahedra tilting. *Nano Lett.* 14, 3608–3616.
- Amnuyswat, K., Thanomngam, P., 2018. Roles of spin-orbit coupling in tetragonal hybrid halide perovskite for photovoltaics light-absorber. *Mater. Today Proc.* 5, 14857–14861.
- Arras, R., Gosteau, J., Zhao, H.J., Paillard, C., Yang, Y., Bellaiche, L., 2019. Rashba-like spin-orbit and strain effects in tetragonal PbTiO<sub>3</sub>. *Phys. Rev. B* 100, 1–10.
- Article, R., n.d. Challenges for semiconductor spintronics i, 40–44.
- Awschalom, D., Samarth, N., 2009. Spintronics without magnetism. *Physics (College. Park. Md)*. 2. <https://doi.org/10.1103/physics.2.50>
- Bernal, C., Yang, K., 2014. First-principles hybrid functional study of the organic-inorganic perovskites CH<sub>3</sub>NH<sub>3</sub>SnBr<sub>3</sub> and CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub>. *J. Phys. Chem. C* 118, 24383–24388.
- Borriello, I., Cantele, G., Ninno, D., 2008. Ab initio investigation of hybrid

- organic-inorganic perovskites based on tin halides. *Phys. Rev. B - Condens. Matter Mater. Phys.* 77, 1–9.
- Breternitz, J., Lehmann, F., Barnett, S.A., Nowell, H., Schorr, S., 2019. Iodide-methylammonium interaction is responsible for ferroelectricity in CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub>. *Angew. Chemie Int. Ed.* 2–7.
- Brivio, F., Butler, K.T., Walsh, A., Van Schilfgaarde, M., 2014. Relativistic quasiparticle self-consistent electronic structure of hybrid halide perovskite photovoltaic absorbers. *Phys. Rev. B - Condens. Matter Mater. Phys.* 89, 1–6.
- Chen, Q.Y., Liu, M.Y., Huang, Y., Cao, C., He, Y., 2017. The atomic size effect on hybrid inorganic-organic perovskite CH<sub>3</sub>NH<sub>3</sub>BI<sub>3</sub> (B = Pb, Sn) from first-principles study. *Mod. Phys. Lett. B* 31, 1–10.
- Chen, T., Foley, B.J., Ipek, B., Tyagi, M., John, R.D., Brown, C.M., Choi, J.J., Lee, S., n.d. Rotational Dynamics of Organic Cations in CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskite.
- Da Silveira, L.G.D., Barone, P., Picozzi, S., 2016. Rashba-Dresselhaus spin-splitting in the bulk ferroelectric oxide BiAlO<sub>3</sub>. *Phys. Rev. B* 93, 1–8.
- Demchenko, D.O., Izyumskaya, N., Feneberg, M., Avrutin, V., Özgür, Goldhahn, R., Morkoç, H., 2016. Optical properties of the organic-inorganic hybrid perovskite CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub>: Theory and experiment. *Phys. Rev. B* 94, 1–9.
- Even, J., 2017. Rashba and Dresselhaus Couplings in Halide Perovskites: Accomplishments and Opportunities for Spintronics and Spin – Orbitronics.
- Even, J., Pedesseau, L., Jancu, J.M., Katan, C., 2014. DFT and  $k \cdot p$  modelling of the phase transitions of lead and tin halide perovskites for photovoltaic cells. *Phys. Status Solidi - Rapid Res. Lett.* 8, 31–35. 3
- Even, J., Pedesseau, L., Jancu, J.M., Katan, C., 2013. Importance of spin-orbit coupling in hybrid organic/inorganic perovskites for photovoltaic applications. *J. Phys. Chem. Lett.* 4, 2999–3005.
- Fabian, J., Sarma, S. Das, 2004. *Spintronics : Fundamentals and applications* 76.
- Faghihnasiri, M., Izadifard, M., Ghazi, M.E., 2017. DFT Study of Mechanical Properties and Stability of Cubic Methylammonium Lead Halide Perovskites (CH<sub>3</sub>NH<sub>3</sub>PbX<sub>3</sub>, X = I, Br, Cl). *J. Phys. Chem. C* 121, 27059–27070.
- Fan, X., Zheng, W.T., Singh, D.J., 2015. Nature of Valance Band Splitting on Multilayer MoS<sub>2</sub> 1–12.
- Frohna, K., Deshpande, T., Harter, J., Peng, W., Barker, B.A., Neaton, J.B., Louie, S.G., Bakr, O.M., Hsieh, D., Bernardi, M., 2018. Inversion symmetry and bulk Rashba effect in methylammonium lead iodide perovskite single crystals. *Nat. Commun.* 9.

- Ganichev, S.D., Golub, L.E., 2014. Interplay of Rashba/Dresselhaus spin splittings probed by photogalvanic spectroscopy -A review. *Phys. Status Solidi Basic Res.* 251, 1801–1823.
- Gao, W., Gao, X., Abtey, T.A., Sun, Y.Y., Zhang, S., Zhang, P., 2016. Quasiparticle band gap of organic-inorganic hybrid perovskites: Crystal structure, spin-orbit coupling, and self-energy effects. *Phys. Rev. B* 93, 3–9.
- Grote, C., Ehrlich, B., Berger, R.F., 2014. Tuning the near-gap electronic structure of tin-halide and lead-halide perovskites via changes in atomic layering. *Phys. Rev. B - Condens. Matter Mater. Phys.* 90, 1–7.
- Gumber, S., Bhattacharjee, A.B., Jha, P.K., 2018. Spin transport in a Rashba-coupled two-dimensional quantum ring: An analytical model. *Phys. Rev. B* 98, 1–11.
- Hakioğlu, T., Liberman, M.A., Moskalenko, S.A., Podlesny, I. V., 2011. The influence of the Rashba spinorbit coupling on the two-dimensional magnetoexcitons. *J. Phys. Condens. Matter* 23.
- Hirohata, A., Yamada, K., Nakatani, Y., Prejbeanu, L., Diény, B., Pirro, P., Hillebrands, B., 2020. Review on spintronics: Principles and device applications. *J. Magn. Magn. Mater.* 509.
- Huan, T.D., Tuoc, V.N., Minh, N.V., 2016. Layered structures of organic/inorganic hybrid halide perovskites. *Phys. Rev. B* 93, 1–6.
- Huang, Y.Q., Su, J., Li, Q.F., Wang, D., Xu, L.H., Bai, Y., 2019. Structure, optical and electrical properties of CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> single crystal. *Phys. B Condens. Matter* 563, 107–112.
- Igor Pro Manual, Version 8.03, n.d.
- Jihad, I., Hendrawan, J., Putra, A.S., Triyana, K., Absor, M.A.U., 2020. Prediction of rashba effect on two-dimensional MX monochalcogenides (M = Ge, Sn and X = S, Se, Te) with buckled square lattice. *Indones. J. Chem.* 20, 697–704.
- Joshi, V.K., 2016. Spintronics: A contemporary review of emerging electronics devices. *Eng. Sci. Technol. an Int. J.* 19, 1503–1513.
- Kar, M., Körzdörfer, T., 2018. Computational screening of methylammonium based halide perovskites with bandgaps suitable for perovskite-perovskite tandem solar cells. *J. Chem. Phys.* 149. <https://doi.org/10.1063/1.5037535>
- Kato, Y.K., Myers, R.C., Gossard, A.C., Awschalom, D.D., 2004. Observation of the spin hall effect in semiconductors. *Science (80-. )*. 306, 1910–1913. <https://doi.org/10.1126/science.1105514>
- Kepenekian, M., Even, J., 2017. Rashba and Dresselhaus Couplings in Halide Perovskites: Accomplishments and Opportunities for Spintronics and Spin-Orbitronics. *J. Phys. Chem. Lett.* 8, 3362–3370.

<https://doi.org/10.1021/acs.jpcelett.7b01015>

- Kepenekian, M., Robles, R., Katan, C., Saponi, D., Pedesseau, L., Even, J., 2015. Rashba and Dresselhaus Effects in Hybrid Organic-Inorganic Perovskites: From Basics to Devices. *ACS Nano* 9, 11557–11567.  
<https://doi.org/10.1021/acsnano.5b04409>
- Kim, M., Im, J., Freeman, A.J., Ihm, J., Jin, H., 2014. Switchable  $S = 1/2$  and  $J = 1/2$  Rashba bands in ferroelectric halide perovskites. *Proc. Natl. Acad. Sci. U. S. A.* 111, 6900–6904.
- Konschuh, S., 2011. Spin-Orbit Coupling Effects From Graphene To Graphite. *Univ. Regensburg.* 87.
- Koralek, J.D., Weber, C.P., Orenstein, J., Bernevig, B.A., Zhang, S.C., MacK, S., Awschalom, D.D., 2009. Emergence of the persistent spin helix in semiconductor quantum wells. *Nature.*
- Lechner, V., 2012. Bulk and Structure Inversion Asymmetry in Semiconductor Quantum Well Structures.
- Lu, P., Wu, L., Yang, C., Liang, D., Quhe, R., Guan, P., Wang, S., 2017. Quasiparticle and optical properties of strained stanene and stanane. *Sci. Rep.* 7, 1–8.
- Lü, X., Wang, Y., Stoumpos, C.C., Hu, Q., Guo, X., Chen, H., Yang, L., Smith, J.S., Yang, W., Zhao, Y., Xu, H., Kanatzidis, M.G., Jia, Q., 2016. Enhanced Structural Stability and Photo Responsiveness of CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Perovskite via Pressure-Induced Amorphization and Recrystallization. *Adv. Mater.* 28, 8663–8668.
- Manchon, A., Koo, H.C., Nitta, J., Frolov, S.M., Duine, R.A., 2015. New perspectives for Rashba spin-orbit coupling. *Nat. Mater.* 14, 871–882.
- Matsuyama, T., Hu, C.M., Grundler, D., Meier, G., Merkt, U., 2002. Ballistic spin transport and spin interference in ferromagnet/InAs(2DES)/ferromagnet devices. *Phys. Rev. B - Condens. Matter Mater. Phys.* 65, 1–13.
- Mavropoulos, P., Sato, K., Zeller, R., Dederichs, P.H., Popescu, V., Ebert, H., 2004. Effect of the spin-orbit interaction on the band gap of half metals. *Phys. Rev. B - Condens. Matter Mater. Phys.* 69.
- Mei, F., Zhang, S., Tang, N., Duan, J., Xu, F., Chen, Y., Ge, W., Shen, B., 2014. Spin transport study in a Rashba spin-orbit coupling system. *Sci. Rep.* 4, 1–5.
- Mu, A., 2019. 濟無 No Title No Title, *Journal of Chemical Information and Modeling.*
- Myung, C.W., Javaid, S., Kim, K.S., Lee, G., 2018. Rashba-Dresselhaus Effect in Inorganic/Organic Lead Iodide Perovskite Interfaces. *ACS Energy Lett.* 3, 1294–1300.

- Nanayakkara, H.A.T.V., Sewvandi, G.A., Feng, Q., 2018. Computational study of perovskite structured CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> and CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub>. *Key Eng. Mater.* 792, 145–149.
- Niesner, D., Hauck, M., Shrestha, S., Levchuk, I., Matt, G.J., Osvet, A., Batentschuk, M., Brabec, C., Weber, H.B., Fauster, T., 2018. Structural fluctuations cause spin-split states in tetragonal (CH<sub>3</sub>NH<sub>3</sub>)PbI<sub>3</sub> as evidenced by the circular photogalvanic effect. *Proc. Natl. Acad. Sci. U. S. A.* 115, 9509–9514.
- Nitta, J., Akazaki, T., Takayanagi, H., Enoki, T., 1997. Gate control of spin-orbit interaction in an inverted  $|n0.53\text{Ga}0.47\text{As}/|n0.52\text{Al}0.48\text{as}$  heterostructure. *Phys. Rev. Lett.* 78, 1335–1338.
- Oguchi, T., Shishidou, T., 2009. The surface Rashba effect: a  $k \cdot p$  perturbation approach. *J. Phys. Condens. Matter* 21.
- Paschal, C., Pogrebnoi, A., Pogrebnoya, T., Seriani, N., 2020. Methylammonium tin iodide perovskite: structural, electronic and thermodynamic properties by a DFT study with different exchange–correlation functionals. *SN Appl. Sci.* 2.
- Pedesseau, L., Kepenekian, M., Robles, R., Saponi, D., Katan, C., Even, J., 2016. Theoretical studies of Rashba and Dresselhaus effects in hybrid organic-inorganic perovskites for optoelectronic applications. *Phys. Simul. Optoelectron. Devices XXIV* 9742, 97421B.
- Peng, L., Xie, W., 2020. Theoretical and experimental investigations on the bulk photovoltaic effect in lead-free perovskites MASnI<sub>3</sub> and FASnI<sub>3</sub>. *RSC Adv.* 10, 14679–14688.
- Puebla, J., Kim, J., Kondou, K., Otani, Y., 2020. Spintronic devices for energy-efficient data storage and energy harvesting. *Commun. Mater.* 1, 1–9.
- Qian, J., Xu, B., Tian, W., 2016. A comprehensive theoretical study of halide perovskites ABX<sub>3</sub>. *Org. Electron. physics, Mater. Appl.* 37, 61–73.
- Quarti, C., Mosconi, E., Ball, J.M., D’Innocenzo, V., Tao, C., Pathak, S., Snaith, H.J., Petrozza, A., De Angelis, F., 2016. Structural and optical properties of methylammonium lead iodide across the tetragonal to cubic phase transition: Implications for perovskite solar cells. *Energy Environ. Sci.* 9, 155–163.
- Rashba, E.I., 2006. Spin-orbit coupling and spin transport. *Phys. E Low-Dimensional Syst. Nanostructures* 34, 31–35.
- Robles, R., Katan, C., Saponi, D., Pedesseau, L., Even, J., Chimiques, S., Université, C., Rennes, D.R., Institut, I.C.N., Nanociencia, C. De, 2015. Rashba and Dresselhaus Effects in Hybrid Organic À Inorganic Perovskites : From Basics to Devices 11557–11567.
- Sabetvand, R., Ghazi, M.E., Izadifard, M., 2020. Studying temperature effects on

- electronic and optical properties of cubic CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> perovskite. *J. Comput. Electron.*
- Shanavas, K. V., 2016. Theoretical study of the cubic Rashba effect at the SrTiO<sub>3</sub> (001) surfaces. *Phys. Rev. B* 93, 1–7.
- Shanavas, K. V., Satpathy, S., 2014. Electric field tuning of the Rashba effect in the polar perovskite structures. *Phys. Rev. Lett.* 112.
- Simon, E., Szilva, A., Ujfalussy, B., Lazarovits, B., Zarand, G., Szunyogh, L., 2010. Anisotropic Rashba splitting of surface states from the admixture of bulk states: Relativistic ab initio calculations and k·p perturbation theory. *Phys. Rev. B - Condens. Matter Mater. Phys.* 81, 1–5.
- Singh, R., 2018. Spin-orbit coupling in graphene, silicene and germanene: Dependence on the configuration of full hydrogenation and fluorination. *Bull. Mater. Sci.* 41, 1–7.
- Spavieri, G., Mansuripur, M., 2015. Origin of the Spin-Orbit Interaction.
- Stoumpos, C.C., Malliakas, C.D., Kanatzidis, M.G., 2013. Semiconducting tin and lead iodide perovskites with organic cations: Phase transitions, high mobilities, and near-infrared photoluminescent properties. *Inorg. Chem.* 52, 9019–9038.
- Stoumpos, C.C., Mao, L., Malliakas, C.D., Kanatzidis, M.G., 2017. Structure-Band Gap Relationships in Hexagonal Polytypes and Low-Dimensional Structures of Hybrid Tin Iodide Perovskites. *Inorg. Chem.* 56, 56–73.
- Stroppa, A., Di Sante, D., Barone, P., Bokdam, M., Kresse, G., Franchini, C., Whangbo, M.-H., Picozzi, S., 2014. Tunable ferroelectric polarization and its interplay with spin-orbit coupling in tin iodide perovskites. *Nat. Commun.* 5, 1–8.
- Suhaili, N., Taib, M.F.M., Yaakob, M.K., Hassan, O.H., Yahya, M.Z.A., 2017. Properties of Lead-Free Hybrid Organic-Inorganic Halide Perovskite CH<sub>3</sub>NH<sub>3</sub>BX<sub>3</sub> Using Density Functional Theory. *Mater. Today Proc.* 4, 5154–5160.
- Sun, P.P., Li, Q.S., Feng, S., Li, Z.S., 2016. Mixed Ge/Pb perovskite light absorbers with an ascendant efficiency explored from theoretical view. *Phys. Chem. Chem. Phys.* 18, 14408–14418.
- Systems, H., n.d. Spin – Orbit Coupling Effects in Two-Dimensional Electron and Hole Systems.
- Takahashi, Yukari, Obara, R., Lin, Z.Z., Takahashi, Yukihiro, Naito, T., Inabe, T., Ishibashi, S., Terakura, K., 2011. Charge-transport in tin-iodide perovskite CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub>: Origin of high conductivity. *Dalt. Trans.* 40, 5563–5568.
- Tao, L.L., Tsymbal, E.Y., 2018a. Persistent spin texture enforced by symmetry. *Nat. Commun.* 9. <https://doi.org/10.1038/s41467-018-05137-0>

- Tao, L.L., Tsymbal, E.Y., 2018b. Persistent spin texture enforced by symmetry. *Nat. Commun.* 9.
- Umari, P., Mosconi, E., De Angelis, F., 2014. Relativistic GW calculations on CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> and CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Perovskites for Solar Cell Applications. *Sci. Rep.* 4, 1–7.
- Vajna, S., Simon, E., Szilva, A., Palotas, K., Ujfalussy, B., Szunyogh, L., 2012. Higher-order contributions to the Rashba-Bychkov effect with application to the Bi/Ag(111) surface alloy. *Phys. Rev. B - Condens. Matter Mater. Phys.* 85, 1–7.
- Wu, L.J., Zhao, Y.Q., Chen, C.W., Wang, L.Z., Liu, B., Cai, M.Q., 2016. First-principles hybrid functional study of the electronic structure and charge carrier mobility in perovskite CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub>. *Chinese Phys. B* 25, 1–7.
- Yuan, L., Liu, Q., Zhang, X., Luo, J.W., Li, S.S., Zunger, A., 2019. Uncovering and tailoring hidden Rashba spin–orbit splitting in centrosymmetric crystals. *Nat. Commun.* 10.
- Yuan, Y., Xu, R., Xu, H.T., Hong, F., Xu, F., Wang, L.J., 2015. Nature of the band gap of halide perovskites ABX<sub>3</sub> (A = CH<sub>3</sub>NH<sub>3</sub>, Cs; B = Sn, Pb; X = Cl, Br, I): First-principles calculations. *Chinese Phys. B* 24, 1–6.
- Zhang, S.J., Ji, W.X., Zhang, C.W., Li, P., Wang, P.J., 2017. Two-dimensional large gap topological insulators with tunable rashba spin-orbit coupling in group-IV films. *Sci. Rep.* 7, 1–12.
- Zheng, F., 2016. First-Principles Studies Of Solar Cell Materials : Absorption , Carrier Lifetime And Non-Linear Optical Effect First-Principles Studies Of Solar Cell Materials : Absorption , Carrier.
- Zhidkov, I.S., Boukhvalov, D.W., Kukharenko, A.I., Finkelstein, L.D., Cholakh, S.O., Akbulatov, A.F., Juárez-Pérez, E.J., Troshin, P.A., Kurmaev, E.Z., 2020. Influence of Ion Migration from ITO and SiO<sub>2</sub> Substrates on Photo and Thermal Stability of CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Hybrid Perovskite . *J. Phys. Chem. C* 1