

DAFTAR PUSTAKA

- Abbas, S.K., and Harlfield, J.K., 2007, Orthodontics And External apical Root Resorption, *Sem. Orthod.*, 13 (4):246-256
- Abuabara, A., 2007, Biomechanical Aspects of External Root Resorption in Orthodontic Therapy, *Med. Oral. Patol. Cir. Bucal.*, 12 (8):E610-613
- Adarme-Vega, T.C., Lim, D.K.Y, Timmins, M., Vernen, F., Li, Y., and Schenk, P.M., 2012, Microalgal biofactories: A promising approach towards sustainable omega-3 fatty acid production, *Microbial Cell Factories*: 11:96, <http://www.microbialcellfactories.com.conten.11/1/96>, diakses 8/1/2017
- Andrade, I., Silvana, R.A., and Souza, P.E.A, 2012, Inflammation and Tooth Movement: The Role of Cytokines, Chemokines and Growth Factors, *Sem. Orthod.*, 18 (4), 257-269
- Aggarwal, B.B., 2000, Tumor Necrosis Factors Reseptor Associatied Signaling Molecules and Their Role in Activation of Apoptosis, JNK and NF-kappa B, *Ann. Rheum. Dis.*, 59:i 6-16
- Ahuja, S.S., Zhao, S., and Bellido, T., 2003, CD40 Ligand Blocks Apoptosis Induced by Tumor Necrosis Factor Alpha, Glucocorticoids, and Etoposide in Osteoblasts and the Osteocyte-like Cell Line Murine Long Bone Osteocyte-Y4, *Endocrinology*, 144: 1761-1769
- Allairre, J., Coutoure, P., Leclerc, M., Charest, A., Marin, J., Lepine, M., Talbot, D. Tchernof, A., and Lamarche, B., 2016, Randomized, crossover, head to head comparation of EPA and DHA supplementation to reduce inflammation markers in men and women: The Comparing EPA to DHA study, *Am. J. Clin. Nurt.*, doi :10.3945/ajcn.116.131896, p 1-8
- Alnauri, D.M., El-Din, M.F., and Al-Khalifa, A.S., 2014, The Effect of Long Term Supplementation With Different Dietary w-6 / w-3 ratios on Mineral Content and Ex Vivo Prostaglandin E2 Release In Bone of Growing Rabbits, *Nut. Res. and Pract.*, 8 (4): 360-367
- Akiyama, M., Nakahama, K., and Morita, I., 2013, Impact of Docosahexaenoic Acid on Gen Expression During Osteoclastogenesis In Vitro- A comprehensive Analysis, *Nutrients*, 5, 3151-3162

- Anwar, S.H., Sulaiman, M.I., Rohaya, S., and Safriani, N., 2013, Isolation and Identification of Mikroalgae as Omega -3 Sources from Mangrove Area In Aceh Province, *Proceeding of the 3 rd Annual International Conference Syah Kuala University In Conjuntion with The 2 nd International Conference on Multidisciplinary Reseach (ICMR) 2-4 Oktober 2013*, Banda Aceh, Indonesia
- Apajati, S., and Pentola, J.S., 2007, Apical Root Resorption After Orthodontic Treatment- A Restrospective Study, *Eur. J. Orthod.*, 29 : 408-412
- Appleton, K.M., Fraser, W.D., Roger, P.J., Ness. A.R. and Tobias, J.H., 2011, Supplementation With A Low-Moderate Dose Of n-3 Long -Chain PUFA Has No Short-Term Effect on Bone Resorption In Human adult, *Br. J. Nut.*, 105, 1145-1149
- Ariffin, S.H.Z., Yammoto, Z., Abidin, I.Z.Z., Wahab, R.M.A. and Ariffin,Z.Z., 2011, Celluler and Molecular Changes in Orthodontic Tooth Movement, *Sci.. World. J.*, 11: 1788-1803
- Asiry, MA, 2018, Biological Aspect of Orthodontic Movement: A Review of Literature, *Saudi J. Bio. Sc.*, 25(2018):1027-1032
- Asma, 2008, Crevicular Alkaline Phosphatase Activity During Orthodontic Tooth Movement: Canine Retraction Stage, *J. Med. Sci.*, 8(3), 228-233.
- Bao. X., Hu, M., Zhang, Y., Machibya, F., Zhang, Y., Jiang, H. Yu., and Dongsheng, 2012, Effect of Fangchinolin on Root Resorption During Orthodontic Tooth Movement, *Korean J. Orthod.*, 42 (3): 138-143
- Balducci, L., Ramachandran, A., Hao, J., Narayanan K., Evan, C., and George, A., 2007, Biological Marker for Evaluation of Root Resorption, *Arch. Oral Biol.*,52 (3):203-208
- Ballard, D.J., Jones., A.S., Petocz, P., and Darendeliev, M.A., 2009, Physical Propertis of Root Cementum. Part 11. Continous vs Intermittent Cintroled Orthodontic Force on Root Resorption. A micro-computed tomography study, *Am. J. Orthod. Dentofac. Orthop.*, 136:8c1-c8
- Bao, X., Hu, M., Zhang, Y., Machibya, F., Zhang, Y., Jiang, H. and Yu, D., 2012, Effect Of Fangchinoline On Root Resorption During Rat Orthodontic Tooth Movement, *Korean J. Orthod.*, 42 (3):138-143

- Barbagallo, L.J., Jones, A.S., Petozc, P, and Darendeliler, M.A., 2008, Physical properties of Root Cementum. Part 10. Comparison of the Effect of Visible Removable Thermoplastic Appliances with Light and Heavy Orthodontic Forces on Premolar Cementum. A Microcomputed Tomography Study, *Am. J. Orthod. Dentfac. Orthop.*, 133:218-227
- Balducci, L., Ramachandran, A., Jianjun, H., Narayanan, K., Evans, C., and George, A., Biological Markers for Evaluation of Root Resorption, *Arch. Oral Biology*, 52:203–208.
- Baron, R. Tran-Va, P., Neffusi, J.R. and Vignery, A.A., 2002, Kinetic and Cytochemical Identification Of Osteoclast Precursor and Their Differentiation into Multinucleated Osteoclast, *Am. J. Path.*, 122 : 363-78
- Bartley N., Türk, T., Colak, C., Elekdaq-Türk, S., Jones A, and Petocz P, 2011, Physical Properties of Root Cementum: Part 17. Root Resorption after The Application of 2.50 and 150 of Buccal Root Torque for 4 Weeks: a Micro computed Tomography Study, *Am. J. Orthod. Dentofacial. Orthop*, 139(4):e353-60
- Boeyen, J. C. A., Deepak, V., Chua, W., Kruger, M.C., Joubert, A.M., and Coetzee, M., 2015, Effect of ω 3- and ω 6—Polysaturated Fatty Acids on RANKL – Induced Osteoclast Differentiation of RAW264.7 Cells : A Comparative In Vitro Study, *Nutrients*, 6, 2584-2601
- Boyce, B.F., and Xing, L., 2008, Functions of RANKL/RANK/OPG in Bone Modeling and Remodeling, *Arch. Biochem. Biophys*, 473 : 139-146
- Boyle, W. J., Simonet, W. S., and Lacey, D. L., 2003, Osteoclast Differentiation and Activation. *Nature* , 423: 337–342.
- Boeyens, J.C.A., Deepak.V., Chua, W., Kruger, M.C., Kruger, M.C., Joubert, A.M., and Coetzee, M., 2014, Effects of ω 3 and ω 6- Polyunsaturated Fatty Acids on RANKL-Induced Osteoclast Differentiation of RAW264.7 Cells : A Comparative in Vitro Study, *Nutrients*, 6:2584-2601
- Badan Pusat Statistik (BPS), *Indikator Kesehatan Indonesia Tahun 2005-2009*, [https://www.bps.go id/Subject/](https://www.bps.go.id/Subject/), diakses tanggal 4/9/2017
- Bhardwaj, I., Munjal, S., Singh, S., and Singh, H., 2020, Root Resorption: A Review Article, *J. Adv. Med. and Dent. Sc. Res.*, 8 (5): 52-55
- Brezniak, N. and Wasserstein, A., 2002, Orthodontically Induced Inflammatory Root Resorption. Part I : The Basic Science Aspects. *Angle Orthod.*, 72:175-179

- Brudvick, P. and Rygh, P., 1993, Non Clast Cell Start Orthodontic Root Resorption in the Pheriphery of Hyaline Zone, *Eur. J. Orthod.*, 15:467-480
- Burja, A.M, Radianingtyas, H., Windust, A., and Barrow, C.J, 2006, Isolation and Characteristic of Polyunsaturated Producing Thraustochytrium Species: Screening of Strains and Optimization of Omega 3 Production, *Apll Microbiol Biotechnol*, 72(6):1161-1169
- Calder, P. C., 2012, Omega-3 Polyunsaturated Fatty Acids and Inflammatory Processes: Nutrition or Pharmacology?, *Br. J. Clin. Pharm.*, 75 :3, 645-662
- Caranza, F.A., Henry, H.T. and Michael,G.N., 2002, *Clin. Periodont.*, 9 th Ed, WB Saunders Co, Philadelphia.
- Cheung, W.Y., Simmons, C.A., and You, L., 2011, Osteocyte Apoptosis Regulates Osteoclast Precursor Adhesion via Osteocytic IL-6 Secretion and Endothelial ICAM-1 Expression, *Bone*,50(1):104-10.
- Chou, T.C., Fu, E., and Shen, E.C., 2003, Chitosan Inhibits Prostaglandin E2 Formation and Cyclooxygenase-2 Induction in Lipopolysachharide-treated Raw 264,7 Macrophage, *Biochem. Biophys. Res. Commun.*, 22: 308(2) 403-7
- Choy K, Pae E.K., Park,Y., Kim,K.H., and Burstone,C.J., 2000, Effect of Root and Bone Morphology on the Stress Distribution in the Periodontal Ligament, *Am. J. Orthod. Dentofaccial. Orthop.*; 117:98-105
- Consolaro, A., 2011, The Consept of Root Resorptions or Root Resorption Are Not Multifactorial, Complex, Controversial or Polemical, *Dental Press. J. Orthod.*,16(4):19-14
- Consolaro, A., and Furquirn, L.Z., 2014, Extrem Root Resorption Associated with Induced Tooth Movement : A Protocol for Clinical Management, *Dental Press J. Orthod.*, 19 (5) : 19-25
- Dai, J. and Rabie, A.B.M., 2007, VEGF : An Essential Mediator of Both Angiogenesis and Endochondral Ossification, *J. Dent. Res.*, 86:937-950
- Federer, W. 2008. *Statistics and Society : Data Collection and Interpretation*. Ed. Ke-2. New York. Markel Deker.
- Feller, L., Khammissa, R.A.G., Thomadhakis, G., Fourie, J., and Lemmer, J., 2016, Review Article: Apical External Root Resorption and Repair in Orthodontic Tooth Movement: Biological Events, *BioMed. Reseach International*, Vol 2016, <http://dx.doi.org/10.1155/2016/4864195>, diakses 10/10/2016

- Ferlin, A., Pepe, A., Faccioli, A., Giancesello, L., and Foresta, C., 2010, Relaxin Stimulates Osteoclast Differentiation and Activation, *J. Bone*, 46(2):504-13.
- Filbert, E.A., 2007, Investigations of Mechanisms Involved in LPS Stimulated Osteoclastogenesis, *Thesis*, University of Connecticut.
- Gartner, L.P., and Hiatt, J.L., 2007, *Color Textbook of Hystology*, 3 th ed., International Edition, Saunders Elsevies, China, Philadelphia. pp:138-142
- Giannopoulou, C., Inflammatory Side Effects Associated with Orthodontic Tooth Movement, <http://archive-ouverte.unige.ch/unige:9664>, diakses 20/12/2016.
- Gonzales, C., Hotokezaka, H. Yoshimatsu, M. Yozgatian. J.H., and Darendeliler, M.A. and Yoshida, N., 2008, Force Magnitude and Duration Effect on Amount of Tooth Movement and Root Resorption in the Rat Molar, *Angle Orthod.*, 78(3):502-509
- Graber, T.M., and Vanarsdall, R.L., 2000, *Orthodontics, Current Principles and Technique, 3rd edition*, Mosby Inct.Louise, Missouri
- Graber, T.M., Vanarsdall, R.L. and Vig K.W.L., 2012, *Orthodontics, Current Principles and Technique, 4rd edition*, St.Louise, Missouri: Mosby Inc.
- Guesnet, P., and Alessandri, J., 2011, Docosahexaenoic Acid (DHA) and the Developing Central Nervous System (CNS)-Implications For Dietary Recommendations, *Biochimie* , 93:1, 7-12.
- Hadiyanto dan Azim, M., 2012, *Mikroalga: Sumber Pangan dan Energi Masa Depan*, cetakan 1, Penerbit UPT UNDIP Press, Semarang, h-75-81.
- Haghiac, M, Yang, X, Presley, L, Smith, S, Dettelback, S, Minium, J, Belury, MA, Catalano, PM, and Mouzon, SH, 2015, Dietary Omega-3 Fatty Acid Supplementation Reduces Inflammation in Obese Pregnant Women: A Randomized Double_Blind Controlled Clinical Trial, *PLOS ONE* DOI:10.1371/Journal phone.0137309:1-14.
- Hakami , Z., Kitaura, H., Kimura, K., Ishida, M., Sugisawa, H., Ida, H., Jafari, S., and Takano-Yamamoto, T., 2015, Effect of Interleukin-4 on Orthodontic Tooth Movement and Associated Root Resorption, *Eur.Orthod.* 37(1): 87-94.
- Hammond, B.G., Mayhew, D.A., Holson,J.F., Nrmac, M.D., Mast, R.W., and Sander, W.J., 2001, Safety assessment of DHA-Rich Microalgae from *Schizochytrium sp.* Part. II. Developmental toxicology Evaluation in Rat and Rabbits., *Reg. Toxic. Pharmac.*, 33:205-217.

- Harokopakis-Hajishengalis, E., 2007, Physiologic Root Resorption in Primary Teeth : Moleculer And Histological Events, *J. Oral Sci.*, 49(1):1-12
- Harkness, J.E., and Wagner, J.E., 1983, *The Biology and Medicine of Rabbit and Rodent*, 2nd ed, Lea and Febiger, Philadelphia PA : 17-24
- Hartono, P., 2013, Pengaruh Pemberian Minyak Ikan Lemuru (*Sardinella Longiceps*) pada Proses Remodeling Alveolaris Gigi Kelinci New Zealand White yang Digerakkan Secara Ortodontik (Kajian Interleukin-1 α , Tumor Nekrosis Faktor- α , Osteopontin dan Alkalin Fosfatase), *Disertasi*, Fakultas Kedokteran Gigi, Universitas Gadjah Mada, Yogyakarta
- Harun, A., 2009, Koreksi Maloklusi Kelas II Divisil 1 pada Anak Perempuan Usia 12 Tahun dengan Alat Fungsional Twin Block, *MKG*, 11: 1.
- Hasan, R., dan Rahimah, A.K., 2007 Occlusion, Malocclusion and Method of Measurement, *Arch. Orofac. Sci.*, 2007. 3-4
- Heasman, P., 2003, *Master Dentistry: Restorative Dentistry, Paediatric Dentistry and Orthodontics*, Vol. 2, Churchill Livingstone, London New York Oxford Philadelphia.
- Heinrich, J., Bsoul, S., Barnes, J., Woodruff, K., dan Abboud, S., 2005, CSF-1, RANKL and OPG Regulate Osteoclastogenesis During Murine Tooth Eruption. *Arch. Oral Biol.*, 50:897–908.
- Henriksen, K., Bollerslev, J., Everts, V., and Karsdal, M.A., 2011, Osteoclast Activity and Subtypes as a Function of Physiology and Pathology- Implications for Future Treatments of Osteoporosis, *Endocrine Reviews*, 32:31–63.
- Ho, M.H., Liao, M.H., Lin, Y.L., Lai, C.H., Lin, P.I., and Chen, R.M., 2015, Improving Effect of Chitosan Nanofiber Scaffold on Osteoblast Proliferation and Maturation, *Int. J. Nanomedicine*, 9: 4293-4304
- Ho, M.H., Yao, C.J., Liao, M.H., Lin, P.I., Liu, S.H., and Chen, R.M., 2015, Chitosan Nanofiber Scaffold Improves Bone Healing via Stimulating Trabecular Bone Production Due to Upregulation of the Runx2 / Osteocalcin/Alkalin Phosphatase Signaling Pathway, *Int. J. Nanomedicine*, 10; 5941-54
- Intan, Z.A., Shahrul, H.Z.A., Rohaya, M.A.W., Sahidan, S., and Zaidah, Z.A, 2008, Osteoclast and Osteoblast Development of *Mus musculus* Haemopoietic Mononucleated Cells, *J. Bio. Sci.*, 8(3): 506-516.

- Jager, A., Zhang, D., and Kawarizadeh, A., 2005, Soluble Cytokine Receptor Treatment in Experimental Orthodontic Tooth Movement in the Rat. *Eur. J. Orthod.*, 27:1-11,
- Kajarabille, N., Castro, J.D., Hijano, S., Frias, L.M., Aliaga, I.L., and Ochoa, J.J., 2013, A New Insight to Bone Turnover: Role of ϵ 3 Polyunsaturated Fatty Acids, *Sci. World J.*, vol 13, <http://hindawi.com/journal/tswj/2013/589641>, diakses tanggal 22/6/ 2020
- Kaji, K., Katogi, R., Azuma, Y., Naito, A., Inoue, J.I., and Kudo, A., 2001, Tumor Necrosis Factor- α -Induced Osteoclastogenesis Requires Tumor Necrosis Factor Receptor-Associated Factor 6, *J. Bone. Miner. Res.*, 16:1593–1599
- Kanzaki, H, Chiba, M., and Shimizu, Y., 2002, Periodontal Ligament Cell under Mechanical Stress Induce Osteoclastogenesis by Reseptor Activator of Nuclear Factor Kappa B Ligand Up-regulation via Prostaglandin E-2 Synthesis, *J. Bone. Miner. Res.*, 86:623-628
- Kanzaki, H, Chiba, M., and Sato, A.M., 2006, Cyclical Tensile Force on Periodontal Ligaments Cell Inhibits, Osteoclastogenesis through OPG Induction, *J. Dent. Res.*, 85:457-462
- Kanzaki, H., Shinohara, F., Kasuya, K.I., Ishikawa, M., and Nakamura, Y., 2015, Nrf2 Activation Attenuates Both Orthodontic Tooth Movement and Relapse, *J. Dent. Res.*, 94(6):787-794
- Kasonga, A.E., Deepak, V., Kruger, M.C., and Coetzee, M., 2015, Aracchidonic Acid and Docosahexaenoic Acid Suppress Osteoclast Formation and Activity in Human CD14+ Monocytes, In Vitro, *PLOS ONE*, Doi: 10.1371/Journal.pone.0125145, 13 April 2015
- Kawaguchi, H., Chikazu, D, and Nakamura. K., 2000, Direct and Indirect Actions of FGF-2 on Osteoclastic Bone Resorption in Cultures, *J. Bone. Miner. Res.*, 15:466-473
- Kelley, S, 1996, Dietary Fat and Human Response, *Inform*, 7(8):852-858
- Kimura, R., Anan, H., Matsumoto, A., Noda, D., and Maeda, K., 2003, Dental Root Resorption and Reapir: Histology and Histometry during Physiological Drift of Rat molars, *J. Period. Res.*, 38(5):525-532

- Kishikawa, A., Kitaura, H., Kimura, K., Ogawa, S., Qi, J., Shen, W., Otori, F., Noguchi, T., Marahleh, A., Nara, Y., Ichimura, A., and Mizoguchi, I, 2019, Docosahexaenoic Acid Inhibits Inflammation-Induced Osteoclast Formation and Bone Resorption In Vivo through GPR120 by Inhibiting TNF α Production in Macrophages and Directly Inhibiting Osteoclast Formation, *Frontiers in Endocrinology*, DOI:10.3389/endo.2019.00157, www.frontiersin.org, diakses tanggal 7/6/ 2020
- Kitaura, H., Kimura, K., Ishida, M., Sugisawa, H., Kohara, H., Yoshimatsu, M. and Takano-Yamamoto, T, 2014, Effect of Cytokines on Osteoclast Formation an Bone Resorption During Mechanical Force Loading of the Periodontal Membrane, *Sci. World J.*, ID 617032, <http://dx.doi.org/10.1155/2014/617032>, diakses 8/8/2017
- Kook, S.H., and Lee, Y.S., 2011, Human Periodontal Ligament Fibroblasts Stimulate Osteoclastogenesis in Response to Compression Force through TNF- α Mediated Activation of CD4+ Cells, *J. Cell. Biochem.*, 112:2891-2901
- Koyama, Y., Mitsui, N., and Suzuki, N., 2008, Effect of Compression Force on Expression of Inflammatory Cytokines and their Receptor in Osteoblastic Saos-2 cells, *Arch. Oral Biol.*, 53:488-96.
- Krishnan, V., and Davidovitch, Z., 2016., "Cellular, Molecular and Tissue Level Reactions to Orthodontic Force", *Am. J. Orthod. Dentofac. Orthop.*, 129(4):469.e1-469.e.32.
- Kruger, M.C., Coetzee, M., Haag, M., and Weiler, H., 2010, Long-chain Polyunsaturated Fatty Acids: Selected Mechanisms of Action on Bone, *Prog. Lipid. Res.*, 49:1-12.
- Kumar, A.A., Saravan, K., Kohila, K., and Kumar, S.S., 2015, Biomarker in Orthodontic Tooth Movement, *J. Pharm. Bioallied. Sci.*, 7(2):S325-S330
- Kurol, L., and Owman-Moll, P., 1998, Hyalinization and Root Resorption during Early Orthodontic Tooth Movement in Adolescents, *Angle Orthod.*, 68:161-166
- Lagana, G., Masucci, C. Fabi, F., Bollero, P., and Cozza, P., 2013, Prevalence of Malocclusions, Oral habits and Orthodontic Treatment Need in a 7-to 15 Year Old Schoolchildren Population in Tirana, *Prog. Orthod.*, 14(12):1-7
- Lenihan-Geels, G., Bishop, K. S., and Ferguson, L.R., 2013, Alternatif Sources of Omega-3 Fats : Can We Find a Sustainable Substitute for Fish?, *Nutrients*:5, 1301-1315, www.mdpi.com/journal/nutrients, diakses 3/1/2017

- Lerner, H., 2004, New Molecules in the Tumor Necrosis Factor Ligand and Receptor Super Families with Importance for Physiological and Pathological Bone Resorption. *Crit. Rev. Oral Biol. Med.*, 15:64–81
- Ley, K., Laudanna, C., and Cybulsky, M.I., 2007, Getting to the Site of Inflammation: The Leukocyte Adhesion Cascade Updated, *Nat. Rev. Immunol.*, 7:678-689
- Li, Y., Jacox, L.A., Little, S.H., and Ko, C., 2018, Orthodontic Tooth Movement: the Biology and Clinical Implications, *Kaohsiung J. Med. Sci.*, 34: 207 - 214
- Lopatiene, K., and Dumbravaite, A., 2008, Risk Factors of Root Resorption after Orthodontic Treatment, *Stom., Baltic Dent. Maxill. J.*, 10(3):89-95
- Malaval, L., Wade-Gueye, N.M., Boudiffa, M., Fei, J., Zirngibl, R., Chen, F., Laroche, N., Jean-Poul, R., Burt-Pichat, B., Dubeouf, F., Boivin, G., Jurdic, P., Lafage-Proust, M.H., Amedee, ., Vico, L, Rossant, J., and Aubin, J.E., 2008, Bone Sialoprotein Plays a Functional Role in Bone Formation and Osteoclastogenesis, *J. Exp. Med.*, 205 (5) : 1145-53
- Manoglas, S.C., 2000, “Birth and Death of Bone Cells: Basic Regulatory Mechanism and Implications for the Pathogenesis and Treatment of Osteoporosis”, *Endocren Review*, 212:115-137
- Maues, C.P.R., Nascimento, R.R., and Vilella, O.V., 2015, Severe Root Resorption Resulting from Orthodontic Treatment: Prevalence and Risk Factors, *Dental Press. J. Orthod.*, 29:134-139
- Mapara, M. Thomas, B.S., and Bhzat, K.M., 2012, Rabbit as an Animal Model for Experimental Reseach, *Dent. Res. J.*, 9(1):111-118
- Mavragani, M, Amundsen, OC, Selliseth NJ, Brudvik, P, and Selvig KA, 2004, Early Root Alterations after Orthodontic Force Application Studied by Light and Scanning Electron Microscopy, *Eur. J. Orthod.*, 26 : 119-128
- McNab, S., Battistutta, D., Taverne, A., and Symons, A.L., 2000, External Root Resorption Following Orthodontic Treatment, *Angle Orthod.*, 70 (3):227-232
- Meikle, M.C., 2006, The Tissue, Celluler and Moleculer Regulation of Orthodontic Tooth Movement: 100 year after Carl Sandstedt, *Eur. J. Orthod.*, 28:221-240
- Menini, A.I.M., Dini, A.P.G., Pera, C.P., and Baldi, D., 2013, Biphosphonat – Associated Osteonecrosis of the Jaw: The Role of Gene-Environment Interaction, *J. Prev. Med. Hyg.*, 54, 138-145.

- Motokawa, M., Sasamoto, T., Kaku, M., Kawata, T., Matsuda, Y., Terao, A. and Tanne, K., 2011, Association between Root Resorption Incident to Orthodontic Treatment and Treatment Factors, *Eur. J. Orthod.*, 35(2012):350-356.
- Moyers, R.E., 1988, *Handbook of Orthodontics*, 4 ed., Chicago, Yearbook Medical Publisher Inc.
- Muhlroth, A., Li, K., Rokke, G., Winge, G., Olsen, Y., Hohmann-Marriott, M.F., Vadstein, O., and Bones, A.M., 2013, Pathway of Lipid Metabolism in Marine Algae, Co-expression Network, Bottleneck and Candidate Genes for Enhanced Production of EPA and DHA in Species of Chromista, *Mar. Drugs*, 11, 4662-4697
- Murphy, C., Kalajzic, Z., Chandhoke, T., Utreja, A. Nanda, R. and Uribe, F., 2016, The Effect of Cortison on Root Resorption with Heavy and Light force, *Angle Orthod.*, 86 (1):17-23
- Nagarajan, D., Usha, K., Rao, G.U., Vijaykanthi, M., Jayanthi, M.S., Sabariginathan, C., Sreimprabu, G., Vinaygavel, K., and Amikt, K., 2015, Biomarker in Orthodontics, *Int. J. Oral Health Med. Res.*, 2 (3): 88-89
- Nakajima, R., Yamaguchi, M., and Kojima, T., 2008, Effect of Compression Force on Fibroblas Growth Factor-2 and Receptor Activator of Nuclear Factor Kappa B Ligand Production by Periodontal Ligament Cells in Vitro, *J. Periodont. Res.*, 43:168-173
- Nakano, Y., Yamaguchi, M., Fujita, S., Asano, M., Saito, K., and Kasai, K., 2011, Expressions of RANKL/RANK and M-CSF/*c-fms* in Root Resorption Lacunae in Rat Molar by Heavy Oorthodontic Force, *Eur. J. Orthod.*, 33 (4):335-343
- Natamiharja, L dan Lubis, U.A., 1999, Maloklusi pada Remaja Usia 12-17 Tahun di Medan, *JKGUI*; 6(2): 26-30
- Noxon, S.J., King, G.J., Gu, G., and Huang, G., 2001, Osteoclast Clearance from Periodontal Tissues during Orthodontic Movement, *Am. J. Orthod. Dentofac. Orthop.*, 120 :466-76
- Nur, M., 2014, *Pengaruh kitosan terhadap Jumlah Osteoklas dan Osteoblas pada Tikus Galur Wistar Model Menopause* (Penelitian Eksperimen Laboratoris), Thesis, ADLN Perpustakaan Airlangga

- Oh, D.Y., Talukdar,S., Bac, E.J., Imamura.T., and Morinaga, H. , 2010, GPR 120 is an Omega -3 fatty Acid receptor Mediating Potent Anti Inflammatory and Insulin Sensitizing Effects, *Cell*, 142 : 687-698
- Olive, R.J., and Basford, K.E., 2003, A Longitudinal Index Study of Orthodontic Stability and Relapse. *Aus.Orthod. J.*, 19: 47–55
- Ozer, A., Yuan, G., Yang, G., Wang, F., Li,W., and Yang, Y. Et., 2016, Domain of Dentin Sialoprotein Mediates Proliferation and Differentiation of Human Ligament Stem Cells, *Plos One*, vol 8 (12), www.plosone.org diakses tanggal 20 Desember 2016
- Owman-Moll,P., Kurol, J., and Lundgren, D., 1996, Root Effect Doubled Orthodontic Force Magnitude on Tooth Movement and Root Resorption. an Intra-individual Study in Adolescents, *Eur. J. Orthod.*, 18: 141-150
- Parker ,R.J., and Harris, E.F. 1998, Directions of Orthodontic Tooth Movements Associated with External Apical Root Resorption of the Maxillary Central Incisor, *Am. J. Orthod. Dentofacial Orthop.*,114(6):677-683.
- Pandis, N., Nasika, M., Polychronopoulou, A., and Eliades, T., 2008, External Apical Root Resorption in Patients Treated with Conventional and Self-Ligating Brackets, *Am. J. Orthod. Dentofac. Orthop.*, 135 (5):646-651.
- Picanco,G.V., De Freitas K.M.S., Cancado, R.H., Valarelli, F. P., Picanco, P.R.B., and Feijao, C.P., 2013, Predesposing Factor to Severe External Root Resorption Associated to Orthodontic Treatment, *Dental Press. J. Orthod.*, 18(10):110-120
- Pinto, A.R.C., Correlo,V.M., Sol, P.C., Bhattacharya, M., Srouji, S., Livne, E., Reis, R.L. and Neves, N.M., 2011, Chitosan-poly (butyleneSuccinate) Scaffolds and Human Bone marrow Stromal Cell Induce Bone Repair in a Mouse Calvaria Model, *J. Tissue Eng. Regen. Med.*, [Wileyonline- library.com](http://Wileyonline-library.com), diakses tanggal 12/4/2016
- Paetyangkul, A., Türk, T., Elekdağ-Türk, S., Jones, A.S., Petocz, P., and Darendeliler, M.A. 2009, Physical Properties of Root Cementum: Part 14. The Amount of Root Resorption after Force Application for 12 Weeks on Maxillary and Mandibular Premolars: A Microcomputed-Tomography Study, *Am. J. Orthod. Dentofacial. Orthop.*, 136, 4, 492.e1-9.

- Paetyangkul ,A., Türk, T., Elekdağ-Türk, S., Jones, A.S., Petocz, P., Cheng, L.L. and Darendeliler, M.A..2011, Physical Properties of Root Cementum: Part 16. Comparisons of Root Resorption and Resorption Craters after The Appli-cation of Light and Heavy Continuous and Controlled Orthodontic Forces for 4, 8, and 12 Weeks, *Am. J. Orthod. Dentofacial Orthop.*, 139(3):e279-84.
- Poulsen, R.C., Moughan, P.J., and Kruger, M.C., 2007, Long Chain Polysaturated Fatty Acid and the Regulation of Bone Metabolism, *Experiment. Bio. Med.*, 232 : 1275-88
- Proffit, W.R., Fields, H.W., and Sarver D.M., 2012, *Contemporary Orthodontics*, 5th ed., Mosby Elsevier, St. Louis., pp.286-87, 607.
- Proffit,W.R., and Field,H.W., 2000, *Contemporary Orthodontics*, 2 ed., The CV. Mosby Co., St. Louis
- Pudyani, P.S., Sutantyo, D., and Suparwitri, S., 2008, Morphological Changes of Alveolar Bone Due to Orthodontic Movement of Maxillary and Mandibulary Incisors, *Dent. J. (Maj. Ked. Gigi)*, 41(1): 21-24.
- Rahardja, P., 2009, *Ortodonsi Dasar*, edisi I, Airlangga University Press, Surabaya, hal 143-159
- Ren, Y., Kuijpers-Jagtman, A.M., and Van't Hof, M.A., 1999, Stability of Orthodontic Treatment Outcome: Follow-up until 10 Years Postretention, *Am. J. Orthod. Dentofac. Orthop.*, 115(3):300-4.
- Sadowsky, C., Schneider, B.J., BeGole, E.A., and Tahir, E., 1994, Long-term Stability after Orthodontis Treatment: Nonektraction with Prolonged Retention, *Am. J. Orthod. Dentofac. Orthop.*, 106 :2042-3
- Saleh, H.A., Ouhtit, A., Halade., G.V., and Rahman, M.M., Bone Benefit of Fish Oil Suplementation Depend on Its EPA and DHA content, *Nutrient*, 11, 2701; DOI:10.3390/nu11112701, www.mdpi.com/journal/nutrients, diakses tanggal 7/6/2020
- Sameshima, G.T., and Sinclair, P.M. 2004, Characteristics of Patients with Severe Root Resorption, *Orthod. Craniofac. Res.*, 7(2):108–14
- Samandara, A., Papageorgiou, S.N., Marathiotou, I.I., Tsatala, S.K., Papadopoulos, M.A., 2018, Evaluation of Orthodontically Induced External Root Resorption Following Orthodontic Treatment Using Cone Beam Computed Tomography (CBCT) : A Systematic Review and Meta-Analysis, *Eur.J. Orthod.*, doi:10.1093/ejo/cjy027:67-79

- Sasaki, T., 2003, Defferentiation and Function of Osteoclast and Odontoclasts in Mineralized Tissue Resorption, *Microscop. Res. Tech.*, 61(6):483-495
- Segal, G.R., Schiffman, P.H., and Tuncay, O.C., 2004, Meta analysis of the Treatment Related Factors of External Apical Root Resorption, *Orthod. craniofac. Res.*, 7 (2):71-8.
- Shiraishi, C., Hara, Y., Abe, Y., Ukai, T., and Kato, I.. 2001, A Histopathological Study of the Periodontal Ligament Tissue in Root Resorption in the Rat. *Arch. Oral Biol.*, 46:99–101.
- Singh, O, Sinha, D.J., Tyagi, S.P., and Tyagi, N., 2017, Root Resorption: Challenge to the Endodontist, *Inter. J. Dent. Res. Oral Sci.*, 1(1): 60-70
- Silva, R.M., Silva, G.A., Countiho, O.P., Mano, J.F., and Resis, R.L., 2004, Preparation and Characterization in Stimulated Body Conditions of Glutaraldehyde Cross Linked Chitosan Membranes. *J. Mater. Sci. Master. Med.*, 15 : 1105-12
- Suhardjono, D., 1995, *Percobaan Hewan Laboratorium*, Gadjah Mada University Press, Yogyakarta, h 207
- Sularsih dan Suprijanto, 2012, Perbandingan Jumlah Sel Osteoblas pada Penyembuhan Luka antara penggunaan Gel 1 % dan 2 %, *Jurnal Material Kedokteran Gigi*, vol 1 (1) :83-157
- Talic, N.F., Evans, C., and Zaki, A.M., 2006, Inhibition of Orthodontically Induced Root Resorption with Ehistatin, an RGD –containing peptide, *Am. J. Orthod. Dentofac. Orthop.*, 129 :252-60
- Takada, K., Kajiya, H., Fukushima, H., Okamoto, F., Motokawa, W., and Okabe, K., 2004, Calcitonin in Human Odontoclasts Regulate Root Resorption Activity Via Protein Kinase A, *J. Bone. Miner. Medtab.*, 22: 12-18
- Tanya, J.F., Pongsri, B., and Vaska, V., 2013, Periodontal Tissue Reaction during Orthodontic Relapse in Rat Molars, *Eur.J. Orthod.*, 35(2), 52-59.
- Tarralo, F., Chimenti, C., Paiella, G., Cordaro, M., and Tepedino, M., 2019, Biomarker in the Gingival Cravicular Fluid Used to Detect Root Resorption in Patients Undergoing Orthodontic Treatment: A Systematic Review, *Orthod. Craniofac. Res.*, 22(4):236-247
- Teixeira, C.C., Khoo, E., and Tran J., 2010, Cytokin Ekspresion and Accelerated Tooth Movement. *J. Dent. Res*, 89 :1135-1141
- Terbojevich, M., 2000, *Chitosan Dalam Handbook of Hydrocolloid*, Phillips GO dan William, P.A. , 1st ed, Woodhead Publishing Ltd, pp : 367-78

- Topkara, A., Karaman, A.I., and Kau, C.H., 2012, Apical Root Resorption Caused By Orthodontic Force: A Brief Review and A Long-Term Observation, *Eur. J. Dent.*, 6(4): 445-453
- Toro, E.J., Zuo, J., Gutierrez, A., La- Rosa, R.L., Gawron, A.J., and Bradaschia-Correa, V., 2013, Bis-enoxacin Inhibits Bone Resorption and Orthodontic Tooth Movement. *J. Dent. Res.*,92(10):925-31.
- Tyrovola, J.B., Spyropoulos, M.N., Makou, M., and Perrea, D, 2008,. Root Resorption and the OPG/RANKL/RANK System: A Mini Review, *J. Oral. Sci.*, 50:367- 376
- Von-Bohl, M., Maltha,J.C., Von den Hoff, J.W., and Kuijpers-Jagman, A.M., 2004, Change in The Periodontal Ligament after Experimental Tooth Movement Using High and Low Continous Forces in Beagle Dogs, *Angle Orthod.*, 74:16-25
- Wagner, D., Halci, H.E., Bensidhoum, M., Petite, H., Bolender, Y., Remond, Y., and George, D., 2018, Periodontal Ligament Histology for Orthodontic Bone Remodelling: First Quantification, *J. Cell. Immuno.*, 4(2018):41-43
- Wang, H., Yang, G., Xiao, Y., Li, G., and Li, Z., 2020, Friend or Foe? Essensial Role of Osteoclast in Maintaining Skeletal Health, *BioMed. Eseach International*, vol 2020, <http://doi.org/10.1155/2020/4791786> diakses tanggal 8 Juni 2020
- William, J.K., 2000, *Prinsip dan Praktek Alat-alat Ortodontik Cekat*, Jakarta: Penerbit Buku Kedokteran EGC.
- William-Bey, Y., Boularan, C., Vural, A., Huang, N., Hwang, I., Shan-Shi, C., and Kehri, J.H., 2014, Omega-3 Free Acids Suppress Macrophage Inflammasone Activation by Inhibiting NF- κ B Activation and Enhancing Autophagy, *PLOS ONE*, 9(6), www.plosone.org, diakses 4/9/ 2017.
- Yano,S., Mentaverri, R., and Khi, D., 2005, Functional Expression in Osteoblasts: Role of Regulated Upon Activation, Normal T Cell Expressed and Secreted (RANTES) in ostyeoblasts and regulation of its secretion by osteoblasts and osteoclasts, *Endocrinology*, 146:2324-2335
- Yi, J., Sun, Y., Li, C., Li, X., Zhao, Z., 2017, Cone-beam Computed Tomography Versus Periapical Radiograph for Diagnosing Externat Root Resorption: A Systematic Review and Meta-Analysis, *Angle Orthod.*, 87(2): 328-337

Young, L., Binderman, I., Yaffie, A., Beni, L., and Vardimon, A.D., 2013, Fiberotomy Enhances Orthodontic Tooth Movement and Diminish Relapse in Rat Model, *Orthod. Craniofac. Res.*, 16(3):161-8.

Zao, B., and Ivashkiv, L.B., 2011, Negative Regulation of Osteoclastogenesis and Bone Resorption by Cytokines and Transcriptional Repressors, *Arthritis Res. Ther.*, 13 (234):1-10

Zeller, S., 2017, GRAS Notification for DHA Algal Oil Derived from *Schizochytrium sp.*, <http://www.fda.gov/download/Food/>. diakses tanggal 4 /9/2017

Zhang, R., Li, J., Li, G., Jin, F., Wang, Z., Yue, R., Wang, Y., Wang, X., and Sun, Y, 2020, LncRNA Nron Regulates Osteoclastogenesis during Orthodontic Bone Resorption, *Int. J. Oral Sci.*, 12(14):1-10

Zhu, A.P., Zhang, Z., and Shen, J., 2003, Preparation of level Silica-butyrylchitosan Hybrid Biomaterials, *J. Mater. Sci. Mater. Me.*, 22:2959-66