DAFTAR PUSTAKA

Abdiana, R. and Anggraini, D.I., 2017. Rambut Jagung (Zea mays L.) sebagai Alternatif Tabir Surya. *Jurnal Majority*, 7(1) : 31-35.

Aramwit, P., Kanokpanont, S., Nakpheng, T. and Srichana, T., 2010. The effect of sericin from various extraction methods on cell viability and collagen production. *International Journal of Molecular Sciences*, 11(5) : 2200-2211.

Astarani, M.C., 2012. Pengaruh Ekstrak Etanol Daun Alpukat (Persea Americana Mill.) Terhadap Mortalitas Cacing Ascaris Suum, Goeze In Vitro.

Ben-Dov, E., Zaritsky, A., Dahan, E., Barak, Z.E., Sinai, R., Manasherob, R., Khamraev, A., Troitskaya, E., Dubitsky, A., Berezina, N. and Margalith, Y., 1997. Extended screening by PCR for seven cry-group genes from field-collected strains of Bacillus thuringiensis. *Applied Environmental Microbiology*, 63(12) : 4883-4890.

Brahma, D., Neli, S., Saikia, P., Choudhury, S. and Dutta, K., 2011. Morphological and Productivity Differences between Samia ricini, Samia canningi and their cross. *The Ecoscan*, *1* : 287-290.

Brahma, D., Swargiary, A. and Dutta, B., 2015. A comparative study on morphology and rearing performance of Samia ricini and Samia canningi crossbreed with reference to different food plants. *Journal of Entomology and Zoology Studies*, 3(5) : 12-19.

Bravo, A., Sarabia, S., Lopez, L., Ontiveros, H., Abarca, C., Ortiz, A., Ortiz, M., Lina, L., Villalobos, F.J., Peña, G. and Nuñez-Valdez, M.E., 1998. Characterization of cry genes in a Mexican Bacillus thuringiensis strain collection. *Applied Environmental Microbiology*, 64(12) : 4965-4972.

Debraj, Y., Sarmah, M.C., Dutta, R.N., Singh, L.S., Das P.K. and Benchamin, K.V. (2001). Field trail of elite Comparative study on six strains of ERI silk crosses of eri silkworm, philosamia ricini, Hutt, *Indian Silk* 40: 15-16.

Endrawati, Y.C., Solihin, D.D., Suryani, A. and Subyakto, S., 2017. Optimasi Rendemen Fibroin Ulat Sutera Bombyx mori L. dan Attacus atlas L. dengan Response Surface Methodology. *Jurnal Agrotek Indonesia*, 37(2) : 205-214.

Fabiani, C., Pizzichini, M., Spadoni, M. and Zeddita, G., 1996. Treatment of waste water from silk degumming processes for protein recovery and water reuse. *Desalination*, 105(1-2) : 1-9.

Fattah, A. and Ilyas, A., 2016. Siklus Hidup Ulat Grayak (Spodoptera litura, F) dan Tingkat Serangan pada Beberapa Varietas Unggul Kedelai di Sulawesi Selatan. In *Prosiding Seminar Nasional Inovasi Pertanian*.

Finn, L. 2013. *Spodoptera litura* (Fabricius, 1775). [serial online]. http:// lepidoptera. butterflyhouse.com.au/amph/litura.html. Diakses pada 15 November 2019.

Gómez, I., Rodríguez-Chamorro, D.E., Flores-Ramírez, G., Grande, R., Zúñiga, F., Portugal, F.J., Sánchez, J., Pacheco, S., Bravo, A. and Soberón, M., 2018. Spodoptera frugiperda (JE Smith) aminopeptidase N1 is a functional receptor of the Bacillus thuringiensis Cry1Ca toxin. *Applied Environmental Microbiology*, 84(17) : 09-18.

Hatmanti, A., 2000. Pengenalan Bacillus spp. *Oseana*, 25(1) : 31-41.

Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T. and Williams, S.T., 1994. Bergey's Manual of Systematic Bacteriology. 9th. *Williams&Wilkins. USA*.

Kalshoven, L.G.E., 1981. *Pests of Crops in Indonesia: Revised and Translated by PA Van Der Laan*. PT Ichtiar Baru.

ITIS, 2020. *Spodoptera litura.* Diakses pada https://www.itis.gov/servlet/Single-Rpt/SingleRpt?search_topic=TSN&search_value=941218#null pada 20 Januari 2020.

Kato H. 2000. Structure and thermal properties of Anaphe, Cricula and Attacus cocoon filaments. *International Journal of Wild Silkmoth and Silk*, 5(1) : 11-20.

Kawaguchi, Y., Ichida, M., Kusakabe, T. and Koga, K., 2000. Chorion morphology of the Eri-silkworm, Samia cynthia ricini (Donovan)(Lepidoptera: Saturniidae). *Applied Entomology and Zoology*, 35(4) : 427-434.

Kumar, J.P., Alam, S., Jain, A.K., Ansari, K.M. and Mandal, B.B., 2018. Protective activity of silk sericin against UV radiation-induced skin damage by downregulating oxidative stress. *ACS Applied Bio Materials*, 1(6) : 2120-2132.

Lestari, S., Ambarningrum, T.B. and Pratiknyo, H. 2013. A Life Table of Spodoptera litura Fabr. with Different Artificial Diets. *Jurnal Sain Veteriner*, 31(2).

Marwoto, S., 2008. Strategi dan komponen teknologi pengendalian ulatgrayak (Spodoptera litura fabricus) pada tanaman kedelai. *Jurnal Penelitian dan Pengembangan Pertanian*, 27(3) : 131-136.

Pachiappan, P., Prabhu, S., Mahalingam, C.A., Thangamalar, A. and Umapathy, G., 2018. In vivo antibacterial effect of chitosan against Staphylococcus aureus and Bacillus thuringiensis and its impact on economic parameters of silkworm, Bombyx mori. L. *Journal of Pharmacognosy and Phytochemistry*, 7(2) : 2448-2451.

Peigler, R.S. & Naumann, S., 2003. *A Revision of the Silkmoth Genus* Samia. San Antonio: University of the Incarnate Word. 230 pp., 10 maps, 228 figs. ISBN 0-9728266-0-2

Pracaya, I., 2009. *Bertanam Sayur Organik*. Penebar Swadaya. Jakarta.

Rahman, F.A., Haniastuti, T. and Utami, T.W., 2017. Skrining fitokimia dan aktivitas antibakteri ekstrak etanol daun sirsak (Annona muricata L.) pada Streptococcus mutans ATCC 35668. *Majalah Kedokteran Gigi Indonesia*, 3(1) : 1-7.

Rumape, O., 2015. Isolasi dan Identifikasi Senyawa Antifeedant Pada Daun Jarak Kepyar (Ricinus communis L) Terhadap Serangga (Epilachna varivestis). *Disertasi Doktor (DP2M)*, 2(9) : 51.

Sasaki, M., Yamada, H. and Kato, N., 2000. Consumption of silk protein, sericin elevates intestinal absorption of zinc, iron, magnesium and calcium in rats. *Nutrition Research*, 20(10) : 1505-1511.

Saxena, D., Ben-Dov, E., Manasherob, R., Barak, Z.E., Boussiba, S. and Zaritsky, A., 2002. A UV tolerant mutant of Bacillus thuringiensis subsp. kurstaki producing melanin. *Current microbiology*, 44(1) : 25-30.

Senewe, E., Maramis, R. and Salaki, C.L., 2012. Pemanfaatan Bakteri Entomopatogenik Bacillus cereus terhadap Hama Spodoptera litura pada Tanaman Kubis. *Eugenia*, 18(2).

Shorey, H.H. and Hale, R.L., 1965. Mass-rearing of the larvae of nine noctuid species on a simple artificial medium. *Journal of economic Entomology*, 58(3) : 522-524.

Siregar, Fiola T. 2020. Patogenisitas Formulasi Bakteri *Bacillus thuringiensis var. kurstaki* Berl. Dengan UV Protektan terhadap Larva Ulat Grayak (*Spodoptera litura* Fab.) (Lepidoptera: Noctuidae) di Laboratorium. Universitas Gadjah Mada. Skripsi. Universitas Gadjah Mada, Yogyakarta.

Sudarmo, S., 1991. *Pestisida*. Kanisius. Yogyakarta, p : 5.

Sukirno, S., Tufail, M., Rasool, K.G., El Salamouny, S., Sutanto, K.D. and Aldawood, A.S., 2017. The Effectiveness Of Spinosad And Neem Extract Against Spodoptera Littoralis (Boisd.) And Spodoptera Exigua (Hubner): Exploring Possibilities To Enhance The Bio-Pesticide Persistence With Natural Uv Protectants Under Field-Sunlight Conditions Of Saudi Arabia. *Pakistan Journal of Agricultural Sciences*, 54(4).

Sukirno, S., M. Tufail, K. Ghulam, S. El Salamouny, K. Sutanto, dan A. Saad. 2018. The Efficacy and Persistence of Spodoptera littoralis Nucleopolyhedrovirus (SpliMNPV) Applied in UV Protectants against the Beet Armyworm, Spodoptera exigua (Hübner) (Lepidoptera: Noctuidae)

Under Saudi Field Conditions. *Pakistan Journal of Zoology*, 50(5): 1895-1902. DOI:http://dx.doi.org/10.17582/journal.pjz/2018.50.5

Tampubolon, D.Y., Pangestiningsih, Y., Zahara, F. and Manik, F., 2013. Uji Patogenisitas Bacillus thuringiensis dan Metarhizium anisopliae Terhadap Mortalitas Spodoptera litura Fabr (Lepidoptera: Noctuidae) Di Laboratorium. *Agroekoteknologi,* 1(3).

Tao, W., Li, M. and Xie, R., 2005. Preparation and structure of porous silk sericin materials. *Macromolecular materials and engineering*, 290(3) : 188-194.

Tengkano, W. and Suharsono, S., 2005. Ulat Grayak Spodoptera Litura Fabricius (Lepidoptera: Noctuidae) pada Tanaman Kedelai dan Pengendaliannya. *Buletin Palawija,* (10) : 43-52.

Widiastuti, H., Panji, T., Yusup, C.A., Rusmana, I. and Eko, T., 2019. Formulasi bioinsektisida Bacillus thuringiensis isolat indigenos untuk pengendalian Hyposidra talaca pada tanaman teh. *Menara Perkebunan,* 87(1) : 60-67.