

DAFTAR PUSTAKA

- Abdullah, B., S.Tjokrowidjojo, dan Sularjo. 2008. Perkembangan dan prospek Perakitan padi tipe baru di Indonesia. *Jurnal Litbang Pertanian*. 27 (1).
- Abdulrachman, S dan Pahim. 2000. Optimalisasi penggunaan pupuk N pada padi sawah. *Simposium teknologi tepatguna menunjang gema palangung*. Jakarta. 14p.
- Adjie, M., M.Tradjaka dan K. Igita. 2000. Pewarisan trikoma, penentu sifat ketahanan kedelai terhadap ulat grayak. *Penelitian Tanaman Pangan*, 19 (2): 1-5.
- Afa, L. O., B. S. Purwoko, A. Junaedi, O. Haridjaja, dan I. S. Dewi. 2013. Early detection of hybrid rice tolerance to drought using PEG 6000. *J. Agron. Indonesia* 41 (1): 9–15.
- Ahmad ST, Haddad R. 2011. Study of silicon effects on antioxidant enzyme activities and osmotic adjustment of wheat under drought stress. *Czech J Genet Plant Breed* 47: 17-27.
- Ali, K., R.S.Gujjar, R.Niwas, M.Gopal and A.Tyagi. 2011. A rapid method for estimation of abscisic acid and characterization of ABA regulated gene in response to water stress from rice. *J Plant Physiol*. 6:144–156.
- Ali, M., C.R. Jensen, V.O. Mogensen, M.N. Anderson and I.E. Henson. 2005. Root signaling and osmotic adjustment during intermittent soil drying sustain grain yield of field grown wheat. *Field Crops Research*. 62: 35–52.
- Alluri, K., B. S. Vergara, and R. M. Visperas. 1973. Observation on damage to rice leaves by strong wind. *SABRAO Newslett*. 5:129-132
- Almeselmani, M., F.Abdullah, F. Hareri, M. Naaesan, M.A. Ammar, O.Z. Kanbar, and A.A. Saud. 2011. Effect of drought on different physiological characters and yield component in different varieties of syrian durum wheat. *Journal of Agricultural Science*. 3 (3): 127–133.
- Alnopri, M.Taufik, D.W. Ganefianti, Muktaazar, dan Prasetyo. 2004. Modifikasi rancangandialil untuk mendapatkan kopi arabika unggul berdasarkan aktivitas nitrat reduktase. *Akta Agrosia* 7(2): 47-51.
- Andoko, A. 2002. Budidaya padi secara organik. Penebar Swadaya.
- Anjum, S.A., X. Xie, L. Wang, M.F. Saleem, C. Man, and W. Lei. 2011. Morphological, physiological and biochemical responses of plants to drought stress. *African Journal of Agricultural Research* 6(9): 2026–2032.
- Arifai, M. 2009. Respon anatomi daun dan parameter fotosintesis tumbuhan padi gogo, caisim, *echinochloa crusgalli*. L., dan bayam pada berbagai cekaman kekeringan. Tesis. Institut Pertanian Bogor. Bogor.
- Aroka, R. 2012. Plant responses to drought stress. New York : Springer.

- Asch, F., M. Dingkuhn, A. Sow, dan A. Audebert. 2005. Drought-induced changes in rooting patterns and assimilate partitioning between root and shoot in upland rice. *Field Crops Research* 93: 223–236.
- Atkinson, N.J. and P.E. Urwin. 2012. The interaction of plant biotic and abiotic stress: from genes to the field. *Journal of Experimental Botany*. 63, 3523-3554.
- Badshah, M.A., N.Tu., Y. Zou., M.Ibrahim., and K. Wang. 2014. Yield and tillering response of super hybrid rice Liangyoupeijiu to tillage and establishment methods. *The crop journal*. 2: 79 – 86.
- Baehaki, S.E., H.M.Toha, M.Y.Samaullah, Sudarmaji, Suwarno dan I.P.Wardana. 2010. Padi Gogo. Balai Besar Penelitian Padi. Sukamandi. Hal 1-33.
- Baker, H., O. Frank, B. De-Angelis, and S. Feingold. 1980. Plasma tocopherol in man at various times after ingesting free or acetylated tocopherol. *Nutr. Rep. Int.* 21: 531–536.
- Bartoli, C.G., M. Simontaeahi, E. Tambussi, J. Beltrano, E. Montaldi, and S. Puntarulo. 1999. Drought and watering-dependent oxidative stress. Effect on antioxidant content in *Triticum aestivum* L. leaves. *J. Exp. Bot.* 50: 375–383.
- Bashar, M.K., K. Akter, K.M. Iftekharuddaula and M.S. Ali. 2003. Genetics of leaf water potential and its relationship with drought avoidance components in rice (*Oryza sativa* L.). *Journal of Biological Science*. 3 (9): 760–765.
- Bates, L.S., R.P. Walden, and I.D. Teare. 1973. Rapid determination of free proline for water stress studies. *Plant and Soil* 39: 205–207.
- Beyer, W.F., and I. Fridovich. 1987. Assaying for superoxide dismutase activity: some large consequences of minor changes of conditions. *Anal. Biochem.* 161: 559-566.
- Bhattacharjee, S. 2005. Reactive oxygen species and oxidative burst: Roles in stress, senescence and signal transduction in plants. *Current Science*. 89:1113–1121.
- Blum, A. 2005. Drought resistance, water-use efficiency, and yield potential are they compatible, dissonant, or mutually exclusive. *Australian Journal of Agriculture Research*. 56:1159-1168
- Boonjung, H., 1993. Modelling growth and yield of upland rice under water limiting conditions. PhD thesis, The University of Queensland.
- Bouazizi, H., H.Jouili, E.E. Ferjani. 2007. Effects of copper excess on growth, H₂O₂ production and peroxidase activities in maize seedlings (*Zea mays* L.). *Pakistan Journal of Biological Science*. 10: 751–756.
- Boutraa, T. 2010. Effects of water stress on root growth, water use efficiency, leaf area and chlorophyll content in the desert shrub *Calotropis procera*. *J Int Environmen Appl Sci*. 5:124-132.
- Boy, R. dan I.K. Suwitra, 2014. Ekplorasi dan keragaman plasma nutfah varietas lokal padi gogo di Sulawesi Tengah. *Prosiding Seminar Nasional. BBP2TP*. Bogor.

- Boy, R., H. Biolan dan Soeharsono, 2013. Inventarisasi dan identifikasi plasma nutfah tanaman padi di Kabupaten Banggai. Prosiding Seminar Nasional. Balai Besar Biogen. Bogor.
- BPS, 2018. Statistik tanaman pangan Indonesia. Badan Pusat Statistik Indonesia. Jakarta.
- BPS, 2018. Statistik tanaman pangan Sulawesi Tengah. Badan Pusat Statistik Sulawesi Tengah. Palu.
- Brady, N.C. 1974. The nature and properties of soil (8th Edition). MacMillan publishing Co-Inc. New York.
- Budak, H., M. Kantar, and K. Y. Kurtay. 2013. Drought tolerance in modern and wild wheat. The Scientific World Journal. 548.
- Burkey, K.O., R.F.Wilson, and R.Wells. 1997. Effects of canopy shade on the lipid composition of soybean leaves. Plants Physiol. 88:1210–1214.
- Cahyadi E., A. Ete, and U. Made. 2013. Identifikasi karakter fisiologis dini padi gogo lokal mangkawa terhadap cekaman kekeringan. Agrotekbis 1 : 228-235
- Cairns, J.E., A. Audebert, C.E. Mullins, and A.H. Price. 2009. Mapping quantitative trait loci associated with root growth in upland rice (*Oryza sativa* L.) exposed to soil water-deficit in fields with contrasting soil properties. Field Crops Research 114: 108–118.
- Castonguay, Y., and A.H. Markhart. 1992. Leaf gas exchange in waterstressed common bean and tepary bean. Crop Sci. 32: 980-986.
- Chang, T. T., G. C. Loresto, and O. Tagumpay. 1972. Rieties. Page 645-661 in International Rice Research Institute, Rice Breeding. Los Banos, Philippines.
- Chang, T.T, dan E.A. Bardenes. 1976. The morphology and varietal characteristic of the rice plant. Technical Bulletin 4, IRRI, Los Banos the Philippines.
- Cha-um, S., S.Yooyongwech, and K. Supaibulwatana. 2010. Water deficit stress in the reproductive stage of four indica rice (*Oryza sativa* L.) genotypes. Pak J Bot. 42(5): 3387–3398.
- Chutipaijit, S., S. Cha-um, and K. Sompornpailin. 2012. An evaluation of water deficit tolerance screening in pigmented indica rice genotypes. Park J Bot. 4: 65–72.
- Comas, L.H., S.R. Becker, V.M.V. Cruz, P.F. Byrne, and D.A. Dierig. 2013. Root traits contributing to plant productivity under drought. Front Plant Sci. 4: 442.
- Crusciol, C. A. C., R.P. Soratto, A.S. Nascente, and O. Arf. 2013. Root distribution, nutrient uptake, and yield of two upland rice cultivars under two water regimes. Agronomy Journal. 105: 237–247.
- Daksa, W.R., A. Ete, dan Adrianon. 2014. Identifikasi toleransi kekeringan padi gogo lokal tanangge pada berbagai larutan PEG. J. Agrotekbis 2 (2): 114–120.
- Dannowski, M. and A. Block. 2005. Fractal geometry and root system structures of heterogeneous plant communities. Plant Soil 272:61-76.

- Daradjat, A. A., S. Silitonga, dan Nafisah. 2009. Ketersediaan plasma nutfah untuk perbaikan varietas padi. Balai Besar Penelitian Tanaman Padi, Sukamandi.
- Darwati, I., M. Rahardjo, S.M.D., dan Rosita. 2000. Produktivitas som jawa (*Talinum paniculatum* Gaertn.) pada beberapa komposisi bahan organik. Jurnal Littri.6 (1): 1–4.
- Davatgar, N., M. R. Neishabouri, A. R. Sepaskhah and A. Soltani. 2009. Physiological and morphological responses of rice (*Oryza sativa* L.) to varying water stress management strategies. International Journal of Plant Production 3 (4): 19–32.
- De Datta, S. K. 1981. Principles and practices of rice production. A Wiley- Interscience Publication. New York .John Wiley & Sons. 681 p.
- De Oliveira, J.R., M. Koetz, E.m. Bonfim-Silva, and T.j.a. da Silva. 2016. Silicon fertilization and soil water tensions on rice development and yield. Agriambi. 20(2): 138–143.
- Diaz, S., A. Hector, and D.A. Wardle. 2009. Biodiversity in forest carbon sequestration initiatives: not just a side benefit. Current Opinion in Environmental Sustainability. 1: 55–60.
- Dobermann, A., and T. Fairhurst. 2000. Rice Nutrient Disorders and Nutrient Management. Philippines: International Rice Research Institute (IRRI).
- Duan, L., C.Guan, J.Li, A.E.Eneji, Z.Li, and Z.Zhai. 2008. Compensative effects of chemical regulation with uniconazole on physiological damages caused by water deficiency during the grain filling stage of wheat. J.Agro & Crop Sci. 194: 9–14.
- Effendi, Y. 2008. Kajian Resistensi beberapa varietas padi gogo (*Oriza sativa* L.) terhadap cekaman kekeringan. Tesis. Program Studi Agronomi, Program Pascasarjana. Universitas Sebelas Maret. Surakarta.
- Eghball, B., J.R. Settlem, J.W. Maranville, and A.M. Parkhurst. 1993. Fractal analysis for morphology description of corn roots under nitrogen stress. Agronomy Journal 85: 287-289.
- Esau, K. 1953. Plant Anatomy. John Wiley & Sons, Inc, New York. 153-158 p.
- Esau, K. 1977. Anatomy of seed plant 2nd Ed. printed in the United States of America.125-130.
- Estiningtyas, W dan M.Syakir, 2017. Pengaruh perubahan iklim terhadap produksi padi di lahan tadah hujan. Jurnal Meteorologi dan Geofisika. 18 (2): 83-93.
- Fageria, N. K., A. Moreira, and A.M. Coelho. 2011. Yield and yield components of upland rice as influenced by nitrogen sources. Journal of Plant Nutrition. 34: 361–370.
- Fahn, A. 1991. Anatomi Tumbuhan. Gadjah Mada University Press. Yogyakarta.
- Farooq, M, A. Wahid, N. Kobayashi, D. Fujita and S.M.A. Basra. 2009. Plant drought stress: effects, mechanisms and management. Agronomy for Sustainable Development 29: 185-212.

- Faruq, G., Nezhadahmadi, A., and Prodhan, Z.A. 2013. Review Article: Drought Tolerance in Wheat. *The Scientific World Journal*. 1–13
- Fenta, B.A., S.E. Beebe, K.J. Kunert, J.D. Burrige, K.M. Barlow, J.P. Lynch, and C.H. Foyer. 2014. Field phenotyping of soybean roots for drought stress tolerance. *Agronomy* 4: 418-435.
- Fernandez, G.C.J. 1992. Effective selection criteria for assessing stress tolerance. *In: Kuo C.G (Ed.)*. Proceedings of the international symposium on adaptation of vegetables and other food crops in temperature and water stress. Publication, Tainan, Taiwan.
- Fischer R.A. and Maurer R. 1978. Drought resistance in spring wheat cultivars. I grain yield responses. *Aust. J. Agric. Res.* 29: 897–912.
- Fischer, R.A. 1975. Yield potential in dwarf spring wheat and the effect of shading. *Crop Sci.* 15:607-613.
- Fitter, A.H., dan R.K.M. Hay. 1994. Fisiologi Lingkungan Tanaman. Penerjemah: S. Andani dan E.D. Purbayanti. Yogyakarta: UGM Press.
- Foyer, C.H. dan Shigeoka, S. 2011. Understanding oxidative stress and antioxidant functions to enhance photosynthesis. *Plant Physiology*. 155: 93–100.
- Fu, G.F., J. Song, Y.R. Li, M.K. Yue, J. Xiong, and L.X. Tao. 2010. Alteration of panicle antioxidant metabolisems and carbohydrate content and pistil water potential involved in spikelet sterility in rice under water-deficit stress. *Rice Sci.* 17: 303–310.
- Fukai, S., and M. Cooper. 1995. Development of drought-resistant cultivars using physiomorphological traits in rice. *Field Crops Research* 40: 67–86.
- Fukai, S., G. Pantuwan, B. Joongdee. and M. Cooper. 1999. Screening for Drought Resistance in Rainfed Lowland Rice. *Field Crops Res.* 64 (2): 61–74.
- Gao, J.F. 2000. Experiment technique of plant physiology, Xi'an World Press Company, Xi'an, China. 196 p.
- Gardner, F.P., R.B. Pearce, and R.L. Mitchell. 1985. Physiology of crop plant. The Iowa University Press.
- Gardner, F.P., R.B. Pearce, and R.L. Mitchell. 1991. Fisiologi Tanaman Budidaya. Susilo H. dan Subiyanto (edisi terjemahan). UI-Press. Jakarta.
- Gill, S.S., and N. Tuteja. 2010. Reactive oxygen species and antioxidant machinery in abiotic stress. *Plant Physiology and Biochemistry*. 48: 909–930.
- Gilley, J.R. and M. Jansen, 1983. Irrigation management contribution to agriculture productivity. *In: Niper T L., Scott D., Ewster KW dan Supala (Ed.)*. Water resource research problem and potential for agriculture and boul commuity. Soil Conservation Society of America. New York.
- Goldsworthy, P.R. and N.M. Fisher. 1992. Fisiologi tanaman budidaya tropik. Penerjemah: Tohari. Gadjah Mada University Press. 874 hal.

- Gomes, F.P., M.A. Olivia, M.S. Mielke, A.A.F. Almeida, and L.A. Aquino. 2010. Osmotic adjustment, proline accumulation, and cell membrane stability in leaves of *cocos nucifera* submitted to drought stress. *Scientia Horticulturae* 126: 379–384.
- Gould, F.W. 1968. Grass systematics. McGraw-Hill Book. New York. 382p.
- Gowda, V.R.P., A. Henry, A. Yamauchi, H.E. Shashidhar, and R. Serraj. 2011. Root biology and genetic improvement for drought avoidance in rice. *Field Crops Res.* 122: 1–13.
- Grant, B.W. and I. Vatric. 2004. Environmental correlates of leaf stomata density. *Teaching Issues and Experiments in Ecology*. 1: 1-24.
- Guha, G., D. Sengupta, G.H. Rasineni, and A.R. Reddy. 2009. An integrated diagnostic approach to understand drought tolerance in mulberry (*Morus indica* L.). *Flora*. 01: 004.
- Gunes, A., D.J. Pilbeam, A. Inal, E.G. Bagci, and S. Coban. 2007. Influence of silicon on antioxidant mechanisms and lipid peroxidation in chickpea (*Cicer arietinum* L.) cultivars under drought stress. *Journal of Plant Interactions*. 2 (2): 105–113.
- Guo, Z., W. Qu, S. Lu, and Q. Zhong. 2006. Differential responses of antioxidative system to chilling and drought in rice cultivars differing in sensitivity. *Plant Physiol Biochem.* 44: 828-836.
- Ha, P.T.T., 2014. Physiological responses of rice seedlings under drought stress. *J. Sci. & Devel.* 12, 5: 635–640.
- Haider, Z., A. Razaq, A. Mehboob, S. Rehman, A. Iqbal, A. Hussain, U. Saeed, T. N Naveed, S. Zia, Z. Mahmood, and K. Mahmood, 2013. Comparison of associations among yield and yield components in rice (*Oryza sativa* L.) under simulated drought stress condition using multivariate statistics. *IJSER*. 4(8): 329–340.
- Hairmansis, A., Supartopo, Yulianida, Warsono, D. Manzanilla, C.M. Vera Cruz, A. Jamil And Suwarno. 2017. Upland rice breeding lines adapted to high elevation areas selected through participatory approaches. *SABRAO Journal of Breeding and Genetics*. 49:248-257
- Halliwell, B. 2006. Reactive species and antioxidants. Redox biology a fundamental theme of aerobic life. *Plant. Physiol.* 141: 312–322.
- Hamada, H. 1937. Physiologisch-systematisch untersuchungen uber das Wachstum der keimorgane von *Oryza sativa* L. *Mem. Coll. Sci. Kyoto University*. 12: 259–310.
- Haman, D.Z. and F.I. Izuno. 2003. Soil plant water relationship. University of Florida.
- Hamanishi, E.T., B.R. Thomas, and M.M. Campbell. 2012. Drought induces alterations in the stomatal development program in populus. *J Exp Bot.* 63(13): 4959–4971.

- Harjadi, S.S. dan S. Yahya, 1988. Fisiologi stres lingkungan. PAU Bioteknologi Institut Pertanian Bogor. 236 p.
- Hasanuzzaman, M., K.U. Ahamed, N.M. Rahmatullah, N. Akhter, K. Nahar, and M.L. Rahman. 2010. Plant growth characters and productivity of wetland rice (*Oriza sativa* L.) as affected by application of different manures. Emir. Food Agricultural Journal. 22 (1): 46–58.
- Hasegawa, S. 1963. Upland rice (in Japanese). International Rice Research Institute. Major research in upland rice. Los Banos, Philippines.
- Hasrawati A, I Kadekoh, and A Ete. 2017. Karakteristik padi gogo lokal yang diberi bahan organik pada berbagai ketersediaan air. e-J. Agrotekbis. 5 : 134 - 143. ISSN : 2338-3011
- Hasthanasombut, S., V. Ntui, K. Supaibulwatana, M. Mii, and I. Nakamura. 2010. Expression of indica rice *OsBADH1* gene under salinity stress in transgenic tobacco. Plant Biotech Rep. 4:75–83.
- He, H., R. Serraj, and Q. Yang. 2009. C hanges in OsXTH gene expression, ABA content, and peduncle elongation in rice subjected to drought at the reproductive stage. Acta Physiol Plant. 31: 749–756.
- He-zheng W., L.H. Zhang, J.Ma, X.L.Li, Y.Li, R.P.Zhang and R.Q.Wang. 2010. Effects of water stress on reactive oxygen species generation and protection system in rice during grain-filling stage. Agri.Sci.in China. 9: 633–641.
- Hsiao, T.C. and L. Kang-Xu, 2000. Sensitivity of growth of roots versus leaves to water stress: biophysical analysis and relation to water transport. Journal of Experimental Botani. 51 (350): 1595–1616.
- Huang, B., and Y.Jiang. 2000. Effect of drought or heat stress alone and in combination on kentucky bluegrass. Crop Sci 40: 1358–1362.
- Ichsan, C.N., I. Gamal, E. Nurahmi, G. Erida, dan Irfan. 2015. Perbandingan Penampilan Fisiologis Padi Genotip Lokal dan Nasional untuk Mengatasi Kekeringan. J. Floratek 10 (2): 97–104.
- Indradewa, D. 2001. Gatra Agronomis dan Fisiologis Pengaruh Genangan dalam Parit pada Tanaman Kedelai. Disertasi. Universitas Gadjah Mada. Yogyakarta.
- Irianto, G., H. Sembiring dan Baehaki, 2010. Panduan umum sekolah lapang pengelolaan tanaman terpadu (SL-PTT) padi gogo. Kementerian Pertanian. 1–33.
- IRRI (International Rice Research Institute). 1973. Annual report for 1972. Major research in upland rice. Los Banos, Philippines. 246p.
- IRRI, 1970. Rice production manual (Revised Edition 1970). Compiled by University of the Philippines in Cooperation with the International Rice Research Institute.

- ISRIC, 1993. Procedures for Soil Analysis. *In* van Reeuwijk, L.P. (Ed.) Technical paper, international soil reference and information centre. WageningenThe Netherlands. 4th ed. p.100.
- Izumi, Y., A.M. Benz, H. Katsuki, and C.F. Zorumski. 1997. Endogenous monocarboxylates sustain hippocampal synaptic function and morphological integrity during energy deprivation. *The Journal of Neuroscience*.17 (24): 9448–9457.
- Jagau, L. 2000. Fisiologi dan pewarisan efisiensi nitrogen dalam keadaan cekaman aluminium pada padi gogo (*Oryza Sativa* L.) Disertasi. Program Pasca Sarjana. Institut Pertanian Bogor.
- Jaleel, C.A., P. Manivannan, A. Wahid, M. Farooq, H.J. Al-Juburi, R. Somasundaram, and R. Panneerselvam. 2009. Drought stress in plants: a review on morphological characteristics and pigments composition. *Journal of Agriculture and Biology* 11: 100–105.
- Jaleel, C.A., P. Manivannan, G.M.A. Lakshmanan, M.Gomathinayagam, and R. Panneerselvam. 2008. Alterations in morphological parameters and photosynthetic pigment responses of *Catharanthus roseus* under soil water deficits. *Colloids Surf. B: Biointerfaces*. 61: 298-303.
- Jeki, 2013. Analisis toleransi beberapa varietas padi gogo pada cekaman kekeringan. Tesis. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Ji, K., Y.Wang, S.Weining, L.Qiaojun, M.Hanwei, S.Shihua, and C.Hui. 2012. Drought-responsive mechanisms in rice genotypes with contrasting drought tolerance during. *J Plant Physiol*. 169:336-344.
- Jones, D.T. 1999. Protein secondary structure prediction based on position-specific scoring matrices. *J. Mol. Biol*. 292: 195–202.
- Jongdee, B., Pantuwan, G., Fukai, S. and Fischer, K. 2006. Improving drought tolerance in rainfed lowland rice: an example from Thailand. *Agric. Water Manage*. 80: 225–240.
- Kamoshita, A., R. C. Babu, N. M. Boopathi, and S. Fukai. 2008. Phenotypic and genotypic analysis of drought resistance traits for development of rice cultivars adapted to rainfed environments. *Field Crops Research* 109. 1–23.
- Kamoshita, A., R. Rodriguez, A. Yama auchi, and L. Wade. 2004. Genotypic variation in response of rainfed lowland to prolonged drought and rewatering. *Plant Production Science*. 7(4): 406–420.
- Kang, J., J.U. Hwang, M. Lee, Y.Y. Kim, S.M. Assmann, E. Martinoia, and Y. Lee. 2010. PDR-type ABC transporter mediates cellular uptake of the phytohormone abscisic acid. *Proceedings of the National Academy of Sciences of the United States of America* 107: 2355–2360.
- Kang, S., W. Shi, and J. Zhang. 2000. An improved water use efficiency for maize grown under regulated deficit irrigation. *Field Crops Res*. 67: 207–214.

- Ketipearachchi, K.W. and J.Tatsumi. 2000. Local fractal dimension and multifractal analysis of the root system of legumes. *Plant Prod. Sci.* 3: 287–295.
- Khosroshahi, M., A. Ershadi, and A. Imani. 2014. Morphological changes in response to drought stress in cultivated and wild almond species. *IJHST*.1 (1): 79–92.
- Kondo, M., P.P. Pablico, D.V. Aragon, R. Agbisit, J. Abe, and S. Morita. 2003. Genotypic and environmental variations in root morphology in rice genotypes under upland field conditions. *Plant Soil*. 255: 189–200.
- Kramer, P.J. 1983. Water relations of plants. Academic Press Inc, Orlando, Florida. P. 342 – 389.
- Kumar, A., S. Dixit, T. Ram, R.B. Yadav, K.K. Mishra and N.P. Mandal. 2014. Breeding high-yielding drought-tolerant rice: genetic variations and conventional and molecular approaches. *Journal of Experimental Botany*. 1–14.
- Kumar, R., A.K. Sarawagi, C. Ramos, S.T. Amarante, A.M. Ismail, and L.J. Wade. 2006. Partitioning of dry matter during drought stress in rainfed lowland rice. *Field Crop Res.* 8:1-
- Lafitte, H. R., A.H. Price, and B. Courtois. 2004. Yield response to water deficit in an upland rice mapping population: Associations among traits and genetic markers. *Theor.Appl. Genet.* 109: 1237–1246.
- Lawlor, D.W and W.Tezara. 2009. Cause of decreased photosynthetic rate and metabolic capacity in water-deficient leaf cells: a critical evaluation of mechanisms and integration of processes. *Annals of Botany* 103 (4): 561–579.
- Le, A., S. Torre, J.E. Olsen, and K.K. Tanino. 2011. Stomatal responses to drought stress and air humidity. In *Tech Janeza Trdine Rijeka, Croatia* 12: 267-280.
- Leung, J and J. Girauda. 1998. Absciscic acid signal transduction. *Rev. Plant Physiol. Plant Mol. Biol.* 1998. 49:199–222.
- Levitt, J., 1980. Responses of plants to environmental stresses. II Water, radiation, salt and other stresses. 2nd Ed. Academic Press, New York.
- Li, X.Y., Q. Qian, Z.M. Fu, Y.H. Wang, G.S. Xiong, D.L. Zeng, X.Q. Wang, X.F. Liu, S. Teng, F. Hiroshi, M. Yuan, D. Luo, B. Han, and J.Y. Li. 2003. Control of tillering in rice. *Nature*. 422 (6932): 618–621.
- Li, Y., Z. Wang, X.Sun, and K.Tang. 2008. The current opinions on the functions of tocopherol based on the genetic manipulation of tocopherol biosynthesis in plants. *Journal of Integrative Plant Biology*. 50: 1057–1069.
- Liu, C.L., H.P.Chen, E.Liu, X.X.Peng, S.Y.Lu, and Z.F.Guo. 2003. Multiple tolerance of rice to abiotic stresses and its relationship with ABA accumulation. *Acta Agron. Sin.* 29:725-729.
- Liu, J.X., D.Q. Liao, R. Oane, L. Estenor, X.E. Yang, Z.C. Li, and J. Bennett. 2006. Genetic variation in the sensitivity of anther dehiscence to drought stress in rice. *Field Crop. Res.* 97: 87–100.

- Lo Gullo, M., A.Nardini, P.Trifilo, and S.Salleo. 2003. Changes in leaf hydraulica and stomatal conductance following drought stress and irrigation in *Ceratonia siliqua* (Carob tree). *Physiol Plant*. 117:186-194.
- Lugojan C, and S. Ciulca. 2011. Evaluation of relative water content in winter wheat. *J Hortic Fores Biotechnol*. 15:173–177.
- Maestri, M., F.M. Da Matta, A.J. Regazzi & R.S.Barros. 1995. Accumulation of proline and quaternaryammonium compounds in mature leaves of waterstressed coffee plants (*Coffea arabica* and *C.canephora*. *Journal of Horticultural Science*. 70 (2): 229–233.
- Mahdid, M., A. Karmeli, C. Ehlert, and T. Simonneau. 2011. Rapid changes in leaf elongation, ABA and water status during the recovery phase following application of water stress in two durum wheat varieties differing in drought tolerance. *Journal of Plant Physiology and Biochemistry*. 49 (m): 1077–1083.
- Makarim, A.K. dan E. Suhartatik. 2009. Morfologi dan fisiologi tanaman padi. Balai Besar Penelitian Tanaman Padi. Sukamandi. Hal: 295–330.
- Malecka, A., A. Piechalak, B. Zielinska, A. Kutrowska, and B. Tomaszewska. 2014. Response of the pea roots defense systems to the two element combinations of metals (Cu, Zn, Cd, Pb). *Acta Biochimica Polonica*. 61: 23–28.
- Mambani, B and R. Lal.1983. Response of upland rice varieties to drought stress *Plant and Soil*, 73: 73-94.
- Mandana, T., A. Gerayzade, E. Amiri, and A.N. Zade. 2011. Effect of nitrogen fertilizer on nitrogen uptake, nitrogen use efficiency of rice. *International Conference on Biology, Environment and Chemistry*. IPCBEE. 24.
- Mansfield, T. A., A.M. Hetherington, and C.J. Atkinson. 1990. Some current aspects of stomatal physiology. *Annu Rev Plant Physiol Plant Mol Biol*. 41:55–75.
- Marschner, H., 1997. Mineral nutrition of higher plants. Second Edition. Stuttgart-Hoheinhim.
- Mathius, N.T., T. Liwang, M.I. Danuwikarsa, G. Suryatmana, H. Djajasukanta, D.Saodah, dan I.G.P.W. Astika. 2004. Respon biokimia beberapa progeni kelapa sawit (*Elaeis guineensis* Jacq.) terhadap cekaman kekeringan pada kondisi lapang. *Menara Perkebunan*. 72(2): 38–56.
- Matsuo, T dan K. Hoshikawa. 1993. Science of the rice plant. Volume One Morphology. 685p.
- Matsuo, T.Y. and K. Hoshikawa. 1993. Science of the rice plant. Vol. 1 : Morphology, Ford and Agricultural Policy Research Center. Tokyo. 686p.
- Matsushima, S. 1970. Crop science in rice. Theory of yield determination an its application. Fuji Publishing.
- Maurya, D.M. and J. C. O'Toole. 1986. Screening upland rice for drought tolerance. In: *Progress in Upland Rice Research; Proceedings of the 1985 Jakarta Conference*. IRRI, Los Banes, Laguna, Philippines.

- Mitra, J., 2001. Genetics and genetic improvement of drought resistance in crop *Plants Current Science* 80 (6), 758–763.
- Mittler, G., N. Suzuki, S. Cifti-Yilmaz, and R. Mittler. 2009. Reactive oxygen species homeostatis and signalling during drought and salinity stresses. *Plant Cell Environ.* 33:453–467.
- Mittler, R. 2002. Oxidative stress, antioxidants and stress tolerance. *Trends Plant Science.* 7: 405–410.
- Mohr, H., and P.Schopfer. 1995. *Plant Physiology*. Springer-Verlag, NY. 629p.
- Mostajeran, A. and V. Rahimi-Eichi. 2009. Effects of drought stress on growth and yield of rice (*Oryza sativa* L.) cultivars and accumulation of proline and soluble sugars in sheath and blades of their different ages leaves. *American-Eurasian J. Agric. & Environ. Sci.* 5 (2): 264–272.
- Mowidu, I.,Y. Pamandungan dan K. D. Jayanti. 2011. Karakter morfologi padi gogo varietas lokal di Desa Saojo Kecamatan Pamona Utara. *Jurnal Agro Pet, B* (1): 1–8.
- Mpelasoka, F., K. Hennessy, R.Jones, and B. Bates, 2008. Comparison of suitable drought indices for climate change impacts assessment over Australia towards resource management. *Int. J. Climatol.*, 28: 1283–1292.
- Müller, M., I. Hernández, L. Alegre, L., and S. Munné-Bosch. 2006. Enhanced α -tocopherol quinine levels and xanthophyll cycle de-epoxidation in rosemary plants exposed to water deficit during a mediterranean winter. *J Plant Physiol.* 163: 601–606.
- Munné-Bosch, S. 2005. The role of a-tocopherol in plant stress tolerance. *Journal of Plant Physiology.* 162: 743–748.
- Murata, Y. 1969. Physiological responses to nitrogen in plants. *In: Physiological aspects of crop yield.* ASA-CSSA Madison, Wisconsin, USA. p. 235–259.
- Murshed, R., F.Lopez-Lauri, and H. Sallanon. 2013. Effect of water stress on antioxydant systems and oxidative parameters in fruits of tomato (*Solanum lycopersicon* L, cv. Micro-tom). *Physiol Mol Biol Plants.* 363–378.
- Murty, K.S., and G. Ramakrishnayya. 1982. Effect of drought on shoot growth, significance of metabolism to growth and yield. *In: IRRI (ed.) Drought Resistance in Crops with Emphasis on Rice.* Philippines: IRRI.
- Nazirah, L. 2008. Tanggapan beberapa varietas padi gogo terhadap interval dan tingkat pemberian air. Tesis. Sekolah Pasca Sarjana Universitas Sumatra Utara. Medan.
- Nguyen, G.N and B.G. Sutton, 2009. Water deficit reduced fertility of young microspores resulting in adecline of viable mature pollen and grain set in rice. *J Agro & Crop Sci.* 195: 11–18.
- Ningrum, D.K.B., N. Wijayanto, dan A.S. Wulandari. 2019. Pertumbuhan sengon dan produksi padi gogo pada taraf pemupukan p yang berbeda dalam sistem agroforestry. *Jurnal Silvikultur Tropika* 10 (1): 1–6

- Noctor, G., and C.H. Foyer. 1998. Ascorbate and glutathione: keeping active oxygen under control. *Annu Rev Plant Physiol Plant Mol Biol.* 49: 249-279.
- Novero, R.P., J.C. O'Toole, R.T. Cruz, and D.P. Garrity. 1985. Leaf water potential, crop growth response, and microclimate of dryland rice under line source sprinkler irrigation. *Agricultural and Forest Meteorology.* 35: 71-82.
- O'Toole dan Sumartono, 1980. Evaluation of simple technique for characterizing rice root system in relation to drought resistance. The International Rice Research Institute. Manila, Philippines.
- Ogawa, T., H.Fukuoka, H.Yano and Y. Ohkawa. 1999. Relationship between nitrite reductase activity and genotype dependent callus growth in rice cell cultures. *Plant Cell Reports.* 18 (7-8): 576-581.
- Onodera, J. 1931. On the studies of drought resistance, morphological and physiological modifications and variations of yields for various soil moisture contents in rice plant (in Japanese with English summary). *Proc. Crop. Sci. soc. Japan* 3:91-116.
- Pallardy S.G. 2008. Transpiration and plant water balance. Dalam *Physiology of Woody Plants*. 3rd edition. Elsevier-London, UK. 25-366.
- Pandey, B.P. 1982. *Plant Anatomy*. S. Chand & Co. Ltd. New Delhi. 55-165 p.
- Pandey, V. and A. Shukla. 2015. Acclimation and tolerance strategies of rice under drought stress. *Rice Science* 22(4): 147-161.
- Pantuwan, G., S. Fukai, M.Cooper, S. Rajatasereekul, and J.C. O'Toole. 2002. Yield responses of rice (*Oryza sativa* L.) genotypes to drought under rainfed lowlands: 2. Selection of drought resistant genotypes. *Field Crops Res.* 73(2/3): 169-180.
- Parsons, L. R. 1982. Plant respons to water stress. In M. N. Christiansen and C. F. Lewis (Ed) *Breeding Plants for Less Favorable Environments*. John Wiley & Sons. New York. First Edition.
- Patakas, A., N. Nikoaou, E. Zioziou, K. Radoklou, and B. Noitsakis. 2002. The role of organic solute and in accumulation in osmotic adjusment in drought-stressed grapevines. *Plant Science.*163 (8):361-367.
- Pedo, T., T.Z. Aumonde, N.F.Lopez and C.R. Mauch. 2013. Particioning of assimilates and temporal distribution of productivity in grafted tomato plants. *Brazilian Journal of Biosciences.* 11 (3): 307-312.
- Pelleschi, S., J.P.Rocher & J.L. Prioul. 1997. Effect of water restriction on carbohydrate metabolism andphotosynthesis in mature maize leaves. *Plant Cell and Environment.* 20: 493-503.
- Phung, T.H., H.I. Jung, J.H.Park, J.G. Kim, K. Back, and S.Jung. 2011. Porphyrin biosynthesis control under water stress: sustained porphyrin status correlates with drought tolerance in transgenic rice. *Plant Physiol.*, 157: 1746-1764.
- Pieters A J, and S.E. Souki. 2005. Effects of drought during grain filling on PSII activity in rice. *J Plant Physiol.* 162(8): 903-911.

- Prihar, S., P.R. Gajri, D.K. Benbi, and V.K. Arora. 2000. Intensive cropping: Efficient use of water, nutrients and tillage. Food Products Press Inc. New York-London-Oxford.
- Pugnaire, L.F. and F. Valladers. 1999. Handbook of functional plant ecology. Marcel Dekker, Inc. New York. Pp: 81–121.
- Purba, Z. 2018. Regresi linier berganda kelembaban udara dan intensitas cahaya matahari terhadap produksi tanaman padi di perkotaan. Jurnal Pembangunan Perkotaan 6 (2): 112–117.
- Rahayu, A.Y. 2011. Toleransi varietas padi gogo terhadap kondisi kekeringan berdasarkan kadar air tanah dan tingkat kelayuan. Agrin 15 (1): 1–7.
- Rahayu, M. 2019. Mekanisme interferensi gulma secara fisiologis dan agronomis terhadap beberapa kultivar jagung. Disertasi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Rathnayake, L.N and P.K. Choudhary. 2016. Tolerance bands for functional data. The International Biometric Society. 72: 503–512.
- Ray, D. K., J.S. Gerber, G.K. MacDonald, and P. West. 2015. Climate variation explains a third of global crop yield variability. Nat Commun, 6: 5989.
- Raymond, M.J. and N. Smirnoff. 2002. Prolin metabolism and transport in maize seedling at low water potensial. Annual Botanical. 89: 813–823.
- Refli, 2015. Kajian pertahanan oksidatif daun bendera (*Oryza sativa*. L) terhadap stres kekeringan selama fase pengisian biji. Disertasi. Fakultas Biologi. UGM Yogyakarta.
- Ribeiro, C., J. Cambraia, P. Henrique, P.H.P. Peixoto, E. Meira, and F.Júnior. 2012. Antioxidant system response induced by aluminum in two rice cultivars. Braz. J. Plant Physiol. 24: 107–116.
- Richards R. A, G.J. Rebetzke, M. Watt, A.G. Condon, W. Spielmeye, and R. Dolferus. 2010. Breeding for improved water productivity in temperate cereals: phenotyping, quantitative trait loci, markers and the selection environment. Functional Plant Biology 37: 85–97.
- Ritchie, S.W., H.T. Nguyen, and H.A. Scott. 1990. Leaf water content and gas-exchange parameters of two wheat genotypes differing in drought resistance. Crop Sci. 30:105–111.
- Sacks M.M, W.K. Silk, and P. Burman. 1997. Effect of water stress on cortical cell division rates within the apical meristem of primary roots of maize. Plant Physiol. 114:519.
- Sadimantara, G. R. dan Muhidin. 2012. Daya Hasil Beberapa Kultivar Padi Gogo Lokal Asal Sulawesi Tenggara pada Cekaman Kekeringan. Jurnal Agroteknos. 2(3): 121–125
- Sadjad, S. 1999. Dari Benih Kepada Benih. PT. Gramedia Widiasarana Indonesia, Jakarta.

- Saeedipour, S. 2011. Salinity tolerance of rice lines related to endogenous abscisic acid (ABA) level synthesis under stress. *Afri.J Plant Sci.* 5:628-633.
- Saini, H.S. and M.E. Westgate, 2000. Reproductive development in grain crops during drought. *Adv in Agro.* 68: 59–95.
- Sairam, R.K. and D.C. Saxena. 2000. Oxidative stress and antioxidants in wheat genotypes: possible mechanism of water stress tolerance. *Journal of Agronomy & Crop Science.* 184: 55–61.
- Salisbury F.B dan Ross, C.W. 1992.. *Fisiologi Tumbuhan Jilid II.* Bandung (ID). Penerbit ITB.
- Salisbury, F.B. dan Ross, C.W. 1995. *Fisiologi Tumbuhan.* ITB, Bandung.
- Santoso B. 2010. *Faktor-faktor Pertumbuhan dan Penggolongan Tanaman Hias.* Fakultas Pertanian. Universitas Gajah Mada. Yogyakarta.
- Sapeta, H., J.M. Costa, T.Lourencco, J. Maroco, L. Piet van der, and M.M. Oliveira. 2013. Drought stress response in *jatropha curcas*. *Growth and physiology. Environmental and Experimental Botany.* 85: 76-84.
- Saravanan, T., R. Bhaskaran, and M. Muthusamy. 2004. *Pseudomonas fluorescens* induced enzymological changes in banana roots (Cv. Rasthali) against *fusarium* wilt disease. *Plant Pathology.* 3 (2): 72–80.
- Sarvestani, Z.T., H. Pirdashti, S.A.M.M. Sanavy, and H. Balouchi. 2008. Study of water stress effect in different growth stages on yield and yield components of different rice (*Oryza sativa* L.) Cultivars. *Pak. J. Biol. Sci.* 11(10): 1303–1309.
- SAS Institute. 2013. *SAS System for Windows 9.4.* SAS Institute, Inc., North Carolina, USA.
- Saxe, H., M.G.R Cannell, B.Johnsen, M.G Ryan, and G.Vourlitis, 2001. Tree and forest functioning in response to global warming. *New Phytologist*, 149: 369–399.
- Schulze, E.D., E. Beck, and K.M. Hohenstein. 2005. *Plant ecology.* Springer. Germany. 700p.
- Selote, D.S. and R. Khanna-Chopra. 2004. Drought-induced spikelet sterility is associated with an inefficient antioxidant defence in rice panicles. *Physiol Plant.* 121: 462–471.
- Serraj R, A.Kumar, K. L. McNally, L. I. Slamet, R.Bruskiewich, R. Mauleon, J. Cairns, R. J. and Hijmans, 2009. Improvement of drought resistance in rice. *Adv Agron*, 103: 41–98.
- Shao, H.B., L.Y. Chu, M.A. Shao, C.A. Jaleel and H.M. Mi. 2007. Higher plant antioxidants and redox signaling under environmental stresses. *Comp Rend Biol.* 331: 433–441.
- Shao, H.B., L.Y.Chu, C.A.Jaleel and C.X.Zhao. 2008. Water-deficit stress-induced anatomical changes in higher plants. *Comptes Rendus Biologies.* 331: 215-225.

- Sharma, P., A.B. Jha, R.S. Dubey, and M. Pessarakli. 2012. Reactive oxygen species, oxidative damage, and antioxidative defense mechanism in plants under stressful conditions. *Jurnal of Botany*. 1-26.
- Sharma, V.K. and J.C. Fletcher. 2002. Maintenance of Shoot and Floral Meristem Cell Proliferation and Fate. *Plant Physiology*. 129: 31–39.
- Shi, W.M., F.X. Wei, M.L.Su, and Q.D. Gang. 2010. Responses of two rice cultivars differing in seedling-stage nitrogen use efficiency to growth under low-nitrogen conditions. *Plant and Soil*, 326: 291-302.
- Singh, R.K, U.S. Singh, and G.S. Kush. 2000. Aromatic rice. Oxford and IBH Publishing Co. Pvt. Ltd. New Delhi.
- Sitompul, M.S. dan B. Guritno. 1995. Analisis Pertumbuhan Tanaman. Yogyakarta: UGM Press.
- Smirnoff, N. 2000. Ascorbic acid: metabolism and functions of a multi-faceted molecule. *Curr. Opin.Plant Biol.* 3: 229–235.
- Solichatun, E. Anggarwulan, dan W. Mudyantini. 2005. Pengaruh Ketersediaan Air terhadap Pertumbuhan dan Kandungan Bahan Aktif Saponin Tanaman Ginseng Jawa (*Talinum paniculatum* Gaertn.). *Biofarmasi*. 3 (2): 47-51.
- Suardi, D dan S. Haryono. 1994. Keragaman sifat toleransi galur atau varietas padi terhadap cekaman kekeringan. *Risalah Hasil Penelitian Tanaman Pangan*. 3: 158–168.
- Suardi, D. 2000. Kajian metode skrining padi tahan kekeringan. *Buletin Agribio*. Balai Penelitian Bioteknologi Tanaman Pangan, Bogor.
- Sumardi, I. dan A. Pudjoarianto. 1992. Struktur dan Perkembangan Tumbuhan. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta. 120–145 p.
- Suryanto, A., Maghfoer, M.D. and K. Tietyk. 2018. Radiation use efficiency on the different varieties and the number of seedlings of rice (*Oryza sativa* L.). *Agrivita J. of Agricultural science*. 40 (3): 536–543.
- Sutrian, Y. 1992. Pengantar anatomi tumbuh-tumbuhan. Rineka Cipta. Jakarta.
- Szarka, A., B.Tomasskovics, G. Benhegyi. 2012. The ascorbate-glutathione- α -tocopherol triad in abiotic stress response. *Int. J. Mol. Sci.* 13: 4458-4483.
- Taiz, L and E. Zeiger. 2002. *Plant Physiology*. Third edition. Sinauer Associates, Inc. Pub. Massachussetts. 690 p.
- Taiz, L. and E. Zeiger. 2006. *Plant Physiology*. Fourth edition. Sinauer, Sunderland, MA.
- Tanaka, Y., T.Sano, M.Tamaoki, N.Nakajima, N. Kondo, and S. Hasezawa. 2005. Ethylene inhibits abscisic acid-induced stomatal closure in arabidopsis. *Plant Physiol.* 138: 2337–2343.

- Townsley-Smith, T.F. and E.A. Hurd. 1979. Testing and selecting for drought resistance in wheat *In* Mussell, H and Staples R.C. (Eds.). Stress Physiology in crop plants. John Willey and Sons: New York. pp: 344–372.
- Turner, N.C., G.C.Wright, and K.H.M. Siddique. 2001. Adaptation of grain legumes (pulses) to water-limited environments. *Advance of Agronomi*. 71:123-231.
- Uyprasert, S., T. Toojida, N. Udomprasert, S. Tragoonrung, and Vanavichit. 2004. Prolin accumulation and rooting patern in rice in response to water deficits under rainfed lowland. *Science Asia*. 30: 301-311.
- Vasellati, V., M. Oesterheld, D. Medan and J. Loreti. 2001. Effectrs of flooding and drought on the anatomy of *Paspalum dilatatum*. *Annals of Botany*. 88: 355:360.
- Vergara, B.S. 1980. Rice plant growth and development. *In*. B.S. Luh (Ed.) *Rice: Production and Utilization*. AVI Publishing Company. Wesport, Connectiont. 75-86 p.
- Vergara, B.S. 1994. A farmer's on growing rice 2nd Ed. The international rice research institute. Los Banos, Philipines. p. 1-219.
- Vergara, B.S., B.Jackson and S.K.Datta. 1976. Deep water rice and its response to deep water stress. *In* *Climate and Rice*. 30: 1-19.
- Voznesenskaya, E.V., S.D.X. Chuong, N.K. Koteyera, G.E. Edwards and V.R. Franceschi. 2005. Functional compartmentation of C4 photosynthesis in the triple-layered chlorenchyma of *Aristida* (Poaceae). *Plant Biology*. 32 (4): 67-77.
- Wang H. Z., L.H. Zhang, J. Ma, X.L. Li, Y. Li, R.P. Zhang and R.Q. Wang. 2010. Effects of water stress on reactive oxygen spesies generation and protection system in rice during grain-filling stage. *Agri. Sci. in China*. 9: 633-641.
- Wang, H., J. Siopongco, L.J. Wade and A.Yamauchi. 2009. Fractal analysis on root systems of rice plants in response to drought stress. *Environmental and Experimental Botany*. 65: 338–344.
- Wang, Z., Y. Xiao, W.Chen, K.Tang and L. Zhang. 2010. Increased vitamin C content accompanied by an enhanced recycling pathway confers oxidative stress tolerance in *Arabidopsis*. *JIPB*. 52: 400 - 409.
- Wasson, A.P., R.A. Richards, R.Chatrath, S.C. Misra, S.V.Prasad and G.J. Rebetzke. 2012. Traits and selection strategies to improve root systems and water uptake in water-limited wheat crops. *J. Exp.Bot*. 63: 3485–3498.
- Wening, R.H dan U. Susanto. 2014. Skrining plasma nutfah padi terhadap cekaman kekeringan. *Widyariset*. 17 (2): 193–204.
- Widstoe, J.A. and W.W. McLaughlin. 1912. The movement of water in irrigated soils, *Utah Agr. Exp. Sta. Bull*. 115.
- Wopereis, M.C.S., M.J. Kropff, A.R. Maligaya and T.P.Tuong. 1999. Droughtstress responses of two lowland rice cultivars to soil water status. *Field Crops Research*. 46: 21-39.

- Yamada, M. 2005. Effects of free proline accumulation in petunias under drought stress. *Journal of Experimental Botany*. 471 (5): 1975–1981.
- Yang, C., A.L. Li, Y.L.Zhao, Z.L.Zhang, Y.F.Zhu, X.M.Tan, S.F.Geng, H.Z.Guo, X.Y. Zhang, Z.S.Kang, and L.Mao. 2011. Overexpression of a wheat CCaMK gene reduces ABA sensitivity of arabidopsis thaliana during seed germination and seedling growth. *Plant Mol Biol Rep*. 29:681-692.
- Yang, J.C., J.H. Zhang, Z.Q. Wang, G.W. Xu, and Q.S. Zhu. 2004. Activities of key enzymes in sucrose-to-starch conversion in wheat grains subjected to water deficit during grain filling. *Plant physiology*. 135: 1621–1629.
- Yang, X., B. Wang, L. Chen, P. Li, & C. Cao. 2019. The different influences of drought stress at the flowering stage on rice physiological traits, grain yield, and quality. *Scientific Reports*. 9:(3746) 1–12.
- Yang, Y., H. Guan, O. Batelaan, T.R. McVicar, D. Long, S.Piao, W. Liang, B. Liu, Z. Jin and C.T. Simmons. 2016. Contrasting responses of water use efficiency to drought across global terrestrial ecosystems. *Sci Rep*. 6: (23284) DOI: 10.1038/srep23284.
- Yokota, T., M. Nakayama, I. Harasawa, M. Sato, M. Katsuhara, and S. Kawabe. 1994. Polyamines, indole-3-acetic acid and abscisic acid in rice phloem sap. *Plant and Growth Regulation* 15: 125–128.
- Yoshida, S. 1972. Physiological aspects of grain yield. *Annu. Rev. Plant Physiol*. 23: 437–464.
- Yoshida, S., 1981. Fundamentals of rice crops science. International Rice Research Institute. Los Banos. Philippines. 269 p.
- Yu, L.X., J.D. Ray, J.C. O'Toole, H.T. Nguyen. 1995. Use of wax-petrolatum layers for screening rice root penetration. *Crop Sci*. 35: 684–687.
- Zen, S dan A.A. Syarif. 2013. Peluang perbaikan varietas lokal padi gogo Pasaman Barat. *Buletin Plasma Nutfah* 19 (1): 1–8.
- Zhang, K., J.Wang, L. Zhang, C. Rong, F. Zhao, T. Peng, H. Li, D. Cheng, X. Liu, H. Qin, A. Zhang, Y.Tong, and D.Wang. 2013. Association analysis of genomic loci important for grain weight control in elite common wheat varieties cultivated with variable water and fertilizer supply. *PLoS ONE*. 8(3): 1-17.
- Zhang, T., L.X. Yu, P. Zheng, Y. Li, M. Rivera, D. Main, and S.L. Greene. 2015. Identification of loci associated with drought resistance traits in heterozygous autotetraploid alfalfa (*Medicago sativa* L.) using genome-wide association studies with genotyping by sequencing. *PLoS ONE*. 10(9): 1-17.
- Zhou, L, P., S. X. Hui, Z. Z. Guo, L. Peng, W. J. xia, T. C.Juan, Q.J.long and L.T.Gang, 2011. Leaf rolling controlled by the homeodomain leucine zipper class IV gene *Roc5* in rice. *Plant Physiology* 156:1589– 1602.
- Zhou, Y., J. Chistopher, Lambrides, R. Kearns, C.Ye, and S. Fukai. 2012. Water use efficiency and drought resistance among warm-season turfgrasses in shallow soil profiles. *Functional Plant Biology*. 39 (2): 116-125.

- Zhu, G., N.Ye, and J.Zang. 2009. eGlucose-induced delay of seed germination in rice is mediated by the suppression of ABA catabolism rather than an enhancement of ABA biosynthesis. *Plant Cell Physiol.* 50:664-651.
- Zhu, J.K. 2002. Salt and drought stress signal transduction in plant. *Annu Rev. Plant Biol.* 53: 247-273.
- Zhu, T., P. Budworth, W.Chen, N. Provart, H.S. Chang, S. Guimil, W.Su, B.Estes, G. Zou, and X. Wang. 2003. Transcriptional control of nutrient partitioning during rice grain filling. *J Plant Biotechnol.* 1: 59-70.
- Zhu, X.C., X.H.Zhang, S.Q.Liu, T.D.Liu and X. Zhou. 2012. Arbuscular mycorrhizae improves photosynthesis and water status of *Zea mays* L. under drought. *Plant Soil Environ* 58 (4):186-191.
- Zlatev, Z. And F.C. Lidon. 2012. An overview on drought induced changes in plant growth water relations and photosynthesis. *Emir. J. Food Agric.* 24(1):57-72.
- Zollinger, N., K. Kjellgren, T. Cerny-Koenig, K. Kopp, and R. Koenig. 2006. Drought responses of six ornamental herbaceous perennials. *Sci Hortic.* 109: 267–274.