

## DAFTAR PUSTAKA

- [1] Z. Ni, A. C. Yuksel, X. Ni, M. I. Mandel, and L. Xie, "Confused or not Confused?: Disentangling Brain Activity from EEG Data Using Bidirectional LSTM Recurrent Neural Networks," in *Proceedings of the 8th ACM International Conference on Bioinformatics, Computational Biology, and Health Informatics - ACM-BCB '17*, 2017, pp. 241–246.
- [2] G. Thompson, "How Can Correspondence-Based Distance Education be Improved?: A Survey of Attitudes of Students Who Are Not Well Disposed toward Correspondence Study," *Int. J. E-Learning Distance Educ.*, vol. 5, no. 1, pp. 53–65, 1990.
- [3] E. Marosi *et al.*, "Narrow-band spectral measurements of EEG during emotional tasks," *Int. J. Neurosci.*, vol. 112, pp. 871–891, Aug. 2002.
- [4] D. Sharma and N. Kumar, "A Review on Machine Learning Algorithms, Tasks and Applications," *Int. J. Adv. Res. Comput. Eng. Technol.*, vol. 6, pp. 1323–2278, Oct. 2017.
- [5] S. Angra and S. Ahuja, "Machine learning and its applications: A review," in *2017 International Conference on Big Data Analytics and Computational Intelligence (ICBDAC)*, 2017, pp. 57–60.
- [6] S. Yogesh, P. Bhatia, and S. Omprakash, "A Review of Studies On Machine Learning Techniques," *Int. J. Comput. Sci. Secur.*, vol. 1, no. 1, pp. 70–84, Jun. 2007.
- [7] Y. Zhou, T. Xu, S. Li, and S. Li, "Confusion State Induction and EEG-based Detection in Learning," in *2018 40th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, 2018, pp. 3290–3293.
- [8] H. Wang, Y. Li, X. Hu, Y. Yang, Z. Meng, and K. M. Chang, "Using EEG to improve massive open online courses feedback interaction," in *AIED Workshops*, 2013.
- [9] H. Wang, "Confused student EEG brainwave data," 2017. [Online]. Available: [https://www.kaggle.com/wanghaohan/confused-ee#EEG\\_data.csv](https://www.kaggle.com/wanghaohan/confused-ee#EEG_data.csv). [Accessed: 30-Jun-2019].
- [10] E. Niedermeyer, *Electroencephalography: Basic Principles, Clinical Applications, and Related Fields*. Lippincott Williams & Wilkins, 2005.
- [11] R. Kohavi and G. H. John, "Wrappers for feature subset selection," *Artif. Intell.*, vol. 97, no. 1–2, pp. 273–324, Dec. 1997.

- [12] N. Singh, D. P. Singh, and B. Pant, “A Comprehensive Study of Big Data Machine Learning Approaches and Challenges,” in *2017 International Conference on Next Generation Computing and Information Systems (ICNGCIS)*, 2017, pp. 80–85.
- [13] I. Guyon and A. Elisseeff, “An Introduction to Variable and Feature Selection,” *J. Mach. Learn. Res.*, vol. 3, pp. 1157–1182, 2003.
- [14] S. Piramuthu, “Evaluating feature selection methods for learning in data mining applications,” *Eur. J. Oper. Res.*, vol. 156, no. 2, pp. 483–494, Jul. 2004.
- [15] F. Min, Q. Hu, and W. Zhu, “Feature selection with test cost constraint,” *Int. J. Approx. Reason.*, vol. 55, no. 1, pp. 167–179, Jan. 2014.
- [16] H. Wang, Z. Wu, and E. P. Xing, “Removing Confounding Factors Associated Weights in Deep Neural Networks Improves the Prediction Accuracy for Healthcare Applications,” in *Pacific Symposium on Biocomputing 2019*, 2019, pp. 54–65.
- [17] Y. Gal and Z. Ghahramani, “A Theoretically Grounded Application of Dropout in Recurrent Neural Networks,” *Adv. Neural Inf. Process. Syst.*, pp. 1027–1035, Dec. 2015.
- [18] Z. Ding, R. Xia, J. Yu, X. Li, and J. Yang, “Densely Connected Bidirectional LSTM with Applications to Sentence Classification,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 11109 LNAI, pp. 278–287, Feb. 2018.
- [19] P. Domingos, “A Few Useful Things to Know about Machine Learning,” *Commun. ACM*, vol. 55, no. 10, pp. 78–87, Oct. 2012.
- [20] T. Chen and C. Guestrin, “XGBoost: A Scalable Tree Boosting System,” in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining - KDD '16*, 2016, pp. 785–794.
- [21] O. Wörnling and J. Bissmark, “The Sparse Data Problem Within Classification Algorithms: The Effect of Sparse Data on the Naïve Bayes Algorithm,” 2017.
- [22] W. Daelemans, V. Hoste, F. De Meulder, and B. Naudts, “Combined Optimization of Feature Selection and Algorithm Parameters in Machine Learning of Language,” in *Lecture Notes in Artificial Intelligence (Subseries of Lecture Notes in Computer Science)*, vol. 2837, 2003, pp. 84–95.
- [23] W. Kong *et al.*, “Effect of Automatic Hyperparameter Tuning for Residential Load Forecasting via Deep Learning,” in *2017 Australasian*

*Universities Power Engineering Conference (AUPEC)*, 2017, vol. 2017-Novem, pp. 1–6.

- [24] F. Ebert, F. Castor, N. Novielli, and A. Serebrenik, “Confusion Detection in Code Reviews,” in *2017 IEEE International Conference on Software Maintenance and Evolution (ICSME)*, 2017, pp. 549–553.
- [25] F. T. Durso, K. M. Geldbach, and P. Corballis, “Detecting Confusion Using Facial Electromyography,” *Hum. Factors J. Hum. Factors Ergon. Soc.*, vol. 54, no. 1, pp. 60–69, Feb. 2012.
- [26] D. Zhang, L. Qian, B. Mao, C. Huang, B. Huang, and Y. Si, “A Data-Driven Design for Fault Detection of Wind Turbines Using Random Forests and XGboost,” *IEEE Access*, vol. 6, pp. 21020–21031, 2018.
- [27] H. Chen, R. Du, Z. Liu, and H. Xu, “Android Malware Classification using XGBoost based on Images Patterns,” in *2018 IEEE 4th Information Technology and Mechatronics Engineering Conference (ITOEC)*, 2018, no. Itoec, pp. 1358–1362.
- [28] J. H. Friedman, “Stochastic gradient boosting,” *Comput. Stat. Data Anal.*, vol. 38, no. 4, pp. 367–378, Feb. 2002.
- [29] S. Georganos, T. Grippa, S. Vanhuyse, M. Lennert, M. Shimoni, and E. Wolff, “Very High Resolution Object-Based Land Use–Land Cover Urban Classification Using Extreme Gradient Boosting,” *IEEE Geosci. Remote Sens. Lett.*, vol. 15, no. 4, pp. 607–611, Apr. 2018.
- [30] R. Saravanan and P. Sujatha, “A State of Art Techniques on Machine Learning Algorithms: A Perspective of Supervised Learning Approaches in Data Classification,” in *2018 Second International Conference on Intelligent Computing and Control Systems (ICICCS)*, 2018, no. Iciccs, pp. 945–949.
- [31] A. Dey, “Machine Learning Algorithms: A Review,” *Int. J. Comput. Sci. Inf. Technol.*, vol. 7, no. 3, pp. 1174–1179, 2016.
- [32] O. Simeone, “A Very Brief Introduction to Machine Learning With Applications to Communication Systems,” *IEEE Trans. Cogn. Commun. Netw.*, vol. 4, no. 4, pp. 648–664, Dec. 2018.
- [33] Y. Jiang, G. Tong, H. Yin, and N. Xiong, “A Pedestrian Detection Method Based on Genetic Algorithm for Optimize XGBoost Training Parameters,” *IEEE Access*, vol. 7, pp. 118310–118321, 2019.
- [34] Y. Ren, L. Zhang, and P. N. Suganthan, “Ensemble Classification and Regression-Recent Developments, Applications and Future Directions [Review Article],” *IEEE Comput. Intell. Mag.*, vol. 11, no. 1, pp. 41–53,

Feb. 2016.

- [35] X. Luo, L. Zhang, F. Li, and B. Wang, "Graph Embedding-Based Ensemble Learning for Image Clustering," in *2018 24th International Conference on Pattern Recognition (ICPR)*, 2018, vol. 2018-Augus, pp. 213–218.
- [36] M. Galar, A. Fernandez, E. Barrenechea, H. Bustince, and F. Herrera, "A Review on Ensembles for the Class Imbalance Problem: Bagging-, Boosting-, and Hybrid-Based Approaches," *IEEE Trans. Syst. Man, Cybern. Part C (Applications Rev.)*, vol. 42, no. 4, pp. 463–484, Jul. 2012.
- [37] L. Breiman, "Bagging predictors," *Mach. Learn.*, vol. 24, no. 2, pp. 123–140, Aug. 1996.
- [38] P. Bühlmann, "Bagging, Boosting and Ensemble Methods," in *Handbook of Computational Statistics*, no. January 2012, J. E. Gentle, W. K. Härdle, and Y. Mori, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2012, pp. 985–1022.
- [39] Y. Freund and R. E. Schapire, "Experiments with a New Boosting Algorithm," in *Proceedings of the 13th International Conference on Machine Learning*, 1996, pp. 148–156.
- [40] L. Rokach and O. Maimon, "Top-Down Induction of Decision Trees Classifiers—A Survey," *IEEE Trans. Syst. Man Cybern. Part C (Applications Rev.)*, vol. 35, no. 4, pp. 476–487, Nov. 2005.
- [41] Y. Xia, "A Novel Reject Inference Model Using Outlier Detection and Gradient Boosting Technique in Peer-to-Peer Lending," *IEEE Access*, vol. 7, pp. 92893–92907, 2019.
- [42] W. XingFen, Y. Xiangbin, and M. Yangchun, "Research on User Consumption Behavior Prediction Based on Improved XGBoost Algorithm," in *2018 IEEE International Conference on Big Data (Big Data)*, 2018, pp. 4169–4175.
- [43] X. Gao *et al.*, "An improved XGBoost based on weighted column subsampling for object classification," in *2017 4th International Conference on Systems and Informatics (ICSAI)*, 2017, no. Icsai, pp. 1557–1562.
- [44] W. Chen, K. Fu, J. Zuo, X. Zheng, T. Huang, and W. Ren, "Radar emitter classification for large data set based on weighted-xgboost," *IET Radar, Sonar Navig.*, vol. 11, no. 8, pp. 1203–1207, Aug. 2017.
- [45] I. L. Cherif and A. Kortebi, "On using eXtreme Gradient Boosting (XGBoost) Machine Learning algorithm for Home Network Traffic Classification," in *2019 Wireless Days (WD)*, 2019, vol. 2019-April, pp. 1–

6.

- [46] Y. Wang and X. S. Ni, “A XGBoost risk model via feature selection and Bayesian hyper-parameter optimization,” Jan. 2019.
- [47] J. Snoek, H. Larochelle, and R. P. Adams, “Practical Bayesian Optimization of Machine Learning Algorithms,” *Adv. Neural Inf. Process. Syst.*, vol. 4, pp. 2951–2959, 2012.
- [48] T. Hillel, M. Z. E. B. Elshafie, and Y. Jin, “Recreating passenger mode choice-sets for transport simulation: A case study of London, UK,” in *Proceedings of the Institution of Civil Engineers - Smart Infrastructure and Construction*, 2018, vol. 171, no. 1, pp. 29–42.
- [49] S. Das, A. Dey, A. Pal, and N. Roy, “Applications of Artificial Intelligence in Machine Learning: Review and Prospect,” *Int. J. Comput. Appl.*, vol. 115, no. 9, pp. 31–41, Apr. 2015.
- [50] S. Patni, “Generalisation, Training-Validation & Test data. Machine Learning- Part 6,” 2018. [Online]. Available: <https://medium.com/@shubhapatnim86/generalisation-training-validation-test-data-machine-learning-part-6-1de9dbb7d3d5>. [Accessed: 06-May-2020].
- [51] I. Bilbao and J. Bilbao, “Overfitting Problem and The Over-Training in The Era of Data: Particularly for Artificial Neural Networks,” in *2017 Eighth International Conference on Intelligent Computing and Information Systems (ICICIS)*, 2017, vol. 2018-Janua, no. Icicis, pp. 173–177.
- [52] S. R. Safavian and D. Landgrebe, “A survey of decision tree classifier methodology,” *IEEE Trans. Syst. Man. Cybern.*, vol. 21, no. 3, pp. 660–674, 1991.
- [53] J. Sun, S. Wang, and J. Du, “Research on Classification Model of Equipment Support Personnel Based on Collaborative Filtering and Xgboost Algorithm,” in *2017 International Conference on Computer Systems, Electronics and Control (ICCSEC)*, 2017, pp. 1339–1343.
- [54] J. Bergstra, R. Bardenet, B. Kégl, and Y. Bengio, “Algorithms for Hyper-Parameter Optimization,” in *Advances in Neural Information Processing Systems*, 2011.
- [55] M. Zhao and J. Li, “Tuning the hyper-parameters of CMA-ES with tree-structured Parzen estimators,” in *2018 Tenth International Conference on Advanced Computational Intelligence (ICACI)*, 2018, pp. 613–618.
- [56] I. Guyon, J. Weston, S. Barnhill, and V. Vapnik, “Gene Selection for Cancer Classification using Support Vector Machines,” *Mach. Learn.*, vol. 46, no.

1, pp. 389–422, 2002.

- [57] G. I. W. Claude Sammut, Ed., “Cross-Validation,” in *Encyclopedia of Machine Learning and Data Mining*, Boston, MA: Springer US, 2017, pp. 306–306.
- [58] R. Kohavi, “A Study of Cross-Validation and Bootstrap for Accuracy Estimation and Model Selection,” in *Proceedings of the 14th International Joint Conference on Artificial Intelligence*, 1995, pp. 1137–1145.
- [59] P. Refaeilzadeh, L. Tang, and H. Liu, “Cross-Validation,” in *Encyclopedia of Database Systems*, Boston, MA: Springer US, 2009, pp. 532–538.
- [60] H. M and S. M.N, “A Review on Evaluation Metrics for Data Classification Evaluations,” *Int. J. Data Min. Knowl. Manag. Process*, vol. 5, no. 2, pp. 01–11, Mar. 2015.
- [61] P. Flach, “Performance Evaluation in Machine Learning: The Good, the Bad, the Ugly, and the Way Forward,” *Proc. AAAI Conf. Artif. Intell.*, vol. 33, pp. 9808–9814, Jul. 2019.
- [62] I. L. Cherif and A. Kortebi, “On using eXtreme Gradient Boosting (XGBoost) Machine Learning algorithm for Home Network Traffic Classification,” in *2019 Wireless Days (WD)*, 2019, pp. 1–6.