

## DAFTAR PUSTAKA

- Aak. 1995. *Berbudidaya Tanaman Padi*. Kanisius. Yogyakarta.
- Abdullah, B. 2001. The use of isoenzyme as biochemical markers in rice research. *Buletin Agrobio*. 4(2):39-44.
- Afifah. 2012. Penggunaan penanda molekuler untuk mempercepat dan mempermudah perbaikan kualitas tanaman teh. <http://elisa.ugm.ac.id/user/archive/download/60211/e904313c3e1ab4227a9d7cc604dc85cf> (diakses 17 September 2019).
- Ahmad, F.I., Johan, N.S., Wagiran, A. 2013. Effect of 2,4-D on embryogenic callus induction of Malaysian Indica rice (*Oryza sativa* L.) cultivars MR123 and MR127. *Sciences & Engineering*. 64(2): 75-78.
- Alhasnawi, A.N., Che, R.C.M.Z., Kadhimi, A.A., Isahak, A., Mohamad, A., Ashraf, M.F., Doni, F., Yusoff, W.M.W. 2016. Development of a technique for callus induction and plant regeneration in *Oryza sativa* L var MRQ74 and MR269. *Advance Journal of Food Science and Technology*. 13(3): 128-137.
- Allard R.W. 1999. *Principles of plant breeding*. 2<sup>nd</sup>ed. New York. 254p.
- Anupam A., J. Imam., S. M. Quatadah., A. Siddaiah., S. Prasad Das., M. Variar., N. P. Mandal. 2017. Genetik Diversity Analysis of Rice Germplasm in Tripura State of Northeast India Using Drought and Blast Linked Markers. *Rice Science*. 24(1).
- Aryana. M. I.G.P. 2013. *Teknik Pemuliaan Khusus Padi Beras Merah*. Arga Puji Press. Mataram.112 p.
- Azrai, M., 2006. Sinergi teknologi penanda molekuler dalam pemuliaan tanaman jagung. *J. Litbang Pertanian*. 25 (3): 81-89.
- Barik S. R., Pandit, E., Pradhan, S.K., Singh, S., Swain, P., Mohapatra, T. 2018. QTL mapping for relative water content trait at reproductive stage drought stress in rice. *Indian J. Genet*. 78(4): 401-408.
- Boopathi, NM., Thiyagu K., Urbi, B. 2011. Marker-assisted breeding as next-generation strategy for genetic improvement of productivity and quality: can it be realized in cotton. *Intl J Plant Genomics*.
- Brown, J., Caligari, P., Campos, H. 2014. *Plant Breeding 2nt Edition* John Wiley And Sons Lid, UK.

- Chakrovorty, A., Ghosh, P.D., Sahu, P.K. 2013. Multivariate analysis of phenotypic diversity of landraces of rice of West Bengal. *American Journal of Experimental Agriculture*. 3(1).110-123.
- Chaudhary, R.C. 2003. Specialty rices of the world: Effect of WTO and IPR on its production trend and marketing. *J. Food Agric. Environ*. 1(2): 34-41.
- Chengalrayan, K., Abouzid, A., and Gallo-Meagher, M . 2005. In vitro regeneration of plant from sugarcane seedderived callus. *In Vitro Cell. Dev. Biol. Plant*. 41:477- 482.
- Chiatante, D.L., Maiuro, G.S. Scippa. 1998. Tolerance of meristematic root cells to water stress and quantitative variations of proteins at different sub cellular levels. In J.A. Bryant and D. Chiatante (Eds.) *Plant Cell Proliferation and its Regulation in Growth and Development*. John Wiley and Sons Ltd.
- Choudhary, S.S. 2017. Microsatellite markers based characterization of rice genotypes in relation to drought tolerance. Thesis. Department of agricultural biotechnology & molecular biology. Dr. Rajendra Prasad Central Agricultural University. Bihar. Pusa.
- Chu, C.C., Chu, W.C., San, S.C., Chen, H., Chu, Y.K., Yin, C.C., Yun, B.F. (1975). Establishment of an efficient medium for anther culture of rice through comparative experiments on the nitrogen sources. *Scientia Sinica*. 18(5): 659-668.
- Daradjat, A.A., Silitonga, S., Nafisah. 2009. Ketersediaan plasma nutfah padi untuk perbaikan varietas padi. *Balitbangtan Kementerian Pertanian*. 27p.
- Das, B., Sengupta, S., Parida, S.K., Roy, B., Ghosh, M., Prasad, M., Ghose, T.K. 2013. Genetic diversity and population structure of rice landraces from Eastern and North Eastern States of India. *BMC Genet*.14.71p.
- Departemen Pertanian. 2003. Departemen Pertanian; Panduan Sistem Karakterisasi dan Evaluasi Tanaman Padi. Departemen Tanaman Pangan.
- Divya B., Robin S., Rabindran R., Senthil S., Raveendran M., Joel A. J. (2014). Marker assisted backcross breeding approach to improve blast resistance in Indian rice (*Oryza sativa*) variety ADT43. *Euphytica* 200, 61–77.
- Dodds, J.H & Roberts, L.W. 1983. Experiments In Plant Tissue Culture, Ed.I. Cambridge University Press. USA. 30 p.
- Doyle J.J., Doyle, J.L. 1990. Isolation of Plant DNA From Fresh Tissue. *Focus* 12: 15 p.

- FAO (Food and Agriculture Organization). 2014. Genebank Standards for Plant Genetic Resources for Food and Agriculture, Rev. ed. FAO. Rome.
- Fatmawati, A. 2008. Kajian Konsentrasi BAP dan 2,4-D terhadap Induksi Kalus Tanaman *Artemisia annua* L. secara *In-vitro*. Skripsi. Fakultas Pertanian UNS. Surakarta.
- Ferreira do Nascimento, W., Ferreira da Silva., E.A. Veasey. 2011. Agromorphological characterization of upland rice accessions. *Science Agriculture*. 68(6):652-660.
- Firmanto B.H. 2011. Sukses Bertanam Padi. Angkasa. Bandung.
- Frankham, R., J.D.Ballou., D.A Broscoe. 2002. Introduction to conservation genetics. Cambridge University Press. Cambridge. UK. 641 p.
- Gaba, V. B. 2005. Plant Growth Regulators in Plant Tissue Culture and Development. In: Trigiano and Gray. *Plant Development and Biotechnology*. CRC Press. London.
- Gandonou Ch., Abrini J., Idaomar M., Skali Senhaji N. 2005. Response of sugarcane (*Saccharum* sp.) varieties to embryogenic callus induction and in vitro salt stress. *Afr. J. Biotechnol*. 4 (4): 350-354.
- Gati, E & Mariska. 1992. Pengaruh auksin dan sitokinin terhadap kalus *Mentha piperita* Linn. *Buletin Littri* 3: 1-4.
- George, E.F., Sherrington, P.D. 1984. *Plant propagation by tissue culture*. Eastern Press. England.
- Goldstein, J., Newburry, D.E., Echlin, P., Joy, D.C., Romig Jr, A.D., Lyman, C.E., Fiori, C., Lifshin, E. 1992. *Scanning electron microscopy and x-ray microanalysis*. Plenum Press. New York.
- Gunawan, L.W. 1987. *Teknik Kultur Jaringan Tumbuhan*. PAU Bioteknologi IPB. Bogor.
- Gupta, P.K., Varshney, R.K., Sharma, P.C., Ramesh, B. 1999. Molecular markers and their application in wheat breeding. *Plant Breeding*. 118 (5). 369-390.
- Hadisunarso, (2013) *Morfologi Tumbuhan*. In: *Morfologi Daun*. Universitas Terbuka, Jakarta, pp. 1-61.
- Handayani, F., Sumarmiyati., Ahmadi, N.R. 2017. Keragaman morfologi 20 kultivar padi lokal asal Kalimantan Timur. *PROS SEM NA MASY BIODIV INDON*. 3(1).88-93.

- Hartati, Sumadi, Subandriyo, dan Hartatik, T. 2010. Keragaman morfologi dan diferensiasi genetik sapi *peranakan Ongole* di peternakan rakyat. JITV. 15(1).72-80.
- Hue H.T., L. T. Nghia, H. T. Minh, L. H. Anh, L. T. T. Trang, T. D. Khanh. 2018. Evaluation of Genetik Diversity of Local-Colored Rice Landraces Using SSR Markers. Plant International Letters of Natural Sciences. 67. 24-34.
- Hutami, S. 2006. Ulasan: Masalah pencoklatan pada kultur jaringan. Jurnal AgroBiogen. 4(2).83-88.
- Indrawan M, Primarck RB & Supriatna J. 2007. Biologi Konservasi. Edisi Revisi. Yayasan Obor Indonesia, Conservation International-Indonesia, PILI, Yayasan WWF Indonesia, Uni Eropa dan YABSHI. Jakarta.
- Kadhimi, A.A., Alhasnawi, A.N., Isahak, A., Ashraf, M.F., Mohamad, A., Doni, F., Yusoff, W.M.W., Zain, C.R.C.M. 2014. Effect of genotype and growth regulators in induction of embryogenic callus in rice. Journal of Pure and Applied Microbiology. 8(6): 1-6.
- Khan, M.H., Z.A. Dar and S.A. Dar. 2015. Breeding strategies for improving rice yield - A review. Agric. Sci. 6: 467–478.
- Kobarsih M., Siswanto N. 2015. Penanganan susut panen dan pascapanen padi kaitannya dengan anomali iklim di wilayah Daerah Istimewa Yogyakarta. Planta Tropika Journal of Agro Science. 3(2). 100-106.
- Krisnawati A. 2004. Perlindungan hukum kultivar baru tanaman. Raj Grafindo Persada. Jakarta.
- Krupa, K. N., Shashidhar, H. E., Ningaraj Dalawai, Mahendra Reddy and Vijaykumara Swamy, H. V. 2017. Molecular Marker Based Genetik Diversity Analysis in Rice Genotypes (*Oryza sativa* L.) using SSR Markers. Int. J. Pure App. Biosci. 5 (2): 668-674.
- Kusumawati, D. 2010. RAPD (Random Amplified Polimorphic DNA), <http://file.upi.edu/direktori/FPMIPA/JUR.PEND.BIOLOGI/1977008112001122-DIAH KUSUMAWATY/materi/RAPD.pdf> (diakses 14 agustus 2019).
- Lerch, K. 1981. Tyrosinase Kinetics: A semi-quantitative Model of Mechanism of Oxidation of Monohydric and Dihydric Phenolic Substrates. J Theo Biol. 214. 321-325.

- Lesmana, O. S, H. M. Toha, I. Las, dan B. Suprihatno. 2004. Deskripsi Kultivar Unggul Baru Padi. Sukamandi, Subang. Badan Penelitian dan Pengembangan Pertanian Balai Penelitian Tanaman Padi.
- Lestrari. 2013. Pengaruh konsentrasi ZPT 2,4-D dan BAP terhadap pertumbuhan dan perkembangan biji *Dendrobium laxiflorum* J.J Smith secara In-vitro. Jurnal Sains Dan Senin Pomits. 2(1).2337-3520.
- Lestari, E.G. dan Hutami, S. 2005. Produksi bibit kencur melalui kultur jaringan. Berita Biologi 7(6):315-322.
- Lin, M.H., Lin, C.W., Chen, J.C., Lin, Y.C., Cheng, S.Y., Liu, T.H., Jan, F.J., Shu-Tu Wu<sup>2</sup>, Thseng, F.S dan Ku, H.M. 2007. Tagging Rice Drought-related QTL with SSR DNA Markers. *Crop, Environment and Bioinformatics*. 4: 65-76.
- Makarim A.K dan Suhartatik. 2009. Morfologi Dan Fisiologi Tanaman Padi. Iptek Tanaman Pangan. Balai Besar Penelitian Tanaman Padi. Sukamandi. 295-330.
- Mangoendidjojo, W. 2003. Dasar-dasar pemuliaan tanaman. Penerbit Kasinius. Yogyakarta. 182p.
- Meneses, A., D. Flores., M. Munoz., G. Arrieta., A.M. Espinosa. 2005. Effect of 2,4-D, Hydric stress and light on indica rice (*Oryza sativa* L) somatic embryogenesis. *Rev Biol Trop (Int J)*.53 (3-4): 361-368.
- Menguer P. K., et. al., Raul A. S., dan Felipe K. R. 2017. A walk on the wild side: *Oryza* species as source for rice abiotic stress tolerance. *Genetic and Molecular Biology*. 40 (1): 238-252.
- Mostafiz, S.B & Wagiran A. 2018. Efficient callus induction and regeneration in selected *indica* rice. *Agronomy MDPI*. 8(77): 1-18.
- Murashige, T & F. Skoog. 1962. A revised medium for rapid growth and bio assays with tobacco tissue cultures. *Plant Physiol*. 15: 473-497.
- Narciso, J.O & Hattori, K. 2010. Genotypic differences in morphology and ultrastructures of callus derived from selected rice varieties. *Philippine Science Letters*. 3(1). 59-65.
- Nguyen, N.M.T., Long H. H, Naruto Furuya, Kenichi T. and Nguyen, T.T. T. 2013. Quantitative Trait Loci (QTLs) Associated with Drought Tolerance in Vietnamese Local Rice (*Oryza sativa* L.). *J. Fac. Agr., Kyushu Univ*. 58 (1): 1–6.

- Nugroho, K., Slamet., Lestari, P. 2017. Keragaman genetic 24 varietas padi sawah dan padi gogo (*Oryza sativa* L) Indonesia berdasarkan penanda SSR. Scripta Biologica. 14(1).
- Oliveira, E.J., Koehler, A.D., Rocha, D.I., Vieira, L.M., Marques Pinheiro, M.V., de Matos, E.M., Ferreira da Cruz, A.C., Ribeiro da Silva, T.C., Ossamu Tanaka, F.A., Silveira Nogueira, F.T., 2017. Morpho-histological, histochemical, and molecular evidences related to cellular reprogramming during somatic embryogenesis of the model grass *Brachypodium distachyon*. Protoplasma. 254. 2017–2034.
- Orcutt, DM & Nilsen, ET. 2000. The physiology of plants under stress: soil and biotic. Vol 1. Abiotic Factors
- Ovung, C.Y., Lal, G.M., Rai, P.K. 2012. Studies on genetic diversity in rice (*Oryza sativa* L.). Journal of Agricultural Technology. 8(3).1059-1065.
- Panjaitan, S.B., Abdullah, S.N.A., Aziz, M.A., Meon, S., Omar, O. 2009. Somatic embryogenesis from scutellar embryo of *Oryza sativa* L var MR219. Pertanika J.Trop.Agric.Sci.32(2): 185-194.
- Peterson, G & R. Smith. 1991. Effect of abscisic acid and callus size on regeneration of American and international rice varieties. Plant Cell Rep. 10: 35-38.
- Pierik, R.L.M. 1987. In-vitro culture in higher plant. Martinus Nijhoff Publisher. Netherlands.
- Poonsapaya, P., M.W. Nabors., W. Kersi., M. Vajrabhaya. 1989. A comparison of methods for callus culture and plant regeneration of RD 25 rice (*Oryza sativa* L) in-vitro laboratories. Plant Cell, Tissue and Organ Culture. 16:175-186.
- Prasetyono, J., Aswidonnor, H., Moeldjopawiro, S., Soepandi, D., Bustamam, M. 2008. Identifikasi marka polimorfik untuk pemuliaan padi toleran defisiensi fosfor. Jurnal Agro Biogen.4(2).51-58.
- Prayoga, M.K., Rostini, N., Setiawati, M.R., Simarmata, T. 2018. Preferensi petani terhadap keragaan padi (*Oryza sativa* L.) unggul untuk lahan sawah di wilayah Pangandaran dan Cilacap. Jurnal kultivasi. 17(1).523-530.
- Purugganan, MD., Fuller, DQ. 2009. The nature of selection during plant domestication. Nature. 457: 843-848.
- Putra OD, Samudin S, Lakani I. 2014. Karakterisasi genotip padi lokal Kamba asal dataran Lore. J Agrotekbis. 2:146- 154.

- Rahman, Z.A., Noor, E.S.M., Ali, M.S.M., Mirad, R. and Othman, A.N. 2015. *In-vitro* Micropropagation of a Valuable Medicinal Plant, *Plectranthus amboinicus*. American Journal of Plant Sciences. 6: 1091-1097.
- Rahman, Z.A., Roowi, S., Zaliha, W.W.S., Subramaniam, S. 2010. Regeneration of Malaysian indica rice (*Oryza sativa*) variety MR232 via optimised somatic embryogenesis system. J. Phytol. 2. 30–38.
- Ramadan, E.A., Elmoghazy, A.M and El-Mowa, H.F. 2015. Molecular markers based genetic diversity analysis for drought tolerance in Rice (*Oryza sativa* L.) using SSR markers. Int.J.Sci.Res.Agric. Sci. 2.137-146.
- Ramchander S., M. Raveendran dan S. Robin. 2016. Mapping qtls for physiological traits associated with drought tolerance in rice (*Oryza sativa* L.). J Investig Genomics. 3(3): 56–61.
- Ramlah., Pabendon, M.B., Daryono, B.S. 2019. Local food diversification of foxtail millet (*Setaria italica*) cultivars in West Sulawesi, Indonesia: A case study of diversity and local culture. BIODIVERSITAS. 21(1).67-73.
- Rao, R.V & Hodgkin, T. 2002. Genetic diversity and conservation and utilization of plant genetic resources. Plant Cell Tissue and Organ Culture. 68(1).1-9.
- Reflinur & Lestari, P. 2015. Penentuan lokus gen dalam kromosom tanaman dengan bantuan marka DNA. Jurnal Litbang Pertanian. 34(4).177-186.
- Reed, D. H., & R. Frankham. 2002. Correlation between fitness and genetic diversity. Conservation Biology 16.
- Rembang, J. H.W., Rauf, A.W, dan Sondakh, J.O.M. 2018. Karakter Morfologi Padi Sawah Lokal di Lahan Petani Sulawesi Utara. Buletin Plasma Nutfah 24(1):1–8.
- Ruswaningsih, F. 2007. Pengaruh konsentrasi ammonium nitrat dan BAP terhadap pertumbuhan eskplan pucuk *Artemisia annua* L. pada kultur *in-vitro*. Skripsi Fakultas Pertanian UNS. Surakarta.
- Sah, S.J., Kaur, A., Sandhu, J.S. 2014. High frequency embryogenic callus induction and whole plant regeneration in *Japonica* rice cv Kitaake. Journal Rice Research. 2(2): 1-5.
- Sahoo J.P. & V. Sharma. 2018. Impact of LOD Score and Recombination Frequencies on the Microsatellite Marker Based Linkage Map for Drought Tolerance in Kharif Rice of Assam. Int.J.Curr.Microbiol.App.Sci. 7(08): 3299-3304.

- Salassi, ME. Deliberto M.A., Linscombe SD., Wilson, C.E., Walker, T.E., McCauley, G.N., Blouin, C. 2013. Impact of harvest lodging on rough rice milling yield and market price. *J. Agronomy*. 105(6):1855-1864.
- Santoso, U & F. Nursandi. 2001. *Kultur jaringan Tanaman*. UMM Press. Malang.
- Shikhamany SD. 2006. Horticultural genetic resources: role of ex situ conservation. Paper presented at ICAR Short Course on *In-vitro* Conservation and Cryopreservation, New Options to Conserve Horticultural Genetic Resources, Bangalore, India, 21- 30 September 2006.
- Sirappa, M.P., dan Waas, E.D. 2009. Kajian varietas dan pemupukan terhadap peningkatan hasil padi sawah di dataran Pasahari, Maluku Tengah. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian*. 12(1). 79- 90.
- Siregar, H. 1981. *Budidaya tanaman padi di Indonesia*. Sastra Hudaya. Bogor.
- Soemartono B & R. Hardjono. 1980. *Bercocok tanam padi*. CV. Yasaguna. Jakarta.
- Subagyo, H., N. Suharta dan A. B. Siswanto. 2004. Tanah-tanah pertanian di Indonesia. 21- 66.
- Sugeng, H. 2001. *Bercocok Tanam Padi*. Aneka Ilmu. Semarang.
- Sukmadjaja, D & Mulyana, A. 2011. Regenerasi dan Pertumbuhan Beberapa Varietas Tebu (*Saccharum officinarum* L.) secara *In Vitro*. *J. AgroBiogen* 7(2):106-118.
- Suhartini, T. 2010. Keragaman karakter morfologi plasma nutfah spesies padi liar (*Oryza* spp). *Buletin Plasma Nutfah* 1. 17-28.
- Sulassih. 2011. Analisis hubungan kekerabatan manggis (*Garcinia mangostana* L.) menggunakan penanda morfologi dan ISSR terhadap kerabat dekatnya. Tesis. Institut Pertanian Bogor. Bogor.
- Sunarto, 1997. *Pemuliaan tanaman*. IKIP Semarang Preaa. Semarang. 53p.
- Suryowinoto, M. 1996. *Pemuliaan Tanaman secara In-Vitro*, Kanisius, Pusat Antar Universitas (PAU), Yogyakarta.
- Susanto, U., Sutrisno., H. Aswidinnoor. 2009. Pemanfaatan teknik penandah molekuler untuk perbaikan varietas padi. 353-364.
- Susanto. U., A.A. Daradjat., B. Suprihatno. 2003. Perkembangan Pemuliaan Padi Sawah di Indonesia. Balai Penelitian Tanaman Padi, Sukamandi, *Jurnal Litbang Pertanian*.

- Syahrudin, K. 2012. Analisis keragaman beberapa geneotipe durian (*Durio zibethinus* Murr) menggunakan penanda morfologi dan molekuler (ISSR). Tesis. Institut Pertanian Bogor. Bogor.
- Tariq, M., G. Ali, F. Hadi, S. Ahmad, N. Ali., A.A. Shah, 2008. Callus induction and *in-vitro* plant regeneration of rice (*Oryza sativa* L.) under various conditions. Pak. J. Biol. Sci. 11: 255-259.
- Taryono. 2014. Pengantar Bioteknologi untuk Pemuliaan Tanaman. Gadjah Mada University Press. Yogyakarta.
- Teng, S., Qian, Q., Zeng Da-Li., Kunihiro, Y., Fujimoto, K., Huang Da-Nian., Huang-Li. 2002. Analysis of gene loci and epistasis for drought tolerance in seedling stage of rice (*Oryza sativa* L.). Yi Chuan Xue Bao.29(3).235-240.
- Tjitrosoepomo, G. 2009. Taksonomi tumbuhan. Yogyakarta: Gadjah Mada University Press.
- Tobing M.T., G. Opor., G. Sabar., R.K. Damanik. 1995. Agronomi Tanaman Makanan. USU Press. Medan.
- Torres, KC. (1989). Tissue culture techniques for horticultural crops. Van nostrand reinhold.
- Tuhina-Khatun, M., Hanafi, M.M., Yusop, M. R., Wong, M.Y., Salleh, F.M., Ferdous, J. 2015. Genetic variation, heritability, and diversity analysis of upland rice (*Oryza sativa* L.) genotypes based on quantitative traits. BioMed Research International, 2015, 1–7.
- Uga, Y., Okuno, K., Yano, M. 2011. Dro1, a major QTL involved in deep rooting of rice under upland field conditions. Journal of Experimental Botany. 62(8): 2485-2494.
- Ullah, H., Ullah, I., Jadoon, SA., Rashid, H. 2007. Tissue culture techniques for callus induction in rice. J. Agric. 23(1): 81-86.
- Vega, R., Vasquez, N., Espinoza, A.M., Gatica, A.M., Melara, M.V. 2009. Histology of somatic embryogenesis in rice (*Oryza sativa* cv. 5272). Rev. Biol.trop. 57: 141-150.
- Wahyudi, A. 2020. Pemanfaatan marka molekuler dan evaluasi morfologi dalam pembentukan populasi baru padi (*Oryza sativa* L.) toleran kekeringan. Tesis Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

- Wang, YH., He, ZS., Sun, YX., Ma, LL., Liu, YL., Lin, KX. 2011. Study production of alkaloid by cell mass suspension culture of *Fritillaria cirrhosa*. J Chin Med Mater. 34(2):183-18.
- Wet, J. M. J. D., J. R. Harlan, and D. E. Brink. 1986. Reality of Intraspecific Taxonomic Units in Domesticated Cereals in Styles, B. T. (ed). Intraspecific Classification of Wild and Cultivated Plants. Oxford University Press. New York. 210-222.
- Wetherell, D.F. 1982. Pengantar propagasi tanaman secara *in-vitro*. IKIP Semarang Press. Semarang.
- Wheeler jr, C.E., Briggman, R. 1975. The epidermal-dermal junction. Journal of Investigative Dermatology. 65(1).71-84.
- Widayanto, W. 2004. Pengaruh 2,4-D dan Kinetin terhadap pertumbuhan dan perkembangan eksplan serta kandungan metabolit sekunder kalus jati belanda (*Guazuma ulmifolia lamk*) secara *in-vitro*. Skripsi. Fakultas Pertanian UNS. Surakarta.
- Yoshida, S. 1981. Fundamental of rice crop science. International Rice Research Institute. Los Banos, Laguna, Philippines.269p.
- Yusnita. 2003. Kultur jaringan: Cara Memperbanyak Tanaman Secara Efisien. Agro Media Pustaka, Jakarta. 105p.
- Zhao, Y. 2010. Auxin biosynthesis and its role in plant development. Annu Rev Plant Biol. 2(61): 49-64.
- Zulfahmi. 2015. Penanda DNA untuk analisis genetik. Agroteknologi. 3(2): 41-52.